

METROPOLISEDOS_Alibag-Panvel

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0002	1p/19q Deletion by FISH Oligodendrogliomas Tissue	Alibag- Panvel	D	13145	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
#0003	3-Methyl Histidine Quantitative Urine	Alibag- Panvel	D	6570	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
#0004	3-Methyl Histidine Quantitative Serum	Alibag- Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
#0006	5-HIAA, Urine 24 hrs by column chormatography	Alibag- Panvel	D	3445	Tue & Fri : 11:30am	Same day : 9:00pm	24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
#0007	5q del (MDS) by Fish	Alibag- Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0008	5q deletion/Monosomy 5 by FISH MDS Bone Marrow	Alibag- Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0011	7q deletion/Monosomy 7 by FISH,MDS	Alibag- Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0012	7q deletion/Monosomy 7 by FISH MDS Bone Marrow	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0013	Williams Syndrome; Microdeletion of chromosome 7q11.23**	Alibag-Panvel	R	11235	Daily : 11:30am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
#0014	FGFR 1 gene rearrangement t(8p11.2), Blood**	Alibag-Panvel	E	5045	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0015	FGFR 1 gene rearrangement t(8p11.2), Bone Marrow**	Alibag-Panvel	E	5045	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0017	11q (ATM) by FISH	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0018	11q deletion by FISH ATM (CLL) Bone Marrow	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0021	13q del by FISH	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0022	13q deletion by FISH MM, CLL Bone Marrow	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0023	14q32.3 by FISH IGH gene rearrangement (ALL, NHL) Blood**	Alibag-Panvel	D	6030	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0024	14q32.3 by FISH, IGH gene rearrangement (ALL, NHL) Bone Marrow**	Alibag-Panvel	D	5830	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0025	Prader-Willi/Angeman Syndrome (Microdeletion 15q9-13)**	Alibag-Panvel	R	7385	Daily : 11:30am	12th Day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
#0026	17 OH Corticosteroids, Urine by Column Chromatography (#0026)	Alibag-Panvel	D	4345	Tue & Fri : 11:30am	Same day : 9:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0027	17-Hydroxy Progesterone Neonatal Screen Dried blood spot	Alibag- Panvel	C	475	Daily : 11:30am	Next day : 5:00pm	accurate results and such history to be conveyed to lab. Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
#0028	17-Hydroxy-Progesterone by Serum	Alibag- Panvel	C	1750	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
#0029	17 Ketosteroids,urine by Column Chromatography (#0029)	Alibag- Panvel	C	4030	Tue & Fri : 11:30am	Same day : 9:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
#0030	Del 17p53 by FISH	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0031	17p deletion by FISH, p53 (MM, CLL) Blood	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0034	20q deletion (MDS) by FISH, Blood FISH probe for chromossome 20q Blood	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
#0035	Del 20q (MDS) Blood / bone marrow	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
#0036	DEL 22q (Microdeletion digeorge syndrome) by FISH	Alibag-Panvel	D	5620	Daily : 9:00am	7th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
#1018	5 Nucleotidase activity , Serum**	Alibag-Panvel	R	6420	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
A0001	Abnormal Haemoglobin Studies, Hb Variants, EDTA Blood	Alibag-Panvel	C	1060	Daily: 9am	Next day 5pm	3 ml EDTA whole blood
A0003	Absolute Eosinophile Count	Alibag-Panvel	A	205	Daily: 9am to 9pm	Absolute Eosinophile Count	3 ml EDTA whole blood
A0008	Acetone Ketone by Fully Automated Urine chemistry & Microscopy - Urine	Alibag-Panvel	A	80	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0012	AChR Antibodies Acetyl Choline Receptor Antibodies Serum	Alibag-Panvel	C	3650	Daily : 11:30am	Next day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0013	Acid Phosphatase Total Serum	Alibag-Panvel	A	320	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0014	Acid Phosphatase Total and prostatic fraction Serum	Alibag-Panvel	C	610	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0015	ACTH Stimulation Test - For 17 OH progesterone -Serum	Alibag-Panvel	C	3910	Daily : 11:30am	After 8hrs	3 ml of serum (0 min, 30, 60 min)
A0016	ACTH Stimulation Test - For Aldosterone -	Alibag-	C	5830	Daily: 7.30am	Next day 5pm	3 ml of serum (0 min, 30, 60 min)

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Serum	Panvel					
A0017	ACTH Stimulation Test - For Androstenedione - Serum	Alibag-Panvel	C	4770	Daily: 7.30am	After 8 hrs	3 ml of serum (0 min, 30, 60 min)
A0018	ACTH Stimulation Test - For Cortisol - Serum	Alibag-Panvel	C	1855	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0 min, 30, 60 min)
A0019	ACTH Stimulation Test - For DHEAS-Serum	Alibag-Panvel	C	2915	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0 min, 30, 60 min)
A0020	ACTH Adreno Corticotropic Hormone - Plasma	Alibag-Panvel	C	1695	Daily: 9am to 9pm	After 6 hrs	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0021	Actinomyces Culture by Vitek/MALDITOF - Sputum	Alibag-Panvel	D	1505	Daily : 9:00am to 9:00pm	5th day : 5pm	2ml of Sputum in Sterile leak proof container
A0022	Actinomyces Culture by Vitek/MALDITOF - Tissue	Alibag-Panvel	D	1380	Daily : 9:00am to 9:00pm	5th day : 5pm	Tissue with Normal Saline in Sterile leak proof container
A0023	Actitest and Fibrotest	Alibag-Panvel	E	16995	Daily: 7am	5th day	5 ml of serum
A0024	Acylcarnitine quantitative Neonatal**	Alibag-Panvel	R	4815	Daily : 11:30am	8th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clincian required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations
A0025	ADA - Adenosine Deaminase by Biochemical Method - Ascitic Fluid	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0026	ADA - Adenosine Deaminase by Biochemical Method - CSF	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	2 ml of CSF in Sterile leak proof tube or container
A0027	ADA (Adenosine Deaminase), Pericardial fluid	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0028	ADA - Adenosine Deaminase by Biochemical Method- Peritoneal Fluid	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0029	ADA - Adenosine Deaminase by Biochemical Method - PleuralFluid	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0030	ADA - Adenosine Deaminase by Biochemical Method - Pus	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	Sample in sterile container
A0031	ADA - Adenosine Deaminase by Biochemical Method - Serum	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0032	Adenovirus DNA Detection by PCR - Respiratory Fluid **	Alibag-Panvel	D	4610	Daily : 11:30am	10th day : 6:00pm	3 ml of Fluid in Sterile leak proof container
A0033	Adenovirus DNA Detection by PCR - Oral swab**	Alibag-Panvel	D	4770	Daily : 11:30am	10th day : 6:00pm	1 Swab with Sufficient Material in Sterile Vacutainer
A0034	Adenovirus DNA Detection by PCR - Eye swab**	Alibag-Panvel	D	4610	Daily : 11:30am	10th day : 6:00pm	1 Swab with Sufficient Material in Sterile Vacutainer
A0035	Adenovirus DNA Detection by PCR - Nasal swab **	Alibag-Panvel	D	4960	Daily : 11:30am	10th day : 6:00pm	1 Swab with Sufficient Material in Sterile Vacutainer
A0036	Adenovirus IgG Antibody by EIA - Serum	Alibag-	D	1750	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0037	Adenovirus IgM Antibody by EIA - Serum	Panvel Alibag-Panvel	D	1750	Thurs : 9:00am	Same day : 5pm	in Plain Sterile Vacutainer 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0038	ADH-Anti Diuretic Hormone Vasopressin Plasma	Alibag-Panvel	D	5725	Mon : 11:30am	Next day : 5:00pm	3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.
A0039	Adiponectin ELISA Serum	Alibag-Panvel	D	3180	Wed : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0041	Adrenaline (Epinephrine) Plasma	Alibag-Panvel	D	3815	Wed : 11:30am	Next day : 5:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
A0042	Adrenaline (Epinephrine] HPLC,Urine24hrs	Alibag-Panvel	D	3285	Wed : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
A0052	AFB Rapid culture by Bactec Fx - Blood	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
A0053	AFB Rapid culture by MGIT - Body Fluid	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	2ml of Body Fluid in Sterile leak proof container
A0054	AFB Rapid culture by Bactec Fx - Bone	Alibag-	C	1270	Daily : 9:00am to	Upto 6 weeks	3ml of Bone Marrow in MycoF/lytic

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0055	Marrow AFB Rapid culture by MGIT - BAL & Other Respiratory samples	Panvel Alibag-Panvel	C	1270	9:00pm Daily : 9:00am to 9:00pm	Upto 6 weeks	Bactec Bottle or Sodium Heparin 2ml of BAL / Other Respiratory samples in Sterile leak proof container
A0056	AFB Rapid culture by MGIT - CSF	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	2ml of CSF in Sterile leak proof tube or container
A0057	AFB Rapid culture by MGIT - Endometrium	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	2ml of Endometrium in Sterile leak proof container
A0058	AFB Rapid culture by MGIT - Other	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	2ml of Specimen in Sterile leak proof container
A0059	AFB Rapid culture by MGIT - Pus, abscess and aspirates	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0060	AFB Rapid Culture by MGIT - Sputum	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	2ml of Sputum in Sterile leak proof container
A0061	AFB Rapid culture by MGIT - Tissue/Biopsy	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	Tissue with Normal Saline in Sterile leak proof container
A0062	AFB Rapid Culture by MGIT - Urine	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Upto 6 weeks	15ml of Spot Urine in Sterile leak proof container
A0063	MOTT Antibigram for Rapid Growers by Microbroth dilution - Pure Culture	Alibag-Panvel	D	8480	Daily : 7:30am	Upto 4 weeks	Isolated colony on culture plates
A0064	MOTT Antibigram for Slow Growers by Microbroth dilution - Pure Culture	Alibag-Panvel	D	10175	Daily : 7:30am	Upto 4 weeks	Isolated colony on culture plates
A0065	AFB (TB) - Antibigram for MTb complex - Amikacin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	3075	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0066	AFB (TB) - Antibigram for MTb complex - Capreomycin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0067	AFB (TB) - Antibigram for MTb complex - Clofazimine Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0068	AFB (TB) - Antibigram for MTb complex - Ethambutol Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0069	AFB (TB) - Antibigram for MTb complex - Ethionamide Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0070	AFB (TB) - Antibiogram for MTb complex - Isoniazid Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2545	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0071	AFB (TB) - Antibiogram for MTb complex - Kanamycin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0072	AFB (TB) - Antibiogram for MTb complex - Levofloxacin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0073	AFB (TB) - Antibiogram for MTb complex - Moxifloxacin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0074	AFB (TB) - Antibiogram for MTb complex - Ofloxacin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0075	AFB (TB) - Antibiogram for MTb complex - PAS Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0076	AFB (TB) - Antibiogram for MTb complex - Pyrazinamide Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0077	AFB (TB) - Antibiogram for MTb complex - Rifabutin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0078	AFB (TB) - Antibiogram for MTb complex - Rifampicin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2545	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0079	AFB (TB) - Antibiogram for MTb complex - Streptomycin Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2545	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0080	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Other Sample Type	Alibag-Panvel	C	2330	Daily : 7:30am	Next day : 5:00pm	2ml of Sputum/ BAL/ Other respiratory samples in Sterile leak proof container
A0081	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Body Fluids	Alibag-Panvel	C	2175	Daily : 7:30am	Next day : 5:00pm	2ml of Body Fluid in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0082	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - CSF	Alibag-Panvel	C	2175	Daily : 7:30am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
A0083	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Pus / Abscess / Aspirate	Alibag-Panvel	C	2175	Daily : 7:30am	Next day : 5:00pm	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0084	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Semen	Alibag-Panvel	C	2395	Daily : 7:30am	Next day : 5:00pm	2ml of Specimen in Sterile leak proof container
A0085	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Tissue / Biopsy / Lymph nodes	Alibag-Panvel	C	2280	Daily : 7:30am	Next day : 5:00pm	Tissue/ Endometrium with Normal Saline/ Biopsy/ Lymph nodes in Sterile leak proof container
A0086	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Urine	Alibag-Panvel	C	2280	Daily : 7:30am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
A0087	AFB Drug susceptibility panel 1st and 2nd Line (10 drugs) by MGIT - Pure Culture	Alibag-Panvel	D	10070	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0088	AFB Drug susceptibility panel 1st Line (4 drugs) SIRE by MGIT - Pure Culture	Alibag-Panvel	D	5300	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0089	AFB Drug susceptibility panel 2nd Line (4 Drugs) KEPO by MGIT - Pure Culture	Alibag-Panvel	D	6150	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0090	AFB Drug susceptibility panel Additional drugs 4 Nos. MACC by MGIT - Pure Culture	Alibag-Panvel	D	5935	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0091	AFB Drug susceptibility panel Comprehensive Panel 13 drugs by MGIT - Pure Culture	Alibag-Panvel	D	14310	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0092	AFB Identification & Speciation MTB and MOTT by Hains Line Probe - Pure culture	Alibag-Panvel	D	3710	Tue : 7:30am	Next day : 5pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.
A0093	AFB MDR Screen by Hains Line Probe Assay - Sputum, BAL, other respiratory samples	Alibag-Panvel	D	2120	Tue : 7:30am	Next day : 5pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container
A0094	AFB MDR Screen by Hains Line Probe Assay - Extra pulmonary samples	Alibag-Panvel	D	2120	Tue : 7:30am	Next day : 5pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, Synovial fluid)
A0102	AFB-Smear examination by Fluorescent stain - Body fluid	Alibag-Panvel	C	450	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Body Fluid in Sterile leak proof container
A0103	AFB-Smear examination by Fluorescent stain - BAL & Other Respiratory Sample	Alibag-Panvel	C	450	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of BAL / Other Respiratory samples in Sterile leak proof container
A0104	AFB-Smear examination by Fluorescent stain - Pus, abscess and aspirates	Alibag-Panvel	C	450	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0105_1	AFB-Smear examination by Fluorescent stain - Sputum (1 sample)	Alibag-Panvel	C	450	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0105_3	AFB-Smear examination by Fluorescent stain - Sputum (3 sample)	Alibag-Panvel	C	1270	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0106	AFB-Smear examination by Fluorescent stain - Tissue and Biopsy	Alibag-Panvel	C	450	Daily : 9:00am & 3:00pm	After 6 hrs	Tissue with Normal Saline / Biopsy / Lymph nodes in Sterile leak proof container
A0107_1	AFB-Smear examination by Fluorescent stain - Urine (1 sample)	Alibag-Panvel	C	450	Daily : 9:00am & 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0107_3	AFB-Smear examination by Fluorescent stain - Urine (3 sample)	Alibag-Panvel	C	1270	Daily : 9:00am & 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0108	AFB-Smear examination by ZN Stain - Body fluids	Alibag-Panvel	B	400	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Body Fluid in Sterile leak proof container
A0109	AFB- Smear examination by ZN Stain - BAL & Other Respiratory samples	Alibag-Panvel	B	400	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of BAL / Other Respiratory samples in Sterile leak proof container
A0110	AFB-Smear examination by ZN Stain - Pus, abscess and aspirates	Alibag-Panvel	B	400	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0111_1	AFB-Smear examination by ZN Stain - Sputum (1 sample)	Alibag-Panvel	B	400	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0111_3	AFB-Smear examination by ZN Stain - Sputum (3 samples)	Alibag-Panvel	B	855	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0112	AFB- Smear examination by ZN Stain - Tissue / Biopsy	Alibag-Panvel	B	400	Daily : 9:00am & 3:00pm	After 6 hrs	Tissue with Normal Saline in Sterile leak proof container
A0113_1	AFB- Smear examination by ZN Stain - Spot Urine (Single Sample)	Alibag-Panvel	B	400	Daily : 9:00am & 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0113_3	AFB-Smear examination by ZN Stain - Urine (3 samples)	Alibag-Panvel	B	855	Daily : 9:00am & 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0114	AFB Speciation (MOTT) Additional species by Hains Line Probe Assay - Pure culture	Alibag-Panvel	C	4560	Tue : 7:30am	Next day : 5pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.
A0115	AFB XDR Screen by Hains Line Probe Assay - Sputum / BAL/ Other respiratory samples	Alibag-Panvel	C	5300	Tue : 7:30am	Next day : 5pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container
A0116	AFB XDR Screen by Hains Line Probe Assay - Extra pulmonary samples	Alibag-Panvel	C	5300	Tue : 7:30am	Next day : 5pm	Extra - Pulmonary Smear positive samples or Culture positive specimen
A0117	AFB-Xpert panel (M.Tb Detection & Rifampicin resistance) by Genexpert - Pulmonary samples	Alibag-Panvel	D	2400	Daily : 7:30am	Same day : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container
A0118	AFB-Xpert panel (M.Tb Detection & Rifampicin resistance) by Genexpert - Extra pulmonary samples	Alibag-Panvel	D	2400	Daily : 7:30am	Same day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
A0119	AFP-Alpha Feto Protein- CLIA- Serum	Alibag-Panvel	B	970	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0120	Alpha Fetoprotein - Amniotic Fluid (AFP-AF)	Alibag-Panvel	C	1165	Daily: 9am to 9pm	After 6 hrs	2 ml Amniotic Fluid In Sterile container
A0121	AFP-Alpha Feto Protein -CLIA- CSF	Alibag-Panvel	C	1060	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
A0122	Albert stain by smear examination - Throat swab	Alibag-Panvel	B	375	Daily : 9:00am to 3:00pm	After 6 hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
A0123	Albumin Qualitative - Urine	Alibag-Panvel	A	80	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0124	Albumin Quantitative Urine 24H	Alibag-Panvel	B	620	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
A0125	Albumin Serum	Alibag-Panvel	A	235	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0126	Albumin CSF	Alibag-Panvel	C	1380	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
A0127	Albumin/Creatinine Ratio, Urine	Alibag-Panvel	A	590	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
A0128	Alcohol Ethanol Urine	Alibag-Panvel	C	1380	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
A0129	Alcohol Ethanol Serum	Alibag-Panvel	C	1060	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0130	Aldehyde Chopra Test for Kala Azar by Chemical Formal Test - Serum**	Alibag-Panvel	R	480	Daily : 11:30am	3rd day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0131	Aldolase enzymatic Serum	Alibag-Panvel	C	1050	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0132	Aldosterone 24H URINE	Alibag-Panvel	C	2330	Daily : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
A0133	Aldosterone ELISA Serum	Alibag-Panvel	C	2065	Daily : 9:00am	Same day after 8 hrs	3 ml Serum (Mention The Position)
A0134	ALK1/EML4 (LUNG CANCER) by FISH	Alibag-Panvel	E	8755	Daily 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
A0135	Alkaline Phosphatase Serum	Alibag-Panvel	A	235	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0136	Alkaline Phosphatase Isoenzymes Electrophoresis - Serum	Alibag-Panvel	D	5300	Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0137	Alkaline Phosphatase with Bone Fraction Ostase Serum	Alibag-Panvel	C	2175	Mon & Thu : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0138	Allergen,Individual-AnimalCat DanderSerum	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0140	Allergen,Individual-AnimalCow DanderSerum	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0141	Allergen,Individual-AnimalDog DanderSerum	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0143	Allergen,Individual-Animal Guinea Pig Epithelium Serum	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0145	Allergen,Individual-AnimalHorse Dander Serum	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0152	Allergen,Individual-DrugACTH	Alibag-Panvel	C	1750	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0158	Allergen,Individual-DrugCiprofloxacinantibiotic	Alibag-Panvel	C	1590	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0173	Allergen, Individual-Drug Sulpha antibiotic	Alibag-Panvel	C	1590	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0175	Allergen,Individual-DustDermatophagoides FarinaeHouse Dust Mite	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0176	Allergen,Individual-DustDermatophagoides PteronyssinusHouse Dust Mite	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0178	Allergen,Individual-Dust House Dust - Hollistier	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0179	Allergen,Individual-DustHouse Dust Greer Labs	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0180	Allergen,Individual-FoodAlmondBadam (Amygdalus Communis)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0181	Allergen,Individual-FoodAlpha - LactalbuminMilkMilk protein	Alibag-Panvel	C	1485	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0182	Allergen,Individual-FoodAppleSafarchand (Malus X Domestica)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0185	Allergen,Individual-FoodBaingan	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0186	Allergen,Individual-FoodBakers YeastYeast (Saccharomyces Cerevisiae)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0187	Allergen,Individual-FoodBananaKela (Musa Spp.)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0189	Allergen,Individual-Food Basil Ocimum basilicum	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0191	Allergen,Individual-FoodBeefCow meat (Bos spp.)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0192	Allergen,Individual-FoodBeta - Lactoglobulin- MilkMilk protein	Alibag-Panvel	C	1485	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0193	Allergen,Individual-FoodBlack PepperPiper nigrum	Alibag-Panvel	C	1485	Mon & Thu : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0194	Allergen,Individual-FoodBlue MusselMytilus Edulis	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0195	Allergen,Individual-FoodBrazil NutBertholletia excelsa	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0198	Allergen,Individual-FoodCabbageGobi (Brassica Oleraceavar.Capitata)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0199	Allergen,Individual-FoodCardamonElettaria cardamomum	Alibag-Panvel	C	1485	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0201	Allergen,Individual-FoodCasein(Milk Protein)Dahi	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0202	Allergen,Individual-FoodCashew NutKaju (Anacardium Occidentale)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0204	Allergen,Individual-Food Celery Apium Graveolens	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0205	Allergen,Individual-FoodCheese Cheddar	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0207	Allergen,Individual-FoodChick PeaKabuli Chana (Cicer Arietinus)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0208	Allergen,Individual-FoodChicken MeatMurgi	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0209	Allergen,Individual-FoodChilipepperCapsicum frutescens	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0211	Allergen,Individual-FoodClove(Syzygium aromaticum)	Alibag-Panvel	C	1485	Mon & Thu : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0212	Allergen,Individual-FoodCocoaChocolate (Theobroma Cacao)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0213	Allergen,Individual-FoodCoconutNarial (Cocos Nucifera)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0214	Allergen,Individual-FoodCod FishMachhli (Gadus Morhua)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0215	Allergen,Individual-FoodCoffee	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0216	Allergen,Individual-FoodCoriander	Alibag-Panvel	C	1485	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0217	Allergen,Individual-FoodCorn / MaizeMakka (Zea Mays)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0218	Allergen,Individual-FoodCow MilkDoodh	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0219	Allergen,Individual-FoodCrabCancer pagurus	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0224	Allergen,Individual-FoodEgg WhiteAnda	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0225	Allergen,Individual-FoodEgg YolkAnda	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0228	Allergen,Individual-FoodGarlicLehsoon (Allium Sativum)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0230	Allergen,Individual-FoodGluten	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0234	Allergen,Individual-FoodGreen Pea	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0236	Allergen,Individual-FoodHazelnutCorylus avellana	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0238	Allergen,Individual-FoodKiwi FruitActinidia deliciosa	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0242	Allergen,Individual-FoodLemonNimbu (Citrus Limon)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0243	Allergen,Individual-FoodLentilMasoor Dal (Lens Esculenta)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0245	Allergen,Individual-FoodLobsterHomarus gammarus	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0249	Allergen,Individual-FoodMangoMangifera Indica	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0252	Allergen,Individual-FoodMushroomchampignon / Agaricus hortensis	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0253	Allergen,Individual-FoodMustardSarson (Brassica / Sinapsis Spp.)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0254	Allergen,Individual-FoodMuttonOvis Spp.	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0256	Allergen,Individual-FoodOliveOlea Europaea	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0257	Allergen,Individual-FoodOnionPiaz (Allium Cepa)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0258	Allergen,Individual-FoodOrangesantra (Citrus sinensis)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0260	Allergen,Individual-FoodPapayaCarica Papaya	Alibag-Panvel	C	1590	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0261	Allergen,Individual-FoodPapricaSimla Mirchi (Capsicum Annuum)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0263	Allergen,Individual-FoodPeachPrunus persica	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0264	Allergen,Individual-FoodPeanutMoongfali (Arachis Hypogaea)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0265	Allergen,Individual-FoodPearPyrus communis	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0266	Allergen,Individual-Food Pecan nut Carya illinoensis	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0267	Allergen,Individual-FoodPineappleAnanas	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0268	Allergen,Individual-FoodPistachio	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0269	Allergen,Individual-FoodPlaiceFish (Pleuronectes platessa)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0272	Allergen,Individual-FoodPorkPig meat	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0273	Allergen,Individual-FoodPotatoAaloo (Solanum Tuberosum)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0277	Allergen,Individual-FoodRiceChawal (Oryza Sativa)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0278	Allergen,Individual-FoodSalmonRawas fish (Salmo Salar)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0281	Allergen,Individual-FoodShrimp / Prawns	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0282	Allergen,Individual-FoodSoyabeanGlycine Max	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0283	Allergen,Individual-FoodSpinachPalak (Spinachia Oleracea)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0284	Allergen,Individual-FoodStrawberryFragaria vesca	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0289	Allergen,Individual-FoodTomatoTamatar (Lycopersicon Lycopresicum)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0290	Allergen,Individual-FoodTunaFish (Pleuronectes platessa)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0292	Allergen,Individual-FoodWalnutJuglans californica	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0294	Allergen,Individual-FoodWheatGehon (Triticum Aestivum)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0295	Allergen,Individual-FoodWhite BeanPhaseolus Vulgaris	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0298	Allergen,Individual-Grass pollenBermuda GrassDurva (Cynodon Grass)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0300	Allergen,Individual-Grass pollen Cultivated RyeGrass Secale Cereale	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0302	Allergen,Individual-Grass pollenJohnson GrassJowar grass (Sorghum Grass)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0304	Allergen,Individual-Grass pollen Meadow Grass Poa Pratensis	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0308	Allergen,Individual-Grass pollenTimothy GrassGhass (Phleum Pratense)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0311	Allergen,Individual-InsectCockroach GermanBlatella Germanica	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0312	Allergen,Individual-InsectHoney Bee VenomMadhu Makhhi (Apis Mellifera)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0315	Allergen,Individual-Micro organismAlternaria Teniusfungus	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0316	Allergen,Individual-Micro organismAspergillus Fumigatusfungus	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0317	Allergen,Individual-Micro organismCandida Albicansfungus	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0318	Allergen,Individual-Micro organismCladosporium Herbarumfungus	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0320	Allergen, Individual - Insect Mosquito Machhar (Aedes Communis)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0322	Allergen,Individual-Micro organismPenicillium Notatumfungus (Penicillium chrysogenum)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0338	Allergen,Individual-Tree pollenAcasiaBabool (Acasia Longifolia)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0339	Allergen,Individual-Tree pollenAlderAlnus Incana	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0340	Allergen,Individual-Tree pollenBirchBetula Verrucosa	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0342	Allergen,Individual-Tree pollenEucalyptusNilgiri (Safeda)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0345	Allergen,Individual-Tree pollenMesquitePahadi Keekar (Prosopis Juliflora)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0346	Allergen,Individual-Tree pollen Mulberry Shahtoot (Morus alba)	Alibag-Panvel	C	1485	Daily : 11:30am	5th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0347	Allergen,Individual-Tree pollen Oak Quercus Alba	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0348	Allergen,Individual-Tree pollenWhite PinePinus strobus	Alibag-Panvel	C	1485	Daily : 11:30am	5th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0349	Allergen,Individual-Tree pollen Willow Salix Caprea	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0350	Allergen,Individual-Weed pollenCockleburXanthium commune	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0351	Allergen,Individual-Weed pollen Common Pigweed Kaantewali Chauli (Amaranthus Retroflexus)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0352	Allergen,Individual-Weed pollenCommon RagweedClose To Parthenium / Congress Grass (Ambrosia Elatior)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0353	Allergen,Individual-Weed pollenEnglish PlantainPlantago Lanceolata	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0355	Allergen,Individual-Weed pollenGoose FootChenopodium Album	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0356	Allergen,Individual-Weed pollenMugwortSita Bani (Artemisia Vulgaris / BanoBarna)	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0360	Allergy - Fruit Panel	Alibag-Panvel	D	6680	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0361	Allergy Fx 5 Panel	Alibag-Panvel	D	5195	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0362	Allergy - Milk & Milk Product Panel	Alibag-Panvel	D	4450	Daily : 11:30am	Next day : 6:00pm	5 ml of serum
A0363	Allergy - Non-vegetarian Panel	Alibag-Panvel	D	7580	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0364	Allergy-Nuts Panel	Alibag-Panvel	D	6615	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0367	Allergy - Spices Panel	Alibag-Panvel	D	5935	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0368	Allergy - Vegetable-1 Panel	Alibag-Panvel	D	6680	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0370	Allergy - Vegetarian + Nonvegetarian Panel	Alibag-Panvel	D	17000	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0371	Allergy panel-foodVegetarians Panel	Alibag-Panvel	D	8300	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0372	Allergy - Adult (Comprehensive) Panel	Alibag-	D	18975	Daily : 11:30am	Next day : 5:00pm	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
A0373	Allergy - Animal Panel	Alibag-Panvel	D	4450	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0377	Allergy - Drug Panel: (Maxi)	Alibag-Panvel	D	7420	Tue & Fri : 11:30am	After 8hrs	5 ml of serum
A0379	Allergy - Dust Panel	Alibag-Panvel	D	4240	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0382	Allergy - Environmental Panel	Alibag-Panvel	D	16535	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0383	Allergy - GIT Panel	Alibag-Panvel	D	19240	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0384	Allergy-Grass Panel	Alibag-Panvel	D	3710	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0389	Allergy - Mold-2 Panel	Alibag-Panvel	D	4770	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0395	Allergy - Trees pollen Panel	Alibag-Panvel	D	4030	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0396	Allergy - Weeds pollen Panel	Alibag-Panvel	D	5035	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0398	IgETotal antibodySerum	Alibag-Panvel	B	990	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0399	Allergy Screening IgE With Phadiatop (Adult & >5y)	Alibag-Panvel	D	1750	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0399_C	Allergy Screening IgE With PhadiaTop (Child below 5 y)	Alibag-Panvel	D	1600	Daily : 11:30am	After 8hrs	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0400	Allergy screeningPhadiatop-AdultFor > 5 years	Alibag-Panvel	C	1390	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0401	Phadiatop allergen screening - Infant (For Below 5 yrs)	Alibag-Panvel	C	1380	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0403	Alpha 1 Acid Glycoprotein Serum	Alibag-Panvel	D	2490	Mon and Thu: 7.30am	Same day 5pm	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0404	Alpha 1 Antitrypsin Serum	Alibag-Panvel	C	2330	Mon and Thu: 7.30am	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0405	alpha 1 anti trypsin (Z, X & M mutations) by PCR**	Alibag-Panvel	R	7490	Daily: 7:30am	1 month	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0406	Alpha 2 Macroglobulin Serum	Alibag-Panvel	D	3285	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0407	Alpha Fucosidase Blood	Alibag-Panvel	R	8025	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0408	Alpha Galactosidase Fabry Blood	Alibag-Panvel	R	6420	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0409	Alpha Glucosidase GSD II / pompe Blood	Alibag-Panvel	R	8240	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0410	Alpha Iduronidase Hurler / MPS I Blood	Alibag-Panvel	R	6955	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0411	Alpha Mannosidase Blood	Alibag-Panvel	R	6420	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0412	Alpha N-Acetyl Galactosaminidase Schindler disease Blood	Alibag-Panvel	R	6420	Daily : 11:30am	After 4 weeks : 6:00pm	weekend & Holidays) sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0413	Alpha Thalassemia by PCR	Alibag-Panvel	D	5830	Tue & Sat: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
A0414	Aluminium in serum	Alibag-Panvel	C	2860	Daily: 7:30am	Next day 5:00pm	HeavyMetalSamplingguidelines.pdf
A0415	Aluminium, Urine 24 Hrs	Alibag-Panvel	C	2860	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0416	Aluminium spot urine	Alibag-Panvel	C	2860	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0417	AMH Mullerian Inhibiting Substance Serum	Alibag-Panvel	B	2100	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0422	Amino Acid Quantitative Analysis by LC MSMS Plasma	Alibag-Panvel	D	7685	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0423	Amino Acid Quantitative Urine	Alibag-Panvel	D	7560	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
A0424	Amino Levulinic Acid (ALA) 24 H Urine	Alibag-Panvel	D	4980	Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
A0425	Amino Levulinic Acid (ALA) Urine Spot	Alibag-Panvel	D	4485	Thu : 11:30am	Next day : 5:00pm	10 ml of Spot urine (Protect From Light)
A0427	Ammonia Biochemical Plasma	Alibag-Panvel	B	1070	Daily: 9am to 9pm	After 3 hrs	2 ml of Heparinised Plasma
A0428	Amoebiasis Antibodies-IgG Antibody by IHA - Serum	Alibag-Panvel	C	1535	Mon & Thu : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0429	Amphetamine Quantitative Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
A0430	Amphiphysin Antibody Neuronal Ag in Paraneoplastic Syndrome Serum	Alibag-Panvel	D	4980	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0431	Amylase Enzymatic Ascitic Fluid	Alibag-Panvel	B	535	Daily: 9am to 9pm	After 6 hrs	2 ml of Ascitic Fluid
A0432	Amylase Enzymatic Serum	Alibag-Panvel	B	510	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0433_24	Amylase enzymatic Urine Spot	Alibag-Panvel	B	560	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
A0433_24H	Amylase enzymatic Urine 24H	Alibag-Panvel	B	560	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0434	Amyloid A Serum	Alibag-Panvel	D	4295	Tue : 11:30am	Next day : 5:00pm	coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0435	ANA Blot 18 Antigen, Serum	Alibag-Panvel	C	3500	Daily:7.30 am	Same day 8:00 PM	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0436	ANA by ELISA Anti Nuclear Antibody Screening Serum	Alibag-Panvel	B	805	M,W,F: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0437	Anti Nuclear Antibody by IFA	Alibag-Panvel	C	1060	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0438	ANA Profile Serum	Alibag-Panvel	D	5300	Tue,Thur and Sat 7.30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0440	Anaemia Profile-Haemolytic Type	Alibag-Panvel	C	3900	Daily: 9am to 9pm	Next day 5pm	4 ml Heparin & EDTA Blood, 4ml Serum
A0441	Anaemia Profile-Maxi	Alibag-Panvel	C	8215	Daily: 9am to 9pm	Next day 5pm	4 ml Heparin & EDTA Blood, 4ml Serum
A0442	Anaemia Profile-Mini	Alibag-Panvel	C	2015	Daily: 9am to 9pm	After 6 hrs	3 ml of EDTA whole blood, 5 ml of serum
A0443	Anaemia Profile-Nutritional	Alibag-Panvel	C	3975	Daily: 9am to 9pm	After 6 hrs	3ml EDTA blood & Serum
A0444	Anaemia Profile-Pernicious	Alibag-Panvel	C	3815	Mon/Thurs - 7:30 am	Next day 5:00 pm	3ml EDTA blood & Serum
A0445	Anti neutrophil cytoplasmic antibody (ANCA) Serum	Alibag-Panvel	C	2545	Daily: 7.30am	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0446	Androgen Profile	Alibag-Panvel	C	4770	Tue and Fri: 7am	Next day 5pm	5 ml of serum
A0447	AndrostenedioneA4Serum	Alibag-Panvel	C	2175	Daily: 9am to 9pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0448	ACE - Angiotensin Converting Enzyme	Alibag-	C	1165	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Serum	Panvel					ml serum for profiles and reflex tests.
A0449	ACE-Angiotensin Converting Enzyme, CSF	Alibag-Panvel	D	3390	Daily : 11:30am	4th day : 6:00pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
A0450	Antenatal Profile-II	Alibag-Panvel	C	1485	Daily: 9am to 9pm	After 8 hrs	2 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine
A0451	Antenatal Profile - I	Alibag-Panvel	C	2990	Daily: 8pm	3rd day	2 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine
A0453	Anti - A Titre	Alibag-Panvel	D	1645	Daily : 11:30am	After 8hrs	3 ml Serum
A0454	Anti - B Titre	Alibag-Panvel	D	1645	Daily : 11:30am	After 8hrs	3 ml Serum
A0455	Anti DNase B enzymatic Seum	Alibag-Panvel	D	2205	Daily: 7.30am	3rd day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0458	Anti Thrombin III Activity Functional, Citrated plasma	Alibag-Panvel	D	4630	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
A0459	Anti Thrombin III Antigen, Citrated plasma	Alibag-Panvel	D	5090	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
A0462	Antimony ICPMS Urine Spot	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
A0463_N	Phospholipid Profile - 3	Alibag-Panvel	D	8375	Thursday 9.0 am	Same day 7.0 pm	3 ml of Citrate plasma, 3 ml of serum
A0464	APA-IgG Phospholipid Antibody Serum	Alibag-Panvel	C	1060	Daily: 7:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0465	APA-IgM Phospholipid Antibody Serum	Alibag-Panvel	C	1060	Tue,Thu, S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0466	APCR Activated Protein C Resistance Test, Citrated plasma	Alibag-Panvel	D	4450	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
A0467	Apolipoproteins A1serum	Alibag-Panvel	B	670	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0468	Apolipoproteins B/A1	Alibag-Panvel	C	1165	Daily: 9am to 9pm	After 4 hour	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0469	Apolipoproteins Bserum	Alibag-Panvel	B	670	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0470	Apolipoproteins Profile, Serum	Alibag-Panvel	C	1910	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0471	APTT Activated Partial Thromboplastin Time, Citrated plasma.	Alibag-Panvel	B	540	Daily: 9am to 9pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
A0472	Arginine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0473	Arginine Quantitative Urine	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
A0474	Arsenic	Alibag-Panvel	D	3350	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0475	Arsenic, Urine 24 Hrs	Alibag-Panvel	D	3180	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0476	Arsenic, Urine Spot	Alibag-Panvel	D	3180	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0477	Arthritis Profile	Alibag-Panvel	C	2705	Daily: 9am	Next day 5pm	2 ml of EDTA whole blood, 3 ml of serum, 20 ml of spot urine
A0478	Aryl Sulphatase A metachromatic leucodystrophy Blood	Alibag-Panvel	R	6420	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0479	Aryl Sulphatase B MPS VI Blood	Alibag-Panvel	R	9525	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0480	ASCA-IgA Saccharomyces Cerevisiae Serum	Alibag-Panvel	C	2405	Tue,Fri: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0481	ASCA-IgG Saccharomyces Cerevisiae Serum	Alibag-Panvel	C	2405	Tue,Fri: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0482	ASH /NASH / STEATO Profile	Alibag-Panvel	E	16480	Daily: 9am	5th day	tests. 5 ml of serum and 2 ml of fluoride plasma . Fasting sample
A0483	ASKA Skeletal (Striated) Muscle Antibody Serum	Alibag-Panvel	D	3605	Mon, Wed & Fri : 11:30am	Same day: 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0484	ASMA Smooth Muscle Antibody Serum	Alibag-Panvel	C	2280	Daily: 11:30am	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0485	ASO titre Quantitative Serum	Alibag-Panvel	B	640	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0486	Asparagine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0487	Asparagine Quantitative Urine	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
A0488	Aspartic Acid Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0489	Aspartic Acid Quantitative Urine	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
A0490	Aspergillosis IgG antibodies by EIA - Serum	Alibag-Panvel	C	2565	Mon & Thu : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0491	Aspergillosis IgM antibodies by EIA - Serum	Alibag-Panvel	C	2565	Mon & Thu : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0492	Galactomannan, Aspergillus Antigen test by EIA -Serum	Alibag-Panvel	C	5830	Wed & Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0493	Autoimmune Liver Disease Profile -1	Alibag-Panvel	D	6000	Mon/Wed - 7:30 am	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0495	Autoimmune Liver Disease Profile-3	Alibag-Panvel	D	4240	Mon/Wed - 7:30 am	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0496	Autoimmune Liver Disease Profile-4	Alibag-Panvel	D	6465	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0497	Autoimmune Encephalitis Panel	Alibag-Panvel	E	23690	Mon, Wed, Fri : 7:30am	Next Day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0499	Acid lipase disorder**	Alibag-Panvel	R	7490	Daily : 11:30am	4 weeks	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0500	ACTN3 GENOTYPING_A0500	Alibag-Panvel	R	4280	Thu : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0509	AFB-Xpert panel by Genexpert-Combo - Extrapulmonary Samples	Alibag-Panvel	D	3250	Daily : 7:30am	After 6 weeks : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
A0510	AFB-Xpert panel by Genexpert-Combo - Pulmonary Samples	Alibag-Panvel	D	3200	Daily : 7:30am	After 6 weeks : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container
A0512	ANCA by IFA reflex MPO/PR3 Antibodies Serum	Alibag-Panvel	C	2650	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0513	Apolipoproteins E**	Alibag-Panvel	R	4385	Wed : 11:30am	4th day : 6:00pm	3 ml of serum
A0514	TruHeart Platinum	Alibag-Panvel	W	5800	Mon and Thu: 9am	Same day 5pm	5 ml of serum
A0519	Allergen,Individual-Tree pollen Papdi Chibil / Elm_A0519	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0520	Allergen,Individual-Weed pollen SALTWORT (Salsola kali / pestifer)_A0520	Alibag-Panvel	C	1485	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0522	ALK (D5F3) reflex FISH	Alibag-Panvel	D	6360	Daily : 9:00am	7th day : 6:00pm	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
A0525	Allergen,Individual-Animal Pigeon Feathers, Serum_A0525	Alibag-Panvel	C	1380	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0533	ADA - Adenosine Deaminase by Biochemical Method - Synovial fluid	Alibag-Panvel	B	855	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0536	APA-IgA Phospholipid Antibody Serum	Alibag-Panvel	C	1060	Tue,Thu, S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0537	Atherosclerosis Profile - 1	Alibag-Panvel	D	5245	Mon and Thu: 9am	Same day 5pm	5 ml of serum
A0538	Atherosclerosis Profile - 3	Alibag-Panvel	D	7365	Mon and Thu: 9am	Same day 5pm	5 ml of serum
A0539	Aldosterone/PRA Ratio	Alibag-Panvel	D	7315	Tue & Fri: 11:30am	Next day : 5:00pm	2 ml of EDTA Plasma and 2 ml Serum
A0560	Galactomannan, Aspergillus Antigen test by EIA - BAL Fluid	Alibag-Panvel	C	5830	Wed & Sat : 11:30am	Next day : 5:00pm	3 ml of Fluid in Sterile leak proof container
A0563	AFB (TB) - Antibigram for MTb complex - Cycloserine Drug by Conventional LJ - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0564	Albumin body fluid	Alibag-Panvel	A	215	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
A0567	ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, Bone marrow	Alibag-Panvel	D	4875	Daily: 7:30 am	3rd day	2-3 ml Bone Marrow in Na-heparin vacutainer
A0568	ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, BLOOD	Alibag-Panvel	D	4875	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
A0569	ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, TISSUE	Alibag-Panvel	D	8480	Daily 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0570	ECP (Eosinophil cationic protein) Serum	Alibag-Panvel	D	1590	Mon,Thu: 9am	Same day: 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0580	Allergy-GIT Pane I(Veg + Non Veg)	Alibag-Panvel	D	26500	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0584	Allergy screening-Tryptase	Alibag-Panvel	C	2120	Mon,Thu: 9am	Same day: 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0585	Anaemia Profile - Macrocytic	Alibag-Panvel	C	2015	Daily: 9am to 9pm	After 8 hrs	3ml EDTA blood & Serum
A0586	Anaemia Profile - Microcytic Hypochromic	Alibag-Panvel	C	2015	Daily: 9am to 9pm	After 8 hrs	3ml EDTA blood & Serum
A0587	Anaemia Workup Profile	Alibag-Panvel	C	2225	Daily: 9am to 9pm	Next day 5pm	3ml EDTA blood & Serum
A0588	Aneuploidy-Sperm 13,18,21,X and Y by FISH	Alibag-Panvel	D	5090	Daily : 9:00am	7th day : 6:00pm	CytogeneticsandFISH.pdf
A0595	Adrenoleukodystrophy (X-linked ALD) sequencing of ABCD1 gene**	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0596	Autoimmune encephalitis panel-CSF	Alibag-Panvel	E	21630	Mon, Wed, Fri : 7:30am	Next Day : 7:00pm	2 ml of CSF in sterile screw capped container.
A0599	APC gene analysis**	Alibag-Panvel	R	17850	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0608	AFB (TB) - Antibiogram for MTb complex - Linezolid Drug by MGIT - Pure Growth of MTB complex	Alibag-Panvel	C	2755	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0613	Alpha thalassemia gene analysis (HBA1 & HBA2)	Alibag-Panvel	E	16480	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
A0616	Aldosterone/Direct Renin Ratio	Alibag-Panvel	D	7365	Daily: 7.30am	Same day 5pm	2 ml of EDTA Plasma and 2 ml Serum
A0617_CSF	Autoimmune encephalitis panel-2	Alibag-Panvel	E	31930	Tue: 9am	Next Day 7pm	2 ml of CSF in sterile screw capped container.
A0617_serum	Autoimmune encephalitis panel-2	Alibag-Panvel	E	31930	Tue: 9am	Next Day 7pm	3 ml of serum
A0618	APO E GENOTYPING**	Alibag-Panvel	R	26750	Daily : 11:30am	12th Day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
A0623	Alzheimer disease screening profile CSF	Alibag-Panvel	D	13250	Tue : 11:30am	Next day : 5:00pm	2 ml of CSF in leakproof container. (folin vu conical tube is recommended to prevent leakage).
A0624	Arsenic plasma	Alibag-Panvel	D	3180	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0625	Serum Ascites Albumin Gradient (SAAG)	Alibag-Panvel	D	530	Daily: 9am to 9pm	After 6 hrs	Serum 1 ml, Fluid 1 ml
A0626	Allergy Screening	Alibag-Panvel	D	5935	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0629	Aspergillus broncho pulmonary	Alibag-	D	2900	Mon & Thu :	Next day : 5:00pm	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	aspergillosis (ABPA)	Panvel			11:30am		ml serum for profiles and reflex tests.
A0630	AFB Drug susceptibility Flexi panel (4 drugs) by MGIT - Pure Culture	Alibag-Panvel	D	6360	Daily : 7:30am	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0632	Asthma / Rhinitis Comprehensive	Alibag-Panvel	D	12190	Daily : 11:30am	Next day : 5:00pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0633	Allergy panel - Asthma / Rhinitis comprehensive with monitoring 4	Alibag-Panvel	D	18075	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0635	Allergy - Adult panel - 2	Alibag-Panvel	D	5195	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0636	Allergy - Adult panel - 3	Alibag-Panvel	D	8160	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0638	Aluminium, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
A0639	Aluminium, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0640	Amphetamines confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
A0641	Antimony, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
A0642	Arsenic, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
A0643	Arsenic, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
A0644	Acute intermittent porphyria (HMBS)-Gene Analysis	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0645	Alkaptonuria (HGD)-Gene Analysis	Alibag-Panvel	E	19570	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							history is mandatory.
A0647	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Endometrium	Alibag-Panvel	C	2175	Daily : 7:30am	Next day : 5pm	Mycobacteriology.pdf
A0648	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Sputum / BAL	Alibag-Panvel	C	2175	Daily : 7:30am	Next day : 5pm	Mycobacteriology.pdf
A0649	Mycobacterial culture identification by MALDI TOF- Pure Culture	Alibag-Panvel	C	2330	Tue : 7:30am	Next day : 5pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.
A0650	SARS-CoV-2 Antibody, qualitative by CLIA - Serum	Alibag-Panvel	C	740	Daily : 9:00am to 9:00pm	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0653	ALPS Screen Panel by Flow cytometry**	Alibag-Panvel	R	9735	Daily : 11:30am	5th day : 6:00pm	sample : 3 ml of EDTA Blood
A0654	SARS-CoV-2 (Spike) Antibody, Quantitative (Coviprotect) by CLIA - Serum	Alibag-Panvel	C	1270	Daily : 9:00am to 9:00pm	Report after 24 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0656	Aspergillus DNA Detection by Real Time PCR - Body fluids/CSF/EDTA Blood/Pure culture/Sputum/Tissue	Alibag-Panvel	D	8270	Daily : 7:30am	3rd day : 6:00pm	3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container
A0657	Array Feto	Alibag-Panvel	E	16000	Daily : 9:00am	15th day : 6:00pm	1)Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							normal saline with 2-3 drops of gentamycin and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies.
A0658	Amniochrome	Alibag-Panvel	E	19570	Daily : 9:00am	15th day : 6:00pm	Amniotic fluid (20-30ml divided in 2 sterile falcon centrifuge tube) and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. (Completely filled Consent form G with patient and doctor stamp and signature is mandatory as per PCPNDT Act)
A0659	Array Chrome	Alibag-Panvel	E	16480	Daily : 9:00am	15th day : 6:00pm	3ml Peripheral Blood in EDTA Vacutainers
A0660	Anti complement Factor H	Alibag-Panvel	R	5350	Daily : 11:30am	6th day : 6:00pm	3 ml Serum
A0661	ADAMTS 13 Activity	Alibag-Panvel	R	7895	Daily : 11:30am	6th day : 6:00pm	3 ml Citrate Plasma (Frozen mandatory)
A0662	ADAMTS 13 Autoantibody	Alibag-Panvel	E	8240	Daily : 11:30am	5th day : 6:00pm	3 ml Citrate Plasma (Frozen mandatory)
A0680	ALLERGY COMPONENT TESTING (CRD)	Alibag-Panvel	E	20600	Daily:- 9.00 am	Next day 5 pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and -20°C for long time.
A1009	Adrenal Gland Antibodies, Serum**	Alibag-Panvel	R	6420	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
A1901	Albumin, serum	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A1902	Canine - Alkaline Phosphatase	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
A1903	Canine - Amylase level	Alibag-Panvel	A	510	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
A5583	AMH Premium	Alibag-Panvel	D	3150	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A5592	AMH Supreme	Alibag-Panvel	D	4560	Daily: 9am to 9pm	Next day at 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A5702	Comprehensive Allergy Panel	Alibag-Panvel	D	15900	Daily: 9am	Same day 8pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A5703	Comprehensive Eczema panel	Alibag-Panvel	D	11660	Daily: 9am	Same day 8pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A5704	Common Food panel	Alibag-Panvel	D	6360	Daily: 9am	Same day 8pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							(2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A8121	Amylase Enzymatic,Pleural Fluid	Alibag-Panvel	B	560	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
A8285	AFB SUSCEPTIBILITY BEDAQILINE	Alibag-Panvel	C	2545	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8455	AFB DRUG SUSCEPTIBILITY PANEL 14 DRUGS	Alibag-Panvel	D	14840	Daily: 7:30am	Upto 4 weeks 5 PM	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8456	AFB DRUG SUSCEPTIBILITY FIRST LINE PANEL (HREZ), 4 DRUG BY MGIT	Alibag-Panvel	D	6150	Daily: 7:30am	Upto 4 weeks 5 PM	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8457	AFB DRUG SUSCEPTIBILITY PANEL 11 DRUGS	Alibag-Panvel	D	11075	Daily: 7:30am	Upto 4 weeks 5 PM	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8458	AFB DRUG SUSCEPTIBILITY ORAL BEDAQILINE PANEL, 8 DRUGS BY MGIT	Alibag-Panvel	D	8480	Daily: 7:30am	Upto 4 weeks 5 PM	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8459	AFB DRUG SUSCEPTIBILITY ISONIAZID MONORESITANCE PANEL (LFxREZ), 4 DRUGS BY MGIT	Alibag-Panvel	D	6150	Daily: 7:30am	Upto 4 weeks 5 PM	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8598	Allergen,Individual-Drug CEPHALOSPORIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8599	Allergen,Individual-Drug LIDOCAINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8600	Allergen,Individual-Drug BENZOCAINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8601	Allergen,Individual-Drug MEPIVACAINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8602	Allergen,Individual-Drug PRILOCAINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8603	Allergen,Individual-Drug PARACETAMOL	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8604	Allergen,Individual-Drug PYRAZOLONE	Alibag-	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					ml serum for profiles and reflex tests.
A8605	Allergen,Individual-Drug PIROXYCAM	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8606	Allergen,Individual-Drug DICLOFENAC	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8607	Allergen,Individual-Drug IBUPROFEN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8608	Allergen,Individual-Drug PENICILLOYL G	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8609	Allergen,Individual-Drug PENICILLOYL V	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8610	Allergen,Individual-Drug DOXYCYCLINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8611	Allergen,Individual-Drug CLOXACILLIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8612	Allergen,Individual-Drug NEOMYCIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8613	Allergen,Individual-Drug OXACILLIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8614	Allergen,Individual-Drug CHLORAMPHENICOL	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8615	Allergen,Individual-Drug METRONIDAZOLE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8616	Allergen,Individual-Drug AMPICILLIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A8617	Allergen,Individual-Drug AMOXICILLIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8618	Allergen,Individual-Drug TETRACYCLINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8619	Allergen,Individual-Drug GENTAMYCIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8620	Allergen,Individual-Drug ERYTHROMYCIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8621	Allergen,Individual-Drug STREPTOMYCIN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8622	Allergen,Individual-DrugTRIMETHOPRIM	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8623	Allergen,Individual-Drug SULFAMETHOXAZOLE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8624	Allergen,Individual-Drug INSULIN HUMAN	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8625	Allergen,Individual-Drug CORTISONE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8626	Allergen,Individual-Drug PREDNISOLONE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8627	Allergen,Individual-Drug THEOPHYLLINE	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8628	Allergen,Individual-Drug AMBROXOL	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8629	Allergen,Individual-Drug PYRIDOXAMINE (VITAMIN B6)	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A8630	Allergen,Individual-DrugCOBALAMIN (VITAMIN B12)	Alibag-Panvel	D	1350	Tue & Fri - 11:30 am	next day 7 pm	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0007	Bacterial Meningitis Panel 5 antigen (Ecoli K1, H.influenza, Streptococcus pneumoniae, Neisseria meningitidis, Streptococcus agalactiae) by Latex agglutination - CSF	Alibag-Panvel	D	4665	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
B0008	Bacterial Meningitis Panel 5 Full Panel by Latex agglutination - Serum	Alibag-Panvel	D	5935	Daily : 9:00am to 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
B0010	Barbiturates Quantitative Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
B0013	Bence Jones Proteins, Urine-Qualitative	Alibag-Panvel	B	1050	Daily: 7.30am	Same day 5pm	10 ml of 24 hrs urine (Preferred) / Spot urine
B0015	Benzodiazapine Diazepam Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
B0017	Beta Galactocerebrosidase Krabbe Blood	Alibag-Panvel	R	8775	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0018	Beta Galactosidase GM 1 / MPS IV B Blood	Alibag-Panvel	R	5990	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0019	Beta Glucosidase Gaucher Blood	Alibag-Panvel	R	5990	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0020	Beta Hexosaminidase A GM2-1/ taysachs Blood	Alibag-Panvel	R	8025	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0021	Beta Hexosaminidase T GM2-2/ Sandhoff Blood	Alibag-Panvel	R	8025	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0022	Beta Mannosidase Blood	Alibag-	R	6420	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					(sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0023	Beta Thallesemia Prenatal Diagnosis	Alibag-Panvel	D	17490	Daily : 9:00am	7th day : 6:00pm	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
B0025	Beta-Thalassemia, Beta Globin (HBB) Gene Sequencing	Alibag-Panvel	D	9330	Wed & Fri: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
B0026	Beta-2-Crosslaps CTx-1 Plasma	Alibag-Panvel	C	1910	Mon and Thu: 7.30am	Same day 5pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0027	Beta-2-Glycoprotein 1- IgA serum	Alibag-Panvel	C	1410	Tue,Fri: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0028	Beta-2-Glycoprotein 1 - IgG Antibody Serum	Alibag-Panvel	C	1270	Tuesday, Thursday and Saturday 7:30 am	same day 7pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0029	Beta-2-Glycoprotein 1- IgM Antibody Serum	Alibag-Panvel	C	1270	Tuesday, Thursday and Saturday 7:30 am	Same day 7pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0030	Beta-2-Microglobulin CSF	Alibag-Panvel	C	1800	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
B0031	Beta-2-Microglobulin Serum	Alibag-Panvel	C	1800	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0032	Beta-2-Microglobulin Urine Spot	Alibag-Panvel	C	1800	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
B0033	Bicarbonate biochemical Serum	Alibag-Panvel	B	620	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0034	Bile Acids-Total biochemical Serum	Alibag-Panvel	C	1800	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0035	Bile Salt & Pigments - Urine	Alibag-Panvel	A	80	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
B0036	Bilirubin Direct Serum	Alibag-Panvel	A	195	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0037	Bilirubin Total Serum	Alibag-Panvel	A	195	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0038	Bilirubin Total, Direct, Indirect Serum	Alibag-Panvel	A	300	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0039	Biotinidase Neonatal Dried blood spot	Alibag-Panvel	C	730	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient

Test Code	Test Name	Location	Category	Price(Rs.)	Test Schedule	Reported on	Sample Guideline
							<p>temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Spot Urine: 10 ml of Spot urine required with clinical history and clinician number. Amino acid Plasma: 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to be stopped based on physician recommendations</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0040	Biotinidase Quantitative Plasma **	Alibag-Panvel	R	5565	Daily : 11:30am	10th day : 6:00pm	4 ml of Heparin plasma
B0044	BK Polyoma DNA Detection by Real Time PCR - Urine	Alibag-Panvel	C	4995	Mon, Thursday: 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
B0045	Bleeding & Clotting Time (BT,CT)	Alibag-Panvel	B	270	Daily: 9am to 9pm	After 6 hrs	NA
B0046	Blood Group ABO & Rh Typing	Alibag-Panvel	B	210	Daily: 9am and 5pm	After 6 hrs	3 ml of EDTA whole blood and Serum sample required
B0047	Bombay Blood Group Evaluation	Alibag-Panvel	D	1060	Daily : 11:30am	3rd day : 6:00pm	3 ml EDTA whole blood
B0053	BOH (Bad Obstetric History) Profile-Maxi	Alibag-Panvel	C	16005	Daily : 9:00am	15th day : 6:00pm	3 ml EDTA whole blood, 5 ml of serum, 4 ml of heparin whole blood (husband and wife), 3 ml of citrate plasma
B0054	BOH (Bad Obstetric History) Profile-Mini	Alibag-Panvel	C	5935	Daily: 7.30am	Next day 7pm	3 ml EDTA whole blood, 5 ml of serum, 3 ml of citrate plasma
B0055	Bone Marrow Aspiration for morphological examination	Alibag-Panvel	C	1380	Daily : 11:30am	Next day : 5:00pm	2 Stained,2 Unstained Fixed BM Smears and 2 Peripheral Smears Required.
B0056	Bone Profile	Alibag-Panvel	C	1165	Daily 9:00 am	After 7 days	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0057	Bordetella Pertussis IgG antibodies Quantitative by EIA -Serum	Alibag-Panvel	C	2915	Fri : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0058	BRAF V600 Mutation Analysis, Tissue	Alibag-Panvel	D	6570	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
B0059	BRAF V600E Mutation Analysis, Hairy Cell Leukemia	Alibag-Panvel	D	5830	Mon & Thu: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							referring clinicians contact number and TRF mandatory.
B0062	Breast Marker Profile	Alibag-Panvel	D	2035	Daily: 8pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0063	Brucella Total antibodies by Tube Agglutination - Serum	Alibag-Panvel	B	1070	Daily : 7:30pm	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0064	Brucella IgG antibody by EIA - Serum	Alibag-Panvel	C	1485	Wed & Sat : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0065	Brucella IgM antibody by EIA - Serum	Alibag-Panvel	C	1485	Wed & Sat : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0066	Bullous Pemphigoid 180 Vesiculobullous disorders Serum	Alibag-Panvel	D	4260	Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0067	Bullous Pemphigoid 230 Vesiculobullous disorders Serum	Alibag-Panvel	D	4260	Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0068	BUN Urea Nitrogen Serum	Alibag-Panvel	A	235	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0069	BUN Urea Nitrogen Urine 24H	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
B0070	BUN Urea NitrogenPericardial Fluid	Alibag-	A	270	Daily: 9am to 9pm	After 6 hrs	2 ml of Pericardial Fluid

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0071	BUN Urea Nitrogen Urine Spot	Panvel Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
B0074	Bladder Cancer/Urothelial carcinoma Marker Profile (Aneuploidy for chromosomes 3, 7, 17, and loss of the 9p21 **	Alibag-Panvel	R	14980	Daily : 11:30am	10th day : 6:00pm	100 ml Early morning Urine
B0075	BRCA deletion/duplication analysis - EDTA Whole blood	Alibag-Panvel	E	16540	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
B0076	TARGETED MUTATION ANALYSIS (FAMILY MEMBERS)	Alibag-Panvel	E	5150	Daily : 9:00am	7th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
B0077	NextGen BRCA Comprehensive (NGS & MLPA), Blood	Alibag-Panvel	E	30000	Daily: 9 am	4 weeks	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form
B0078	Urea Nitrogen Body Fluid	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
B0080	16s rRNA Sequencing Bacterial Identification*	Alibag-Panvel	D	3180	Daily : 9:00am	7th day : 6:00pm	Isolated colony on culture plates. Sample stable for 2 Days at 2 to 8 degree celsius.
B0081	Beta Thalassemia (Prenatal + Parental	Alibag-	D	19610	Daily : 9:00am	7th day : 6:00pm	Amniotic Fluid (15-20 ml) in a

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Testing) - 30 Mutaions	Panvel					sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
B0083	BCR-ABL Breakpoint Analysis Qualitative by Real Time PCR - Blood	Alibag-Panvel	D	4770	Tue & Fri : 9:00am	3rd Day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
B0084	BCR-ABL Breakpoint Analysis Qualitative by Real Time PCR - Bone Marrow	Alibag-Panvel	D	4770	Tue & Fri : 9:00am	3rd Day : 6:00pm	3 ml of Bone Marrow in EDTA Vacutainer
B0090	Beta-Trace protein(BTP) CSF leakage in body fluid	Alibag-Panvel	D	5830	Daily : 11:30am	Next day : 5:00pm	2 ml Nasal Fluid And 3 ml Serum.
B0101	BCL6 Gene rearrangement, FISH, Tissue	Alibag-Panvel	E	8240	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0104	(1-3)-?-D-Glucan Level by Protease Zymogen Colorimetry by Protease Zymogen Colorimetry - Serum	Alibag-Panvel	D	7645	Tue, Thurs & Sat : 9:00am	Same day : 7pm	Collect sample in gel tube directly and send after centrifugation. Kindly do not open tube or separate serum from gel tube to another tube to avoid contamination. Aliquot sample will not accepted. Kindly send minimum 2 ml serum.
B0106	NextGen BRCA Somatic, FFPE tissue	Alibag-Panvel	E	22000		25 Days	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
B0108	Pneumonia panel by FilmArray (Biofire)- Lower respiratory tract - Sputum/BAL/ Endotracheal secretions	Alibag-Panvel	E	27295	Daily : 9:00am to 9:00pm	After 10 hrs	2 ml of BAL/ Sputum/ Endotracheal secretions in Sterile leak proof container
B0109	Barbiturates confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
B0111	Barium, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
B0112	Barium, Spot Urine**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
B0113	Barium, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
B0114	Beryllium, EDTA Whole Blood**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
B0115	Benzodiazapine confirmation by LCMS,	Alibag-	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Spot Urine**	Panvel					to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
B0116	Beryllium, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
B0117	Beryllium, Spot Urine**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
B0119	Biotinidase deficiency (BTD)-Gene Analysis	Alibag-Panvel	E	19570	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
B0120	Bone Marrow-2 Comprehensive	Alibag-Panvel	D	6890		5th Day	Bone marrow biopsy (in 10% Neutral buffered formalin) & aspirate (in EDTA) examination with special stain & IHC. Send PBS as well.
B0121	BK Polyoma DNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	C	4995	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
B0122	Bismuth ICPMS , Blood	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	3 ml EDTA Blood / Metal free EDTA Blood
B0125	Bone Marrow Aspirate Iron stain	Alibag-Panvel	C	475	Daily : 11:30am	Next day : 5:00pm	1 Stained, 2 Unstained air dried Bone marrow smears with good particles and 1 Peripheral smear required._x000D_ _x000D_
B0126	Biofire Blood Panel (BCID)	Alibag-	D	17810	Daily : 9:00am to	After 10 hrs	Positive blood culture bottle

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B1008	Beta Carotene**	Alibag-Panvel	R	3105	Mon : 11:30am	5th day : 6:00pm	3 ml of serum
B1017	Borreliosis-IgG Confirm serology by western blot - Serum **	Alibag-Panvel	R	13695	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B1029	Bacterial Meningitis Panel 5 antigen (Ecoli K1, H.influenza, Streptococcus pneumoniae, Neisseria meningitidis, Streptococcus agalactiae) by Latex agglutination - Serum	Alibag-Panvel	D	4665	Daily : 9:00am to 3:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B1030	Bone formation markers	Alibag-Panvel	D	6625	Mon & Thur 9 am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B1031	Bone Resorption Markers	Alibag-Panvel	D	4505	Daily: 9 am	After 5 days	3 ml of serum and 20 ml of spot urine
B1032	NextGen BRCA Germline, Blood	Alibag-Panvel	E	16000	Daily : 9:00am	15th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form
B1901	Canine - BCP (Biochemistry Panel)	Alibag-Panvel	D	3285	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B1902	Bicarbonate, serum by PEPC method	Alibag-Panvel	B	640	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B1903	CANINE-Bile Acids-Total	Alibag-Panvel	C	1800	Wed: 9am	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B1904	Bilirubin Direct, Serum	Alibag-Panvel	A	195	Daily: 9am to 9pm	Report after 24 hrs	for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B1905	Bilirubin Total, Serum	Alibag-Panvel	A	195	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B1906	Canine - Bilirubin Total, Direct, Indirect, Serum	Alibag-Panvel	D	295	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B1907	Bone Marrow Aspiration Slides for review	Alibag-Panvel	C	1380	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B1908	Canine - BUN-Blood Urea Nitrogen	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
B8001	Bacteriological Examination of Air by Vitek/ MALDITOF - Blood Agar	Alibag-Panvel	B	535	Daily : 9:00am to 9:00pm	3rd day : 5pm	Blood agar plate , Kindly mention time of plate exposure.
B8046	BK Polyoma DNA Viral load by Real Time PCR - Urine	Alibag-Panvel	C	6460	Mon, Thursday: 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
B8047	BK Polyoma DNA Viral load by Real Time PCR - EDTA Blood	Alibag-Panvel	C	6570	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
B8596	Bone & Joint Infection panel (JI) by FilmArray	Alibag-Panvel	E	24000	Daily : 9:00am to 9:00pm	After 10hrs	3ml of Synovial fluid in sterila container
C0001	C1 Esterase Inhibitor Serum	Alibag-Panvel	D	3655	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0003	C3 - Complement-3 Serum	Alibag-Panvel	C	800	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0004	C4 - Complement-4 Serum	Alibag-Panvel	C	740	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0005	CA-125 Serum	Alibag-Panvel	B	1310	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0006	CA-15.3 Serum	Alibag-Panvel	B	1390	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0007	CA-19.9 Serum	Alibag-Panvel	B	1390	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0009	CA-72.4 Serum	Alibag-Panvel	C	1910	Tue & Fri : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0010	Cadmium Blood	Alibag-Panvel	D	3605	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0011	Cadmium Urine 24H**	Alibag-Panvel	D	3380	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0013	CAH Panel - Congenital Adrenal Hyperplasia	Alibag-Panvel	C	8160	Daily: 9am	Next day 5pm	5ml of serum
C0014	Calcitonin Thyrocalcitonin Serum	Alibag-Panvel	C	2385	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0015	Calcium Urine 24H	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0016	Calcium Ionised Serum	Alibag-Panvel	C	615	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0017	Calcium Total Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0018	Calcium Profile Serum	Alibag-Panvel	C	585	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0019_24	Calcium/Creatinine Ratio (24 hrs)	Alibag-Panvel	A	430	Daily: 9am to 9pm	Calcium/Creatinine Ratio (24 hrs)	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
C0019_SP	Calcium/Creatinine Ratio (Spot sample)	Alibag-Panvel	A	430	Daily: 9am to 9pm	Calcium/Creatinine Ratio (Spot sample)	10 ml of Spot urine
C0020	Campylobacter antigen detection by Immunochromatography - Stool	Alibag-Panvel	C	1770	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
C0021	Cancer Detection Profile, Female	Alibag-Panvel	D	9805	Daily: 9am to 9pm	5th day	3 ml of EDTA whole blood, 5 ml of serum, 1 thin prep container
C0022	Cancer Detection Profile, Male	Alibag-Panvel	D	7950	Daily: 9am to 9pm	After 8 hrs	3 ml of EDTA whole blood, 5 ml of serum
C0028	Candida Albicans Ab by Indirect Haemagglutination - Serum**	Alibag-Panvel	R	11770	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0029	Cannabis Marijuana, THC Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
C0030	Capecitabine (induced toxicity) DPD,TS,MTHFR Blood**	Alibag-Panvel	R	7490	Daily: 7.30am	5th day	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
C0031	Calprotectin Stool	Alibag-Panvel	C	3000	Daily: 7.30am	Same day 5pm	100 gms of stool in leak proof container. History of medicines, morning sample preferred.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0032	Carbamazepine Tegretol Serum	Alibag-Panvel	C	900	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0033	Cardiac Injury Profile-Maxi	Alibag-Panvel	D	4980	Daily: 9am to 9pm	After 6 hrs	5 ml of serum
C0034	Cardiac Injury Profile-Mini	Alibag-Panvel	D	1485	Daily: 9am to 9pm	After 6 hrs	5 ml of serum
C0035	Cardiac Risk Profile	Alibag-Panvel	D	4560	Daily: 9am to 9pm	After 6 hrs	3 ml of serum and 3 ml of citrate plasma
C0036	Cardiac Screen	Alibag-Panvel	C	1485	Daily: 9am to 9pm	After 6 hrs	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
C0037	Cardiolipin Antibody ACL-IgA antibody Serum	Alibag-Panvel	C	1005	Tue & Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0038	Cardiolipin Antibody ACL-IgG antibody Serum	Alibag-Panvel	C	935	Daily: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0039	Cardiolipin Antibody ACL-IgM antibody Serum	Alibag-Panvel	C	935	Daily: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0042	Catecholamines in Plasma	Alibag-Panvel	D	6995	Wed : 11:30am	Next day : 7:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
C0043	Catecholamines in urine	Alibag-Panvel	D	5035	Wed : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea ,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0044	CBC Haemogram	Alibag-Panvel	A	280	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA whole blood
C0045	inv (16) CBF Beta Translocation by fish	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
C0046	CBF Beta Inversion (16) by FISH AML-M4E0 Bone Marrow	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
C0047	Cyclic Citrullinated Peptide Antibody (CCP Antibody) Serum	Alibag-Panvel	C	1500	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0048	CD2 by Flow cytometry Blood**	Alibag-Panvel	C	2440	Daily: 9am	Next day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0049	CD 3	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0050	CD 3/CD 4/CD 8	Alibag-Panvel	C	2315	Daily: 9am	Same day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0051	CD 3/CD 4/CD 8/CD 45	Alibag-Panvel	C	2015	Daily: 9am	Same day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0052	CD4 / CD 8 BY FLOW CYTOMETRY, BODY FLUID**	Alibag-Panvel	R	4495	Daily : 11:30am	5th day : 6:00pm	required. 5ml BAL fluids to be send in Sterile container. Clinical history and clinician number required. (Sample require as soon as possible after collection, Avoid weekend and Holiday)
C0053	CD 4 counts	Alibag-Panvel	C	1220	Daily: 9am	Same day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0054	CD 4/CD 8	Alibag-Panvel	C	2015	Daily: 9am	Same day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0055	CD 5	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0056	CD 7	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0057	CD 8	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0058	CD 10	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	history and clinician number required. 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0059	CD13	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0060	CD14	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0061	CD15	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0062	CD16/56	Alibag-Panvel	C	4770	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0063	CD19	Alibag-Panvel	C	2915	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0064	CD20	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0065	CD22	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0066	CD23	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0067	CD25	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0068	CD33	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0069	CD34 Stem Cells	Alibag-	C	5830	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0070	CD34	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0071	CD38	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0074	CD45	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0075	CD79A	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0076	CD103	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0077	CEA Carcino Embryonic Antigen Body Fluid	Alibag-Panvel	B	1070	Daily: 9am to 9pm	After 8 hrs	required. 2 ml of Body Fluid
C0078	CEA Carcino Embryonic Antigen Serum	Alibag-Panvel	B	840	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0079	Celiac Disease Profile	Alibag-Panvel	D	5510	Mon and Thu: 9am	Same day 7pm	5 ml of serum
C0080	Body fluids Cell Count	Alibag-Panvel	A	300	Daily: 9am to 9pm	After 6 hrs	Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fulids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid)
C0081	Centromere Antibody Serum	Alibag-Panvel	C	1695	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0082	Ceruloplasmin (Copper Oxidase)Serum	Alibag-Panvel	C	1240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0083	Cervical Screening-1 (Conventional PAP & HPV-DNA) - Smear & LBC	Alibag-Panvel	D	3075	Daily : 9:00am	5th day : 6:00pm	Smear & Thin Prep LBC Container
C0084	Cervical Screening-2 (PAP Smear and HPV-DNA) - LBC	Alibag-Panvel	D	3500	Daily : 9:00am	5th day : 6:00pm	10 ml LBC Container
C0086	CH-50 Complement, total Serum	Alibag-Panvel	C	4980	Fri : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0087	Chikungunya RNA Detection by Real Time PCR - EDTA Plasma	Alibag-Panvel	C	4770	Daily : 10:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer
C0088	Chikungunya IgM antibody by Immunochromatography - Serum	Alibag-Panvel	B	1070	Daily : 9:00am	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0090	Chitotriosidase storage disorder Plasma	Alibag-Panvel	R	4280	Daily : 11:30am	10th day : 6:00pm	6 ml Heparin Plasma
C0091	Chlamydia Trachomatis DNA Detection by Real Time PCR - Eye Swab	Alibag-Panvel	D	4260	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0092	Chlamydia Trachomatis DNA Detection by	Alibag-	D	4260	Wed & Sat : 9:00am	Next day : 5:00pm	2ml of Body Fluid in Sterile leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Real Time PCR - Fluid	Panvel					proof container
C0093	Chlamydia Trachomatis DNA Detection by Real Time PCR - Urine	Alibag-Panvel	D	3920	Wed & Sat : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
C0094	Chlamydia Trachomatis DNA Detection by Real Time PCR - Vaginal Swab	Alibag-Panvel	D	3920	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0096	Chlamydia Pneumoniae IgG Antibody - Serum	Alibag-Panvel	C	2375	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0097	Chlamydia PneumoniaeIgM Antibody - Serum	Alibag-Panvel	C	2375	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0098	Chlamydia Trachomatis IgA Antibody by EIA - Serum	Alibag-Panvel	C	1270	Mon, Wed & Fri : 7:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0099	Chlamydia Trachomatis IgG Antibody by EIA - Serum	Alibag-Panvel	C	1270	Mon, Wed & Fri : 7:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0100	Chlamydia Trachomatis IgM Antibody by EIA - Serum	Alibag-Panvel	C	1270	Mon, Wed & Fri : 7:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0101	Chloride (Cl) Serum	Alibag-Panvel	A	235	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0102	Chlorides Urine 24H	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
C0103	Chlorides Urine Spot	Alibag-	A	270	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
C0104	Chlorides Body Fluid	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
C0105	Cholesterol-Total Body Fluid	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
C0106	Cholesterol-Total Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0107	Chromium, Blood	Alibag-Panvel	D	3350	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0108	Chromium, Urine 24 Hrs	Alibag-Panvel	D	3500	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0109	ChromiumGraphite Furnace AASUrine Spot	Alibag-Panvel	D	3605	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0110	Chromogranin - A, Plasma	Alibag-Panvel	D	6900	Wed & Sat : 11:30am	Same day : 9:00pm	3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.
C0113	Chromosomal Anaylsis (Fanconis Anemia)**	Alibag-Panvel	R	9375	Daily : 11:30am	20th day : 6:00pm	Clinical history and TRF mandatory. Blood : 5 ml Heparine Whole Blood, Sample sent as soon as possible after collection
C0115	Chylomicron Qualitative Urine	Alibag-Panvel	B	535	Daily: 7.30am	Next day 5pm	10 ml of Spot urine
C0117	Citrate, Urine 24 H Spectrophotometry	Alibag-Panvel	C	1250	Daily : 11:30am	5th day : 6:00pm	10 mL aliquot of 24-hour Urine. Collect urine with 25 mL 50% concentrated HCl to maintain pH below 3. Record 24-hour urine volume on test request form and urine vial. Ship refrigerated or frozen.
C0118	Citrulline Quantitative Serum	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
C0119	Citrulline Quantitative Urine	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
C0121	C-Kit (GIST) - Exon 9, 11, 13 and 17 by PCR - FFPE Tissue	Alibag-Panvel	D	11660	Mon, Wed & Fri: 9:00am	10th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							formalin with duration of 6 to 72 hours Clinical history with Histopathology report.
C0122	C-Kit - Exon 8 and 17 by PCR - Bone Marrow	Alibag-Panvel	D	5830	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory.
C0123	C-Kit - Exon 8 and 17 by PCR - Blood	Alibag-Panvel	D	5830	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory.
C0124	CK-MB Serum	Alibag-Panvel	B	695	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0128	Clostridium Difficile GDH Reflex Toxin A/B by CLIA - Stool	Alibag-Panvel	C	2545	Daily : 9:00am	Same day : 5pm	Category R: Referred (Please enquire before sending sample), Category I: International (Please enquire before sending sample)
C0130	Clotting Time (CT)	Alibag-Panvel	A	140	Daily: 9am to 9pm	After 6 hrs	NA
C0131	Clozapine Serum	Alibag-Panvel	D	4135	Wed : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0132	CMV Avidity test by EIA - Serum	Alibag-Panvel	C	1380	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0133	CMV DNA Detection by Real Time PCR - Amniotic Fluid	Alibag-Panvel	C	5090	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
C0134	CMV DNA Detection by Real Time PCR - CSF	Alibag-Panvel	C	5090	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
C0135	CMV DNA Detection by Real Time PCR - EDTA Plasma	Alibag-Panvel	C	4770	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0136	CMV DNA Detection by Real Time PCR - BAL or Saliva	Alibag-Panvel	C	5090	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of BAL/ Saliva in Sterile Leak proof container
C0137	CMV DNA Detection by Real Time PCR - Urine	Alibag-Panvel	C	5090	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	15ml of Spot Urine in Sterile leak proof container
C0138	CMV Combo (CMV Viral load and GCV resistance) by PCR & Sequencing - EDTA Whole Blood**	Alibag-Panvel	R	11770	Tue : 11:30am	12th day : 6:00pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
C0139	CMV IgG & IgM Antibody by CLIA - Serum	Alibag-Panvel	B	1285	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0141	CMV IgG Antibody by CLIA - Serum	Alibag-Panvel	B	705	DAILY : 9:00 AM to 9:00 PM	After 8Hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0142	CMV IgM Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0143	CMV DNA Viral load by Real Time PCR - EDTA Plasma	Alibag-Panvel	C	8250	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
C0144	CMV by CISH - FFPE	Alibag-Panvel	D	2915	Daily : 7:30pm	Same day : 5pm	Tissue In 10% Formalin Or Block / FFPE .
C0145	Cobalt Blood	Alibag-Panvel	D	3500	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0145_CS	Cobalt Serum	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0146	Cobalt Urine 24H**	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0147	Cobalt Urine Spot	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0148	Cocaine Benzoylcegonine Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
C0149	Cold AgglutininSerum	Alibag-Panvel	B	640	Daily : 11:30am	Next day : 5:00pm	3 ml of Serum
C0150	Cancer marker profile.	Alibag-Panvel	D	6340	Wed and Sat: 9am	next day 5.0 pm	3 ml of Serum and 3 ml of EDTA plasma
C0151	Coombs Test-Direct ,Direct Antiglobulin Test (DAT)-EDTA Blood	Alibag-Panvel	C	690	Daily: 9am and 5pm	After 6 hrs	3 ml EDTA whole blood
C0152	Coombs Test-Indirect, Indirect Antiglobulin Test (IAT)-Serum	Alibag-Panvel	C	690	Daily: 9am and 5pm	After 6 hrs	3 ml Serum sample
C0154	Copper ,24 hr Urine	Alibag-	D	2300	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
C0155	Copper, Urine Spot	Alibag-Panvel	D	2225	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0156	Copper Serum	Alibag-Panvel	D	2225	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0157	Cortisol Serum_8.00 AM	Alibag-Panvel	B	660	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0157_4PM	Cortisol Serum_04.00 PM	Alibag-Panvel	B	670	Daily: 9am to 9pm	Cortisol CLIA Serum_04.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0157_R	Cortisol Serum_Random	Alibag-Panvel	B	670	Daily: 9am to 9pm	Cortisol CLIA Serum_Random	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0158	Cortisol - Free Urine 24H	Alibag-Panvel	B	965	Daily: 9am to 9pm	After 8 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0159	Coxiella Burnetti IgG antibody by EIA - Serum	Alibag-Panvel	D	2065	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0160	Coxiella Burnetti IgM antibody by EIA - Serum	Alibag-Panvel	D	2065	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0161	Coxsackie IgG Antibody by EIA - Serum	Alibag-Panvel	C	2690	Wed : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0162	Coxsackie IgM Antibody by EIA - Serum	Alibag-Panvel	E	2690	Wed : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0163	C-Peptide, Fasting, Serum	Alibag-Panvel	C	1210	Daily: 9am to 9pm	After 6 hrs	2 ml of Serum In Fasting
C0163_PP	C-Peptide Post prandial, Serum	Alibag-Panvel	C	1200	Daily: 9am to 9pm	C-PeptidePost prandial	2 ml of Serum In Fasting
C0163_R	C-Peptide, Random, Serum	Alibag-Panvel	C	1200	Daily: 9am to 9pm	C-Peptide, Random	2 ml of Serum In Fasting
C0164	CPK Isoenzymes Serum	Alibag-Panvel	D	7950	Fri : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0165	CPK Total Serum	Alibag-Panvel	A	380	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0166	Creatinine Clearance test 24H Urine	Alibag-Panvel	B	515	Daily: 9am to 9pm	After 6 hrs	3 ml Serum And 24 Hrs Urine . No Preservative
C0167	Creatinine Quantitative Urine 24H	Alibag-Panvel	A	310	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
C0168	Creatinine Body Fluid	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
C0169	Creatinine Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0170	CRP, C - Reactive Protein Serum	Alibag-Panvel	B	450	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0171	Cryoglobulins Serum	Alibag-Panvel	C	1220	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0172	Cryptococcus Antigen detection by Agglutination - CSF	Alibag-Panvel	C	2545	Daily : 9:00am,1:00pm & 6:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
C0173	Cryptococcus Antigen detection by Agglutination - Serum	Alibag-Panvel	C	2385	Daily : 9:00am,1:00pm & 6:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0179	Cryptosporidium by smear examination - Stool	Alibag-Panvel	C	585	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
C0180	Cryptosporidium Parvum Antigen Detection by Immunochromatography - Stool	Alibag-Panvel	C	1695	Daily : 9:00am	Same day : 5pm	5gm of Stool specimen in Sterile leak proof container
C0181	CSF Index (CSF and serum)	Alibag-Panvel	D	2755	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.
C0182	Culture & Sensitivity, Aerobic bacteria - Blood single bottle	Alibag-Panvel	C	1180	Daily : 9:00am to 9:00pm	After 5 days : 5pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0183	Culture & Sensitivity, Aerobic bacteria - Blood Two bottle set	Alibag-Panvel	C	2970	Daily : 9:00am to 9:00pm	After 5 days : 5pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0184	Culture & Sensitivity, Aerobic bacteria - Blood 1 Aerobic 1 Anaerobic	Alibag-Panvel	C	1695	Daily : 9:00am to 9:00pm	After 5 days : 5pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0185	Culture & Sensitivity, Aerobic bacteria - Body Fluids	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of Body Fluid in Sterile leak proof container
C0186	Culture & Sensitivity, Aerobic bacteria - Bone Marrow	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	After 5 days : 5pm	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin
C0187	Culture & Sensitivity, Aerobic bacteria - Central Line Catheter Tip	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	5th day : 5pm	Central Line Catheter Tip in sterile container
C0188	Culture & Sensitivity, Aerobic bacteria - Clot	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	After 5 days : 5pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0189	Culture & Sensitivity, Aerobic bacteria - CSF	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of CSF in Sterile leak proof tube or container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0190	Culture & Sensitivity, Aerobic bacteria - Ear Samples	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	Ear specimens in Sterile leak proof container
C0191	Culture & Sensitivity, Aerobic bacteria - Eye Samples	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	Eye specimens in Sterile leak proof container
C0192	Culture & Sensitivity, Aerobic bacteria - Other samples	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of Specimen in Sterile leak proof container
C0192_C	Culture and Identification, Aerobic bacteria - Other Samples	Alibag-Panvel	C	1325	Daily : 9:00am to 9:00pm	3rd day : 5pm	Pure culture isolate is required
C0193	Culture & Sensitivity, Aerobic bacteria - Pus	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of PUS in Sterile leak proof container
C0194	Culture & Sensitivity, Aerobic bacteria - Respiratory Samples BAL,ET Secretions	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of BAL / Other Respiratory samplesin Sterile leak proof container
C0195	Culture & Sensitivity, Aerobic bacteria - Semen	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of Semen in Sterile leak proof container
C0196	Culture & Sensitivity, Aerobic bacteria - Sputum	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of Sputum in Sterile leak proof container
C0197	Culture & Sensitivity, Aerobic bacteria - Stool	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	5gm of Stool specimen in Sterile leak proof container
C0198	Culture & Sensitivity, Aerobic bacteria - Throat Swab	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0199	Culture & Sensitivity, Aerobic bacteria - Throat Swab For C.Diphtheriae	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0200	Culture & Sensitivity, Aerobic bacteria - Tissue/Biopsy	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	Tissue with Normal Saline in Sterile leak proof container
C0201	Culture & Sensitivity, Aerobic bacteria - Urethral Discharge	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	2ml of Urethral Discharge in Sterile leak proof container
C0202	Culture & Sensitivity, Aerobic bacteria - Urine	Alibag-Panvel	C	1100	Daily : 9:00am to 9:00pm	Upto 72 hours	15ml of Spot Urine in Sterile leak proof container
C0203	Culture & Sensitivity, Aerobic bacteria - Vaginal Sample Includes Gr B Strepto	Alibag-Panvel	C	1115	Daily : 9:00am to 9:00pm	Upto 72 hours	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0204	Culture and Identification, Anaerobic bacteria - Blood Single bottle	Alibag-Panvel	C	1485	Daily : 9:00am to 9:00pm	After 5 days : 5pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0205	Culture and Identification, Anaerobic bacteria - High Vagina Discharge	Alibag-Panvel	C	1485	Daily : 9:00am to 9:00pm	5th day : 5pm	2ml of Vaginal Discharge in Sterile leak proof container
C0206	Culture and Identification, Anaerobic bacteria - Pus	Alibag-Panvel	C	1485	Daily : 9:00am to 9:00pm	5th day : 5pm	2ml of PUS in Sterile leak proof container
C0207	Culture and Identification, Anaerobic bacteria (C.Difficile) - Stool	Alibag-Panvel	C	1485	Daily : 9:00am to 9:00pm	5th day : 5pm	5gm of Stool specimen in Sterile leak proof container
C0208	Culture and Identification, Anaerobic bacteria - Tissue/Biopsy	Alibag-Panvel	C	1485	Daily : 9:00am to 9:00pm	5th day : 5pm	Tissue with Normal Saline in Sterile leak proof container
C0209	Cyclospora by smear examination - Stool	Alibag-Panvel	C	585	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
C0210	Cyclosporine-By LCMS, Blood	Alibag-Panvel	C	3390	Daily : 7:30am	Same day : 8:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
C0212	Cyfra (Ca) 21-1, Serum	Alibag-Panvel	D	3605	Tue & Fri : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0213	CYP2C19 Genotyping	Alibag-Panvel	D	7845	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .
C0214	Cystatin C, Serum	Alibag-Panvel	C	1380	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0218	Cystic Fibrosis (CF) Delta F508 Mutation Analysis	Alibag-Panvel	E	4430	Tue & Thu: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
C0219	Cystic Fibrosis IRT (Neonatal screen)Dried	Alibag-	C	475	Monday to Friday:	Next day 5pm	Dried blood spot: 1 drop of heel

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	blood spot	Panvel			9.00am		prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
C0220	Cysticercus (Taenia Solium) IgG Antibody by EIA - CSF	Alibag-Panvel	C	1800	Tue & Fri : 7:30am	Same day : 5pm	2 ml of CSF in sterile screw capped container.
C0221	Cysticercus (Taenia Solium) IgG Antibody by EIA - Serum	Alibag-Panvel	C	1670	Tue & Fri : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0222	Cystine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
C0223	Cystine Quantitative Spot Urine	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
C0224	Cytochemistry Panel	Alibag-Panvel	C	2330	Daily: 9am	5th day	Direct smears & 3 ml of EDTA blood
C0226	Ascitic Fluid by Conventional method	Alibag-Panvel	C	955		2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0227	Bronchoalveolar Lavage (BAL) by LBC	Alibag-	C	1340		2nd day	Broncheoalveolar lavage in a plain

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					leak proof container along with brochscopy findings & relevant clinical/radiological details
C0228	CSF by Cyto centrifuge	Alibag-Panvel	C	955		2nd day	More than 0.5 ML fluid in plain leak proof container along with relevant clinical details & CT/MRI reports
C0229	Drain Fluid by Conventional method	Alibag-Panvel	C	955		2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0230	Nipple Discharge by Conventional method	Alibag-Panvel	C	955		3rd day	Prefixed smears along with relevant clinical & radiological details
C0233	Other Fluids by Conventional method	Alibag-Panvel	C	955		2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0234	Pericardial Fluid by Conventional method	Alibag-Panvel	C	955		2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0235	Peritoneal washings by Conventional method	Alibag-Panvel	C	955		2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0236	Pleural Fluid by Conventional method	Alibag-Panvel	C	955		2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0238	Sputum by Conventional method	Alibag-Panvel	C	955		2nd day	Sputum in a plain leak proof container along with relevant clinical/radiological details
C0239	Synovial Fluid by Conventional method	Alibag-Panvel	C	955		2nd day	0.5 ml Synovial fluid in a plain container
C0241	Urine by Liquid based cytology	Alibag-Panvel	C	1165		2nd day	More than 1 ML Urine in a leak proof plain container along with relevant clinical & radiological details
C0242	Cytology Reflex to cell block and relevant IHC Body fluid	Alibag-Panvel	C	4240		5th day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0244	Carbohydrate-Deficient Transferrin (CDT) **	Alibag-Panvel	R	4280	Daily: 9am	Same day 5 PM	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment.
C0246	Chromosomal Array CNV+SNP Array Blood	Alibag-Panvel	E	16480	Daily : 9:00am	15th day : 6:00pm	3 ml of EDTA Whole Blood
C0247	Chromosomal Array CNV+SNP Array POC	Alibag-Panvel	E	17305	Daily: 9am	15th Day	1)Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin
C0248	Clostridium Difficile DNA Detection by Real Time PCR - Stool	Alibag-Panvel	C	3500	Wed & Sat : 7:30am	Next day : 5:00pm	5gm of Stool specimen in Sterile leak proof container
C0249	Connexin (26 mutations)_C0249	Alibag-Panvel	R	6955	Wed : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0250	Copper reflex Ceruloplasmin, Serum	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0251	Calreticulin (CALR) Exon 9 Mutation Analysis, Blood	Alibag-Panvel	D	6680	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0252	Calreticulin (CALR) Exon 9 Mutation Analysis, Bone marrow	Alibag-Panvel	D	6680	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0253	Chromium, Serum	Alibag-Panvel	R	3745	Daily : 11:30am	12th Day : 6:00pm	BD RED TOP VACCUTAINER, CENTRIFUGE, SEPARATE SERUM in red top
C0255	Creatinine Urine Spot	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
C0256	CPEO (Chronic Progressive External Ophthalmoplegia) Mitochondrial diseases	Alibag-Panvel	R	7705	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
C0260	NextGen Cancer Hotspot 50 Gene Panel	Alibag-Panvel	E	28000	Daily : 11:30am	After 4 weeks : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0264	CD64, Blood by Flow Cytometry	Alibag-Panvel	C	2440	Daily : 11:30am	Next day : 5:00pm	hours and paraffin embedded. Clinical history with Histopath report. 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0265	CEBPA MUTATION ANALYSIS	Alibag-Panvel	E	6180	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood or 3 ml EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0267	Cervical Screening-3 (PAP Smear, HPV-DNA and reflex CINtec PLUS) - LBC	Alibag-Panvel	D	5830	Daily : 9:00am	7th day : 6:00pm	10 ml LBC Container
C0269	Cancer marker profile (Brain and Pituitary)	Alibag-Panvel	D	3655	Tue and Fri: 9am	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0272	Cancer marker profile (Gall Bladder)	Alibag-Panvel	D	1695	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0273	Cancer marker profile Liver-2	Alibag-Panvel	D	6095	Wed and Sat: 9am	next day 5.0 pm	3 ml of Serum and 3 ml of EDTA plasma
C0275	Cancer marker profile (Neuroendocrine tumors)	Alibag-Panvel	D	6570	Wed/Sat- 7:30 am	Next day 5:00 pm	3 ml of Serum and 3 ml of EDTA plasma
C0276	Cancer marker profile-Ovarian-Comprehensive	Alibag-Panvel	D	2385	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
C0277	Cancer marker profile - Thyroid-DTC	Alibag-Panvel	D	2330	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
C0279	Cytology CINtec plus	Alibag-Panvel	D	4135		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0281	cMYC Gene rearrangement, FISH, BONE MARROW	Alibag-Panvel	D	4665	Daily : 9:00am	3rd day : 6:00pm	detail 2-3 ml Bone Marrow in Na-heparin vacutainer
C0282	CMYC Gene rearrangement, FISH, BLOOD	Alibag-Panvel	D	4665	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
C0283	cMYC Gene rearrangement Tissue / FFPE	Alibag-Panvel	D	6360	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
C0284	Coeliac disease profile-1	Alibag-Panvel	D	2755	Mon and Thu: 9am	Same day 7pm	5 ml of serum
C0285	Coeliac disease profile-2 Comprehensive	Alibag-Panvel	D	10495	Mon and Thu: 9am	3rd day	5 ml of serum and 4ml EDTA / ACD blood
C0286	Catechol-O-Methyltransferase (COMT) Genotyping	Alibag-Panvel	E	6180	Daily : 9:00am	7th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0289	CMV DNA Detection by Real Time PCR - Tissue	Alibag-Panvel	C	5090	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	Tissue with Normal Saline in Sterile leak proof container
C0290	Chloride, CSF	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
C0292	CMV DNA Viral load by Real Time PCR - BAL or Saliva	Alibag-Panvel	C	7845	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of BAL/ Saliva in Sterile Leak proof container
C0297	C3 Nephritic Factor	Alibag-Panvel	R	5350	Daily : 11:30am	8th day : 6:00pm	3 ml Serum
C0302	Cryofibrinogen	Alibag-Panvel	D	955	Daily : 11:30am	4th day : 6:00pm	Collect Blood In Pre-warmed Red Plain Top & Citrate Tube And Pre-

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0306	CHIMERISM, PRE-TRANSPLANT (STR ANALYSIS - DONOR & RECIPIENT)*	Alibag-Panvel	E	10195	Daily : 9:00am	7th day : 6:00pm	warmed Syringe. 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis - Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship
C0307	CHIMERISM (Post transplant) *	Alibag-Panvel	E	10195	Daily : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship
C0311	Cardiomyopathy gene panel**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
C0318	Chylomicron Qualitative Body fluid	Alibag-Panvel	B	535	Daily: 9am to 9pm	After 8 hrs	2 ml body fluid
C0319	Clinical Exome Panel**	Alibag-Panvel	R	22050	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0323	Cell free DNA for EGFR*	Alibag-Panvel	E	16480	Daily : 9:00am	7th day : 6:00pm	Genetci history is mandatory. 10-15 ml of blood in streck tube required. Sample stable for 3-7 Days at Ambient Temperature. For streck tubes, enquire before sending the sample. Clinical history with Histopathology report.
C0326	Carba R (Carbapenem Resistance) by GeneXpert - Culure Plate / Anal Swab	Alibag-Panvel	D	10280	Daily : 9:00am & 3:00pm	After 6hrs	Culure Plate / Anal Swab with Sufficient Material in Sterile Falcon Tube
C0332	Cortisol/Creatinine ratio in urine	Alibag-Panvel	B	1175	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
C0337_Adult	Creatinine, advanced (Above18 years) - spot urine	Alibag-Panvel	A	280	Daily: 9am to 9pm	Creatinine, advanced(Above18 years)	10 ml of Spot urine
C0338	Haemogram, advanced	Alibag-Panvel	A	375	Daily: 9am to 9pm	After 6 hrs	3 ml of EDTA whole blood sample
C0340	Chromosomal Array CGH - Prenatal*	Alibag-Panvel	E	16480	Daily : 9:00am	15th day : 6:00pm	Amniotic fluid (20-30ml divided in 2 sterile falcon centrifuge tube) and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. (Completely filled Consent form G with patient and doctor stamp and signature is mandetory as per PCPNDT Act)
C0342	Allergy panel - Child panel	Alibag-Panvel	D	13090	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
C0343	Clustered AchR and MuSK and LRP4 Antibodies**	Alibag-Panvel	R	16050	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
C0347	CSF ACPIIL**	Alibag-Panvel	R	28890	Daily : 11:30am	After 4 weeks : 6:00pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). International outsource : Category

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment.
C0348	Chromosomal Array CGH-Cancer	Alibag-Panvel	E	25750	Daily : 9:00am	After 4 Weeks : 6:00pm	3 ml of EDTA whole blood and 3 ml of Bone marrow
C0349	Cadmium, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0350	Cadmium, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
C0351	Chromium , Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0352	Chromium, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
C0353	Cobalt , Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0354	Cocaine confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0356	Copper, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	e.g C0 or C2) and clinical History along with the sample. 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0357	Copper, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
C0359	COCKROACH, GERMAN BLATELLA GERMANICA (SPECIFIC IGG4)	Alibag-Panvel	D	1590	Mon,Thu: 9am	Next day: 5pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
C0360	CLL prognostication/risk stratification gene panel**- EDTA Whole Blood	Alibag-Panvel	E	17510	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood/bone marrow aspirate
C0361	Carrier ?screening - Gold (500 genes)	Alibag-Panvel	E	42230	Daily: 7:30am	5 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0362	Carrier ?screening - Platinum (2000 genes)	Alibag-Panvel	E	69010	Daily: 7:30am	6 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0363	Carrier ?screening - Silver (100 genes)	Alibag-	E	36155	Daily: 7:30am	5 weeks	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0364	Congenital adrenal hyperplasia due to HSD3B2-Gene Analysis	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0365	Congenital cataract-Gene Panel	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0366	Congenital hepatic fibrosis-Gene Panel	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0368	Chromosomal Array CGH-High resolution	Alibag-	R	26750	Daily : 11:30am	20th day : 6:00pm	3 ml of EDTA Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
C0369	Chikungunya RNA Detection by Real Time PCR - Serum	Alibag-Panvel	C	4770	Daily : 10:00am	24 Hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0370	CMV DNA Viral load by Real Time PCR - CSF	Alibag-Panvel	C	7845	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	2ml of CSF in Sterile leak proof tube or container
C0371	CMV DNA Viral load by Real Time PCR - Urine	Alibag-Panvel	C	7845	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	15ml of Spot Urine in Sterile leak proof container
C0372	CT - NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Panel - Genital Swab	Alibag-Panvel	D	5755	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0373	CT - NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Panel - Urine spot	Alibag-Panvel	D	5300	Wed & Sat : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
C0374	Covid Monitor Initial	Alibag-Panvel	C	6150	Daily: 9am	Same day 5pm	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0375	Covid Monitor Maintenance.	Alibag-Panvel	C	4135	Daily: 9am	Same day 5pm	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0376	Covid Monitor Recovery.	Alibag-Panvel	C	2970	Daily: 9am to 9 pm	Report after 24 hours	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0377	Cardiac Screen-1	Alibag-Panvel	C	6360	Mon and Thu: 9am	Same day 5pm	5 ml of serum
C0378	Conventional Karyotyping for CLL (B-Cell Stimulation)**	Alibag-Panvel	R	12840	Daily : 11:30am	20th day : 6:00pm	10 ml Heparin Blood
C0379	CoviRisk TBNK by Flow Cytometry - Blood	Alibag-Panvel	D	5415	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of EDTA Whole Blood
C0381	Covid Associated Biomarker Profile	Alibag-Panvel	C	4770	9 am to 9 pm	Report after 24 hrs	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0393	Colorectal cancer - Theranostic Panel (Hot Spot) panel	Alibag-Panvel	E	32960	Daily 7.30 am	4 Weeks	Paraffin Block with Histopath report Mandatory
C0394	Cytology - Brush Cytology by conventional method	Alibag-Panvel	C	2650	Daily : 9:00am	3rd day	Unstained slides, Complete clinical & radiology details, clinician contact number
C1001	C1q antibodies test, Serum	Alibag-Panvel	R	6955	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
C1014	Carnitine free and total plasma**	Alibag-Panvel	R	13375	Daily : 11:30am	10th day : 6:00pm	3 ml Heparin Plasma
C1802	Colour Doppler - Carotid	Alibag-	O	2750			

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
C1803	Colour Doppler - Limb (Arterial and Venous)	Alibag-Panvel	O	4400			
C1804	Colour Doppler - Limbs - both (Arterial and Venous)	Alibag-Panvel	O	8800			
C1805	Colour Doppler - Obstetric	Alibag-Panvel	O	2200			
C1806	Colour Doppler - Pelvis	Alibag-Panvel	O	2420			
C1807	Colour Doppler - Portal System	Alibag-Panvel	O	2420			
C1808	Colour Doppler - Renal	Alibag-Panvel	O	2420			
C1809	Colour Doppler - Scrotal	Alibag-Panvel	O	2420			
C1818	Cephalogram	Alibag-Panvel	O	550			
C1901	Canine - Calcium	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1902	Canine - CBC Haemogram	Alibag-Panvel	A	330	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1903	CBF (Complete Body Function)	Alibag-Panvel	C	3390	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							animal. Please correlate clinically and to be interpreted by the clinician.
C1904	Canine - Chlorides	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1905	Canine - Cholesterol-Total	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1906	Canine - Combo Profile	Alibag-Panvel	C	3815	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1907	CANINE-Cortisol	Alibag-Panvel	C	665	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1908	CANINE-CPK-Creatinine Phospho Kinase	Alibag-Panvel	A	375	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C1909	Canine - Creatinine	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	animal. Please correlate clinically and to be interpreted by the clinician. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1910	CANINE-Culture & Sensitivity, Aerobic bacteria Blood single bottle	Alibag-Panvel	C	850	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1911	CANINE-Culture & Sensitivity, Aerobic bacteria Body Fluids Specify type	Alibag-Panvel	C	820	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1912	CSF	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1913	Eye Samples	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C1914	nasal swab	Alibag-Panvel	C	1050	Daily: 9am to 9pm	Report after 24 hrs	animal. Please correlate clinically and to be interpreted by the clinician. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1915	CANINE-Culture & Sensitivity, Aerobic bacteria Pus	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1916	Semen	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1917	CANINE-Culture & Sensitivity, Aerobic bacteria Sputum	Alibag-Panvel	C	820	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1918	CANINE-Culture & Sensitivity, Aerobic bacteria Stool	Alibag-Panvel	C	820	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C1919	Throat Swab	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	animal. Please correlate clinically and to be interpreted by the clinician. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1920	Tissue/Biopsy	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1921	Urethral Discharge	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1922	CANINE-Culture & Sensitivity, Aerobic bacteria Urine	Alibag-Panvel	C	850	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1923	Vaginal Sample	Alibag-Panvel	C	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C1924	Second opinion services, Slides	Alibag-Panvel	C	1060	Daily: 9am	Report after 48 hrs	animal. Please correlate clinically and to be interpreted by the clinician. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1925	Ascitic Fluid	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1926	CSF	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1927	Drain Fluid	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1928	Other Fluids	Alibag-Panvel	C	1060	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C1929	Other Fluids/Scraping	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	animal. Please correlate clinically and to be interpreted by the clinician. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1930	Pericardial Fluid	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1931	Peritoneal washings	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1932	Pleural Fluid	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1933	Sputum	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							animal. Please correlate clinically and to be interpreted by the clinician.
C1934	Synovial Fluid	Alibag-Panvel	C	955	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
C1936	Metanephrine, Urine spot	Alibag-Panvel	C	2915	Daily: 9am to 9pm	Report after 5 days	Spot Urine : 10 ml of Spot sample in Leakproof container. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
C5054	Cadmium / Creatinine ratio	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C5516	CBC+MP	Alibag-Panvel	B	430	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA whole blood
C5523	CBC, MP, ESR Panel	Alibag-Panvel	B	510	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA whole blood
C5631	COVIPROTECT Plus	Alibag-Panvel	C	2545	Mon, Wed, Fri 1:00 PM	Next Day 5:00 PM	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
C5643	Comprehensive metabolic panel	Alibag-Panvel	D	4970	Daily: 9am to 9pm	After 6hrs	3 ml of EDTA whole blood, 2 ml of Fluoride plasma, 4 ml of serum, 20 ml of spot urine
C8103	Cytopathology-Expert opinion	Alibag-Panvel	C	2650		7th day	Stained/unstained slides with original cytopathology report & relevant clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C8369	COVID VARIANT SCREENING	Alibag-Panvel	D	795	24hr registration	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
C8551	COMPREHENSIVE OPHTHALMIC GENETIC DISORDER PANEL	Alibag-Panvel	R	21400	Daily 7.30 am	4 Weeks	3 ml of EDTA whole blood
C8606	Critical care antibiotics for drug resistant Gram negative bacteria.	Alibag-Panvel	D	1200	Daily : 9:00am to 9:00pm	4th day : 6:00pm	Pure culture isolate is required
C8623	Celiac Disease Profile - 1	Alibag-Panvel	C	2100	Mon & Thu : 7:30am	Same day : 5:00pm	5 ml of serum
D0001_DCP	DCP- Decarboxy Prothrombin PIVKA II, Serum	Alibag-Panvel	D	3550	Mon, Wed, Fri : 7:30am	Same day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0002	D-Dimer Quant, plasma	Alibag-Panvel	C	1390	Daily: 9am and 3pm and 9pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
D0003	Dengue IgG Antibody by CLIA - Serum	Alibag-Panvel	C	950	Daily : 6:30pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0004	Dengue IgM Antibody by CLIA - Serum	Alibag-Panvel	C	630	Daily : 6:30pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0005	Dengue NS1 antigen Detection by EIA - Serum	Alibag-Panvel	C	630	Daily : 6:30pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0006	Dengue Profile-1 (Dengue-IgG, IgM, NS1, Platelet count) by EIA - Serum & EDTA blood	Alibag-Panvel	C	2140	Daily : 6:30pm	After 8 hrs	3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of EDTA Whole Blood in EDTA Vacutainer
D0006_2	Dengue Profile-2 (Dengue-IgG, IgM, NS1, Platelet count & IPF) by EIA - Serum & EDTA blood	Alibag-Panvel	C	2330	Daily : 6:30pm	After 8 hrs	3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of EDTA Whole Blood in EDTA Vacutainer
D0007	Dengue RNA Detection by Real Time PCR - CSF	Alibag-Panvel	C	4240	Daily : 10:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container
D0008	Dengue RNA Detection by Real Time PCR - EDTA Plasma	Alibag-Panvel	C	4240	Daily : 10:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer
D0009	Desmoglein I Antibody Vesiculobullous disorders Serum	Alibag-Panvel	D	3000	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0010	Desmoglein III Antibody Vesiculobullous disorders Serum	Alibag-Panvel	D	3000	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0011	Dexamethasone Suppression test-High dose for ACTH, Plasma	Alibag-Panvel	C	2595	Daily: 9am to 9pm	Same day 5pm	3 ml of EDTA Plasma each
D0012	Dexamethasone Suppression test for Cortisol-High dose, Serum	Alibag-Panvel	C	1380	Daily: 9am to 9pm	Same day 5pm	3 ml Serum each
D0013	Dexamethasone Suppression test-Low dose for ACTH, Serum	Alibag-Panvel	C	2595	Daily: 9am to 9pm	Same day 5pm	3 ml of EDTA Plasma each
D0014	Dexamethasone Suppression test for Cortisol-Low dose, Serum	Alibag-Panvel	C	1380	Daily: 9am to 9pm	Same day 5pm	3 ml Serum each
D0015	Dexamethasone Suppression test Overnight suppression For ACTH, Plasma	Alibag-Panvel	C	2595	Daily: 9am to 9pm	Same day 5pm	3 ml of EDTA Plasma each
D0016	Dexamethasone Suppression test Overnight suppression For Cortisol, Serum	Alibag-Panvel	C	1380	Daily: 9am to 9pm	Same day 5pm	3 ml Serum each
D0017	DHEA- Dehydroepiandrostedione Serum	Alibag-Panvel	C	3020	Tue,Fri: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0018	DHEAS- Dehydroepiandrostedione Sulphate Serum	Alibag-Panvel	B	1390	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0019	DHT- Dihydrotestosterone Serum	Alibag-Panvel	C	2950	M,W,F: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0020	Diabetes Profile, Mini	Alibag-Panvel	E	955	Daily: 8pm	After 8 hrs	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
D0021	Diabetes Profile,Maxi	Alibag-Panvel	E	3050	Wed: 7.30am	Same day 5pm	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma (F, PP), 10 ml of spot urine
D0022	Dialysis Panel	Alibag-Panvel	C	4240	Daily: 9am to 9pm	After 8 hrs	3ml EDTA blood, fluoroide plasma & Serum
D0023	DIC (Coagulation) Profile	Alibag-Panvel	C	2755	Daily: 9am to 9pm	After 8 hrs	3 ml of EDTA whole blood and 1 ml of citrated platelet poor plasma
D0024	Digoxin Lanoxin Serum	Alibag-Panvel	C	1115	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0025	Diphtheria IgG antibodies by EIA - Serum	Alibag-Panvel	D	2650	Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0026	DMD/BMD (18 Exons) for Males Only	Alibag-	D	7365	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
D0027	DMD/BMD-79 exons Deletion/Duplication Analysis MLPA - Blood	Alibag-Panvel	D	15900	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
D0028	DMD-Test Duchenne Muscular Dystrophy Amniotic Fluid*	Alibag-Panvel	D	18020	Daily : 9:00am	7th day : 6:00pm	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
D0028_c	DMD/ BMD-79 exons Deletion/ Duplication Analysis (Dystrophin gene - Xp21)	Alibag-Panvel	D	18020	Daily : 9:00am	7th day : 6:00pm	Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
D0030	DNA (Double Strand) Antibody By IFA - Reflex end point titre Serum	Alibag-Panvel	C	1855	Tue,Fri: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0032	DNA (Double Strand) Antibody NcX DNA Serum	Alibag-Panvel	C	1750	Daily: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0033	DNA IsolationBlood	Alibag-Panvel	C	1165	Daily : 9:00am	Next day : 5:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
D0034	DNA Paternity 16 markers *	Alibag-Panvel	E	10300	Daily : 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed Paternity Consent form and documents mandatory. Photo Identity proof of father and child 2 Passport size photograph attached to consent form, Birth certificate of child In case of alleged father mother declaration required.
D0036	DNPH (Dinitro Phenyl hydralazine) test, urine	Alibag-Panvel	B	375	Daily : 11:30am	After 6hrs	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0037	Dopamine ELISA Plasma	Alibag-Panvel	D	2650	Wed : 11:30am	Next day : 7:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
D0038	Dopamine, HPLC, 24 hrs urine	Alibag-Panvel	D	4135	Wed : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
D0039	Maternal screen-1st Trimester Dual Marker test serum	Alibag-Panvel	C	2680	Daily 07:30 am	same day 09:00 pm	3 ml of Serum
D0039_reflex	Pregascreen Dual (First trimester test-VII, serum Dual Marker test reflex Confirmation Either NIPT or Karyotyping/FISH of CVS)	Alibag-Panvel	D	3800	Daily 07:30 am	same day 09:00 pm	3 ml of serum , If screen is positive reflex confirmation Either NIPT or Karyotyping and FISH of amniotic fluid
D0040	Maternal screen-2nd Trimester- Quadruple Marker test, Serum	Alibag-Panvel	C	3300	Daily 07:30 am	same day 09:00 pm	3 ml of Serum
D0040_reflex	Pregascreen Quadruple (Second trimester test-IV, serum Quadruple marker test reflex confirmation Either NIPT or Karyotyping/ FISH of amniotic fluid)	Alibag-Panvel	C	4200	Daily 07:30 am	same day 09:00 pm	3 ml of serum , If screen is positive reflex confirmation Either NIPT or Karyotyping and FISH of amniotic fluid
D0041	Maternal screen (Triple test) 2nd trimester	Alibag-Panvel	C	2970	Daily: 9am to 9pm	Next day at 6pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0042	DPD-Deoxyypyridinoline (Pyrilinks D)Urine	Alibag-Panvel	C	1855	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot Urine (Protect From Light)
D0043	Dihydropyrimidine Dehydrogenase (DPD)	Alibag-	D	7420	Tue & Fri : 9:00am	5th day : 6:00pm	3-5 ml of EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Gene Mutation Analysis	Panvel					required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
D0044	DPT Antibodies by EIA - Serum	Alibag-Panvel	D	6890	Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0045	Drugs Of Abuse Panel-5 Drug Panel, Urine	Alibag-Panvel	C	2595	Daily: 9am to 9pm	After 8 hrs	10 ml of Spot urine
D0046	Drugs Of Abuse Panel-6 Drug Panel, Urine	Alibag-Panvel	C	3125	Daily: 9am to 9pm	After 8 hrs	10 ml of Spot urine
D0047	Drugs Of Abuse Panel - 9 Drug, Urine	Alibag-Panvel	C	4450	Daily: 9am to 9pm	After 8 hrs	10 ml of Spot urine
D0048	DVT-Deep Vein Thrombosis Panel	Alibag-Panvel	D	12720	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
D0049	Dysmorphic RBC detection - Spot Urine	Alibag-Panvel	B	160	Daily : 9:00am to 9:00pm	After 4 hrs	15ml of Spot Urine in Sterile leak proof container
D0050	D3 Hydroxybutarate (Ranbut), Serum	Alibag-Panvel	C	955	Daily: 9am to 9pm	After 8 hrs	3ml of serum
D0053	Drugs Of Abuse Panel-12 Drug Panel, Urine	Alibag-Panvel	C	6465	Daily: 9am to 9pm	After 10 hrs	10 ml of Spot urine
D0054	DRPLA Gene Analysis	Alibag-Panvel	E	6405	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
D0059	Diabetes Complications assessment	Alibag-Panvel	E	2935	Mon and Thu: 9am	Same day 5pm	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma (F, PP), 10 ml of spot urine
D0060	Diabetes Risk Assessment Profile	Alibag-Panvel	E	2985	Wed: 9am	Next day 5pm	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma
D0061	Diabetes type I profile	Alibag-Panvel	E	11770	Monday & Thursday 9am	Next day 5pm	5 ml of serum
D0125	Dystonia gene panel	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0127	DFS-70 Antibody	Alibag-Panvel	C	2225	Wed : 11:30am	Same day : 9:00pm	2 ml serum required
D0128	Deafness panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
D0129	DLBCL (Diffuse large B-cell lymphoma) FISH PANEL Tissue	Alibag-Panvel	E	14420	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
D0130	11 Deoxycorticosterone**	Alibag-Panvel	R	16050	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
D0138	DERMATOPHAGOIDES FARINAE HOUSE DUST MITE (SPECIFIC IGG4)	Alibag-Panvel	C	1590	Mon,Thu: 9am	Next day: 5pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
D0139	DERMATOPHAGOIDES PTERONYSSINUS HOUSE DUST MITE (SPECIFIC IGG4)	Alibag-Panvel	C	1590	Mon,Thu: 9am	Next day: 5pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0140	Deletion/ Duplication Analysis	Alibag-Panvel	R	11340	Daily : 11:30am	After 4 weeks : 6:00pm	for 7 days and at Ambient temperature for a day. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
D0141	Dengue RNA Detection by Real Time PCR - Serum	Alibag-Panvel	C	3920	Daily : 10:00am	24 Hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D1802	Digital X- Ray- Ankle - AP / Lateral view	Alibag-Panvel	O	880			
D1803	Digital X- Ray- Cervical Spine - Ap / Lateral	Alibag-Panvel	O	880			
D1804	Digital X- Ray- Chest - Decubits	Alibag-Panvel	O	440			
D1805	Digital X- Ray- Chest - Lateral	Alibag-Panvel	O	440			
D1809	Digital X- Ray- Elbow joint - AP view	Alibag-Panvel	O	440			
D1810	Digital X- Ray- Femur bone - AP / Lateral	Alibag-Panvel	O	880			
D1812	Digital X- Ray- Foot - AP / Oblique	Alibag-Panvel	O	880			
D1814	Digital X- Ray- Knee - Both Skyline View	Alibag-Panvel	O	440			
D1816	Digital X- Ray- Knee - joint AP / Lat	Alibag-Panvel	O	880			
D1817	Digital X- Ray- Knee Joints (both) - AP/ Lateral view	Alibag-Panvel	O	1320			
D1818	Digital X- Ray- KUB	Alibag-Panvel	O	880			
D1819	Digital X- Ray- L S Spine - AP / Lat	Alibag-	O	880			

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
D1820	Digital X- Ray- L S spine - AP / Lat / Coned down	Alibag- Panvel	0	1320			
D1821	Digital X- Ray- L S Spine - Lateral	Alibag- Panvel	0	440			
D1822	Digital X- Ray- L S spine both - oblique	Alibag- Panvel	0	880			
D1823	Digital X- Ray- Mastoids Schuller s View	Alibag- Panvel	0	440			
D1824	Digital X- Ray- Nasal Bone	Alibag- Panvel	0	880			
D1825	Digital X- Ray- Pelvis with both hip	Alibag- Panvel	0	440			
D1827	Digital X- Ray- PNS Caldwell	Alibag- Panvel	0	440			
D1829	Digital X- Ray- Sacro coccyx Lat	Alibag- Panvel	0	440			
D1830	Digital X- Ray- Sacro iliac joint AP	Alibag- Panvel	0	440			
D1831	Digital X- Ray- Shoulder Joint AP /Lat	Alibag- Panvel	0	880			
D1832	Digital X- Ray- Skull Lat	Alibag- Panvel	0	440			
D1833	Digital X- Ray- Skull AP view	Alibag- Panvel	0	440			
D1834	Digital X- Ray- Tibia / Fibula AP / Lat	Alibag- Panvel	0	880			
D1835	Digital X- Ray- Wrist / Hand AP	Alibag- Panvel	0	440			
D1836	Digital X- Ray- Wrist joint AP / Lat	Alibag- Panvel	0	880			
D1854	Digital X- Ray - Right Mastoid	Alibag- Panvel	0	440			
D1901	DIC (Coagulation) Profile	Alibag- Panvel	C	2330	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
D5612	PKG D5612 (Diabetes Platinum)	Alibag-Panvel	E	3500	Daily	Next day 5.00 pm	4 ml Serum ,3 ml EDTA,3 ml Flouride.1Urine container
D5613	D5613 (Diabetes Gold)	Alibag-Panvel	E	1440	Daily	Next day 5.00 pm	4 ml Serum ,3 ml EDTA,3 ml Flouride.1Urine container
D8252	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, CVS - Prenatal	Alibag-Panvel	E	15500	Daily : 9:00am	15th day : 6:00pm	• Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition • 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .
D8254	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, Amniotic Fluid-Prenatal	Alibag-Panvel	E	15500	Daily : 9:00am	15th day : 6:00pm	• Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition • 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius
D8259	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, Amniotic Fluid - Prenatal	Alibag-Panvel	E	18000	Daily : 9:00am	15th day : 6:00pm	• Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D8263	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, POC - Prenatal	Alibag-Panvel	E	18000	Daily : 9:00am	15th day : 6:00pm	<p>condition – 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p> <p>– POC - 1)Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin – 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p>
D8264	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR, Karyotyping and Chromosomal Array CGH, Amniotic Fluid – Prenatal	Alibag-Panvel	E	19000	Daily : 9:00am	15th day : 6:00pm	<p>– Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition – 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p>
D8266	ALLERGY DRUG PANEL - (COMPREHENSIVE - 35 DRUG)	Alibag-Panvel	E	16995	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D8267	ALLERGY DRUG PANEL -(ANTIBIOTICS - 19 DRUG)	Alibag-Panvel	E	11225	Tue & Fri - 11:30 am	next day 7 pm	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D8268	ALLERGY DRUG PANEL - (ANESTHETIC - 4 DRUG)	Alibag-Panvel	E	4740	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
DL001	Amphetamine, Qualitative	Alibag-Panvel	B	450	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL002	Barbiturates, Qualitative	Alibag-Panvel	B	750	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL003	Benzodiazepine Diazepam	Alibag-Panvel	B	630	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL005	Cannabis Marijuana, THC, Qualitative	Alibag-Panvel	B	630	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL006	Cocaine Benzoylcegonine, Qualitative	Alibag-Panvel	B	630	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL015	Methadone Dolophine, Qualitative	Alibag-Panvel	B	450	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL016	Opiates Morphine, Qualitative, Urine Spot	Alibag-Panvel	B	750	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL017	PCP Phencyclidine Phosphate, Qualitative, Urine Spot_DL017	Alibag-Panvel	B	450	Daily : 9:00am to 9:00pm	After 10 mins	Urine
E0001	E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - CSF	Alibag-Panvel	C	1655	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
E0002	E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - Serum	Alibag-Panvel	C	1620	Daily : 9:00am to 3:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0003	E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - Urine	Alibag-Panvel	C	1270	Daily : 9:00am to 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
E0004	E2 Estradiol Serum	Alibag-Panvel	B	700	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0005	E3, unconjugated Estriol Serum	Alibag-Panvel	C	1220	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0006	EBV DNA Detection by Real Time PCR -	Alibag-	D	4240	Mon, Thursday:	Next day : 5:00pm	3 ml of Whole Blood in EDTA

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	EDTA Blood	Panvel			9:00am		Vacutainer
E0007	EBV DNA Detection by Real Time PCR - CSF	Alibag-Panvel	D	4560	Mon, Thursday: 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
E0008	EBV DNA Detection by Real Time PCR - Tissue	Alibag-Panvel	D	4240	Mon, Thursday: 9:00am	Next day : 5:00pm	Tissue with Normal Saline in Sterile leak proof container
E0009	EBV EA IgG Antibody by CLIA - Serum	Alibag-Panvel	C	2185	Mon : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0010	EBV NA IgG Antibody by CLIA - Serum	Alibag-Panvel	C	2120	Mon : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0011	EBV VCA IgG Antibody by CLIA - Serum	Alibag-Panvel	C	2110	Mon : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0012	EBV NA IgM Antibody by EIA - Serum	Alibag-Panvel	C	2225	Tuesday/Friday 9 am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0013	EBV VCA IgM Antibody by CLIA - Serum	Alibag-Panvel	C	1910	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0014	EBV encoded RNA (EBER) by CISH - FFPE	Alibag-Panvel	D	3390	Daily : 7:30pm	Same day : 5pm	Tissue In 10% Formalin Or Block / FFPE .
E0016	Echinococcus IgG Antibody by EIA - Serum	Alibag-Panvel	C	1800	Tue & Fri: 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0021	Electrolytes Serum	Alibag-Panvel	B	550	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0022	Electrolytes Urine 24H	Alibag-Panvel	B	640	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							accurate results and such history to be conveyed to lab.
E0023	Electrolytes Urine Spot	Alibag-Panvel	B	640	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
E0024	Electrolytes Dialysis Fluid	Alibag-Panvel	B	705	Daily: 9am to 9pm	After 6 hrs	2 ml of Dialysis Fluid
E0027	Endomysial Antibody IgA antibody Serum	Alibag-Panvel	C	2440	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0028	Endomysial Antibody IgG antibody Serum	Alibag-Panvel	C	3180	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0030	Enteroviruses RNA Detection by PCR - CSF**	Alibag-Panvel	R	6205	Daily : 11:30am	5th day : 6:00pm	2 ml of CSF in Sterile leak proof tube or container
E0031	Enteroviruses RNA Detection by PCR - Plasma**	Alibag-Panvel	R	6325	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA Plasma in Sterile Plain Vacutainer
E0032	Eosinophil Detection, URINE	Alibag-Panvel	B	355	Daily: 9am to 9pm	After 8 hrs	5 ml urine sample
E0033	Eosinophil detection (SPUTUM)	Alibag-Panvel	B	355	Daily: 9am to 9pm	After 8 hrs	Sputum In Sterile Container
E0035	Erythropoietin Serum	Alibag-Panvel	C	2440	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0038	ESR Automated Blood	Alibag-Panvel	A	110	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA Whole Blood
E0039	Everolimus, Blood by LCMS method	Alibag-Panvel	D	6100	Daily: 7.30am	Same Day 7.30pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
E0042	Estrone, Serum	Alibag-Panvel	R	7490	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
E0043	EGFR MUTATION DETECTION (EXONS 18, 19, 20, 21)	Alibag-Panvel	D	8480	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
E0045	EWS gene rearrangement (:Translocation t(11;22) /t(21;22) translocation/ rearrangement **	Alibag-Panvel	R	8345	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0051	EBV DNA Viral load by Real Time PCR - EDTA Blood	Alibag-Panvel	D	6680	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
E0053	Extended RAS Test (KRAS, BRAF, NRAS, PIK3CA) - FFPE Tissue	Alibag-Panvel	D	15900	Mon, Wed & Fri: 9:00am	10th day : 6:00pm	Tumor containing FFPE block. Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
E0055	Epileptic encephalopathy gene panel**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
E0056	EGFR T790M Mutation (Acquired EGFR TKI Resistance)*	Alibag-Panvel	E	8240	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
E0057	EXPANDED LUNG CANCER PANEL BY FISH	Alibag-Panvel	E	24720	Daily : 9:00am	7th day : 6:00pm	formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report. (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0064	Allergy panel -Common Eczema	Alibag-Panvel	D	7685	Daily : 11:30am	Next day : 5:00pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
E0065	Allergy panel - Eczema Comprehensive Veg	Alibag-Panvel	D	17490	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
E0066	Allergy panel - Eczema Comprehensive Veg + non Veg	Alibag-Panvel	D	21570	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
E0068	ERA-Endometrium Receptivity Assay, Endometrial biopsy**	Alibag-Panvel	R	44940	Daily : 11:30am	15th Day	CytogeneticsandFISH.pdf
E0069	EWSR1-FLI1 **	Alibag-Panvel	R	12840	Daily : 11:30am	15th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
E0070	EWSR1(22q12)/NTRK3 (15q25) translocation **	Alibag-Panvel	R	12840	Daily : 11:30am	12th day : 6:00pm	hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0071	EBV DNA Viral load by Real Time PCR - CSF	Alibag-Panvel	D	6680	Mon & Thurs : 9:00am	Next day : 5:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0072	EBV DNA Viral load by Real Time PCR - Tissue	Alibag-Panvel	D	6680	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
E0075	Endometritis Panel	Alibag-Panvel	D	7630	Wed : 9:00am	Next day : 5:00pm	Tissue with Normal Saline in Sterile leak proof container
E1019	E Histolytica Antigen Detection by Immunochromatography -Stool **	Alibag-Panvel	R	3050	Daily : 11:30am	3rd day : 6:00pm	Genital discharge, Ulcer, Ulcer base, High Vaginal swab, Endocervical swab, Endometrial Pus, Endometrial Fluid, Endomterial Tissue.
E1020	Entamoeba histolytica detection by Wet Mount - Stool	Alibag-Panvel	B	375	Daily : 9:00am to 3:00pm	After 6 hrs	1gm of Stool specimen in Sterile leak proof container
E1021	Kidney Biopsy by Electron Microscopy	Alibag-Panvel	R	10165		15 day	5gm of Stool specimen in Sterile leak proof container
E1902	E2 estradiol, Serum	Alibag-Panvel	B	695	Daily: 9am to 9pm	Report after 24 hrs	Biopsy in 3% Glutraldehyde along with histopathology report & relevent clinical details
E1903	ESR Automated, EDTA whole blood	Alibag-Panvel	A	105	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
							Please contact lab before sending samples. Kits used are validated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
E8141	Endometrial Cancer panel by NGS	Alibag-Panvel	R	45000	Daily 7.30 am	4 Weeks	Paraffin Block
F0002	Factor V Leiden-Mutant Detection (G1691A Mutation) by Real Time PCR - Blood	Alibag-Panvel	D	6150	Wed & Sat : 9:00am	Next day : 5:00pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
F0003	Factor V Level	Alibag-Panvel	D	5830	Fourth Mon: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
F0004	Factor VII Activity Proconvertin Citrated plasma	Alibag-Panvel	R	4175	Daily : 11:30am	10th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0005	Factor VIII Activity Anti Haemophilia factor A, Citrated plasma	Alibag-Panvel	D	2545	Mon: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
F0006	Factor IX Activity Anti Haemophilic factor B (Christmas Disease), Citrated plasma	Alibag-Panvel	D	2015	Mon : 9:00am	Same day : 8pm	1 ml of citrated platelet poor plasma in frozen condition.
F0007	Factor X Activity Stuart Power Citrated plasma	Alibag-Panvel	R	5030	Daily : 11:30am	10th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0008	Anti Factor X A Assay**	Alibag-Panvel	R	5670	Daily : 11:30am	4th day : 6:00pm	Sample 3 ml Citrate Plasma Frozen with medication history.
F0009	Factor XI Activity Rosenthal Citrated plasma	Alibag-Panvel	R	4065	Daily : 11:30am	10th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0010	Factor XII Activity Hageman Citrated plasma	Alibag-Panvel	R	4150	Daily : 11:30am	5th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0011	Factor XIII Activity, Citrated plasma	Alibag-Panvel	R	2760	Daily : 11:30am	Next day : 5:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0012	Fatty Acids With Very Long Chains C22 To C26 Plasma**	Alibag-Panvel	R	16050	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA Plasma Or Heparin plasma
F0014	FDP DR 70	Alibag-Panvel	R	3850	Daily : 11:30am	7th day : 6:00pm	3 ml of Serum and 3 ml of citrate plasma
F0015	FDP Fibrin degradation products Reflex to end point titre.	Alibag-Panvel	C	1535	Daily: 9am and 3pm and 9pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
F0016	Febrile by Agglutination - Serum	Alibag-Panvel	B	1465	Daily : 7:30pm	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0017	Ferric Chloride, Urine	Alibag-Panvel	C	320	Daily : 11:30am	Next day : 5:00pm	10 ml of Spot urine
F0018	Ferritin Serum	Alibag-Panvel	B	880	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0019	Fertility Endocrine Panel-Female	Alibag-Panvel	B	2395	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
F0020	Fertility Endocrine Panel-Male	Alibag-Panvel	B	3265	Tue and Thu and Sat: 7:30am	After 8 hrs	5 ml of serum
F0021	Fever Profile (Maxi)	Alibag-Panvel	C	2755	Daily: 9am to 9pm	Same Day	1.4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine
F0022	Fever Profile (Mini)	Alibag-Panvel	C	860	Daily: 9am to 9pm	Report Same Day: 1. Complete Blood Count(CBC Haemogram) 2. ESR - Erythrocyte Sedimentation Rate 3. Malaria Parasite Detection 4. Routine Examination Urine 4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine F5604 Fever Profile (Super Maxi) Alibag-Panvel C 4450 Daily : 9:00am Report Same Day: 1. Complete Blood Count(CBC Haemogram) 2. Routine Examination Urine 3. CRP - C Reactive Protein 4. Malaria	4ml of serum 3 ml of EDTA whole blood 20 MI of spot urine Collect blood 2-3 ml in Bactec FX aerobic bottle

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						Parasite Detection 5. SGPT 6. Typhi Dot IgM 7. Dengue	
F0023	Fibrinogen Plasma (F0023)	Alibag-Panvel	C	1005	Daily: 9am to 9pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
F0028	Fibromax Fibrosis, Activity, STEATO, ASH and NASH of Liver.	Alibag-Panvel	E	14315	Daily: 9am to 9pm	5th day	5 ml of serum and 2 ml of fluoride plasma . Fasting sample
F0029	Filaria Antibody detection by Immunochromatography - Serum	Alibag-Panvel	C	1060	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
F0030	Filaria Antigen detection by Immunochromatography - EDTA blood	Alibag-Panvel	C	1060	Daily : 9:00am to 9:00pm	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
F0031	Filaria Profile	Alibag-Panvel	B	1285	Daily: 9am and 3pm	After 6 hrs	3 ml EDTA whole blood and serum sample
F0032	FLT-3 (AML) by PCR ITD, D835 - Blood	Alibag-Panvel	D	5830	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory.
F0033	FLT-3 (AML) by PCR ITD, D835 - Bone Marrow	Alibag-Panvel	D	5830	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory.
F0034	FMC 7 by Flow cytometry	Alibag-Panvel	D	2595	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
F0039	By Conventional method	Alibag-Panvel	C	1200		3rd day	Prefixed smears along with air dry smears, relevant clinical & radiological details mandatory
F0040	By LBC	Alibag-	C	1485		3rd day	More than 1 MI fluid in a leak proof

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					plain container along with relvent clinical & radiological details
F0043	Procedure charge	Alibag-Panvel	C	530			NA
F0046	Folic Acid Serum	Alibag-Panvel	C	1230			3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0048	Food intolerance Test	Alibag-Panvel	D	13500	Daily : 11:30am	3rd day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0050	Fragile X (FMR1)CGG Repeat Analysis	Alibag-Panvel	D	7315	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
F0051	Friedreich Ataxia Mutation Analysis	Alibag-Panvel	D	7475	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
F0052	Free Androgen Index FAI	Alibag-Panvel	D	3390	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0053	Free Beta HCG Serum	Alibag-Panvel	C	1535	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0054	Free Kappa Freelite chains Serum	Alibag-Panvel	D	3170	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0055	Free Lambda Freelite chains Serum	Alibag-Panvel	D	3170	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0056	Fructosamine Serum	Alibag-Panvel	C	1155	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0057	Fructose biochemical by Biochemical - Semen	Alibag-Panvel	B	215	Daily : 9:00am to 9:00pm	After 4 hrs	tests. 2ml of Semen in Sterile leak proof container
F0058	FSH-Follicle Stimulating Hormone ECLIA Serum	Alibag-Panvel	B	540	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0059	FSH-LH-Prolactin Serum	Alibag-Panvel	C	1550	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0060	FSH-LH-Prolactin-Testosterone	Alibag-Panvel	C	1800	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0061	FSH-LH-Prolactin-TSH	Alibag-Panvel	C	1695	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0062	FSH-LH-Testosterone	Alibag-Panvel	C	1430	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0065	Fungal Antibiogram (Yeast) MIC Panel - Pure culture	Alibag-Panvel	C	2650	Daily : 9:00am to 9:00pm	5th day : 5pm	Pure culture Growth on Agar slant/ Plate
F0066	Fungal Identification - Pure culture	Alibag-Panvel	C	2120	Daily : 9:00am	10th day : 6pm	Pure culture on SDA plate/ slant
F0067	Fungal stain by KOH & Calcofluor White stain - BAL, ET Secretion Respiratory Sample	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of BAL / Other Respiratory samples in Sterile leak proof container
F0068	Fungal stain by KOH & Calcofluor White stain- Specify type Body fluid	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	3ml of Fluid in Sterile leak proof container
F0069	Fungal stain by KOH & Calcofluor White stain - CSF	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
F0070	Fungal stain by KOH & Calcofluor White stain - Ear Sample	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	Ear specimens should be collected by a medical specialist, an experienced technologist or nurse. Aspirate discharge and collect in a sterile container or collect with a sterile swab. Transport at the earliest. Amies transport medium can be used for transportation.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0071	Fungal stain by KOH & Calcofluor White stain- Eye Sample	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	Eye specimens in Sterile leak proof container
F0072	Fungal stain by KOH & Calcofluor White stain - Hair	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	Hair sample in Sterile leak proof container
F0073	Fungal stain by KOH & Calcofluor White stain- Nail	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	Nail sample in Sterile leak proof container
F0074	Fungal stain by KOH & Calcofluor White stain- Other samples	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.
F0075	Fungal stain by KOH & Calcofluor White stain- Pus	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of PUS in Sterile leak proof container
F0076	Fungal stain by KOH & Calcofluor White stain- Skin	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	Skin sample in Sterile leak proof container
F0077	Fungal stain by KOH & Calcofluor White stain- Sputum	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	2ml of Sputum in Sterile leak proof container
F0078	Fungal stain by KOH & Calcofluor White stain- Tissue	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	Tissue with Normal Saline in Sterile leak proof container
F0079	Fungal stain by KOH & Calcofluor White stain- Urine	Alibag-Panvel	B	535	Daily : 9:00am & 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
F0080	Fungal culture and identification by MALDITOF (Vitek MS) - BAL, E.T Secretion Respiratory Sample	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container
F0081	Fungal culture and identification by MALDITOF (Vitek MS) - Blood	Alibag-Panvel	C	2650	Daily : 9:00am to 9:00pm	10th day : 6pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
F0082	Fungal culture and identification by MALDITOF (Vitek MS) - Body Fluid	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	2ml of Body Fluid in Sterile leak proof container
F0083	Fungal culture and identification by MALDITOF (Vitek MS) - Bone Marrow	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin
F0084	Fungal culture and identification by MALDITOF (Vitek MS) - CSF	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	2ml of CSF in Sterile leak proof tube or container
F0085	Fungal culture and identification by MALDITOF (Vitek MS) - Ear Sample	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	Ear specimens in Sterile leak proof container
F0086	Fungal culture and identification by MALDITOF (Vitek MS) - Eye Sample	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	Eye specimens in Sterile leak proof container
F0087	Fungal culture and identification by MALDITOF (Vitek MS) - Hair	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	Hair sample in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0088	Fungal culture and identification by MALDITOF (Vitek MS) - Nail	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	Nail sample in Sterile leak proof container
F0089	Fungal culture and identification by MALDITOF (Vitek MS) - Other Sample	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.
F0090	Fungal culture and identification by MALDITOF (Vitek MS) - Pus	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	2ml of PUS in Sterile leak proof container
F0091	Fungal culture and identification by MALDITOF (Vitek MS) - Skin	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	Skin sample in Sterile leak proof container
F0092	Fungal culture and identification by MALDITOF (Vitek MS) - Sputum	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	2ml of Sputum in Sterile leak proof container
F0093	Fungal culture and identification by MALDITOF (Vitek MS) - Stool	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	5gm of Stool specimen in Sterile leak proof container
F0094	Fungal culture and identification by MALDITOF (Vitek MS) - Tissue	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	Tissue with Normal Saline in Sterile leak proof container
F0095	Fungal culture and identification by MALDITOF (Vitek MS) - Urine	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	21st day : 5pm	15ml of Spot Urine in Sterile leak proof container
F0099	Fever Profile Detection by Real Time Multiplex PCR - EDTA Blood	Alibag-Panvel	D	5800	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
F0103	FIP1L1-PDGFRα GENE REARRANGEMENT **	Alibag-Panvel	R	11770	Tue : 11:30am	12th day : 6:00pm	4 ML EDTA whole blood / Bone marrow
F0105	Flu Profile-1 Detection by Real Time PCR - Nasopharangeal Swab	Alibag-Panvel	D	6890	Daily : 7:00am & 3:00pm	Same Day : 3:00pm & 11:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
F0106	Fibroblast Growth Factor 23, Plasma	Alibag-Panvel	D	11025	Wed 12:00 pm	same day 08:00 pm	3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.
F0107	Flow for Lymphoma/ CLPD / lymphoma MRD**	Alibag-Panvel	R	15515	Monday to Thursday 09.00 am	3rd day	3 ml of EDTA Bone Marrow
F0109	Flow for B ALL MRD**	Alibag-Panvel	R	15515	Monday to Thursday 09.00 am	5th day	3 ml of EDTA Bone Marrow
F0110	Flow for T ALL MRD**	Alibag-Panvel	R	20200	Monday to Thursday 09.00 am	6th day	3 ml of EDTA Bone Marrow
F0112	Food Intolerance (Vegetarian panel)	Alibag-Panvel	D	11500	Daily : 11:30am	3rd day : 6:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0115	First trimester test-V, Serum Quad Test Free beta HCG, PAPPa, AFP and PLGF	Alibag- Panvel	D	5195	Daily cut off 7:30 AM	same day 9:00 PM	temperature for a day. 3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements .
F0116	First trimester test-VI, serum Penta Screen Free beta HCG, PAPPa, AFP, Inhibin A, PLGF and NT 10 to 13.6 TBA	Alibag- Panvel	R	6420	Daily : 11:30am	10th day : 6:00pm	3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements
F0117	Fragile X mutation analysis+Chromosomal Array profile	Alibag- Panvel	E	21630	Tue & Fri : 9:00am	7th day : 6:00pm	3 ml of Blood In Na-Heparin +3 ml of EDTA Vacutainer
F0118	FOX01 (13q14) translocation **	Alibag- Panvel	R	17120	Daily : 11:30am	12th Day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							report along with doctors number. FFPE block to be shipped at Ambient temperature.
F0119	COVI-INFLUENZA VIRUS PANEL BY REAL TIME PCR (Inf A, Inf B, H1N1(Swine Flu), H3N2, RSV, Covid-19)	Alibag-Panvel	D	5780	Daily : 7:00am & 3:00pm	Same Day : 3:00pm & 11:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
F0120	Mould/Filamentous fungi by microbroth dilution - Agar plate or slant	Alibag-Panvel	C	11025	Daily : 9:00am to 9:00pm	15th day : 5pm	Pure culture Growth of Filamentous fungi on Agar slant/ Plate.
F0122	Factor VIII inhibitor assay**	Alibag-Panvel	D	6890	Daily : 11:30am	3rd day : 6:00pm	3 ml Citrate Plasma (Fasting & Frozen mandatory)
F0126	Foundation one CDX	Alibag-Panvel	R	315650	Daily 7.30 am	5 weeks	Paraffin Block (Carcinoma)
F1003	Free Fatty Acid (Non-Esterified)	Alibag-Panvel	D	13250	Daily 7.30 am	10th Days	3 ml Serum
F1901	Second opinion services, Slides	Alibag-Panvel	C	1060	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
F1902	Lymphnode	Alibag-Panvel	C	1165	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
F1903	CANINE-FNAC-Others, conventional	Alibag-Panvel	C	1005	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F1904	CANINE-FNAC-Thyroid, conventional	Alibag-Panvel	C	1005	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
F1905	Procedure Charges by appointment	Alibag-Panvel	C	1060	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
F1906	Fungal stain	Alibag-Panvel	C	530	Daily: 9am	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
F5605	Fatty Liver	Alibag-Panvel	D	6110	Daily: 9am to 9pm	After 6hrs	3 ml of EDTA whole blood, 2 ml of Flouride plasma, 3 ml of serum
F5606	Fever Profile (Super Mini)	Alibag-Panvel	C	2090	Daily : 9:00am	Same Day	4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine
F8194	Foundation one Heme**	Alibag-Panvel	R	379850	Daily 7.30 am	5 weeks	Paraffin Block (Sarcoma)
F8215	FIT-Fecal Immunochemical Test, quantitative	Alibag-Panvel	D	4200	Daily : 9:00AM	Same day : 7:00 PM	100 gmsof stool is required
G0001	G6PD Neonatal Screen Dried blood spot	Alibag-Panvel	C	475	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
G0002	G6PD Qualitative Blood	Alibag-Panvel	B	750	Daily: 9am to 3pm	After 8 hrs	3 ml EDTA Whole Blood
G0003	G6PD Quantitative Reflex Qualitative	Alibag-Panvel	C	1135	Daily: 9am to 9pm	After 8 hrs	3 ml EDTA Whole Blood
G0004	GAD Total Antibody Type I Diabetes Serum	Alibag-Panvel	D	6500	Tue,Thu & Sat: 1 pm	Same day 7pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0005	Galactose 6 Sulphate Sulphatase Blood	Alibag-Panvel	R	6955	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
G0006	Galactose Classical Transferase Blood**	Alibag-Panvel	R	2535	Daily : 11:30am	8th day : 6:00pm	6 ml Sodium heparin whole blood required as soon as possible after collection
G0008	Galactose screening,Blood **	Alibag-Panvel	R	1025	Daily : 11:30am	7th day : 6:00pm	4 ml of Blood In Sodium Heparin
G0011	Galactose-Total Neonatal Screen Dried blood spot	Alibag-Panvel	C	475	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
G0012	Ganglioside IgG Antibody,serum	Alibag-Panvel	D	4345	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0013	Ganglioside IgM Antibody,serum	Alibag-Panvel	D	4345	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0016	Gastrin Serum	Alibag-Panvel	C	1535	Daily: 9am to 9pm	After 6 hrs	2 ml of Serum.Fasting Required
G0017	GBM-Antibody Glomerular Basement Membrane serum	Alibag-Panvel	C	2065	Wed,Sat : 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0018	Genetic Hair Loss Test Alopecia Blood	Alibag-Panvel	E	4635	Daily : 7:30am	15th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							history is mandatory.
G0019_A	GFR With Creatinine (Adult - Above 18 Years) Serum	Alibag-Panvel	B	340	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0019_C	GFR With Creatinine (Upto 18 Years) Serum	Alibag-Panvel	B	340	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0020	GGTP Gamma GT Serum	Alibag-Panvel	A	290	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0021	Giardia Antigen detection by Immunochromatography - Stool	Alibag-Panvel	B	1230	Daily : 9:00am & 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
G0022	Gliadin-IgA Antibodies De-amidated (DGP)Serum	Alibag-Panvel	C	2185	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0023	Gliadin-IgG Antibodies De-amidated (DGP)Serum	Alibag-Panvel	C	2015	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0024	Glucagon Stimulation Test - For C-peptide, Serum	Alibag-Panvel	D	3710	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0min, 5, 10, 15 min)
G0025	Glucosamine N Acetyl Transferase Blood	Alibag-Panvel	R	8025	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
G0026	Glucose Urine spot	Alibag-Panvel	A	135	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
G0027	Fasting Glucose, plasma	Alibag-Panvel	A	75	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_100	Glucose Post glucose (100 GMS) Plasma	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_120	GLUCOSE 120 MIN	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_180	GLUCOSE 180 MIN	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_240	GLUCOSE 240 MIN	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_300	GLUCOSE 300 MIN	Alibag-	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
G0027_50	Glucose Post glucose (50 GMS) Plasma	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_60	GLUCOSE 60 MIN	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_75	Glucose plasma(75 GMS)	Alibag-Panvel	A	80	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_P	Glucose post prandial plasma	Alibag-Panvel	A	75	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0027_R	Random, Glucose	Alibag-Panvel	A	75	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma
G0028	Glucose CSF	Alibag-Panvel	A	135	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
G0028_B	Glucose Body Fluid	Alibag-Panvel	A	135	Daily: 9am to 9pm	Glucose Body Fluid	2 ml of Body Fluid
G0028_S	Glucose Synovial Fluid	Alibag-Panvel	A	135	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
G0029	Glucose Tolerance Test 2 hours 3 sample	Alibag-Panvel	B	305	Daily: 9am to 9pm	After 6 hrs	0 min, 60 , 120 min -2ml Fluoride plasma
G0030	Glucose Tolerance Test 2.5 hours 5 samples	Alibag-Panvel	B	510	Daily: 9am to 9pm	After 6 hrs	0 min, 30, 60, 120, 150 min - 2ml Fluoride plasma
G0031	Glucose Tolerance Test 5 hours 8 samples	Alibag-Panvel	B	815	Daily: 9am to 9pm	After 6 hrs	0 min, 30, 60, 90, 120, 180, 240, 300 min - 2ml Fluoride plasma
G0032	Glucose Tolerance Test 3 samples for glucose and insulin	Alibag-Panvel	C	2185	Daily: 9am to 9pm	After 6 hrs	0 min, 60 , 120 min -2ml Fluoride plasma and 3ml serum
G0033	Glutamic Acid Quantitative Urine 24H**	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
G0034	Glutamic Acid Quantitative Plasma*	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
G0035	Glutamine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
G0036	Glutamine Quantitative Urine 24H**	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
G0037	Glycine Quantitative CSF	Alibag-	D	6570	Daily : 11:30am	7th day : 6:00pm	2 ml of CSF in leakproof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					(folin vu conical tube is recommended to prevent leakage).
G0038	Glycine Quantitative Urine 24H**	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
G0039	Glycine Quantitative Plasma*	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
G0041	Glycophorin-A	Alibag-Panvel	D	2440	Daily: 9am	Next day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
G0042	GNRH (LHRH) Stimulation Test For FSH and LH	Alibag-Panvel	B	3850	Daily: 9am to 9pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0044	Goodpasture`s Syndrome Panel	Alibag-Panvel	D	3445	Fri 7:30 am	Next day 5 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0045	Gram stain For Neisseria sp by Microscopy - Urethral discharge	Alibag-Panvel	B	320	Daily : 9:00am to 3:00pm	After 6 hrs	2 ml of Urethral Discharge in Sterile leak proof container
G0046	Gram stain Nugent s score by Microscopy -- Vaginal discharge	Alibag-Panvel	B	430	Daily : 9:00am to 3:00pm	After 6 hrs	Discharge on sterile swab in Amies transport medium
G0047	Gram stain by Microscopy - Other samples	Alibag-Panvel	B	320	Daily : 9:00am to 3:00pm	After 6 hrs	2 ml of Specimen in Sterile leak proof container
G0048	Growth Disorder Panel	Alibag-Panvel	D	5725	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
G0049	Growth Hormone HGH Serum	Alibag-Panvel	C	850	Daily: 9am to 9pm	After 6 hrs	2 ml of Serum In Fasting And Resting
G0050	Growth Hormone Stimulation Test- Arginine, Serum	Alibag-Panvel	D	3500	Daily: 9am to 9pm	After 6 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0051	Growth Hormone Stimulation Test - Clonidine, Serum	Alibag-Panvel	D	3500	Daily: 9am to 9pm	2nd day	3 ml of serum (0min, 30, 60, 90, 120 min)
G0052	Growth Hormone Stimulation Test- Exercise, Serum	Alibag-Panvel	D	3500	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0053	Growth Hormone Stimulation Test - GHRH,	Alibag-	D	3500	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0min, 30, 60, 90,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Serum	Panvel					120 min)
G0054	Growth Hormone Stimulation Test-Insulin	Alibag-Panvel	D	3500	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0055	Growth hormone stimulation test for L Dopa, Serum	Alibag-Panvel	D	3500	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0056	Growth Hormone Suppression Test-Glucose, Serum	Alibag-Panvel	D	3500	Daily: 9am to 9pm	After 8 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0058	Anti GAD-65 Paraneoplastic Syndrome Serum	Alibag-Panvel	D	6900	Wed: 1:00pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0059	GFR With Cystatin C Serum	Alibag-Panvel	C	1270	Daily : 11:30am	After 6hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0059_A	GFR With Cystatin C Serum (Adult - Above 18 Years)	Alibag-Panvel	C	1270	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0059_C	GFR With Cystatin C Serum (Upto 18 Years)	Alibag-Panvel	C	1270	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0061	Glycosaminoglycan,Urine	Alibag-Panvel	R	3315	Daily : 11:30am	15th day : 6:00pm	20 ml Spot Urine Sample In Leak Proof Container
G0065	GTT-Gestational ,Two Hour(75 grams glucose)	Alibag-Panvel	B	385	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma Each
G0066	GTT-Gestational ,Three Hour(100 grams glucose)	Alibag-Panvel	B	385	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma Each
G0073	G6pd Gene Mutation**	Alibag-Panvel	R	4710	Tue : 11:30am	12th day : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0074	GALACTOSEMIA GENE MUTATION**	Alibag-Panvel	R	9095	Tue : 11:30am	12th day : 6:00pm	Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0075	Gardenella Vaginalis - Vaginal Discharge/ cervical secretions**	Alibag-Panvel	R	1390	Daily : 9:00am to 9:00pm	7th day : 6pm	Collect vaginal discharge on a sterile cotton swab and place in into Amies transport medium with aseptic precautions. 2. Make vaginal discharge smears on clean glass slide for Gram staining.
G0078	Councelling Genetics	Alibag-Panvel	E	1290	Daily : 9:00am	Next day : 5:00pm	Prior Appointment
G0079	GIST PDGFRA gene mutation**	Alibag-Panvel	R	10700	Thu & Sat: 11:30am	15th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
G0080	Glucose Tolerance Test 2 hours 2 samples	Alibag-Panvel	B	205	Daily: 9am to 9pm	After 6 hrs	0 min, 120 min -2ml Fluoride plasma
G0082	GLIOMA PANEL (1P/19Q, IDH1/2,MGMT)**	Alibag-Panvel	D	26500		7th Day	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
G0083	Gene analysis Alpha-1 antitrypsin	Alibag-	R	22470	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	deficiency - SERPINA1**	Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0087	Gene analysis Achondroplasia FGFR3 G380R common mutation screening**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0088	Agammaglobulinemia (BTK)-Gene analysis, EDTA Blood	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0089	Gene analysis Alexander disease (GFAP)**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0091	Alstrom syndrome (ALMS1) gene analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0092	Androgen receptor (AR)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0093	Gene analysis Ataxia-telangiectasia (ATM)**	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0094	Gene analysis ATRX**	Alibag-Panvel	E	19570	Daily: 9am	4 weeks	3 ml EDTA Whole Blood
G0095	Brown Vialetto-Van Laere syndrome-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0096	C8orf37 gene-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0097	Canavan disease (ASPA)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0098	Cantu syndrome (ABCC9) gene-Gene Analysis	Alibag-Panvel	R	23540	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0099	Carney complex (PRKAR1A)-Gene Analysis	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0100	Chediak-Higashi syndrome (LYST)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0101	Cohen s syndrome (VPS13B)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0102	Congenital adrenal hyperplasia CYP21A2(21-0H)**	Alibag-Panvel	R	12840	Daily : 11:30am	After 6 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0103	Gene analysis Congenital adrenal hyperplasia CYP21A2 (21-0H) by NGS**	Alibag-Panvel	R	22470	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0104	Gene analysis Cystic fibrosis (CFTR)-Whole gene**	Alibag-Panvel	R	19260	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0105	Gene analysis Cystic megalencephaly (MLC1)**	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0106	Gene analysis DOCK8 (Hyper IgE Syndrome) gene**	Alibag-Panvel	R	17850	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0108	Dravet syndrome (SCN1A) gene panel,NGS**	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0109	Gene analysis duchenne muscular dystrophy (DMD)**	Alibag-Panvel	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0110	Fabry disease (GLA)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0111	Factor VII deficiency-Gene analysis, EDTA Blood	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0112	Fanconi bickel syndrome (SLC2A2)-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0113	Gene analysis(Farber lipogranulomatosis - ASAH1 -**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0114	Fraser syndrome genes-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0115	Fucosidosis - Lysosomal storage disorder-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0116	Galactosialidosis-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0117	GLB1 (GM1 gangliosidosis; mucopolysaccharidosis type IVB) gene analysis**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0118	Gene analysis GLUT1 deficiency (SLC2A1)**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0119	Haemophilia A-Gene analysis, EDTA Blood	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0120	Gene analysis Haemophilia B (F9)**	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0121	Hereditary fructose intolerance-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0122	Hyperargininemia (ARG1)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0123	Krabbe disease (GALC)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0124	Lysosomal acid lipase deficiency (LIPA gene)-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0126	McArdle disease (PYGM)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0127	Menkes disease (ATP7A)-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0128	Mondini defect (SLC26A4)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0129	Gene analysis MYD88 gene L265P mutation**	Alibag-Panvel	R	19260	Daily : 11:30am	12th Day : 6:00pm	3 ml EDTA Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0130	Neurofibromatosis type 1 (NF1) Gene Analysis **	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0131	Gene analysis Neurofibromatosis type 2 (NF2)**	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0132	NOTCH3 (CADASIL) gene analysis -NGS**	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0133	Pallister Hall syndrome (GLI3)-Gene Analysis	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0134	Phenylketonuria (PAH)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0135	PMP22 Gene analysis**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0136	Polycystic Liver Disease-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0137	Gene analysis Pompe Disease (GAA)**	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0138	PTEN-Gene Analysis	Alibag-Panvel	R	19260	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0139	Pulmonary alveolar microlithiasis (SLC34A2)-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0142	Gene analysis RB1*	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0143	Gene analysis RBC membrane disorders and Enzymopathies**	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0144	Sialidosis-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0145	Sjogren-Larsson syndrome (ALDH3A2)-Gene Analysis	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0147	Gene analysis Smith-Lemli-Opitz syndrome (DHCR7)**	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0149	Tay-Sachs disease (HEXA)-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0150	Thrombotic Thrombocytopenic Purpura (TTP) - ADAMTS13 gene analysis**	Alibag-Panvel	R	18900	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0151	TSC1-Gene Analysis	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0152	Gene analysis TSC1 & TSC2**	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0153	TSC2-Gene Analysis	Alibag-Panvel	R	18190	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0154	Tyrosinemia-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0155	Gene analysis Von Hippel-Lindau syndrome (VHL)**	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0156	Gene analysis Von Willebrand disease** (VWF)	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0157	WAS (Wiskott Aldrich Syndrome)-Gene analysis, EDTA Blood	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability.
G0158	Wilson disease (ATP7B) gene analysis,NGS**	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0159	Xanthinuria (XDH)-Gene Analysis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0162	4H syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0163	Aicardi-Goutieres syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0164	Alagille syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0165	Alport syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0166	Gene Panel Aplastic anaemia**	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0167	Arthrogryposis & congenital myasthenic syndrome Gene Panel**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0168	Bardet-Biedl syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0169	Gene Panel Bartter syndrome**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0170	Benign infantile epilepsy-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0171	Cardiac channelopathy-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0173	Gene Panel Charcot-Marie-Tooth and sensory neuropathies**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0174	Ciliopathy-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0175	Citrullinemia-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0176	Cockayne syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0177	Congenital afibrinogenemia-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0178	Congenital dyserythropoietic anemia gene panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0180	Congenital hypopituitarism-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0181	Gene Panel Congenital neutropenia	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0182	Congenital stationary night blindness-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0183	Gene Panel Connective tissue disorder**	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0184	Corneal dystrophy-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0185	Cornelia de Lange Syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0186	Craniosynostosis-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0187	Cutis-laxa-Gene Panel	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0188	Diamond blackfan anemia-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0189	Gene Panel Dyskeratosis congenita**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0190	Gene Panel Early-onset juvenile parkinsonism	Alibag-Panvel	R	23110	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0191	Ectodermal dysplasia-Gene Panel	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0192	Gene Panel Ehler Danlos syndrome**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0193	Epidermolysis bullosa-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0194	Gene Panel Episodic ataxia**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0195	Familial female mental retardation/	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	epilepsy-Gene Panel	Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0196	Gene panel Familial hemiplegic migraine**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0197	Gene Panel Fanconi anemia**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0198	Fatty acid oxidation disorders-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0199	Glycine encephalopathy-Gene Panel	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0200	Gene Panel Glycogen storage disorder**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0201	Glycosylation (CDG) disorders-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0202	Gene Panel Haemophilia (F8 & F9)Gene Panel, EDTA Blood	Alibag-Panvel	R	19950	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0203	Gene Panel Hemophagocytic lymphohistiocytosis (HLH)**	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.</p> <p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p>
G0204	Hereditary elliptocytosis-Gene Panel, EDTA Blood	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0205	Hereditary multiple exostoses Panel-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0206	Hereditary pancreatitis gene panel**	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0207	Hereditary Spherocytosis-Gene Panel, EDTA Blood	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0208	Gene Panel Homocystinuria**	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0209	Gene Panel Hypercholesterolemia**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0210	Hyperekplexia-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0211	Hypomyelination syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0212	Icthyosis-Gene Panel	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0213	Gene panel Joubert syndrome**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0214	Kallmann syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0215	Leber congenital amaurosis-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0216	Gene Panel Leigh syndrome &	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	mitochondrial encephalopathy**	Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0217	Gene Panel Leukodystrophy**	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0218	Lissencephaly-Gene Panel, EDTA Blood	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0219	Maple syrup urine disease-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0220	Meckel Gruber syndrome-Gene Panel	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0221	Gene Panel Methylmalonic aciduria (MMA)**	Alibag-Panvel	R	20330	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0222	Microcephaly-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0223	Microphthalmia and anophthamia-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0224	Gene Panel Mucopolysaccharidosis**	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0225	Myotonia congenita-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0226	Gene Panel Neuronal ceroid lipofuscinosis	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0227	Neuronal migration disorder-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0228	Niemann-Pick disease gene panel**	Alibag-	R	20330	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0229	Non-immune hydrops-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0230	Gene Panel Noonan syndrome**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0231	Oculocutaneous albinism-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0232	Optic atrophy-Gene Panel	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0233	Organic acidemia-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0234	Gene Panel Osteogenesis imperfecta**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0235	Osteopetrosis-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0236	Pachydermoperiostosis & primary	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	hypertrophic osteoarthropathy-Gene Panel	Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0237	Pantothenate kinase-associated neurodegeneration-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0238	Peroxisomal disorder-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0240	Gene Panel Polycystic kidney disease**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0241	Pontocerebellar hypoplasia-Gene Panel	Alibag-	R	21400	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0242	Gene Panel Primary hyperoxaluria**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0243	Gene Panel (Primary immunodeficiency)**	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0244	Progressive familial intrahepatic cholestasis-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0245	Progressive myoclonic epilepsy-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0246	Rasopathy-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0247	Retinal Degeneration-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0249	Seckel syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0250	Gene Panel Severe combined immunodeficiency (SCID)**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0251	Sideroblastic anaemia-Gene Panel, EDTA Blood	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0252	Gene Panel Skeletal dysplasia**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0253	Sotos syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0254	Gene Panel Urea cycle defects**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0255	Usher syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0256	Waardenburg syndrome-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0257	Xeroderma pigmentosum-Gene Panel	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0323	BTP-Beta Trace Protein GFR*	Alibag-Panvel	D	3500	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0324	Gastrointestinal panel by FilmArray (Biofire) - Stool	Alibag-Panvel	E	18025	Daily : 9:00am to 9:00pm	After 10 hrs	5gm of Stool specimen in Sterile leak proof container
G0333	Klippel-Feil syndrome-Gene panel	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0334	Nephrotic syndrome-Gene Panel	Alibag-Panvel	R	20000	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0335	Genotypic phenotypic correlation / case review by International experts	Alibag-Panvel	R	5350	Daily : 11:30am	Next day : 6:00pm	Prior Appointment
G0336	Glioma Panel-1	Alibag-Panvel	D	20670		7 days	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
G0337	Gene panel ALL risk stratification - T-ALL**	Alibag-Panvel	E	17510	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood/bone marrow aspirate
G0338	Neurodegeneration with brain iron accumulation-Gene Panel	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0339	FKTN-Gene Sequencing	Alibag-Panvel	E	19570	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0340	Gaucher disease (GBA)-Gene Analysis	Alibag-Panvel	E	19570	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0341	FISH-MDM2 (12q15) GENE AMPLIFICATION**	Alibag-Panvel	E	9990	Daily : 11:30am	15th day : 6:00pm	Formalin fixed paraffin embedded tissue block. Ship at room temperature. Tissue block must contain at least 10% tumor tissue. Histopath report with History mandatory.
G0344	Clinical exome & whole mitochondrial genome sequencing	Alibag-Panvel	E	26000	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0345	Giant axonal neuropathy-1 (GAN)-Gene analysis	Alibag-Panvel	E	19570	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0348	Bone marrow failure syndrome gene panel**	Alibag-Panvel	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	4 ml EDTA Whole Blood
G0349	GI mapping biopsies (Upto 5 containers)	Alibag-Panvel	C	4770	Daily : 9:00am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G1901	CANINE-Gamma GT (GGTP)	Alibag-Panvel	A	290	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
G1903	Canine - Glucose fasting	Alibag-Panvel	A	95	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
G8175	Germline HRR gene panel	Alibag-Panvel	R	24610	Daily 7.30 am	25TH Days	3 ml of EDTA whole blood
H0001	H1N1 (Swine Flu) RNA Detection by Real Time PCR - Swab	Alibag-Panvel	C	5300	Daily : 7:00am & 3:00pm	Same Day : 3:00pm & 11:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
H0002	Hemochromatosis (HFE) Mutations Analysis (C282Y, H63D)	Alibag-Panvel	D	8160	Tue & Thu: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.
H0003	Haemoglobin-Free biochemical Plasma	Alibag-Panvel	R	1175	Daily : 11:30am	5th day : 6:00pm	2 ml of Citrated Plasma
H0004	Haemoglobin, free, urine	Alibag-Panvel	C	425	Daily : 11:30am	Same day : 9:00pm	10 ml of Spot urine
H0005	Haemophilia Profile	Alibag-Panvel	D	4265	Mon: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
H0007	Haemophilus Influenza B Antigen Antigen detection by Agglutination - CSF	Alibag-Panvel	D	1380	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
H0008	Haemophilus Influenza B Antigen Antigen detection by Agglutination - Serum	Alibag-Panvel	D	1790	Daily : 9:00am to 3:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0009	Haemophilus Influenza B Antigen Antigen detection by Agglutination - Urine	Alibag-Panvel	D	1380	Daily : 9:00am to 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0011	Hanging Drop preparation for V Cholerae by Microscopy - Stool	Alibag-Panvel	B	430	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
H0013	Haptoglobin genotype by PCR**	Alibag-Panvel	R	4085	Wed & Sat : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
H0014	Haptoglobin Serum	Alibag-Panvel	C	2385	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0015	HAV-IgG Antibody by CLIA - Serum	Alibag-Panvel	B	1175	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0016	HAV-IgM Antibody by CLIA - Serum	Alibag-Panvel	B	1175	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0017	HAV-RNA Detection by PCR - EDTA Blood	Alibag-Panvel	D	5405	Daily : 7:30am	7th day : 6pm	3 ml of Whole Blood in EDTA Vacutainer
H0018	HbA1C- Glycated Haemoglobin, by HPLC method	Alibag-Panvel	B	610	Daily: 9am and 3pm and 9pm	After 6 hrs	3 ml EDTA whole blood
H0026	Anti HBcAg total by CLIA - Serum	Alibag-Panvel	B	1070	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0027	Anti HBcAg-IgM by CLIA - Serum	Alibag-Panvel	B	1070	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0028	Anti HBeAg by CLIA - Serum	Alibag-Panvel	B	1070	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0029	Anti HbsAg Antibody by CLIA - Serum	Alibag-Panvel	B	1070	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0030	HBV DNA Detection by Taqman RT PCR - Serum or Plasma	Alibag-Panvel	C	4295	Daily : 07:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0031	HBV DNA Detection by PCR - Amniotic fluid**	Alibag-Panvel	D	4295	Daily : 11:30am	7th day : 6:00pm	10 ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0032	HBV DNA Detection by PCR - Ascitic fluid**	Alibag-Panvel	D	4295	Daily : 11:30am	7th day : 6:00pm	3 ml of Fluid in Sterile leak proof container
H0033	HBV DNA Detection by PCR - CSF**	Alibag-Panvel	D	4295	Daily : 11:30am	7th day : 6:00pm	3 ml of Body Fluid in Sterile leak proof container
H0034	HBV DNA Detection by PCR - Liver tissue**	Alibag-Panvel	D	4295	Daily : 11:30am	7th day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container
H0035	HBV DNA Genotype & Drug Resistance by PCR & Sanger Sequencing - Serum or Plasma	Alibag-Panvel	D	8480	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0037	HBeAg by CLIA - Serum	Alibag-Panvel	B	1070	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0038	HBsAg-Confirmation by CLIA - Serum	Alibag-Panvel	C	1035	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0039	HBsAg-Quantitative by CLIA - Serum	Alibag-Panvel	C	1165	Daily : 9:00am to 9:00pm	After 10 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0040	HBsAg-Screening by CLIA - Serum	Alibag-Panvel	B	430	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0041	HBV DNA Viral load by Taqman RT PCR - Serum or Plasma	Alibag-Panvel	C	7000	Daily : 7:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0042	HBV YMDD mutation by PCR & Sanger Sequencing - Serum	Alibag-Panvel	D	4450	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0043	HCG Beta Subunit, Serum	Alibag-Panvel	B	750	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0044	HCG Beta Subunit Urine 24H	Alibag-Panvel	B	855	Daily: 9am to 9pm	After 8 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
H0045	HCG Beta Subunit Urine Spot	Alibag-Panvel	B	255	Daily: 9am to 9pm	After 8 hrs	10 ml of Spot urine
H0045_U	PREGNANCY test by Immunochromatography - Urine	Alibag-Panvel	B	160	Daily : 9:00am to 9:00pm	After 4 hrs	15ml of Spot Urine in Sterile leak proof container
H0046	HCG Beta Subunit, CSF	Alibag-Panvel	B	855	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
H0047	HCG Stimulation Test for DHT	Alibag-Panvel	D	3815	Daily: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0048	HCG stimulation test for FSH and LH	Alibag-Panvel	B	1710	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0049	HCG Stimulation test for Testosterone	Alibag-Panvel	B	1070	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0050	HCV Genofibro (Fibromax by CLIA , Genotyping and IL28B by PCR & Sequencing - Serum	Alibag-Panvel	C	25440	Daily : 9:00am	10th day : 6pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0051	HCV RNA Combo 1 (SGPT, Anti HCV by EIA, HCV-RNA Detection & Quantification by RT-PCR, HCV-Genotyping by Sanger Sequencing) - Serum	Alibag-Panvel	C	10600	Daily : 9:00am	4th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0052	HCV Genotyping by PCR & Sanger Sequencing - Serum or Plasma	Alibag-Panvel	D	7420	Tue & Fri : 9:00am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0053	HCV-IgM Antibody by EIA - Serum	Alibag-Panvel	C	1590	Mon & Thu : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0054	HCV RNA Detection by Taqman RT PCR - Serum or Plasma	Alibag-Panvel	C	4940	Daily : 07:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							EDTA Plasma in Plain Sterile Vacutainer
H0055	HCV-total Antibody by CLIA - Serum	Alibag-Panvel	B	700	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0056	HCV RNA Viral load by Taqman RT PCR - Serum or Plasma	Alibag-Panvel	C	7990	Daily : 07:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0057	HDL Cholesterol Direct serum	Alibag-Panvel	A	300	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0058	HDV-IgM Antibody by EIA - Serum	Alibag-Panvel	D	5090	Daily : 9:00am	7th day : 6pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0059	HDV-RNA Detection by PCR - EDTA Plasma**	Alibag-Panvel	D	6150	Daily : 7:30am	10th day : 6pm	3 ml of EDTA Plasma in Sterile Plain Vacutainer
H0060	HDV-total Antibody by EIA - Serum	Alibag-Panvel	C	2620	Mon & Thu : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0061	HE4 with ROMA index	Alibag-Panvel	C	2650	Daily:7:30 am	Same day 8:00 PM	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0062	Heinz BodiesBlood	Alibag-Panvel	B	235	Daily : 11:30am	After 8hrs	3 ml EDTA Whole Blood
H0063	Helicobacter Pylori Antigen detection by Immunochromatography - Stool	Alibag-Panvel	C	1590	Daily : 9:00am to 3:00pm	After 8 hrs	5gm of Stool specimen in Sterile leak proof container
H0064	Helicobacter Pylori Culture by Vitek/ MALDITOF - Tissue	Alibag-Panvel	C	1485	Daily : 9:00am to 9:00pm	15th day : 5pm	Tissue with Normal Saline in Sterile leak proof container
H0065	Helicobacter Pylori IgA antibodies by EIA - Serum	Alibag-Panvel	C	2385	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0066	Helicobacter Pylori IgG antibodies by CLIA - Serum	Alibag-Panvel	C	2440	Daily : 9:00am	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0067	Helicobacter Pylori IgM antibodies by EIA - Serum	Alibag-Panvel	C	2490	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0069	Hemoglobin	Alibag-Panvel	A	110	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA Whole Blood
H0070	Hemosiderin, LBC	Alibag-Panvel	C	1645		2nd day	More than 1 MI fluid in a leak proof plain container along with relvent clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0071	Heparan Sulphate Sulphamidase Sanfillipo / MPS III A Blood**	Alibag-Panvel	R	10700	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
H0072	HBV Immunity Profile by CLIA - Serum	Alibag-Panvel	C	2330	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0073	HBV Profile by CLIA - Serum	Alibag-Panvel	C	4770	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0074	Hepatitis Marker Profile - Acute by CLIA - Serum	Alibag-Panvel	C	3765	Mon, Wed & Fri : 7:00am	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0075	Hepatitis Profile, Comprehensive by CLIA - Serum	Alibag-Panvel	C	7050	Mon & Thu : 9:00am	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0076	Hepatitis - Atypical Virus Profile by CLIA - Serum	Alibag-Panvel	D	4505	Daily : 7:30am	6th day : 7pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0077	Hepcidin Serum	Alibag-Panvel	D	1910	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0078	Her-2/Neu(C-Er-B2)(ERBB2)by FISH	Alibag-Panvel	D	11870	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
H0079	HEV IgG Antibody by EIA - Serum	Alibag-Panvel	B	1390	Mon & Thu : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0080	HEV IgM Antibody by EIA - Serum	Alibag-Panvel	B	1390	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0081	HGV-RNA Detection by PCR - EDTA plasma**	Alibag-Panvel	R	5565	Daily : 11:30am	15th day : 6:00pm	3 ml of EDTA Plasma in Sterile Plain Vacutainer
H0082	Hirsutism Profile-1	Alibag-Panvel	C	3920	Tue and Fri: 7am	Same day 7pm	5 ml of serum
H0083	Hirsutism Profile-2	Alibag-Panvel	C	5945	Tue and Fri: 7am	Same day 7pm	5 ml of serum
H0084	Hirsutism Profile-3	Alibag-Panvel	C	7950	Tue and Fri: 7am	Same day 7pm	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0085	Histamine EIA Plasma	Alibag-Panvel	R	7225	Daily : 11:30am	20th day : 6:00pm	3 ml of EDTA plasma
H0086	Histidine Quantitative Serum	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
H0087	Histidine Quantitative Urine 24H**	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
H0088	Histochemistry (special stain with reporting) Alcian Blue Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0089	Histochemistry (special stain with reporting) Bleach Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0090	Histochemistry (special stain with reporting) Congo Red Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0091	Histochemistry (special stain with reporting) Fite Farraco Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0092	Histochemistry (special stain with reporting) Fontana Masson Silver Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0093	Histochemistry (special stain with reporting) Giemsa Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0094	Histochemistry (special stain with reporting) Gomori Silver Methanamine	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	(GMS) Tissue/FFPE						original Histopathology report and all relevant clinical and radiological detail
H0095	Histochemistry (special stain with reporting) Hale S Colloidal Iron Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0096	Histochemistry (special stain with reporting) Histochemistry Unspecified Special stain Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0097	Histochemistry (special stain with reporting) Masson Trichrome Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0098	Histochemistry (special stain with reporting) Mucicarmin Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0099	Histochemistry (special stain with reporting) Orcein Tissue/FFPE	Alibag-Panvel	C	1380			Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0100	Histochemistry (special stain with reporting) PAS with and/or Without Diastase Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0101	Histochemistry (special stain with reporting) PASM Stain Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0102	Histochemistry (special stain with	Alibag-	C	1380		3rd Day	Paraffin blocks (Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	reporting) Prussian Blue Tissue/FFPE	Panvel					paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0103	Histochemistry (special stain with reporting) PTAH Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0104	Histochemistry (special stain with reporting) Reticulin Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0105	Histochemistry (special stain with reporting) Van Gieson Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0106	Histochemistry (special stain with reporting) Verhoeff S Vangieson Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0107	Histochemistry (special stain with reporting) Von Kossa Stain Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0108	Histochemistry (special stain with reporting) ZN Tissue/FFPE	Alibag-Panvel	C	1380		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0109	Histochemistry (Special Stain Only) Alcian Blue Stain Tissue/FFPE	Alibag-Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0110	Histochemistry (Special Stain Only) Bleach Stain Tissue/FFPE	Alibag-Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0111	Histochemistry (Special Stain Only) Congo	Alibag-	C	740		3rd Day	Single Paraffin block / section on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Red Stain Tissue/FFPE	Panvel					charged slide
H0112	Histochemistry (Special Stain Only) Fite Farraco Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0113	Histochemistry (Special Stain Only) Fontana Masson Silver Method Tissue/ FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0114	Histochemistry (Special Stain Only) Giemsa Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0115	Histochemistry (Special Stain Only) Gomori Silver Methanamine Stain (GMS) Tissue/ FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0116	Histochemistry (Special Stain Only) Hale S Colloidal Iron Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0117	Histochemistry (Special Stain Only) Masson Trichrome Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0118	Histochemistry (Special Stain Only) Mucicarmine Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0120	Histochemistry (Special Stain Only) PAS With and/or Without Diastase Stain Tissue/ FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0121	Histochemistry (Special Stain Only) PASM Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0122	Histochemistry (Special Stain Only) Prussian Blue Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0123	Histochemistry (Special Stain Only) PTAH Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0124	Histochemistry (Special Stain Only) Reticulin Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0125	Histochemistry (Special Stain Only) Unspecified Special Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0126	Histochemistry (Special Stain Only) Van Gieson Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0127	Histochemistry (Special Stain Only) Verhoeff S Vangieson Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0128	Histochemistry (Special Stain Only) Von Kossa Stain Tissue/FFPE	Alibag- Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0129	Histochemistry (Special Stain Only) ZN Stain Tissue/FFPE	Alibag-Panvel	C	740		3rd Day	Single Paraffin block / section on charged slide
H0130	Histology Frozen Section (Intra Operative) day frozen 8am to 8pm, working days	Alibag-Panvel	D	9860	Daily: 9am to 5pm	After 6 hours	Fresh tissue to be sent along with relevant clinical & radiological details
H0131	Second opinion	Alibag-Panvel	D	2650		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded)/ Stained unstained slides Please attach original Histopathology report and all relevant clinical and radiological detail
H0132	Histone Antibody Serum	Alibag-Panvel	C	1960	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0133	Histopathological examination of-Amputation of Limb	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0135	Histopathological examination of-Appendix	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0136	Histopathological examination of-Bone Marrow Trepine biopsy	Alibag-Panvel	C	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0137	Histopathological examination of-Bone Specimen	Alibag-Panvel	C	4770		7th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0138	Histopathological examination of-Brain Tissue	Alibag-Panvel	C	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0139	Histopathological examination of-Breast Lump	Alibag-Panvel	C	2120		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0141	Histopathological examination of- Breast MRM / Breast conservative surgery reflex FISH	Alibag-Panvel	D	7950		7th day for histo	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0142	Histopathological examination of-Buccal Mucosal Biopsy	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0143	Histopathological examination of- Cervix Biopsy	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0144	Histopathological examination of- Cervix Cone Biopsy	Alibag-Panvel	C	3920		6th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0145	Histopathological examination of- Colectomy / APR	Alibag-Panvel	C	7950		7th day for histo	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0147	Histopathological examination of- Commando With RND/MND	Alibag-Panvel	C	6360		6th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0148	Histopathological examination of - Endobronchial biopsy	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0149	Histopathological examination of- Endometrium (D&C Material)	Alibag-Panvel	C	1060		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0150	Histopathological examination of- Eye ball Specimen	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0151	Histopathological examination of - Fistulectomy / Sinus tract includes special stains	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							clinical & radiological details
H0152	Histopathological examination of- Gall Bladder	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0153	Histopathological examination of- Gastrectomy	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0154	Histopathological examination of- GI Endoscopic Biopsy / Colonic Biopsy	Alibag-Panvel	C	1590		4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0157	Histopathological examination of-Hepatic Resection	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0158	Histopathological examination of- Hirschsprungs Disease	Alibag-Panvel	C	7420		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0159	Histopathological examination of -Kidney Biopsy	Alibag-Panvel	C	1730		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0160	Histopathological examination of- Kidney Biopsy with Immunofluorescence IgG, IgM, IgA. C3, C1q etc	Alibag-Panvel	D	4770		7th Day	HistologyandIHC.pdf
H0161	Histopathological examination of-Liver Biopsy	Alibag-Panvel	C	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0162	Histopathological examination of-Lung (Lobectomy)	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0163	Histopathological examination of-Lymph Node	Alibag-Panvel	C	1590		4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							proof container along with relevant clinical & radiological details
H0164	Histopathological examination of-Mediastinal Mass	Alibag-Panvel	C	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0165	Histopathological examination of-Muscle Biopsy	Alibag-Panvel	C	1910		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0166	Histopathological examination of-Nasal Polyp	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0167	Histopathological examination of-Nephrectomy (Non Tumorous)	Alibag-Panvel	C	2650		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0168	Histopathological examination of-Oesophagectomy	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0169	Histopathological examination of-Orchidectomy	Alibag-Panvel	C	1910		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0170	Histopathological examination of-Ovarian Mass (Large)	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0171	Histopathological examination of-Ovarian Mass (Small To Medium)	Alibag-Panvel	C	1910		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0172	Histopathological examination of-Penis	Alibag-Panvel	C	3180		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0173	Histopathological examination of-Prostate Chips (Tur-P)	Alibag-Panvel	C	2120		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0174	Histopathological examination of-Prostate Trucut Needle Biopsy	Alibag-Panvel	C	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0175	Histopathological examination of-Radical Cystectomy	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0177	Histopathological examination of-Radical Nephrectomy	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0178	Histopathological examination of-Radical Prostatectomy	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0179	Histopathological examination of-Sebaceous cyst	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0180	Histopathological examination of-Skin Biopsy	Alibag-Panvel	C	1730		4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0181	Histopathological examination of- Skin Biopsy With Immunofluorescence IgG, IgM, IgA. C3, C1q	Alibag-Panvel	D	4770		7th Day	HistologyandIHC.pdf
H0182	Histopathological examination of-Small Intestinal Resection	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0183	Histopathological examination of-Soft Tissue Tumor	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0184	Histopathological examination of-Spleen	Alibag-Panvel	C	2120		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0185	Histopathological examination of-Synovial Biopsy	Alibag-Panvel	C	1590		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0186	Histopathological examination of-Thyroidectomy	Alibag-Panvel	C	3075		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0187	Histopathological examination of- Trucut Biopsy (CT/USG Guided) Special stains & Reflex IHC	Alibag-Panvel	C	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0188	Histopathological examination of-TUR Urinary Bladder	Alibag-Panvel	C	2120		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0189	Histopathological examination of-Unspecified specimen-Large	Alibag-Panvel	C	3200		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0190	Histopathological examination of-Unspecified specimen-Large & Complex	Alibag-Panvel	C	7950		6th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0191	Histopathological examination of-Unspecified specimen-Medium	Alibag-Panvel	C	1700		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0192	Histopathological examination of-Unspecified specimen-Small	Alibag-Panvel	C	1200		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0193	Histopathological examination of-Uterus With/Without Adnexae	Alibag-Panvel	C	2120		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0194	Histopathological examination of-Werthiems Hysterectomy	Alibag-Panvel	C	7950		5th Day	clinical & radiological details Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0195	Histopathological examination of-Whipples Resection	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0198	HIT Antibody Heparin Induced Thrombocytopenia / PF4 Serum**	Alibag-Panvel	R	7500	Daily : 11:30am	4th day : 6:00pm	2ml serum required
H0201	HIV-1 Proviral DNA Detection by RT PCR - EDTA Blood	Alibag-Panvel	C	4135	Daily : 07:30am	Same day : 11:00pm	3 ml of Whole Blood in EDTA Vacutainer
H0202	HIV-1 RNA Detection by Taqman RT PCR - EDTA Plasma	Alibag-Panvel	C	3710	Daily : 07:30am	Same day : 11:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0205	HIV-1&2 Western blot by EIA - Serum	Alibag-Panvel	C	2860	Daily : 7:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0206	HIV-1 RNA Combo 1 - EDTA Blood & Plasma	Alibag-Panvel	C	7800	Daily : 7:30am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer
H0207	HIV1/2 - Human Immunodeficiency Virus - confirmatory serology by immuno-transfer technique - serum	Alibag-Panvel	R	11235	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0208	HIV-2 RNA Detectionby Real Time PCR - EDTA Plasma	Alibag-Panvel	C	4185	Daily : 7:30am	3rd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0209	HIV-2 RNA Quantitative Viral load by Real Time PCR - EDTA Plasma	Alibag-Panvel	C	6360	Daily : 7:30am	3rd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0210	HIV-2 RNA Combo by Flow Cytometry & Real Time PCR - EDTA Blood & Plasma	Alibag-Panvel	C	7950	Daily : 7:30am	3rd day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer
H0211	HIV-DUO by CLIA - Serum	Alibag-Panvel	B	480	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0212	HIV Early Detection Profile-1 - EDTA Plasma & Serum	Alibag-Panvel	C	4770	Daily : 7:30am	3rd day : 5pm	3ml of EDTA Plasma in Sterile Plain Vacutainer & 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0213	HIV Early Detection Profile-2 - EDTA Blood	Alibag-	C	4770	Daily : 7:30am	3rd day : 5pm	3 ml of Serum in Gel Top

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	& Serum	Panvel					Vacutainer or Plain Sterile Vacutainer & 3 ml of Whole Blood in EDTA Vacutainer
H0214	Donor Specific Antibody (DSA)	Alibag-Panvel	D	11500	Daily: 9am	Same day 6pm	Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA whole blood, Donor: 20 ml Heparin/ACD/EDTA Blood
H0215	HLA Typing A Locus	Alibag-Panvel	D	9435	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0216	HLA typing A,B,C,DR,DQ loci (ClassI & Class II)	Alibag-Panvel	D	21095	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0217	HLA Typing A,B,C Locus (ClassI)	Alibag-Panvel	D	13990	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0218	HLA Typing B Locus	Alibag-Panvel	D	9435	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0221	HLA Typing B5 Locus	Alibag-Panvel	D	9435	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0222	HLA Typing B51 Locus	Alibag-Panvel	D	9435	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0224	HLA Typing C Locus	Alibag-Panvel	D	9435	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0225	HLA Typing DQ Locus	Alibag-Panvel	D	7190	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0226	HLA Typing DR Locus	Alibag-Panvel	D	6360	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0227	HLA Typing DR & DQ Loci (ClassII)	Alibag-Panvel	D	11130	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0233	Single Antigen Bead Assay (Class I & Class II)*	Alibag-Panvel	E	41200	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0234	Auto Antibody Detection Test*	Alibag-Panvel	D	1380	Daily: 9am	Same day 6pm	Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA Blood
H0235	HLA (Lymphocyte) Cross MatchTotal (T+B) cells*	Alibag-Panvel	D	2650	Daily: 9am	Same day 6pm	Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA Blood, Donor: 6 ml Heparin/ACD/EDTA Blood
H0249	HLA-B*5701 Associated HCP5 rs2395029 Genotyping for Abacavir Hypersensitivity	Alibag-Panvel	D	3390	Tue & Thu: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0250	HLA B27 (Human Leucocyte Antigen B27)	Alibag-Panvel	C	2350	Daily: 9am	Next day 5pm	Days at 2 to 8 degree celsius . 3 ml of EDTA whole blood
H0252	HLA-B*27 PCR	Alibag-Panvel	C	3805	Mon, Wed & Fri: 9:00am	Next day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
H0253	HOMA Index Insulin Resistance Test	Alibag-Panvel	C	1165	Daily: 9am to 9pm	Next day 5pm	3 ml of serum and 2 ml of fluoride plasma. Fasting sample.
H0254	Homocysteine Serum	Alibag-Panvel	C	1350	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0256	Homogentisic Acid (ALKAPTANURIA)	Alibag-Panvel	C	850	Daily : 11:30am	Same day : 9:00pm	10 ml of Spot urine
H0258	HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - Vaginal swab	Alibag-Panvel	C	2970	Mon & Thurs : 9:00am	3rd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
H0259	HPV-DNA Detectionby PCR and Typing PCR & Sanger Sequencing - Cervical scrapping	Alibag-Panvel	C	2970	Mon & Thurs : 9:00am	3rd day : 6:00pm	Thin Prep Container
H0260	HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - Tissue	Alibag-Panvel	C	2970	Mon & Thurs : 9:00am	3rd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container
H0261	HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - LBC	Alibag-Panvel	C	3170	Mon & Thurs : 9:00am	3rd day : 6:00pm	Thin Prep Container
H0264	HRT Profile	Alibag-Panvel	C	1300	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0265	HsCRP -High Sensitivity CRPSerum	Alibag-Panvel	B	810	Mon: 7.30am	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0266	HSV-1 IgG and IgM Antibody by EIA - Serum	Alibag-Panvel	B	1285	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0268	HSV-1 IgG Antibody by EIA - Serum	Alibag-Panvel	B	705	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0269	HSV-1 IgM Antibody by EIA - Serum	Alibag-Panvel	B	705	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0270	HSV 1&2 DNA Detection by Real Time PCR - Blister fluid	Alibag-Panvel	C	4450	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3ml of Fluid in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0271	HSV 1&2 DNA Detection by Real Time PCR - CSF	Alibag-Panvel	C	4450	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	2ml of CSF in Sterile leak proof tube or container
H0272	HSV 1&2 DNA Detection by Real Time PCR - Serum	Alibag-Panvel	C	4450	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0273	HSV 1&2 DNA Detection by Real Time PCR - Swab	Alibag-Panvel	C	4450	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
H0274	HSV 1&2 IgG and IgM Antibody by EIA - Serum	Alibag-Panvel	B	1285	Daily : 7:30am	5th day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0276	HSV 1+2 IgG Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0277	HSV 1&2 IgG Antibody by western blot - Serum	Alibag-Panvel	D	2330	Daily: 11:30am	Next day 8pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0278	HSV 1+2 IgM Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0279	HSV 1&2 IgM Antibody by western blot - Serum	Alibag-Panvel	D	2330	Daily: 11:30am	Next day 8pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0280	HSV-2 IgG and IgM Antibody by EIA - Serum	Alibag-Panvel	B	1285	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0282	HSV-2 IgG Antibody by EIA - Serum	Alibag-Panvel	B	705	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0283	HSV-2 IgM Antibody by EIA - Serum	Alibag-Panvel	B	705	Daily : 7:30am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0284	HTLV 1 And 2 Virus Total Antibody by CLIA - Serum	Alibag-Panvel	D	5195	Mon : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0285	Hu AntibodyNeuronal ag in Paraneoplastic syndromesSerum	Alibag-Panvel	D	4770	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0286	Huntington Disease Mutation Analysis	Alibag-Panvel	D	5850	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
H0287	Hydatid Cyst Detection by Microscopy - Fluid	Alibag-Panvel	C	860	Daily : 9:00am to 3:00pm	After 6 hrs	3ml of Fluid in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0288	Hypertension Profile-Routine	Alibag-Panvel	C	1910	Daily: 9am to 9pm	After 8 hrs	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
H0289	Heart failure profile- maxi	Alibag-Panvel	D	5195	Mon: 7am	4th day	5 ml of serum
H0295	Extra slide set Histopathology cases	Alibag-Panvel	C	530		4th day	Stained slide set is issued
H0300	HBV mutation Profile by PCR & Sanger Sequencing - Serum**	Alibag-Panvel	R	11770	Daily : 11:30am	10th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0301	HBV precore mutations by PCR & Sanger Sequencing - Serum**	Alibag-Panvel	R	5885	Wed : 11:30am	10th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0302	HCV Reflex Profile - Serum	Alibag-Panvel	B	1500	Tue & Fri : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0304	Histopathological examination of - Fallopian tube	Alibag-Panvel	C	1590		3rd Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0306	Histopathological examination of-Placenta	Alibag-Panvel	C	2120		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0307	Histopathological examination of- Testicular biopsy	Alibag-Panvel	C	1590		4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0308	Single Antigen Bead Assay (Class I)*	Alibag-Panvel	E	23895	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0309	Single Antigen Bead Assay (Class II)*	Alibag-Panvel	E	20600	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0310	Homocysteine reflex B12-folate Serum	Alibag-Panvel	C	1800	Daily: 9am to 9pm	Next day 1pm	4ml of Serum
H0311	HIV-1 RNA Drug Resistance for integrase inhibitor by PCR & Sanger Sequencing - EDTA Plasma	Alibag-Panvel	D	5300	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0312	HIV-1 RNA Coreceptor Tropism (Genotype) by PCR & Sanger Sequencing - EDTA Plasma	Alibag-Panvel	D	6995	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0313	HBV Basal Core Promoter mutation by PCR & Sanger Sequencing - Serum**	Alibag-Panvel	R	5885	Wed : 11:30am	8th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0314	Homovanillic acid urine	Alibag-Panvel	R	6420	Daily : 11:30am	12th Day : 6:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 30 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
H0316	HIV-1 RNA Drug Resistance-Extended by PCR & Sanger Sequencing - EDTA Plasma	Alibag-Panvel	D	19610	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0317	HPFH (Hereditary persistence of fetal haemoglobin) 5 deletion**	Alibag-Panvel	R	13910	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0318	HNPCC/ Lynch Syndrome Panel	Alibag-Panvel	R	18000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
H0320	Breast Carcinoma Profile I	Alibag-Panvel	D	9540		10th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0321	Breast carcinoma Profile II	Alibag-Panvel	D	11660		10th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0322	Lung Carcinoma (NSCLC) Profile	Alibag-Panvel	D	12190	Daily : 9:00am	After 2 weeks : 6:00pm	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
H0323	Colorectal Carcinoma Profile	Alibag-Panvel	D	6890		10th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0324	Head and neck cancer (HNSCC profile)	Alibag-Panvel	D	6890		5th Day	HistologyandIHC.pdf
H0326	Heavy Metals profile-1, Hair**	Alibag-Panvel	R	5885	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
H0327	Heavy Metals profile-2, Hair**	Alibag-Panvel	R	12305	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0328	Heavy Metals profile-3, Hair**	Alibag-Panvel	R	18725	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
H0329	Heavy metals for ayurvedic tablets test	Alibag-Panvel	R	5885	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clincial symptoms if any. Reported in 7 days
H0357	Histopathological examination of- GI Endoscopic Biopsy with reflex IHC	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0793	H3 Viral marker Profile by CLIA - Serum	Alibag-Panvel	C	2140	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0794	Heavy and Trace Metals profile-1	Alibag-Panvel	D	11130	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
H0795	Heavy and Trace Metals profile-2	Alibag-Panvel	D	6040	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
H0796	CELL BLOCK	Alibag-Panvel	C	4240		5th Day	HistologyandIHC.pdf
H0797	HIV-1 RNA Viral load by Taqman RT PCR - EDTA Plasma	Alibag-Panvel	C	5500	Daily : 07:30am	Same day : 11:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0798	HIV-1 RNA Quantitative Viral load by Taqman RT PCR - CSF	Alibag-Panvel	C	6340	Daily : 07:30am	Same day : 11:00pm	2ml of CSF in Sterile leak proof tube or container
H0799	Panel Reactive Antibody (PRA) Identification by Luminex* (ClassI)	Alibag-Panvel	D	11375	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0800	Panel Reactive Antibody (PRA)Identification by Luminex* (ClassII)	Alibag-Panvel	D	11375	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0801	Panel Reactive Antibody (PRA) Screening by Luminex (ClassI & Class II)	Alibag-Panvel	D	6255	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0808	HEV RNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	D	5300	Daily : 9:00am	5th day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
H0810	Hereditary Cancer panel **	Alibag-Panvel	R	18000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
H0813	HLA typing A,B (ClassI) and DR loci (Class II)	Alibag-Panvel	D	14310	Daily: 9am	Same day 6pm	6 ml EDTA/ACD Blood
H0824	Any specimen with reflex IHC	Alibag-Panvel	C	7950		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0825	Histopathological examination of-Nasopharyngeal Biopsy	Alibag-Panvel	D	4770		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0826	Histopathological examination of-Salivary Gland	Alibag-Panvel	C	3815		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0827	Histopathological examination of-Laryngeal Biopsy	Alibag-Panvel	C	2330		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0828	Histopathological examination of-Nasal Polyp with Reflex IHC	Alibag-Panvel	D	2330		5th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0829	Rush Biopsy service	Alibag-Panvel	D	3180		5th Day	NA
H0841	HPV-DNA Detection by Hybrid Capture reflex Typing by PCR & Sanger Sequencing - LBC or Cervical sampler	Alibag-Panvel	C	3170	Mon & Thurs : 9:00am	3rd Day : 6:00pm	Thin Prep Container/ Digene Sampler
H0849	High Resolution HLA Typing (A, B, C, DR, DQ, DP) - Solid Organ Transplant	Alibag-Panvel	E	14980	Mon & Thur : 9.00 am	7 Days	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0850	High Resolution HLA Typing (A, B, C, DR, DQ, DP) - BMT/ Stem cell Transplant	Alibag-Panvel	E	14980	Mon & Thur : 9.00 am	7 Days	Clinical/family history, referring clinicians contact number and TRF mandatory. 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
H0856	Sub speciality expert opinion	Alibag-Panvel	D	10390		7th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container Or paraffin blocks along with relevant clinical & radiological details
H0860	Histology - Frozen Section (Intra Operative) Night frozen 8 pm to 8 am, week off & public holidays	Alibag-Panvel	D	16960			Fresh tissue to be sent along with relevant clinical & radiological details
H0861	HLA-B* 1502 for carbamazepine toxicity**	Alibag-Panvel	D	9010	Daily: 7:30am	15 days	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
H0862	HLA - T and B Cell Flow Cytometry Cross Match (FCXM)	Alibag-Panvel	D	7100	Daily : 11:30am	3rd day : 6:00pm	Recipient: 5 ml serum, Donor: 15 ml Heparin
H0863	High Resolution HLA Typing B**	Alibag-Panvel	R	6315	Tue & Fri: 11:30am	10th day : 6:00pm	6 ml EDTA Blood
H0864	HCG as Tumour Marker, Serum	Alibag-Panvel	C	850	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0865	High Resolution HLA Typing DQB1**	Alibag-Panvel	R	6315	Tue & Fri: 11:30am	10th day : 6:00pm	6 ml EDTA Blood
H0866	Pre Transplant Workup panel	Alibag-Panvel	D	37100	Daily: 9am	Same day 6pm	Recipient : 3 tubes EDTA/ ACD blood & 1 Gel tube, Donor-6 tubes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							EDTA/ACD Blood
H0867	PRA Identification Class I and Class II*	Alibag-Panvel	D	19080	Daily: 9am	Same day 6pm	Recipient: 5 ml serum
H0868	Histopathological examination of- Eyelid Biopsy	Alibag-Panvel	C	1590		4th Day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0869	HBV DNA Combo RT-PCR & Sanger Sequencing - Serum or Plasma	Alibag-Panvel	C	14310	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0870	HCV RNA Combo 2 by RT-PCR & Sanger Sequencing - Serum or Plasma	Alibag-Panvel	C	10600	Tue & Fri : 9:00am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0871	HIV-1 RNA Combo 2 by PCR & Sanger Sequencing - EDTA Plasma	Alibag-Panvel	D	22260	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0872	Anti HMGCR antibodies - serum	Alibag-Panvel	R	10700	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml Serum
H0874	NextGen HRR Gene Panel	Alibag-Panvel	E	25300	Daily : 11:30am	After 4 weeks : 6:00pm	FFPE block with a minimum of 10% (as assessed by the pathologist) of tumor cells should be present
H0876	Hydroxychloroquine (HCQ)	Alibag-Panvel	D	1380	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml EDTA Whole Blood
H0877	Histopathology for fungal infection	Alibag-Panvel	C	1590	Daily : 9:00am	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0879	Hemophagocytic lymphohistiocytosis (T-cell Activation HLH Panel)**	Alibag-Panvel	R	10165	Daily : 11:30am	7th day : 6:00pm	Sample required: EDTA Blood 3ml
H1030	HEREDITARY SPASTIC PARAPLEGIA GENE PANEL	Alibag-Panvel	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H1901	CANINE-Histo-Large specimen (unspecified) More than 5 cm	Alibag-Panvel	C	2650	Daily: 9am	Report after 8 days	ice packs. Do not freeze. TRF, Genetci history is mandatory. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
H1902	Second opinion service, Sldies and blocks	Alibag-Panvel	C	2650	Daily: 9am	Report after 8 days	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
H1903	CANINE-Histo-Medium specimen (unspecified) 2 to 5 cm	Alibag-Panvel	C	1165	Daily: 9am	Report after 8 days	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
H5671	Hepatitis B Monitoring profile	Alibag-Panvel	D	10315	Daily : 7:30am	Next day 5pm	3ml of serum, 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H5682	Tru Heart Basic H5682	Alibag-Panvel	W	1399	Daily	Next day 5.00 pm	4 ml Serum
H5692	Hrd track stand-alone test**	Alibag-Panvel	R	139100	Daily : 11:30am	After 4 weeks : 6:00pm	FFPE blocks with 20% tumor content and HP report.
H8335	[Combo] Haemophilia A (F8) gene analysis (along with analysis of the F8-intron 22 inversion**	Alibag-Panvel	R	25680	Daily : 11:30am	After 4 weeks : 6:00pm	4 ml EDTA Whole Blood
H8395	Hypersensitive pneumonitis panel-Extended	Alibag-Panvel	E	10815	Mon, Wed & Fri : 11:30am	Next day : 5:00pm	3ml serum sample required
I0001	IA2 Insulin Autoantibodies serum	Alibag-Panvel	D	2860	Mon & Thu 9 am	Next day 5 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
I0002	IBD Profile	Alibag-Panvel	C	5725	Fri: 7am	Next day 5pm	3 ml of serum, 100 gms of stool in sterile container
I0004	Iduronate 2 Sulphate Sulphatase Hunter/MPS II Blood	Alibag-Panvel	R	10595	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
I0005	IgA CSF	Alibag-Panvel	C	1485	Daily: 9am to 9pm	6th day	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0006	IgA Serum	Alibag-Panvel	C	740	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0007	IgD by Flow cytometry Blood*	Alibag-Panvel	D	3390	Daily : 11:30am	Next day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
I0008	IGF BP3 Serum	Alibag-Panvel	C	3920	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0009	IGF-1 Somatomedin C Serum	Alibag-Panvel	C	3500	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0010	IgG by Flow cytometry Blood**	Alibag-Panvel	R	3155	Daily : 11:30am	4th day : 6:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
I0011	IgG Total antibody CSF	Alibag-Panvel	C	1485	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0012	IgG Total antibody Serum	Alibag-Panvel	C	740	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0013	IgG4 Sub Class Serum	Alibag-Panvel	D	7200	Daily: 9am to 9pm	After 8 hrs	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0014	IgM by Flow cytometry Blood**	Alibag-Panvel	R	3210	Daily : 11:30am	4th day : 6:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
I0015	IgM total CSF	Alibag-Panvel	C	1485	Daily: 7.30am	4th day	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0016	IgM total Serum	Alibag-Panvel	C	740	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0017	IHC Panels with reporting- Bone Marrow	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0018	IHC Panels with reporting-Brain Tumor	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0019	IHC Panels with reporting Breast IV Comprehensive diagnosis	Alibag-Panvel	D	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0020	IHC panel-Breast-I, tissue	Alibag-Panvel	C	4030		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0021	IHC Panels with reporting Breast-II ER, PR, c-erb-B2	Alibag-Panvel	C	5090		3rd Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0022	IHC Panels with reporting Breast-III ER, PR, c-erb-B2, Ki 67	Alibag-Panvel	C	6570		5th Day	original Histopathology report and all relevant clinical and radiological detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0023	IHC Panels with reporting - Cervical Cancer	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0025	IHC Panels with reporting - GastroIntestinal neoplasm	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0026	IHC Panels with reporting - Liver Neoplasm	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0027	IHC Panels with reporting - Lung Neoplasm	Alibag-Panvel	C	11065		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0028	IHC Panels with reporting - Lymph node	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0032	IHC Panels with reporting Ovarian Neoplasm	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0033	IHC Panels with reporting Pancreatic	Alibag-	C	9010		5th Day	Paraffin blocks (Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Neoplasm	Panvel					paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0034	IHC Panels with reporting Peritoneal Adenocarcinoma Vs Mesothelioma	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0035	IHC Panels with reporting Pituitary Marker Profile - ACTH, LH, FSH, TSH, PROLACTIN	Alibag-Panvel	C	14310		7th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0037	IHC Panels with reporting - Round Cell Tumor(Adult/Pediatric)	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0038	IHC Panels with reporting - Carcinoma of unknown primary (CUP)	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0039	IHC Panels with reporting - Salivary Gland Neoplasm	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0040	IHC Panels with reporting - Soft Tissue Tumor	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0041	IHC Panels with reporting - Testicular Neoplasm	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0042	IHC Panels with reporting - Thyroid Neoplasm	Alibag-Panvel	C	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0043	IHC Panels with reporting - 34 Beta E12 (HMWCK)	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0046	IHC single marker with reporting Alpha Feto Protein	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0048	IHC single marker with reporting Bcl-2 Oncoprotein	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0049	IHC single marker with reporting Bcl-6 Oncoprotein	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0050	IHC single marker with reporting Beta Catenin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0051	IHC single marker with reporting Beta HCG	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0053	IHC single marker with reporting C4D	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0054	IHC single marker with reporting CA 125	Alibag-Panvel	D	2545		4th Day	detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0055	IHC single marker with reporting CA-19.9 **	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0056	IHC single marker with reporting Calcitonin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0057	IHC single marker with reporting Calponin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0058	IHC single marker with reporting Carletinin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0061	IHC multiplex marker with reporting CD 20 + CD 3 Cocktail	Alibag-Panvel	D	3180		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0062	IHC single marker with reporting CD10	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0063	IHC single marker with reporting CD117	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							all relevant clinical and radiological detail
I0064	IHC single marker with reporting CD138	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0065	IHC single marker with reporting CD15	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0066	IHC single marker with reporting CD1a	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0067	IHC single marker with reporting CD20	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0068	IHC single marker with reporting CD21	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0070	IHC single marker with reporting CD23	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0071	IHC single marker with reporting CD3	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0072	IHC single marker with reporting CD30	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							original Histopathology report and all relevant clinical and radiological detail
I0073	IHC single marker with reporting CD31	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0074	IHC single marker with reporting CD34	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0075	IHC multiplex marker with reporting CD4 + CD8 Cocktail	Alibag-Panvel	D	3180		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0076	IHC single marker with reporting CD43	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0077	IHC single marker with reporting CD45 LCA	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0078	IHC single marker with reporting CD5	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0079	IHC single marker with reporting CD56	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0080	IHC single marker with reporting CD57	Alibag-	D	2545		4th Day	Paraffin blocks (Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0081	IHC single marker with reporting CD68	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0082	IHC single marker with reporting CD79a	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0083	IHC single marker with reporting CD99 Mic2	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0084	IHC single marker with reporting CDX2	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0085	IHC single marker with reporting CEA	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0086	IHC-CERB2 (Her 2/neu)-IHC single marker, tissue	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0087	IHC single marker with reporting C-erb-B2 for Gastric carcinoma Her2 Neu	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0088	IHC single marker with reporting Chromogranin A	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0089	IHC single marker with reporting CK10	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0090	IHC single marker with reporting CK19	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0091	IHC single marker with reporting CK20	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0092	IHC single marker with reporting CK5/6	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0093	IHC single marker with reporting CK7	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0094	IHC single marker with reporting CK8	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0095	IHC single marker with reporting p16INK4a	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0096	IHC single marker with reporting Cyclin D1	Alibag-Panvel	D	2545		4th Day	detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0097	IHC single marker with reporting Desmin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0098	IHC multiplex marker with reporting Desmoglein 3 + Napsin A Cocktail	Alibag-Panvel	D	3180		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0099	IHC single marker with reporting DOG-1	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0100	IHC single marker with reporting E Cadherin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0101	IHC single marker with reporting EGFR	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0102	IHC single marker with reporting EMA Epithelial Membrane Antigen	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0103	IHC-Estrogen Receptor (ER)-single marker, tissue	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0104	IHC single marker with reporting Factor VIII	Alibag-Panvel	D	2545		4th Day	all relevant clinical and radiological detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0106	IHC single marker with reporting GCDFP15	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0107	IHC single marker with reporting GFAP	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0108	IHC single marker with reporting Glypican-3	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0110	IHC single marker with reporting H.Pylori	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0113	IHC single marker with reporting Hep-Par 1	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0114	IHC single marker with reporting HMB45	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0115	IHC single marker with reporting HPV	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0119	IHC single marker with reporting Inhibin Alpha	Alibag-Panvel	D	2545		4th Day	original Histopathology report and all relevant clinical and radiological detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0120	IHC single marker with reporting Insulin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0121	IHC multiplex marker with reporting Kappa + Lambda Cocktail	Alibag-Panvel	D	3245		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0122	IHC single marker with reporting Ki 67	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0126	IHC single marker with reporting Lysoyme	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0127	IHC single marker with reporting Melan A	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0128	IHC single marker with reporting Mesothelin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0129	IHC single marker with reporting MOC 31	Alibag-	D	2545		4th Day	Paraffin blocks (Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0130	IHC single marker with reporting MPO Myeloperoxidase	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0131	IHC single marker with reporting Mum1 Protein	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0132	IHC single marker with reporting My F4 Myogenin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0133	IHC single marker with reporting Myoglobin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0134	IHC single marker with reporting NSE Neuron Specific Enolase	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0135	IHC single marker with reporting Oct.2	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0137	IHC single marker with reporting p53	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0138	IHC single marker with reporting p63	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0139	IHC single marker with reporting Pan CK AE1/AE3	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0140	IHC single marker with reporting Pax 5	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0141	IHC single marker with reporting Pax 8	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0142	IHC multiplex marker with reporting PIN 4 Cocktail Ck5 + Ck14 +P63 + P504S	Alibag-Panvel	D	3180		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0143	IHC single marker with reporting PLAP Placental Alkaline Phosphatase	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0144	IHC-Progesterone Receptor (PR)single marker,tissue	Alibag-Panvel	D	1695		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0146	IHC single marker with reporting Prostatic Acid Phosphatase	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0147	IHC single marker with reporting PSA Prostate Specific Antigen	Alibag-Panvel	D	2545		4th Day	detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0148	IHC single marker with reporting S100 Protein	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0149	IHC single marker with reporting Smooth Muscle Actin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0150	IHC single marker with reporting Synaptophysin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0151	IHC single marker with reporting TdT	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0152	IHC single marker with reporting Thyroglobulin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0154	IHC single marker with reporting TTF1	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0155	IHC single marker with reporting Vimentin	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							all relevant clinical and radiological detail
I0156	IHC single marker with reporting WT1 Wilm S Tumor Protein	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0157	IHC stain only 34 Beta E12	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0158	IHC stain only ALK1	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0159	IHC stain only Alpha Feto Protein	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0160	IHC stain only Bcl-2 Oncoprotein	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0161	IHC stain only Bcl-6 Oncoprotein	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0162	IHC stain only Beta Catenin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0163	IHC stain only Beta HCG	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0164	IHC stain only CA125	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0165	IHC stain only Calcitonin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0166	IHC stain only Calponin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0167	IHC stain only Calretinin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0170	IHC stain only CD10	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0171	IHC stain only CD117	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0172	IHC stain only CD138	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0173	IHC stain only CD15	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					charged slide
I0174	IHC stain only CD1a	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0175	IHC stain only CD20	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0176	IHC stain only CD21	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0178	IHC stain only CD23	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0179	IHC stain only CD3	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0180	IHC stain only CD30	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0181	IHC stain only CD31	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0182	IHC stain only CD34	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0184	IHC stain only CD43	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0185	IHC stain only CD45 LCA	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0186	IHC stain only CD5	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0187	IHC stain only CD79a	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0188	IHC stain only CD99 Mic2	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0189	IHC stain only CDX2	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0190	IHC stain only CEA	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0191	IHC stain only c-erb-B2 Her 2 Neu	Alibag-Panvel	D	1590		3rd Day	Single Paraffin block / section on charged slide
I0192	IHC stain only Chromogranin A	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0194	IHC stain only CK 19	Alibag-	D	1270		3rd Day	Single Paraffin block / section on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					charged slide
I0195	IHC stain only CK 20	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0196	IHC stain only CK 5/6	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0197	IHC stain only CK 7	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0198	IHC stain only CK8	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0200	IHC stain only Cyclin D1	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0201	IHC stain only Desmin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0202	IHC stain only DOG-1	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0203	IHC stain only E Cadherin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0204	IHC stain only EGFR	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0205	IHC stain only EMA Epithelial Membrane Antigen	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0206	IHC stain only ER Estrogen Receptor	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0207	IHC stain only Factor VIII	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0208	IHC stain only GCDP15	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0209	IHC stain only GFAP	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0210	IHC stain only Glypican-3	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0211	IHC stain only H.Pylori	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0212	IHC stain only Hep-Par 1	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0213	IHC stain only HMB45	Alibag-	D	1270		3rd Day	Single Paraffin block / section on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					charged slide
I0215	IHC stain only Inhibin Alpha	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0216	IHC stain only Insulin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0217	IHC stain only Ki 67	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0218	IHC stain only Melan A	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0219	IHC stain only Mesothelin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0220	IHC stain only MOC 31	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0221	IHC stain only MPO Myeloperoxidase	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0222	IHC stain only Multiplex CD 20 + CD3 Cocktail	Alibag-Panvel	D	2120		3rd Day	Single Paraffin block / section on charged slide
I0223	IHC stain only Multiplex CD4 + CD8	Alibag-Panvel	D	2120		3rd Day	Single Paraffin block / section on charged slide
I0224	IHC stain only Multiplex Desmoglein 3 + Napsin A	Alibag-Panvel	D	2120		3rd Day	Single Paraffin block / section on charged slide
I0225	IHC stain only Multiplex Kappa + Lambda	Alibag-Panvel	D	2120		3rd Day	Single Paraffin block / section on charged slide
I0226	IHC stain only Multiplex Pin-4 Cocktail Ck5 + Ck14 + P63 + P504S	Alibag-Panvel	D	2120		3rd Day	Single Paraffin block / section on charged slide
I0227	IHC stain only Mum1 Protein	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0228	IHC stain only My F4 (Myogenin)	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0230	IHC stain only NSE Neuron Specific Enolase	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0231	IHC stain only OCT.2	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0233	IHC stain only p53	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0234	IHC stain only p63	Alibag-	D	1270		3rd Day	Single Paraffin block / section on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					charged slide
I0235	IHC stain only Pan CK AE1/AE3	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0236	IHC stain only Pax 5	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0237	IHC stain only Pax 8	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0238	IHC stain only PLAP	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0239	IHC stain only PR Progesterone Receptor	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0240	IHC stain only Prostatic Acid Phosphatase	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0241	IHC stain only PSA Prostate Specific Antigen	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0242	IHC stain only S100 Protein	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0243	IHC stain only Single Marker (Any other)	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0244	IHC stain only SMA Smooth Muscle Actin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0245	IHC stain only Synaptophysin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0246	IHC stain only TdT	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0247	IHC stain only Thyroglobulin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0248	IHC stain only TTF1	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0249	IHC stain only Vimentin	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0250	IHC stain only WT1 Wilm S Tumor Protein	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0251	IHC Comprehensive panel for diagnosis	Alibag-Panvel	C	8900		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							all relevant clinical and radiological detail
I0258	IL28 B SNP Genotyping by PCR & Sanger Sequencing - EDTA Blood	Alibag-Panvel	D	5300	Daily : 9:00am	10th day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
I0259	Immune Status Panel	Alibag-Panvel	C	6465	Daily: 9am	After 8 hrs	5 ml of serum
I0260	Immunofixation Qualitative Serum	Alibag-Panvel	C	5935	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	4 ml of Serum
I0261	Immunofixation Qualitative Urine Profile	Alibag-Panvel	C	6785	Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
I0262	Immunofixation- Quantitative Serum	Alibag-Panvel	C	7980	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0263	Immunofixation-Quantitative Urine	Alibag-Panvel	C	8480	Mon : 11:30am	Next day : 5:00pm	10 ml 24 Hrs Urine (Preferred) OR Spot urine
I0264	Immunoglobulin Profile IgG, IgM and IgA,CSF	Alibag-Panvel	C	3815	Daily: 7.30am	Next day 5pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0265	Immunoglobulin Profile IgG, IgM and IgA, Serum	Alibag-Panvel	C	1910	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0266	Impotence Profile	Alibag-Panvel	C	3500	Daily: 9am to 9pm	After 8 hrs	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0267	India Ink Preparation by Microscopy - CSF	Alibag-Panvel	B	375	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
I0268	Infectious Mononucleosis Profile by IFA - Serum	Alibag-Panvel	C	5460	Mon & Thu : 7:30am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0269	Infertility Profile , Female	Alibag-Panvel	C	6680	Daily: 9am	5th day	3 ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
I0270	Infertility Profile, Male	Alibag-Panvel	C	5565	Daily: 9am	5th day	3 ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine, Semen sample
I0273	Inhibin A Serum	Alibag-Panvel	C	1315	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0274	Inhibin B Serum	Alibag-Panvel	C	2440	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0275	Insulin (Fasting) Serum	Alibag-Panvel	B	880	Daily: 9am to 9pm	After 6 hrs	2 ml of Serum Collected In Fasting.
I0275_PG	Insulin, Post Glucose Serum	Alibag-Panvel	B	910	Daily: 9am to 9pm	After 6 hrs	2 ml of serum collected 2 hours post Glucose Monohydrate 82.5 gm
I0275_PP	Insulin, Post Prandial Serum	Alibag-Panvel	B	910	Daily: 9am to 9pm	After 6 hrs	2 ml of serum collected 2 hours post lunch
I0275_R	Insulin (Random) Serum	Alibag-Panvel	B	910	Daily: 9am to 9pm	After 6 hrs	2 ml of serum
I0276	Insulin Antibody Type I & II diabetes serum	Alibag-Panvel	D	2650	Monday & Thursday 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0277	Insulin Suppression Test - C-peptide Serum	Alibag-Panvel	C	7315	Daily: 9am to 9pm	After 8 hrs	3 ml of Serum (basal, 10,20,30,40,50,60 Minutes)
I0279	Interleukin -6 CLIA Plasma	Alibag-Panvel	C	3390	Daily 9 am - 9 pm	After 6 hrs	3 ml of EDTA plasma to be send in aliquot tube at proper temperature.
I0281	Intrinsic Factor Antibody by IFA Serum	Alibag-Panvel	C	2755	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0282	Iron biochemical Serum	Alibag-Panvel	B	460	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0284	Iron Urine 24H**	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	tests. HeavyMetalSamplingguidelines.pdf
I0285	Iron Serum	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
I0286	Iron Studies, Serum	Alibag-Panvel	B	800	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0287	Islet Cell Antibody ICA-512 serum	Alibag-Panvel	D	2650	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0288	Isoleucine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
I0289	Isoleucine Quantitative Urine 24H**	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
I0290	Isospora by smear examination - Stool	Alibag-Panvel	B	590	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
I0291	IHC single marker with reporting Unspecified stain	Alibag-Panvel	D	2545		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0292	Reticulocyte count profile	Alibag-Panvel	B	430	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA Whole Blood
I0293	IHC stain only CD 56_I0293	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0294	IHC stain only CD 57_I0294	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0295	IHC stain only CD68_I0295	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0296	IHC stain only Lysozyme_I0296	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0297	IHC p16INK4a stain only	Alibag-Panvel	D	3075		3rd Day	Single Paraffin block / section on charged slide
I0300	IgVH GENE MUTATION**_I0300	Alibag-Panvel	R	9780	Wed : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0301	BCR ABL1 Mutation Analysis	Alibag-Panvel	E	10505	Daily : 9:00am	8th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
I0305	IGH/CCND1:t(11;14) translocation Mantle Cell Lymphoma FISH, TISSUE	Alibag-Panvel	D	8480	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
I0312	IGH gene rearrangement Translocations involving 14q32 locus	Alibag-Panvel	D	8480	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
I0315	IDH1 and IDH2 gene mutation - FFPE Tissue	Alibag-Panvel	E	7210	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
I0316	IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BONE MARROW	Alibag-Panvel	D	4770	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
I0317	IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BLOOD	Alibag-Panvel	D	4770	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
I0318	IGH/BCL2 fusion	Alibag-Panvel	D	8480	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
I0319	IHC single marker with reporting p40	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0320	IHC single marker with reporting Uroplakin II	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0321	IHC stain only p40	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0322	IHC stain only Uroplakin II	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0323	Immature Platelet fraction (IPF) Count	Alibag-Panvel	B	480	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA whole Blood with direct smear
I0324	Influenza A virus IgG Antibody by EIA - Serum	Alibag-Panvel	C	1910	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0325	Influenza A virus IgM Antibody by EIA - Serum	Alibag-Panvel	C	1910	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0326	Influenza B virus IgG Antibody by EIA - Serum	Alibag-Panvel	C	1910	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0327	Influenza B virus IgM Antibody by EIA - Serum	Alibag-Panvel	C	1910	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0331	ICG Clearance Test Serum	Alibag-Panvel	D	5830	Daily	Same Day after 6 hrs	5 ml Serum Sample(Sample should be collected in plain red vaccutainer) 0 mins(4 red top vaccutainers-5 ml of blood in each tube) 0 mins(4 red top vaccutainers-5 ml of blood in each tube)

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							<p>çâ, -Ã;Ãfâ€šÃ, Âç 5 mins(1 red top vaccutainer-2 ml of blood) ÃfÆ'Ãtâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ã, ÂçÃfÃçÃçâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ã</p> <p>çâ, -Ã;Ãfâ€šÃ, Âç 10 mins (1 red top vaccutainer-2 ml of blood) ÃfÆ'Ãtâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ã, ÂçÃfÃçÃçâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ã</p> <p>çâ, -Ã;Ãfâ€šÃ, Âç 15 mins (1 red top vaccutainer-2 ml of blood) ÃfÆ'Ãtâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ã, ÂçÃfÃçÃçâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ã</p> <p>çâ, -Ã;Ãfâ€šÃ, Âç 20 mins (1 red top vaccutainer-2 ml of blood) Sample should reach within 2 hrs of collection at 2-8 ÃfÆ'Ãtâ€™ ÃfÃçÃçâ€™ Ãfâ€šÃ, ÂçÃfÆ'Ãçâ, -Ã;Ãfâ€šÃ, Âç. Sample tubes to be wrapped in aluminium foil to avoid exposure to light. Left over dye solution to be sent across to the lab along with the samples.</p>
I0332	IHC Androgen Receptor with interpretation	Alibag-Panvel	D	2545		6th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0337	PDL1 (SP263) by IHC - Ventana	Alibag-Panvel	D	8480		8th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0338	IMMUNOHISTOCHEMISTRY C-MYC ANTIBODY	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0339	IMMUNOHISTOCHEMISTRY EBV	Alibag-Panvel	D	2545		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0342	IHC single marker with reporting TFE3	Alibag-Panvel	D	2545		4th Day	all relevant clinical and radiological detail Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0347	IHC stain only C-myc antibody	Alibag-Panvel	D	1270		4th Day	Single Paraffin block / section on charged slide
I0348	IHC stain only EBV	Alibag-Panvel	D	1270		3rd Day	Single Paraffin block / section on charged slide
I0350	IHC stain only CD7	Alibag-Panvel	D	2330		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0352	IHC stain only IgG4	Alibag-Panvel	D	2330		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0353	IHC stain only GATA3	Alibag-Panvel	D	2330		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0354	IHC stain only H caldesmon	Alibag-Panvel	D	2330		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0355	IHC stain only ERG	Alibag-Panvel	D	2330		4th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0363	IHC stain only Androgen Receptor	Alibag-Panvel	D	1590		3rd Day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0366	Hypersensitive pneumonitis panel	Alibag-Panvel	D	7600	Mon, Wed & Fri : 11:30am	Next day : 5:00pm	3ml serum sample required
I0366_1	Penicillium Chrysogenum(Specific IgG)	Alibag-Panvel	C	1800	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_2	Cladosporium herbarum (Specific IgG)	Alibag-Panvel	C	1800	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_3	Aspergillus fumigatus(Specific IgG)	Alibag-Panvel	C	1800	Mon & Thu : 11:30am	Next day : 5:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_4	Mucor Racemosus(Specific IgG)	Alibag-Panvel	C	1800	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_5	Alternaria alternata(Specific IgG)	Alibag-Panvel	C	1800	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_6	Pigeon serum proteins, feathers and droppings(Specific IgG)	Alibag-Panvel	C	1800	Mon,Thu: 9am	Next day: 5pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0368	IGRAS (QFT Plus) by ELISA - Lithium Heparin Blood	Alibag-Panvel	D	3500	Mon, Wed, Fri : 7:30am	Next day : 5pm	samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. 5 ml of Lithium Heparin Blood
I0371	Iron, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
I0372	IDH1 and IDH2 gene mutation, AML, Blood	Alibag-Panvel	E	6695	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
I0372_BM	IDH1 and IDH2 gene mutation, AML, Bone Marrow	Alibag-Panvel	E	6695	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
I0373	IGRAS (Quantiferon TB Gold) - 3tube by ELISA - Lithium Heparin Blood	Alibag-Panvel	C	3200	Mon, Wed, Fri : 7:30am	Next day : 5pm	5 ml of Lithium Heparin Blood
I0378	Immunofluorescence Analysis in Michels Medium (Kidney / Skin Biopsy)	Alibag-Panvel	D	3765	Daily : 9:00am	7 th day	Biopsy to be sent in Michelâ€™s Medium in a Leak proof container along with relevant clinical & radiological details
I0380	Isavuconazole **	Alibag-Panvel	R	6420	Daily : 7:30am	7th day : 6:00pm	3 ml of EDTA Plasma.Please indicate history of the drug dose taken, time of sample collection and clinical History along with the sample.
I0384	IHC stain only ATRX	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0385	IHC single marker with reporting ATRX	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							original Histopathology report and all relevant clinical and radiological detail
I0386	IHC stain only IDH 1	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0387	IHC single marker with reporting IDH 1	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0388	IHC stain only SOX 10	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0389	IHC single marker with reporting SOX 10	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0391	IHC single marker with reporting HHV 8	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0394	IHC stain only SV 40	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0395	IHC single marker with reporting SV 40	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0397	IGLON5 ANTIBODY Serum	Alibag-Panvel	D	12720	Tue & Fri: 11:30am	Next day : 6:00pm	3 ml Serum
I0399	IHC stain only PLA 2 R1	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0400	IHC single marker with reporting PLA 2 R1	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0401	IHC stain only STAT 6	Alibag-Panvel	D	2650	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0402	IHC single marker with reporting STAT 6	Alibag-Panvel	D	3180	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0403	IHC stain only INI 1	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0404	IHC single marker with reporting INI 1	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0405	IHC stain only Sall 4	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0406	IHC single marker with reporting Sall 4	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0407	IHC stain only NKX 3.1	Alibag-Panvel	D	3710	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0408	IHC single marker with reporting NKX 3.1	Alibag-Panvel	D	4770	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0409	IHC stain only CD 4	Alibag-Panvel	D	2120	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0410	IHC single marker with reporting CD 4	Alibag-Panvel	D	3180	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0411	IHC stain only CD 8	Alibag-Panvel	D	2120	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0412	IHC single marker with reporting CD 8	Alibag-	D	3180	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0413	IHC single marker with reporting CMV	Alibag-Panvel	D	2330	Daily : 9:00am	7th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I1005	IgG Subclass 1(IgG1) serum by Nephelometry**	Alibag-Panvel	R	5350	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum (Age & gender manadatory)
I1006	IgG Subclass 2(IgG2) serum by Nephelometry**	Alibag-Panvel	R	5350	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum (Age & gender manadatory)
I1007	IgG Subclass 3(IgG3) serum by Nephelometry**	Alibag-Panvel	R	5350	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum (Age & gender manadatory)
I1025	IODINE, Serum by ICP-MS method**	Alibag-Panvel	R	9885	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml Serum
I1026	IODINE, Urine by ICP-MS method**	Alibag-Panvel	R	9630	Daily : 11:30am	After 4 weeks : 6:00pm	Individual Metals and Minerals.pdf
I1901	Impression Smears	Alibag-Panvel	D	1100	Daily: 9am	Report after 48 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
I1902	Insulin, Serum by CMIA	Alibag-Panvel	B	910	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
I5073	Isoniazid**	Alibag-Panvel	R	7490	Daily 7.30 am	10 days	2 ml Na-Heparin Plasma
I5649	FLU-XPRT VIRAL PANEL	Alibag-	D	4800	Daily : 7:00am &	Same Day :	Swab with Sufficient Material in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I8151	Immunofixation image	Panvel Alibag-Panvel	C	530	3:00pm Tue, Thu & Sat: 11:30am	3:00pm & 11:00pm Next day : 5:00pm	Viral Transport Medium (VTM) Pre-requisite: Kindly mention the VID for gel electrophoresis test asked.
I8155	PD-L1 Dako 22C3 IHC	Alibag-Panvel	D	15020	Daily 7.30 am	10th days	Paraffin Block
I8335	ILD Complete	Alibag-Panvel	D	18550	Tue , Fri: 9am	Next day 5:00 pm	5 ML OF SERUM
I8336	ILD Screen	Alibag-Panvel	D	7420	Mon,Thu: 9am	Next day 5:00 pm	3 ml EDTA WHOLE BLOOD,5 ML OF SERUM,
I8337	ILD Autoimmune Maxi	Alibag-Panvel	D	14310	Tue , Fri: 9am	Next day 5:00 pm	5 ML OF SERUM
I8338	ILD Autoimmune Profile Mini	Alibag-Panvel	D	7950	Tue , Fri: 9am	Next day 5:00 pm	5 ML OF SERUM
J0001	JAK-2 Mutation (CMPD) Exon 12 Mutation Bone Marrow	Alibag-Panvel	D	6890	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0002	JAK-2 Mutation (CMPD) (V617F) by Real Time PCR - Bone Marrow	Alibag-Panvel	D	6890	Tue & Fri : 9:00am	Next day : 7:00pm	3 ml of Bone Marrow in EDTA Vacutainer
J0003	JAK-2 Mutation (CMPD) Exon 12 Mutation Blood	Alibag-Panvel	D	6890	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0004	JAK-2 Mutation (CMPD) (V617F) by Real Time PCR - Blood	Alibag-Panvel	D	6800	Tue & Fri : 9:00am	Next day : 7:00pm	3 ml of Whole Blood in EDTA Vacutainer
J0005	JC-BK Virus DNA Detection by Real Time PCR - CSF	Alibag-Panvel	D	6040	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
J0006	JC-BK Virus DNA Detection by Real Time PCR - EDTA Plasma	Alibag-Panvel	D	6040	Mon & Thurs : 9:00am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
J0007	JC-BK Virus DNA Detection by Real Time	Alibag-	D	6040	Mon & Thurs :	Next day : 5:00pm	15ml of Spot Urine in Sterile leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	PCR - Urine	Panvel			9:00am		proof container
J0008	JEV RNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	D	3390	Fri : 7:30am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
J0009	JEV RNA Detection by Real Time PCR - CSF	Alibag-Panvel	D	3390	Fri : 7:30am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
J0010	JEV RNA Detection by Real Time PCR - EDTA Plasma	Alibag-Panvel	D	3390	Fri : 7:30am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
J0011	JEV RNA Detection by Real Time PCR - Serum	Alibag-Panvel	D	3390	Fri : 7:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
J0012	Jo-1 Antibody Serum	Alibag-Panvel	C	1695	Wed and Sat 9:00 am	Same day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
J0013	JC DNA Detection by Real Time PCR - CSF	Alibag-Panvel	D	5605	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
J0014	JC DNA Detection by Real Time PCR - EDTA Plasma	Alibag-Panvel	D	4875	Mon & Thurs : 9:00am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
J0015	JC DNA Detection by Real Time PCR - Urine	Alibag-Panvel	D	4875	Mon & Thurs : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
J0016	JAK2 V617 Mutation, with Reflex to Jak2 Ex- 12, CALR Ex-9 Mutation and MPL W515, S505 Mutation	Alibag-Panvel	D	13145	Wed & Sat : 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0017	JAK2 V617 Mutation, with Reflex to Jak2 Ex- 12, CALR Ex-9 Mutation and MPL W515, S505 Mutation, Bone Marrow	Alibag-Panvel	D	13145	Wed & Sat : 9:00am	10th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0020	JC DNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	D	5195	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
J0021	JC-BK Virus DNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	D	6040	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
K0001	Kappa And Lambda-Freelite, Urine	Alibag-	D	5300	Daily: 9am to 9pm		10 ml of 24 hrs urine (Preferred) /

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
K0002	Kappa And Lambda-Freelite, Serum	Alibag-Panvel	D	5750	Daily: 9am to 9pm		Spot urine 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
K0003	Kappa Light Chains by Flow cytometry	Alibag-Panvel	D	3180	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
K0004	Kappa Light Chains-Total Urine 24H	Alibag-Panvel	D	3710	Daily: 9am to 9pm		24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
K0005	FISH for Aneuploidy in POC - Chromosomes - 13,16,18, 21, 22, X and Y	Alibag-Panvel	D	9540	Daily : 9:00am	6th day : 6:00pm	POC in sterile container with normal saline with few drops of antibiotic. In case of expected delay store at 4 degrees. Never add formalin or freeze. Note: Whole Fetus is not accepted.
K0006	Karyotyping reflex FISH-13,18,21,X,Y AmnioticFluid	Alibag-Panvel	D	11470	Daily : 9:00am	15th day : 6:00pm	20 ml of Amniotic Fluid In sterile centrifuge Falcon 15 ml tubes.
K0007	Karyotyping reflex FISH(13,18,21,X,Y)Chorion Villi	Alibag-Panvel	D	10495	Daily : 9:00am	15th day : 6:00pm	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
K0010	FISH for Aneuploidy in POC - Chromosomes 13,18,21, X,Y	Alibag-Panvel	D	8480	Daily : 9:00am	6th day : 6:00pm	Metropolis). POC in sterile container with normal saline with few drops of antibiotic. In case of expected delay store at 4 degrees. Never add formalin or freeze.Note: Whole Fetus is not accepted.
K0012	Karyotyping by G-Banding Peripheral Blood	Alibag-Panvel	D	4500	Daily : 9:00am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
K0014	Karyotyping by G-Banding Bone marrow	Alibag-Panvel	D	4240	Daily : 9:00am	10th day : 6:00pm	2-3 ml Bone Marrow/3 ml Blood in Na-heparin vacutainer
K0017	Karyotyping by high resolution banding (HRB) Blood	Alibag-Panvel	D	5195	Daily : 9:00am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
K0018	Kaolin Clotting Time	Alibag-Panvel	B	1340	Daily: 9am	After 8 hrs	1 ml of citrated platelet poor plasma in frozen condition.
K0019	KRAS-Exon 2 and 3 Mutation Analysis - FFPE Tissue	Alibag-Panvel	D	8270	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
K0021	Kennedy disease (CAG repeats) by PCR	Alibag-Panvel	R	7595	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
K0022	Karyotyping from cell pellet /slides	Alibag-Panvel	D	1590	Daily : 9:00am	10th day : 6:00pm	Cell pellet / Slides
K0023	Kala azar	Alibag-Panvel	R	1990	Daily : 11:30am	5th day : 6:00pm	3ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
K0026	Karyotyping G Banding and FISH (Chr 13,18, 21, X and Y),Amniotic Fluid	Alibag-Panvel	D	16430	Daily : 9:00am	15th day : 6:00pm	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
K0030	Karyotyping by G-Banding for neonates	Alibag-Panvel	D	4770	Daily : 9:00am	7th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
K0031	Karyotyping by G-Banding for 50 metaphase cells	Alibag-Panvel	D	4770	Daily : 9:00am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
K0033	Karyotyping by G-Banding reflex FISH	Alibag-Panvel	D	10495	Daily : 9:00am	15th day : 6:00pm	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
K1901	Canine - Kidney panel	Alibag-Panvel	D	1115	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
K8112	Kidney biopsy for Medical Renal Disease	Alibag-Panvel	D	5300	Daily : 9:00am	7th day	1) Tissue in 10% NB formalin for histopathology 2) Tissue in Michel Medium for Immunofluorescence. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium.
K8113	Kidney biopsy for Transplant Pathology	Alibag-Panvel	D	10495	Daily : 9:00am	14th day	1) Tissue in 10% NB formalin for histopathology 2) Tissue in Michel Medium for Immunofluorescence. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium.
L0001	Lactate CSF	Alibag-Panvel	C	1380	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
L0002	Lactate Biochemical Plasma	Alibag-Panvel	C	1380	Daily: 9am to 9pm	After 6 hrs	2 ml of Fluoride Plasma Labile Analyte
L0003	Lactose Tolerance Test 5 Samples for Glucose, Plasma	Alibag-Panvel	C	635	Daily: 9am to 9pm		2 ml of flouride plasma (5Samples)
L0004	Lambda Light Chains by Flow cytometry	Alibag-	D	3180	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
L0005	Lambda Light Chains-Total Urine	Alibag-Panvel	D	3710	Daily: 7.30am	Same day 5pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
L0006	Lamotrigine Level Plasma**	Alibag-Panvel	D	4560	Tue : 11:30am	Next day : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
L0007	LAP Score	Alibag-Panvel	B	1360	Daily : 11:30am	3rd day : 6:00pm	5 Peripheral Blood Smears and EDTA Blood. Clinical history and clinician no is mandatory
L0008	Liver cytosolic antigen type-1(LC-1)Antibody, Serum	Alibag-Panvel	C	2970	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0009	LD (Leigh`s Disease),Blood **	Alibag-Panvel	R	15515	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
L0010	LD bodies Leishmania Dodovani bodies by Microscopy - Blood	Alibag-Panvel	B	1015	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA Bone Marrow in EDTA Vacutainer
L0011	LD bodies Leishmania Dodovani bodies by Microscopy - Bone Marrow	Alibag-Panvel	C	1005	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
L0012	LDH Lactate Dehydrogenase Serum	Alibag-Panvel	A	385	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0013	LDH Lactate Dehydrogenase Ascitic Fluid	Alibag-Panvel	A	480	Daily: 9am to 9pm	After 6 hrs	2 ml of Ascitic Fluid
L0014	LDH Lactate Dehydrogenase Peritoneal Fluid	Alibag-Panvel	A	480	Daily: 9am to 9pm	After 6 hrs	2 ml of Peritoneal Fluid
L0015	LDH Lactate Dehydrogenase Pleural Fluid	Alibag-Panvel	A	480	Daily: 9am to 9pm	After 6 hrs	2 ml of Pleural Fluid
L0016	LDH- Isoenzyme by Electrophoresis Serum	Alibag-Panvel	D	4875	Wed : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0017	LDL Cholesterol -Direct serum	Alibag-Panvel	A	340	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0019	Lead, Blood	Alibag-Panvel	C	2280	Daily:7:30 am	Same day 8:00 PM	HeavyMetalSamplingguidelines.pdf
L0020	Lead, Urine 24 Hrs	Alibag-Panvel	C	2015	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
L0021	Lead,Urine Spot	Alibag-Panvel	C	2015	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
L0022	Legionella Culture by Vitek/ MALDITOF - Sputum / BAL**	Alibag-Panvel	R	1285	Daily : 9:00am to 9:00pm	15th day : 5pm	2 ml of Sputum in Sterile leak proof container
L0026	Legionella Pneumophila Antigen detection Urine	Alibag-Panvel	C	3125	Daily : 9:00am to 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
L0027	Legionella Pneumophila IgG antibodies by EIA - Serum	Alibag-Panvel	C	2915	Mon & Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0028	Legionella Pneumophila IgM antibodies by EIA - Serum	Alibag-Panvel	C	3075	Mon & Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0029	Leishmania Antibody-IgG Antibody for Kala Azar by EIA - Serum	Alibag-Panvel	C	1970	Tuesday/Friday 9 am	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0034	Leptin Human Serum	Alibag-Panvel	D	4450	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0035	Leptospira Detection by smear examination - Blood	Alibag-Panvel	B	640	Daily : 9:00am to 3:00pm	After 6 hrs	3 ml of Whole Blood in EDTA Vacutainer
L0036	Leptospira Detection by smear examination - CSF	Alibag-Panvel	B	750	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
L0037	Leptospira Detection by smear examination - Urine	Alibag-Panvel	B	750	Daily : 9:00am to 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
L0038	Leptospira DNA Detection by Real Time PCR - Blood	Alibag-Panvel	D	2330	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
L0039	LeptospiraDNA Detection by Real Time PCR - Urine	Alibag-Panvel	D	2330	Daily : 10:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container
L0040	Leptospira IgG antibodies by EIA - Serum	Alibag-Panvel	C	1220	Daily : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0041	Leptospira IgM antibodies by EIA - Serum	Alibag-Panvel	C	1220	Daily : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0042	Leptospira Profile	Alibag-Panvel	C	2570	Daily : 11:30am	same day 11:00 pm	3 ml of Whole Blood in EDTA Vacutainer, 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0043	Leucine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
L0044	Leucine Quantitative Urine 24H**	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
L0046	Leukemia panel by FISH - ALL	Alibag-Panvel	D	14840	Daily : 9:00am	5th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0047	Leukemia panel by FISH - AML	Alibag-Panvel	D	15900	Daily : 9:00am	5th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0051	Leukemia panel by FISH - CLL	Alibag-Panvel	D	14840	Daily : 9:00am	5th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0052	Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Bone Marrow/Leukemic Blood	Alibag-Panvel	D	12720	Daily : 9:00am	5th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0053	Myelodysplastic Syndrome (MDS) Panel by FISH, Bone marrow	Alibag-Panvel	D	9540	Daily : 9:00am	5th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0054	Comprehensive Multiple Myeloma Panel by FISH	Alibag-Panvel	D	16960	Daily : 9:00am	7th day : 6:00pm	3 ml of Heparin Bone Marrow
L0055	Leukemia -Acute Leukemia Panel, Blood	Alibag-Panvel	D	11130	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA or heparin blood and Direct smears required
L0056	Leukemia - Acute Leukemia Panel, Bone Marrow	Alibag-Panvel	D	11130	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA and heparin bone marrow. Direct smears required
L0057	Leukemia - Chronic Lymphoproliferative Disorder Panel, Blood	Alibag-Panvel	D	14630	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA or heparin blood and Direct smears required
L0058	Leukemia - Chronic Lymphoproliferative Disorder Panel, Bone Marrow	Alibag-Panvel	D	14630	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA or heparin bone marrow and Direct smears required
L0065	Myeloma panel by flowcytometry, Bone marrow**	Alibag-Panvel	D	9750	Daily : 11:30am	5th day : 6:00pm	3 ml of EDTA or heparin bone marrow and Direct smears required
L0066	LH-Luteinizing Hormone ECLIA Serum	Alibag-Panvel	B	540	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0067	LHON (Leber's hereditary optic neuropathy) by PCR**	Alibag-Panvel	R	17120	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
L0068	Lipase Serum	Alibag-Panvel	B	640	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0068_Fluid	Fluid Lipase	Alibag-Panvel	B	705	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0069	Lipase Urine	Alibag-Panvel	B	705	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
L0070	Lipid Profile - Maxi	Alibag-Panvel	C	1500	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0071	Lipid Profile-Mini	Alibag-Panvel	B	680	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0071_NF	Lipid profile 2 (Non- fasting)	Alibag-Panvel	B	695	Daily: 9am to 9pm	Lipid profile 2 (Non- fasting)	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0072	Lipid ScreenCholesterol and TriglyceridesSerum	Alibag-Panvel	B	480	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0072_NF	Lipid profile 3 (Non- fasting)	Alibag-Panvel	B	480	Daily: 9am to 9pm	Lipid profile 3 (Non- fasting)	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0073	Total Lipids, serum	Alibag-Panvel	A	405	Daily: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0076	Lipoprotein Electrophoresis, Serum	Alibag-Panvel	C	2860	Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0077	Lithium Serum	Alibag-Panvel	C	530	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0079	Liver Function Test-1(Maxi)	Alibag-Panvel	B	1580	Daily: 9am to 9pm	After 6 hrs	5 ml of serum and 3 ml of citrate plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0080	Liver Function Test-2(Mini)	Alibag-Panvel	B	1100	Daily: 9am to 9pm	After 6 hrs	5 ml of serum
L0081	Liver Onco Marker Profile	Alibag-Panvel	D	1590	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
L0082	Liver Function Test-3 (LIVER SCREEN)	Alibag-Panvel	B	535	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0083	LKM1 by IFA Liver Kidney Microsomes Reflex to end point titre Serum	Alibag-Panvel	C	2015	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0084	Lp(a)Lipoprotein(a) serum	Alibag-Panvel	C	1115	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0085	Lung Marker Profile	Alibag-Panvel	D	7580	Wed/Sat- 7:30 am	Next day 5:00 pm	3 ml of Serum and 3 ml of EDTA plasma
L0086	Lupus Anticoagulants (LAC) profile	Alibag-Panvel	D	2200	Daily: 9am and 5pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
L0087	LymeBorrelia Burgdorferi IgG antibodies by EIA - Serum	Alibag-Panvel	C	1800	Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0089	LymeBorrelia Burgdorferi IgM antibodies by EIA - Serum	Alibag-Panvel	C	1800	Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0091	Lysine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
L0092	Lysine Quantitative Urine	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
L0097	Leukemia Characterisation Panel for CLPD, Blood	Alibag-Panvel	D	20990	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA and heparin blood. Direct smears required
L0098	Leukemia Characterisation Panel for CLPD , Bone Marrow	Alibag-Panvel	D	20990	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA and heparin bone marrow and Direct smears required
L0099	Leukemia Comprehensive workup panel- Acute Leukemia, Blood	Alibag-Panvel	D	26500	Daily : 11:30am	12th day : 6:00pm	3 ml of EDTA and heparin blood. Direct smears required
L0100	Leukemia Comprehensive workup panel- Acute Leukemia, Bone Marrow	Alibag-Panvel	D	26500	Daily : 11:30am	12th day : 6:00pm	3 ml of EDTA and heparin bone marrow. Direct smears required
L0101	Leukemia CMPD Panel: JAK2 by PCR and BCR-ABL by FISH,Blood	Alibag-Panvel	D	9330	Daily : 9:00am	5th day : 6:00pm	3 ml of EDTA and Na-heparin blood and Direct smears required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0102	Leukemia CMPD Panel: JAK2 by PCR and BCR-ABL by FISH, Bone Marrow	Alibag-Panvel	D	9330	Daily : 9:00am	5th day : 6:00pm	3 ml of EDTA Bone Marrow
L0103	Lp- PLA2 (PLAC)Cardiac risk marker serum	Alibag-Panvel	D	2650	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0105	Leukemia panel by FISH - ALL, Leukemic Blood	Alibag-Panvel	D	14840	Daily : 9:00am	5th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0106	Leukemia AML panel by FISH, Leukemic Blood	Alibag-Panvel	D	15900	Daily : 9:00am	5th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0107	Leukemia panel by FISH - CLL, Leukemic Blood	Alibag-Panvel	D	14840	Daily : 9:00am	5th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0108	Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Leukemic Blood	Alibag-Panvel	D	12720	Daily : 9:00am	5th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0109	Myelodysplastic Syndrome (MDS) Panel by FISH	Alibag-Panvel	D	9540	Daily : 9:00am	5th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0111	Lymphocyte subset panel with NK cells	Alibag-Panvel	D	7315	Daily : 11:30am	Next day : 5:00pm	6 ml EDTA whole Blood
L0112	LDH Lactate Dehydrogenase CSF	Alibag-Panvel	A	480	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
L0113	Lyme-Borrelia Burgdorferi IgM by EIA - CSF	Alibag-Panvel	C	5090	Sat : 11:30am	Next day : 5:00pm	2 ml of CSF in Sterile leak proof tube or container
L0114	Lyme-Borrelia Burgdorferi IgG by EIA - CSF	Alibag-Panvel	C	5090	Sat : 11:30am	Next day : 5:00pm	2 ml of CSF in Sterile leak proof tube or container
L0117	Leukemia translocation Panel (ALL)* - t(1;19), t(4;11), t(9;22), t(12;21)	Alibag-Panvel	D	7950	Daily : 9:00am	7th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
L0118	Leukemia translocation Panel (AML)* - t(8;21), t(15;17), Inv(16)	Alibag-Panvel	D	7950	Daily : 9:00am	7th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0120	LDH	Alibag-Panvel	A	385	Daily	After 6 hrs	and TRF mandatory. Sample should reach to the lab within 48 to 72 hours. Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
L0123	LDH Body fluid	Alibag-Panvel	A	480	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
L0133	LUNG CANCER TARGETED THERAPY PANEL (EGFR+ALK+ROS1)	Alibag-Panvel	E	20290	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
L0134	Lung Panel by NGS [EGFR, BRAF, MET (includes Ex-14 skipping), RET, ERBB2, KRAS (SNVs & small INDELs); ALK, ROS1, RET and NTRK1, NTRK2, NTRK3 (Fusions)]	Alibag-Panvel	E	32000	Daily 9:00 am	25th Days	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
L0135	Lead, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
L0136	Lead, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
L0138	Lithium, Spot Urine**	Alibag-Panvel	C	2915	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
L0139	Leukemia Panel-Ph like B-ALL, Bone Marrow **	Alibag-Panvel	R	20330	Daily : 11:30am	10th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0139_BLOOD	Leukemia Panel-Ph like B-ALL, Blood**	Alibag-Panvel	R	20330	Daily : 9:00am	8th day : 6:00pm	3 ml BLOOD in Na-heparin vacutainer
L0140	Leukemia Panel-T-ALL, Blood**	Alibag-Panvel	R	17120	Daily : 11:30am	8th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0140_BM	Leukemia Panel-T-ALL, Bone marrow**	Alibag-Panvel	R	17120	Daily : 11:30am	10th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0141	Leukemia Panel-AML Mutation, Blood	Alibag-Panvel	D	12400	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
L0141_BM	Leukemia Panel-AML Mutation, Bone marrow	Alibag-Panvel	D	9540	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
L0142	NextGen Oncomine Myeloid 69 Gene Panel	Alibag-Panvel	E	20050	DAILY : 9 : 00 AM	20 Days	6 ml EDTA whole Blood
L0143	Leptin deficiency (LEP) -Gene Analysis	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
L0144	Myeloma MRD Flow cytometry Bone marrow **	Alibag-Panvel	R	19795	Daily : 11:30am	5th day : 6:00pm	sample : 3 ml of EDTA Bone Marrow & direct smear
L0145	Flow for AML MRD**	Alibag-Panvel	R	19795	Daily : 11:30am	5th day : 6:00pm	3 ml of EDTA Bone Marrow & General Instruction Local Samples reaching in 24 Hours can be send in Ambient condition and outstation samples to be shipped

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							at Refrigerated condition. Do not keep EDTA or Heparin blood samples in contact with ice packs. Do not freeze. Medical history / Heamato-pathological reports with referring doctors number.
L0146	Lip biopsy for Sjogrens syndrome (Focus score) with WSI	Alibag-Panvel	C	2330	Daily : 9:00am	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
L0152	Lung Cancer NGS panel (SNVs, InDels and Fusions)- Liquid Biopsy**	Alibag-Panvel	E	46200	Daily : 11:30am	25th day : 6:00pm	Peripheral Blood in Streck tube (2 tubes of 10 ml each) (Tube supplied upon request)
L1008	Levetiracetam, serum	Alibag-Panvel	D	5830	Wed : 11:30am	Next day : 5:00pm	3 ml of serum(sample collect in, plain vacutainer, not in gel tube)
L1015	LISTERIA MONOCYTOGENES - SEROLOGY	Alibag-Panvel	R	7490	Daily: 7.30am	1 month	3 ml of serum for single test and 5 ml serum for profiles and reflex tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment.
L1901	Canine - Lipase	Alibag-Panvel	B	640	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
L1902	Canine - Liver profile	Alibag-Panvel	D	900	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
L8015	LH/FSH Ratio Serum	Alibag-Panvel	B	910	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0001	Anti MAG (Myelin associated Glycoprotein) Ab (M0001)	Alibag-Panvel	D	4560	Tue & Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0002	Magnesium Serum	Alibag-Panvel	B	520	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0003	Magnesium, Spot Urine	Alibag-Panvel	B	610	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
M0004	Magnesium Urine 24H	Alibag-Panvel	B	610	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
M0006	Malaria Parasite detection by Direct Smear examination by Microscopy - Blood	Alibag-Panvel	B	165	Daily : 9:00am, 1:00pm, 5:00pm	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
M0007	Malaria DNA Detection by Real Time PCR - Blood	Alibag-Panvel	C	3125	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
M0008	Malaria Detection by QBC - Blood	Alibag-	B	375	Daily : 9:00am,	After 6 hrs	3 ml of EDTA Whole Blood in EDTA

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel			1:00pm, 5:00pm		Vacutainer
M0009	Malaria Profile reflex Malaria antigen by Immunochromatography - Blood	Alibag-Panvel	C	405	Daily : 9:00am, 1:00pm, 5:00pm	After 4 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
M0010	Malarial Antigen Vivax & Falciparum by Immunochromatography - Blood	Alibag-Panvel	B	520	Daily : 9:00am, 1:00pm, 5:00pm	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
M0011	Manganese Blood	Alibag-Panvel	D	3350	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0012	Manganese Serum	Alibag-Panvel	D	3350	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0013	Manganese Urine	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0014	Manganese Urine 24H**	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0015	Mantoux test Tuberculin test (10TU)	Alibag-Panvel	O	240	Daily : 9:00am to 9:00pm	3rd day : 5pm	Mycobacteriology.pdf
M0015_2TU	Mantoux test Tuberculin test (2TU)	Alibag-Panvel	O	250	Daily : 9:00am to 9:00pm	3rd day : 5pm	Mycobacteriology.pdf
M0015_5TU	Mantoux test Tuberculin test (5TU)	Alibag-Panvel	O	250	Daily : 9:00am to 9:00pm	3rd day : 5pm	Mycobacteriology.pdf
M0019	MDMA (Qualitative) Ecstasy, XTC Urine Spot	Alibag-Panvel	D	740	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
M0020	Measles Virus IgG Antibody by CLIA - Serum	Alibag-Panvel	C	1910	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0021	Measles Virus IgG Antibody by EIA - CSF	Alibag-Panvel	C	3605	Tue & Fri : 7:00am	Next day : 5pm	2 ml of CSF in Sterile leak proof tube or container & 2 mL Serum
M0022	Measles Virus IgM Antibody by CLIA - Serum	Alibag-Panvel	C	1910	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0023	Medullary Thyroid Carinoma Mutation Detection Sequencing method Blood**	Alibag-Panvel	R	16455	Daily : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0024	MELAS-Mutation Detection Blood**	Alibag-Panvel	R	6420	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0026	Meningitis (viral) Profile IgG by CLIA - Serum	Alibag-Panvel	D	5090	Wed : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0027	Meningitis (viral) Profile IgG & IgM by CLIA - Serum	Alibag-Panvel	D	8375	Wed : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0028	Meningitis (viral) Profile IgM by CLIA - Serum	Alibag-Panvel	D	5140	Wed : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0029	Menopause	Alibag-Panvel	C	3390	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
M0030	Menopause diagnostic profile	Alibag-Panvel	C	2065	Daily: 9am to 9pm	After 6 hrs	5 ml of serum
M0031	Menopause monitoring profile	Alibag-Panvel	C	2225	Daily: 9am to 9pm	After 6 hrs	5 ml of serum
M0032	Mercury Blood	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0033	Mercury Serum	Alibag-Panvel	D	3350	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0034	Mercury Urine	Alibag-Panvel	D	3605	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0035	Mercury Urine 24H**	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0036	MERRF Mutation Detection Blood**	Alibag-Panvel	R	10700	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0037	Neoxpert by GCMS**	Alibag-Panvel	R	7385	Daily : 11:30am	4th day : 6:00pm	ice packs. Do not freeze. TRF, history is mandatory. Spot Urine:10 ml of Spot urine required with clinical history and clinician number.
M0038	Metabolic Screen	Alibag-Panvel	R	7490	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
M0039	Metanephrine- Free Plasma	Alibag-Panvel	D	5500	Tue & Fri : 11:30am	Next day : 5:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
M0040	Metanephrine level, HPLC, 24 hrs urine	Alibag-Panvel	D	3500	Mon & Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
M0041	Methadone Dolophine Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
M0042	Methamphetamine Qualitative Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
M0042	Methamphetamine Qualitative Urine Spot	Alibag-Panvel	B	730	Daily : 9:00am to 9:00pm	After 10 mins	Urine
M0043	Methaqualone Qualitative Urine Spot	Alibag-	B	730	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0044	Meth-Haemoglobin Blood	Panvel Alibag-Panvel	C	1060	Daily : 11:30am	Next day : 5:00pm	3 ml of Heparin Blood. Sample required within 12 to 24 hrs after collection & avoid holiday & weekends.
M0045	Methionine Quantitative Plasma*	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
M0046	Methionine Quantitative Urine SPOT**	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
M0047	Methotrexate Serum	Alibag-Panvel	C	3390	W, S: 7.30am	Same day at 6pm	3 ml of serum(sample collect in, plain vacutainer, not in gel tube)
M0048	Methyl Malonic Acid Qualitative Urine Spot	Alibag-Panvel	R	750	Daily : 11:30am	5th day : 6:00pm	15 ml of Spot Urine
M0049	Methyl Malonic Acid Quantitative Urine SPOT**	Alibag-Panvel	R	13910	Daily : 11:30am	5th day : 6:00pm	15 ml of Spot Urine
M0050	MGMT PCR Temozolomide Resistance Tissue**	Alibag-Panvel	R	17440	Daily : 11:30am	25th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
M0051	MICM By PCR Maternally Inherited Cardiomyopathy Blood**	Alibag-Panvel	R	7490	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0052	Microalbumin Urine 24H	Alibag-Panvel	B	610	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
M0053	Microalbumin / Creatinine Ratio Urine Spot	Alibag-Panvel	B	610	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
M0054	Microsporidium Detection by modified ZN Stain - Stool	Alibag-Panvel	B	590	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
M0055	Mitochondrial (M2) Antibody by IFA Reflex to end point titre Serum	Alibag-Panvel	C	2015	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0059	Mixing Studies (APTT)	Alibag-Panvel	B	3075	Daily: 9am and 4pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
M0060	MMC-Mutation Detection Maternal Myopathy With Cardiomyopathy Blood**	Alibag-Panvel	R	7490	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0061	MM-Mutation Detection Mitochondrial Myopathy	Alibag-Panvel	R	9095	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0063	MPO by EIA, p-ANCASerum	Alibag-Panvel	C	1485	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0064	(cMPO)Myeloid cell marker	Alibag-Panvel	D	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition (preferably). Clinical history and clinician details required.
M0065	MPO (Myeloperoxidase)Stain, Blood	Alibag-Panvel	C	850	Daily : 11:30am	3rd day : 6:00pm	3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory
M0066	MPO (Myeloperoxidase) Stain, Bone Marrow	Alibag-Panvel	C	1060	Daily : 11:30am	3rd day : 6:00pm	3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory
M0068	MRSA Screen - Nasal swab	Alibag-Panvel	C	955	Daily : 9:00am to 9:00pm	2nd day : 5pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
M0069	MSUD-Maple Syrup Urine Disorder Neonatal Screen Blood	Alibag-Panvel	D	530	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
M0070	MTHFR C677T/A1298C Mutations	Alibag-Panvel	D	7200	Wed & Fri: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
M0071	Mucopolysaccharides (MPS) Type-I Blood**	Alibag-Panvel	R	5885	Daily : 11:30am	7th day : 6:00pm	10 ml sodium Heparin OR EDTA Blood
M0072	Mucopolysaccharides (MPS) Type-VI Blood**	Alibag-Panvel	R	2355	Daily : 11:30am	7th day : 6:00pm	10 ml sodium Heparin OR EDTA Blood
M0074	Mucopolysaccharides, urine	Alibag-Panvel	D	585	Daily : 11:30am	Next day : 5:00pm	10 ml of Spot urine
M0075	Multiple Sclerosis Profile, Maxi	Alibag-Panvel	D	10070	Tue and Fri: 9am	Next day 7pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.
M0076	Multiple Sclerosis Profile, Mini	Alibag-Panvel	D	6350	Tue and Fri: 9am	Next day 7pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.
M0078	Mumps virus IgG Antibody by CLIA - Serum	Alibag-Panvel	C	1800	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0079	Mumps virus IgM Antibody by CLIA - Serum	Alibag-Panvel	C	1800	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0080	MUSK Antibody Myasthenia gravis Serum	Alibag-Panvel	C	6890	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0081	Myasthenia Gravis Profile	Alibag-Panvel	D	11340	Mon: 9am	5th day	5 ml of serum
M0086	Mycoplasma Pneumoniae IgG Antibody by EIA - Serum	Alibag-Panvel	C	2280	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0087	Mycoplasma Pneumoniae IgM Antibody by EIA - Serum	Alibag-Panvel	C	2490	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0091	Myoglobin Serum	Alibag-Panvel	C	2575	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0092	Myoglobin Urine Spot	Alibag-Panvel	C	1270	Daily: 9am to 9pm	After 8 hrs	tests. 10 ml of Spot urine
M0095	Myotonic Dystrophy Type 1 (DM1) Mutation Analysis	Alibag-Panvel	E	7570	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
M0099	MRSA screen Methicillin Resistant Staphylococcus aureus - PCR	Alibag-Panvel	C	2120	Daily : 9:00am	Same day : 5:00pm	One swab from Nasal, Groin and Axilla.
M0100	Multiple myeloma workup panel	Alibag-Panvel	D	21145	Daily : 9:00am	7th day : 6:00pm	3 ml of EDTA Bone Marrow, 4ml of heparin Bone marrow, Serum, Direct smears
M0101	MPL W515/S505 Mutation Analysis, Blood	Alibag-Panvel	E	6335	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
M0102	MPL W515/S505 Mutation Analysis, Bone marrow	Alibag-Panvel	E	6180	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
M0103	Microsatellite Instability (MSI), HNPCC/Lynch Synd	Alibag-Panvel	D	14840	Mon, Wed & Fri: 9:00am	10th day : 6:00pm	â€¢ Clinical history with Histopathology report. FFPE Block - Ambient & EDTA Blood
M0104	MYCN Neuroblastoma (n MYC gene amplification)**	Alibag-Panvel	R	13910	Daily : 11:30am	12th Day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0108	Metachromatic Leukodystrophy gene**	Alibag-Panvel	R	21400	Daily : 11:30am	After 4 weeks : 6:00pm	Ambient temperature. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0132	MISMATCH REPAIR (MMR) PROTEIN IMMUNOHISTOCHEMISTRY ONLY	Alibag-Panvel	D	9010		5th Day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
M0136	Marfan s syndrome By NGS**	Alibag-Panvel	R	22470	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0140	Muscular Dystrophy & Congenital Myopathy gene panel**	Alibag-Panvel	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0141	Methylmalonic acids Quantitative Serum**	Alibag-Panvel	R	3425	Thu : 11:30am	4th day : 6:00pm	3ml of serum
M0142	MET Amplification FISH	Alibag-Panvel	E	10300	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0145	Maturity-Onset Diabetes of the Young (MODY) & neonatal diabetes gene panel**	Alibag-Panvel	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0147	MLH1 Promoter Hypermethylation	Alibag-Panvel	E	7315	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	â€¢ Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable.
M0149	MSH2 Sequencing and deletion duplication analysis	Alibag-Panvel	E	18540	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0150	MMR IHC Reflex to BRAF CD600 and MHL1 promoter Hypermethylation	Alibag-Panvel	D	11660	Daily : 9:00am	After 2 weeks : 6:00pm	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0151	Metanephrine- Fractionated Plasma	Alibag-Panvel	D	7630	Tue & Fri : 11:30am	Next day : 5:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
M0153	Combine screening of Pre-eclampsia & Trisomies	Alibag-Panvel	D	3710	Daily cut off 7:30 AM	same day 9:00 PM	3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements
M0154	Meningitis/Encephalitis panel by FilmArray (Biofire) - CSF	Alibag-Panvel	E	19055	Daily : 9:00am to 9:00pm	After 10 hrs	2ml of CSF in Sterile leak proof tube or container
M0160	MMR IHC Reflex to MSI PCR	Alibag-Panvel	D	8375	Daily : 9:00am	After 2 weeks : 6:00pm	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
M0161	Myositis Profile-IgG(16 Antigen)	Alibag-Panvel	D	12000	Daily: 11:30am	Next day 8pm	4 ml of serum
M0163	Magnesium, Hair tests by ICPMS**	Alibag-Panvel	R	5885	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
M0164	Manganese, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							storage and shipping. Plz enquire before sending
M0165	Manganese, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
M0166	Marijuana confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
M0167	Mercury, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
M0169	Metals profile-1, EDTA whole blood **	Alibag-Panvel	D	6360	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0170	Metals profile-1, Spot urine	Alibag-Panvel	D	6360	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0172	Metals profile-2, Spot urine**	Alibag-Panvel	R	12305	Daily : 11:30am	10th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0174	Metals profile-3, Spot urine**	Alibag-Panvel	R	16585	Daily : 11:30am	10th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0175	Methadone confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
M0176	Methaqualone confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0178	Minerals profile, Hair**	Alibag-Panvel	R	12305	Daily : 11:30am	10th day : 6:00pm	at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
M0179	Minerals profile, Spot Urine**	Alibag-Panvel	R	12305	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
M0181	Molybdenum, Hair tests by ICPMS**	Alibag-Panvel	R	5885	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
M0182	Molybdenum, Spot Urine**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
M0183	Mucorales (Mucormycosis) DNA Detection by Real Time PCR - Body fluids/CSF/EDTA Blood/Pure culture/Sputum/Tissue	Alibag-Panvel	C	6890	Daily : 7:30am	3rd Day : 6:00pm	3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container
M0193	MetroHealth Instant Glucose Fasting	Alibag-Panvel	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0194	MetroHealth Instant Glucose Post Prandial	Alibag-Panvel	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0195	MetroHealth Instant Glucose Random	Alibag-Panvel	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0196	MetroHealth Instant Haemoglobin	Alibag-Panvel	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0197	MetroHealth Instant Urine	Alibag-Panvel	L0	150	Daily : 9:00am to 9:00pm	After 5 mins	Urine
M0823	Macro TSH (TSH, Free TSH,% Recovery) Serum	Alibag-Panvel	C	530	Daily: 9am to 9pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0824	Anti diabetic drug contents	Alibag-Panvel	R	5885	Daily : 11:30am	10th day : 6:00pm	Require clinician provisional diagnosis, homeopathic, allopathic,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
M0825	Medicine test profile (steroids, heavy metals, anti diabetic, NSAIDS)	Alibag-Panvel	R	21400	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
M0826	NSAID contents	Alibag-Panvel	R	3210	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
M0829	Monogenic and syndromic obesity-Gene Panel	Alibag-Panvel	E	20600	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0830	MTB Antibigram (TB NGS) by Next Generation Sequencing - Pure Culture	Alibag-Panvel	R	9095	Daily : 11:30am	15th day : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
M0831	MPA (Mycophenolic Acid)	Alibag-Panvel	C	2385	Daily: 9am to 9pm	After 6 hrs	require serum (3ml) sample collected in fasting status preferably but not mandatory.
M5085	MPN Comprehensive Panel (Blood)	Alibag-Panvel	D	15900	Tue & Fri : 9:00am	7th day : 6:00pm	3ml whole blood in EDTA Vacutainer & 3ml Heparin blood
M5086	MPN Comprehensive Panel (Bone Marrow)	Alibag-Panvel	D	15900	Tue & Fri : 9:00am	7th day : 6:00pm	3ml Bone Marrow in EDTA Vacutainer & 3ml Bone Marrow
M5097	MTB triple combo (For pulmonary samples)	Alibag-Panvel	D	7100	Daily : 7:30am	After 6 weeks : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M5098	MTB triple combo (For extra pulmonary samples)	Alibag-Panvel	D	7100	Daily : 7:30am	After 6 weeks : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
M5768	MetroHealth Instant 5 min Screen Pkg	Alibag-Panvel	L0	350	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood-Finger Prick , 30 to 60 ml of Urine in a leak proof container.
M8027	Myotonic Dystrophy Type 2 (3q 21)	Alibag-Panvel	R	9630	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M8228	MIC OF COLISTIN BY MICRO BROTH DILUTION	Alibag-Panvel	C	530	Daily : 9:00am to 9:00pm	3rd day : 6:00pm	Pure culture isolate is required with identification upto species level.
M8268	MTB Xpert XDR Rapid (For Pulmonary Samples)	Alibag-Panvel	D	3900	Daily : 7:30am	Same day : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container
M8269	MTB Xpert XDR Rapid (For Extra pulmonary Samples)	Alibag-Panvel	D	3900	Daily : 7:30am	Same day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
M8346	MELD package	Alibag-Panvel	R	1285	Daily 9.00am to 9.00pm	Same day at 5.00pm	
N0001	N- Acetyl Glucosamine 6 Sulphate Sulphatase Blood**	Alibag-Panvel	R	9095	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
N0002	NARP Neurogenic Ataxia Retinitis Pigmentosa Blood**	Alibag-Panvel	R	6955	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0003	Natural Killer cells	Alibag-Panvel	D	4770	Daily : 11:30am	Next day : 5:00pm	6 ml EDTA whole Blood
N0006	Neisseria Gonorrhoeae Culture & Identification by Vitek/ MALDITOF - Urethral discharge	Alibag-Panvel	C	1220	Daily : 9:00am to 9:00pm	3rd day : 5pm	2 ml of Urethral Discharge in Sterile leak proof container
N0007	Neisseria Gonorrhoeae Culture & Identification Vitek/ MALDITOF - Vaginal discharge	Alibag-Panvel	C	1165	Daily : 9:00am to 9:00pm	3rd day : 5pm	2 ml of Vaginal Discharge in Sterile leak proof container
N0008	Neisseria Gonorrhoea DNA Detection by Real Time PCR - Genital swab	Alibag-Panvel	C	3605	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
N0009	Neisseria Gonorrhoea DNA Detection by Real Time PCR - Urethral discharge	Alibag-Panvel	C	3605	Wed & Sat : 9:00am	Next day : 5:00pm	2ml of Urethral Discharge in Sterile leak proof container
N0010	Neisseria Gonorrhoea DNA Detection by Real Time PCR - Urine	Alibag-Panvel	C	3605	Wed & Sat : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
N0011	Neisseria Meningitidis A,C,Y W135 Antigen detection by Agglutination - CSF	Alibag-Panvel	C	2705	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
N0012	Neoxpert IAP (Newborn Screening 3 Analytes)	Alibag-Panvel	C	900	Daily 11:30am	Next Day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0013	Neoxpert 5 (Newborn Screening 5 Analytes)	Alibag-Panvel	C	1645	Daily 9:00am	Next day : 5:00pm	<p>the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.</p> <p>Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.</p>
N0014	Neoxpert 8 (Newborn Screening 8 Analytes)	Alibag-Panvel	C	2650	Daily 9:00am	Next day : 5:00pm	<p>Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
N0015	Neoxpert by TMS (Newborn Screening 40+ Analytes)	Alibag-Panvel	C	5195	Daily : 11:30am	5th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
N0017	Neuronal Antibody Profile	Alibag-Panvel	E	9270	Daily: 11:30am	Next day 8pm	3 ml of serum
N0018	Nickel EDTA Whole Blood	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
N0019	Nickel Serum	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
N0020	Nickel, Urine Spot	Alibag-Panvel	D	3500	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
N0021	Nicotine Metabolite Quantitative Serum	Alibag-Panvel	C	1485	Daily: 7.30am	Same Day 7.30pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0022	Nicotine Metabolite Quantitative Urine Spot	Alibag-Panvel	C	1485	Daily: 7.30am	Same Day 7.30pm	2 ml of Spot Urine
N0023_NIPS	NEXTGEN NON-INVASIVE PRENATAL SCREENING TEST	Alibag-Panvel	E	16000	Daily : 9:00am	8th day : 6:00pm	Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo Identification Proof.
N0027	NMDA Receptor Antibody (NR1), CSF	Alibag-Panvel	D	6785	Mon & Thu : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
N0028	NMDA Receptor Antibody (NR1) Autoimmune encephalitis Serum	Alibag-Panvel	D	7950	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0029	NMO (Aquaporin 4)Neuromyelitis Optica Antibodies Serum	Alibag-Panvel	C	4980	Tue & Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0030	NMO (Aquaporin 4)Neuromyelitis Optica Antibodies CSF	Alibag-Panvel	C	4980	Tue & Fri : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
N0032	Nocardia Detection by smear examination - Sputum	Alibag-Panvel	B	590	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of Sputum in Sterile leak proof container
N0033	Nocardia Detection by smear examination -	Alibag-	B	590	Daily : 9:00am to	After 6 hrs	Tissue with Normal Saline in Sterile

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0034	Tissue Nor-Adrenaline (Nor-Epinephrine) Plasma	Panvel Alibag-Panvel	D	3815	3:00pm Wed : 11:30am	Next day : 7:00pm	leak proof container Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
N0035	Nor-Adrenaline (Nor-Epinephrine) Urine-HPLC	Alibag-Panvel	D	3815	Wed : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
N0036	Nor-Metanephrine-Free Plasma	Alibag-Panvel	D	4920	Tue & Fri : 11:30am	Next day : 7:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
N0037	Nor-Metanephrine, HPLC, urine 24 hrs	Alibag-Panvel	D	2545	Mon & Thu : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
N0039	NPM1 mutations AML - Blood	Alibag-Panvel	D	4240	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
N0040	NPM1 mutations AML - Bone Marrow	Alibag-Panvel	D	4240	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
N0041	NRAS mutations Exon-2 & 3 FFPE Tissue	Alibag-Panvel	D	7790	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
N0042	NSE Neuron Specific Enolase CSF	Alibag-Panvel	D	3605	Tue & Fri: 11:30am	After 8hrs	2 ml of CSF in leakproof container (foolin vu conical tube is recommended to prevent leakage).
N0043	NSE Neuron Specific Enolase Serum	Alibag-Panvel	D	3900	Tue & Fri: 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0044	NT-Pro BNP Serum	Alibag-Panvel	C	3200	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0045	NTxN-Tellopeptide (Collagen Crosslinked)Urine 24H	Alibag-Panvel	C	3390	Wed : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
N0047	NMDA- CSF & Serum	Alibag-Panvel	D	11660	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests. 2 ml of CSF in sterile screw capped container.
N0048	NMO- CSF & Serum	Alibag-Panvel	D	7950	Tue & Fri : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
N0056	Neuronal Antibody Profile-3	Alibag-Panvel	E	15860	Daily: 11:30am	Next day 8pm	3 ml of serum
N0057	Neoxpert Expanded Screening Panel (Newborn Screening 48+ Analytes)	Alibag-Panvel	D	6360	Daily : 11:30am	5th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
N0058	Comprehensive Neurology panel**	Alibag-Panvel	R	23540	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
N0059_Serum	NMO with MOG Antibody Profile	Alibag-Panvel	D	6900	Daily : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0060_CSF	NMO with MOG Antibody Profile	Alibag-Panvel	D	7210	Daily : 11:30am	Same day : 9:00pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
N0061	Nocardia Susceptibility by Microbroth dilution - Pure Culture	Alibag-Panvel	C	3445	Daily : 9:00am	15th day : 5pm	Pure growth of Nocardia spp. on Blood/Chocolate Agar plate. Kindly provide Previous identification report of Nocardia.
N0062	Nitrosonaphthol Test Qualitative, Spot Urine	Alibag-Panvel	R	21400	Daily : 11:30am	5th day : 6:00pm	10 ml of Spot sample in Leakproof container. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas tea , coffee , cold drink avoidance for accurate results and such

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0064	Nickel, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	history to be conveyed to lab. 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
N0065	Nickel, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
N0066	NR4A3 (TEC) 9p22.3 translocation**	Alibag-Panvel	R	12840	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
N0067	NTRK3 and ETV6 translocation**	Alibag-Panvel	R	14980	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
N0068	Neurology comprehensive panel & whole mitochondrial genome sequencing	Alibag-Panvel	E	25750	Daily: 7:30am	5 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0069	Neurotransmitter disorders-Gene Panel	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0070	New born screening panel by NGS	Alibag-Panvel	E	16480	Daily: 7:30am	4 weeks	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0096_C	Integrated test, standard	Alibag-Panvel	E	5665	Daily : 11:30am	7th day : 6:00pm	3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histroy additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0096_S	Integrated test, sequential	Alibag-Panvel	E	5665	Daily : 11:30am	7th day : 6:00pm	<p>Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days.</p> <p>3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histroy additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days.</p>
N5543	NextGen NIPS Advanced	Alibag-Panvel	E	19055	Daily : 9:00am	8th day : 6:00pm	<p>Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Identification Proof.
N8209	NextGen Precision Assay (500 genes +TMB+MSI)**	Alibag-Panvel	R	65000	11.30 am	20 day 6:00pm	EDTA SAMPLE + Paraffin Block
O0001	Obesity Profile	Alibag-Panvel	C	6520	1st and 3rd Wed	Next day 5 pm	5 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine
O0002	Occult blood by chemical test - Stool	Alibag-Panvel	A	160	Daily : 9:00am to 9:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
O0003	Occult blood by chemical test - Urine	Alibag-Panvel	A	80	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
O0004	Oligoclonal band,CSF	Alibag-Panvel	C	4875	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml of serum & 2 ml of CSF in sterile screw capped container.
O0005	Opiates Morphine Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
O0006	Opportunistic infection panel by Modified ZN smear - Stool	Alibag-Panvel	C	1695	Daily : 9:00am to 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
O0008	Ornithine Quantitative Plasma*	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
O0009	Ornithine Quantitative Urine 24H**	Alibag-Panvel	R	6635	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
O0010	Osmolality freezing point Serum	Alibag-Panvel	C	955	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
O0011	Osmolality freezing point Urine	Alibag-Panvel	C	955	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
O0012	Osmotic Fragility Test	Alibag-Panvel	C	900	Daily: 9am	Same day 5pm	3 ml Sodium heparin sample
O0013	Osteocalcin BGP-Bone Gla Protein Serum	Alibag-Panvel	C	3075	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
O0014	Osteomon Profile	Alibag-Panvel	D	3170	Mon and Thu: 8am	Same day 5pm	3 ml of serum and 3 ml of EDTA plasma
O0015	Osteoporosis Profile-I	Alibag-Panvel	C	2065	Daily: 9am to 9pm	After 8 hrs	2 ml of EDTA Plasma
O0016	Osteoporosis Profile-II	Alibag-Panvel	C	6200	Mon and Thu: 8am	Same day 5pm	3 ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
00017	Osteoporosis Profile-III	Alibag-Panvel	C	8375	Mon and Thu: 8am	Same day 5pm	3 ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine
00018	OT Microbiological Surveillance Panel Bacterial & Fungal by Vitek/ MALDITOF - Per swab	Alibag-Panvel	C	530	Daily : 9:00am to 9:00pm	3rd day : 5pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
00020	Ovarian Antibody AOA serum	Alibag-Panvel	C	3765	Mon : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
00021	Ovarian Marker Profile	Alibag-Panvel	D	4295	Tue,Fri: 7:30am	After 8 hrs	5 ml of serum
00022	Ovarian Reserve Profile-Maxi	Alibag-Panvel	C	6520	Mon: 9am	Next day 5pm	5 ml of serum
00023	Ovarian Reserve Profile-Mini	Alibag-Panvel	C	3500	Mon and Thu: 9am	Same day 7pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
00024	Oxalate, Urine	Alibag-Panvel	C	2175	Daily : 11:30am	Same day : 9:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
00025	OT Microbiological Surveillance Panel Bacterial & Fungal - 5 swabs	Alibag-Panvel	C	2385	Daily : 9:00am to 9:00pm	3rd day : 5pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
00026	Oxcarbazepine, Serum**	Alibag-Panvel	D	5035	Fri : 11:30am	Next day : 5:00pm	3 ml of serum(sample collect in, plain vacutainer, not in gel tube)
00027	Ova and Parasite Examination,Other	Alibag-	B	320	Daily : 9:00am to	Next day : 5pm	5gm of Stool specimen in Sterile

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Samples	Panvel			3:00pm		leak proof container
00039	Open Neural tube defect screening, AFP MOM, Second trimester - Serum	Alibag-Panvel	C	1005	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
00040	Opiates confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
00041	Oncotrack - Ultima [Liquid biopsy for 56 theranostic genes]**	Alibag-Panvel	R	49400	Daily : 11:30am	After 4 weeks : 6:00pm	Peripheral blood in 2 Streck tubes , (tube supplied upon request)
00042	NextGen Oncomine Focus Assay - 52 Gene Panel	Alibag-Panvel	E	39500	Daily 9:00 am	4 Weeks	Tumor containing FFPE block (>10% of tumor). Clinical history with Histopathology report.
01801	Other diagnostic services- 2 D Echo	Alibag-Panvel	O	2750			
01806	Other diagnostic services- ECG	Alibag-Panvel	O	305			
01810	Other diagnostic services- TMT (Stress test)	Alibag-Panvel	O	1320			
01818	OPG - Orthopantomogram	Alibag-Panvel	O	550			
01901	CANINE-Occult blood Stool	Alibag-Panvel	A	130	Daily: 9am, 2pm, 8pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
01902	Occult blood	Alibag-Panvel	A	105	Daily: 9am, 2pm, 8pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P0001	P1NP Intact N-Terminal Propeptide of Type I Procollagen Serum	Alibag-Panvel	C	2120	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0002	Pacer-26	Alibag-Panvel	C	2440	Daily: 9am to 9pm	After 8 hrs	5 ml of serum and 2 ml of F flouride plasma
P0003	Palmitoyl Protein Thioesterase1	Alibag-Panvel	R	5990	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
P0004	Pancreatic (Acute) Profile	Alibag-Panvel	D	1695	Daily: 9am to 9pm	After 8 hrs	3 ml of serum and 2 ml of EDTA whole blood
P0005	Pancreatic Marker Profile	Alibag-Panvel	D	3870	Daily: 9am to 9pm	After 8 hrs	5 ml of serum
P0006	Panfungal-DNA detection by PCR & Sanger Sequencing - Blood	Alibag-Panvel	D	10760	Daily : 7:30am	3rd day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
P0007	Panfungal-DNA detection by PCR & Sanger Sequencing - Body fluids	Alibag-Panvel	D	10210	Daily : 7:30am	3rd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container
P0008	Panfungal-DNA detection by PCR & Sanger Sequencing - CSF	Alibag-Panvel	D	9540	Daily : 7:30am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container
P0009	Panfungal-DNA detection by PCR & Sanger Sequencing - Sputum	Alibag-Panvel	D	10630	Daily : 7:30am	3rd day : 6:00pm	2ml of Sputum in Sterile leak proof container
P0010	Panfungal-DNA detection by PCR & Sanger Sequencing - Tissue	Alibag-Panvel	D	10630	Daily : 7:30am	3rd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container
P0011	PAP smear by Conventional method	Alibag-Panvel	C	795		2nd day	Pre fixed smears along with P/S findings
P0012	PAP smear by Liquid based cytology (LBC)	Alibag-Panvel	C	1300		3rd day	Cervical scraping in a LBC vial
P0013	PAPPa-Pregnancy Associated Plasma Protein Serum	Alibag-Panvel	D	1485	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0014	Paracetamol Acetaminophen Serum	Alibag-Panvel	D	1315	W, S: 7.30am	Same day at 6pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
P0015	Parainfluenza 1,2 & 3 IgG Antibody by EIA - Serum	Alibag-Panvel	C	1910	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0016	Parainfluenza 1,2 & 3 IgM Antibody by EIA - Serum	Alibag-Panvel	C	1910	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0017	Parathyroid Panel	Alibag-Panvel	C	3020	Daily: 9am to 9pm	After 8 hrs	2 ml of EDTA plasma, 3 ml of serum and spot sample urine
P0018	Parietal Cell Antibody GPCA by IFA Serum	Alibag-Panvel	C	2225	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0019	Parvovirus B19 DNA Detection by Real Time PCR - Amniotic fluid	Alibag-Panvel	D	3275	Mon, Thursday: 9:00am	Next day : 5:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
P0020	Parvovirus B19 DNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	D	3275	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
P0021	Parvovirus B19 DNA Detection by Real Time PCR - CSF	Alibag-Panvel	D	3275	Mon, Thursday: 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
P0022	Parvovirus B19 IgG Antibody by EIA - Serum	Alibag-Panvel	C	3235	Wed : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0023	Parvovirus B19 IgM Antibody by EIA - Serum	Alibag-Panvel	C	3235	Wed : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0024	PAS Stain, Blood	Alibag-Panvel	C	740	Mon & Thu : 11:30am	3rd day : 6:00pm	3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory
P0025	PAS Stain, Bone Marrow	Alibag-Panvel	C	740	Mon & Thu : 11:30am	3rd day : 6:00pm	3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory
P0026	Paul bunnel test by Agglutination - Serum	Alibag-Panvel	B	1295	Daily : 9:00am & 3:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0028	PCP Phencyclidine Phosphate Urine Spot	Alibag-Panvel	B	730	Daily: 9am to 9pm	After 6 hrs	5 ml of Spot Urine
P0032	Peripheral smear examination (PBS)	Alibag-Panvel	B	320	Daily: 9am and 3pm	After 6 hrs	3 ml EDTA Whole Blood
P0033	pH by Indicator Strip - Stool	Alibag-Panvel	A	105	Daily : 9:00am to 9:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
P0034	pH by Indicator Strip - Urine	Alibag-	A	80	Daily : 9:00am to	After 6 hrs	15ml of Spot Urine in Sterile leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0035	Phenobarbitone Gardinal Serum**	Alibag-Panvel	C	1050	Daily: 9am to 9pm	After 6 hrs	proof container 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0036	Phenyl Alanine Neonatal Screen Dried blood spot	Alibag-Panvel	B	480	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Spot Urine:10 ml of Spot urine required with clinical history and clinician number.Amino acid Plasma: 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to be stopped based on physician recommendations
P0037	Phenylalanine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
P0038	Phenylalanine Quantitative Spot Urine*	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
P0039	Phenytoin Eptoin, Dilantin Serum	Alibag-Panvel	C	1050	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0040	Pheochromocytoma Marker Profile-I	Alibag-Panvel	D	7315	Daily: 9am	7th day	20 ml of 24 hrs urine in HCL preservative. Quote Volume.
P0041	Pheochromocytoma Marker Profile-II	Alibag-Panvel	D	17490	Daily: 9am	7th day	4 ml of EDTA plasma and 20 ml of urine (Urine 24H)
P0050	Phospholipid profile IgG	Alibag-Panvel	C	5510	Thu: 1pm	Next day 5:00 pm	5 ml of serum
P0051	Phospholipid profile IgM	Alibag-Panvel	C	5510	Thu: 1pm	Next day 5:00 pm	5 ml of serum
P0052	Phospholipid Syndrome Profile	Alibag-Panvel	D	4900	Tuesday, Thursday and Saturday 7:30 am	same day 7pm	3 ml of Citrate plasma, 3 ml of serum
P0053	Phosphorus-Inorganic Serum	Alibag-Panvel	A	235	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0054	Phosphorus-Inorganic Urine Spot	Alibag-Panvel	A	320	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
P0055	Phosphorus-Inorganic Urine 24H	Alibag-Panvel	A	320	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
P0056	Phosphotidylserine IgG antibodySerum	Alibag-Panvel	C	1515	Thu: 1pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0057	Phosphotidylserine IgM antibodySerum	Alibag-Panvel	C	1515	Thu: 1pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0058	PIK3CA Gene Mutations - FFPE Tissue	Alibag-Panvel	E	7005	Mon, Wed & Fri: 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
P0059	Pituitary Marker Profile	Alibag-Panvel	C	3975	Daily: 9am to 9pm	After 8 hrs	3 ml of EDTA plasma, 3 ml of serum
P0060	PLA2 receptor antibody Primary membranous Glomerulopathy Serum	Alibag-Panvel	D	4920	Tue : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0061	Plate/Slant For Identification & Susceptibility - Automated Plate/Slant	Alibag-Panvel	C	1325	Daily : 9:00am to 9:00pm	3rd day : 5pm	Pure culture isolate is required
P0062	Platelet Antibodies by IFA Serum	Alibag-Panvel	D	9370	Mon : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0063	Platelet Count ,EDTA Blood	Alibag-	A	235	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					
P0066	Pneumocystis Carinii Detection by IFA - BAL / Sputum	Alibag-Panvel	C	2860	Daily : 9:00am to 3:00pm	Next day : 5pm	2 ml of BAL / Sputum in Sterile leak proof container
P0070	Pneumonia Viral-III Panel by EIA - Serum	Alibag-Panvel	D	6890	Thurs: 7:30 am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0071	PNH confirmation test, Blood	Alibag-Panvel	D	7050	Daily: 9am	Next day 5pm	3 ml EDTA whole Blood
P0072	PNMA2 (MA2/TA) Antibody Serum	Alibag-Panvel	D	5090	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0073	Synovial Fluid by Polarizing microscopy	Alibag-Panvel	C	985		4th day	0.5 ml Synovial fluid in a plain container
P0074	Pompe Disease Enzyme Assay Blood**	Alibag-Panvel	R	8240	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
P0075	Porphobilinogen (Quantitative), urine 24 Hrs	Alibag-Panvel	C	4030	Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
P0076	Porphyria Profile, 24 hrs Urine	Alibag-Panvel	D	6010	Thu : 11:30am	Next day : 5:00pm	Add 10 ml of 6 M HCL preservative in 24 hrs urine container. Collect 24 hrs urine sample and send 10 ml of 24 Hrs Urine In Dark Container.
P0077	Porphyria Profile, Urine Spot	Alibag-	D	6095	Thu: 9am	Next day 5pm	10 ml of 24 Hours Urine OR spot

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					urine In Dark Container
P0078	Potassium ISE Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0079	Potassium Urine 24H	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
P0080	Potassium, urine by ISE_P0080	Alibag-Panvel	A	290	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
P0081	PR3 - c-ANCA Serum	Alibag-Panvel	C	1645	Tue,Thu, S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0082	PRA- Plasma Renin Activity	Alibag-Panvel	C	5620	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
P0083	Pre Albumin Serum	Alibag-Panvel	D	3710	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0086	Pre-Operative Profile (Maxi)	Alibag-Panvel	C	2225	Daily: 7pm	After 8 hrs	3 ml of EDTA whole blood, 2 ml of citrate plasma, 3 ml of serum, 20 ml of spot urine
P0087	Pre-Operative Profile (Mini)	Alibag-Panvel	C	1355	Daily: 8pm	After 8 hrs	3 ml of EDTA whole blood, 3 ml of serum, 20 ml of spot urine
P0088	Procalcitonin Serum	Alibag-	C	2500	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					ml serum for profiles and reflex tests.
P0089	Progesterone (P4) Serum	Alibag-Panvel	B	640	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0090	Prolactin Serum	Alibag-Panvel	B	590	Daily: 9am to 9pm	After 8 hrs	4 ml of Serum
P0091	Propoxyphene Qualitative Urine Spot	Alibag-Panvel	C	740	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
P0092	Prostate Profile	Alibag-Panvel	D	2120	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0094	Protein C Activity Functional ,Citratd plasma	Alibag-Panvel	C	4560	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0095	Protein C Antigen Citrated plasma (P0095)	Alibag-Panvel	C	5195	Daily: 7:30am	Same day : 9:00pm	1 ml of citrated platelet poor plasma in frozen condition.
P0096	Serum, Protein Electrophoresis	Alibag-Panvel	C	800	Daily:9.00 am	Same day 8:00 PM	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0097	Protein Electrophoresis, Urine 24 Hrs	Alibag-Panvel	C	900	Mon, Thu: 9am	Next day 5:00 pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
P0098	Protein Electrophoresis reflex immunofixation Serum	Alibag-Panvel	C	2545	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
P0099	Protein S activity, Plasma	Alibag-Panvel	C	4560	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0100	Protein S Antigen (Free)Citrated plasma	Alibag-Panvel	C	6255	Mon and Thurs: 9am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0101	Proteins Serum	Alibag-Panvel	B	235	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0102	Proteins Urine 24H	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
P0103	Proteins Ascitic Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of Ascitic Fluid
P0104	Proteins CSF	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
P0105	Proteins Pedicardial Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of Pericardial Fluid
P0106	Proteins Pleural Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of Pleural Fluid
P0107	Proteins Synovial Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of Synovial Fluid
P0108	Proteins/Creatinine Ratio	Alibag-	B	590	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0109	Prothrombin G20210A (Factor II) Mutation	Panvel Alibag-Panvel	D	5830	Wed & Fri: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
P0110	Prothrombin Time (PT)	Alibag-Panvel	B	400	Daily: 9am to 9pm	After 6 hrs	Local Labs can send whole Blood within 24 hrs of collection and for Outstations Frozen Plasma required.
P0111	PSA-Free Prostate Specific Antigen Serum	Alibag-Panvel	C	955	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0112	PSA-Total Prostate Specific Antigen Serum	Alibag-Panvel	B	850	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0113	Pseudo Cholinesterase OPC poisoning Serum	Alibag-Panvel	C	1270	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0114	PTH-Intact Molecule Parathyroid hormone Serum/Plasma	Alibag-Panvel	B	1700	Daily: 9am to 9pm	After 6 hrs	2 ml of Serum / EDTA Plasma
P0115	PUO Profile	Alibag-Panvel	C	5300	Daily: 9am to 9pm	5th day	2 Blood culture bottle (Aerobic and anaerobic), 3 ml of serum
P0117	Pyruvate by Biochemical Method	Alibag-Panvel	C	2650	Daily: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0119	PSA with Free PSA ratio	Alibag-Panvel	C	1590	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0122	Pro Gastrin Releasing Peptide	Alibag-Panvel	R	12625	Daily: 7.30am	1 month	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0123	Prolactin, Active & macroprolactin serum	Alibag-Panvel	C	985	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0124	PSA reflex Free PSA, Serum	Alibag-Panvel	C	1115	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0125	Porphobilinogen (Quantitative), Urine Spot	Alibag-Panvel	C	4135	Thu : 11:30am	Next day : 5:00pm	10 ml of Spot urine
P0126	Protein Body Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
P0127	Potassium Body Fluid	Alibag-Panvel	A	290	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
P0128	Proteins, Peritoneal Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml body fluid
P0135	Neurotropic Virus panel by real time PCR	Alibag-Panvel	D	6890	Daily : 9:00am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container
P0139	Pancreatic Elastase Test	Alibag-Panvel	D	6890	Wednesday-9.00AM	same day 5.00 PM	100 gms of stool in leak proof container. History of medicines, morning sample preferred.
P0149	PV panel (Jak-2 V617F Reflex to Jak-2 Exon 12 Mutation)-Blood	Alibag-Panvel	D	8480	Tue & Fri : 9:00am	8th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
P0152	Pre-eclampsia screening Serum	Alibag-Panvel	D	3390	Mon & Thu : 11:30am	Next day : 6:00pm	3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family history additionally required with USG findings of MAP, UAPI values etc as per TRF

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days.
P0154	Posaconazole Serum	Alibag-Panvel	R	6420	Mon & Thu : 11:30am	Next day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0155	Plasma Acylcarnitine profile**	Alibag-Panvel	R	5885	Daily : 11:30am	7th day : 6:00pm	3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clincian required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations
P0156	PV panel (Jak-2 V617F Reflex to Jak-2 Exon 12 Mutation)-Bone Marrow	Alibag-Panvel	D	8480	Tue & Fri : 9:00am	8th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
P0158	PML/RARA - t(15;17) Qualitative by PCR*	Alibag-Panvel	D	5195	Daily : 9:00am	4th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
P0159	Phencyclidine confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
P0160	Platinum, EDTA Whole Blood**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
P0161	Platinum, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
P0162	Platinum, Spot Urine**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
P0163	Propoxyphine confirmation by LCMS, Spot Urine**	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
P0165	POLG-Gene Analysis	Alibag-Panvel	E	17510	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0166	Pulmonary surfactant metabolism dysfunction-Gene Panel	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
P0167	PGS (Preimplantation genetic screening), Embryo	Alibag-Panvel	R	23540	Daily : 11:30am	15th day : 6:00pm	CytogeneticsandFISH.pdf
P0168	Pre screening for Bleeding Disorders	Alibag-Panvel	C	4450	Daily : 9 am	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0169	Panfungal-DNA detection by PCR & Sanger Sequencing - Pure Culture	Alibag-Panvel	D	9540	Daily : 7:30am	3rd Day : 6:00pm	Pure culture on SDA plate/ slant
P1002	Plasminogen Activator Inhibitor-1 (PAI-1) / SERPINE-1, 4G/5G Genotyping	Alibag-Panvel	R	15300	Wed : 11:30am	10th day : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
P1003	PCOS Profile - 1	Alibag-Panvel	D	3600	Daily : 7:30am	Same day : 5:00pm	5 ml of serum and 2 ml of F, PP flouride plasma
P1004	PCOS Profile - 2	Alibag-Panvel	D	6800	Tue and Fri: 9am	Same day 7pm	2 ml of Fluoride plasma (F, PP), 5 ml of fasting serum sample
P1005	PCOS profile - 3	Alibag-Panvel	D	10495	Tue and Fri: 9am	Same day 7pm	2 ml of Fluoride plasma (F, PP), 6 ml of fasting serum sample
P1008	Prader-Willi / Angelman Syndrome by MS-PCR	Alibag-Panvel	D	7420	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P1009	Prolactin (Tripooled Sample) serum	Alibag-Panvel	D	635	Daily: 9am to 9pm	After 8 hrs	mandatory. 3 ml of serum(0, 20, 40 min)
P1017	Phenol, Urine**	Alibag-Panvel	R	3070	Daily : 11:30am	20th day : 6:00pm	31 ml Urine (collect Urine after end of work shift on last working day of shift)
P1901	CANINE-Peripheral smear examination	Alibag-Panvel	B	375	Daily: 9am, 3pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1902	Canine - Phosphorous	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1903	Platelet Count, EDTA whole blood	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1904	Canine - Potassium	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1905	Pre ? Operative Panel	Alibag-	C	955	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1906	Progesterone (P4), Serum by CMIA	Alibag-Panvel	B	695	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1907	Protein Electrophoresis, Serum	Alibag-Panvel	C	815	Daily: 7am	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1908	Canine - Proteins, Serum	Alibag-Panvel	C	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1909	Prothrombin Time (PT), Citrate plasma	Alibag-Panvel	B	405	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P1910	Canine-PTH	Alibag-	B	1710	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
P5629	Prega-Plus	Alibag-Panvel	E	8855	Daily 9 am	Upto 72 hours	2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine, 10 ml of urine in Sterile Container .(Mid-stream or early morning) . Upon 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation. Tests for partner to be registered separately under P0630.)
P5631	Prega-Pro	Alibag-Panvel	E	5765	Daily 9 am	Next day 5pm	2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of flouride plasma , 20 ml of spot Urine 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation...
P8220	Pneumocystis jirovecii (PCP) Detection	Alibag-Panvel	D	7500	Every Tuesday, Thursday and Saturday. 9AM	Same day 11pm	3ml Sputum or BAL
P8229	PLA2 receptor antibody Quantitative , Serum	Alibag-Panvel	D	5600	Tue : 11:30am	Next day : 5:00pm	2 ml Serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P8277	Liquid Biopsy PIC3CA NGS Mutation	Alibag-Panvel	E	45000	Daily 7.00 am	25 th days	Peripheral Blood in streck tube
P8530	PDL-1 (22C3) Head & Neck squamous cell carcinoma	Alibag-Panvel	D	15020	Daily 9 am	7th day	Paraffin Block
P8531	PDL-1 (22C3) Breast	Alibag-Panvel	D	15020	Daily 9 am	7th day	Paraffin Block
P8532	PDL-1 (22C3) Cervix	Alibag-Panvel	D	15020	Daily 9 am	7th Day	Paraffin Block
P8533	PDL-1 (22C3) Lung	Alibag-Panvel	D	15020	Daily 9 am	7th Day	Paraffin Block
P8534	PDL-1 (22C3) Urothelial	Alibag-Panvel	D	15020	Daily 9 am	7th Day	Paraffin Block
Q8101	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR	Alibag-Panvel	E	5350	Daily : 9:00am	Next day : 6:00pm	<p>â€¢ Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or â€¢ Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . â€¢ çPOC - 1)Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin
R0001	RA test Rheumatoid Arthritis Serum	Alibag-Panvel	B	640	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0002	RA test Rheumatoid Arthritis Synovial Fluid	Alibag-Panvel	B	750	Daily: 9am to 9pm	After 6 hrs	1ML of Synovial Fluid
R0004	Rabies virus antibodies by CLIA - Serum	Alibag-Panvel	D	4115	Mon: 7:30 am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0005	RA-IgA Rheumatoid Arthritis Serum	Alibag-Panvel	R	910	Daily : 11:30am	7th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0007	RBC Folate EDTA Whole Blood	Alibag-Panvel	C	2545	Daily : 9:00am	Same day after 8 hrs	EDTA Blood (2 ml) And Serum (2 ml)
R0009	Reducing Substances Paediatric - Urine	Alibag-Panvel	A	105	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
R0010	Reducing Substance by chemical test - Stool	Alibag-Panvel	A	215	Daily : 9:00am to 9:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
R0011	Renal (Kidney) Function Tests-1 RFT Maxi	Alibag-Panvel	C	2000	Daily: 9am to 9pm	After 6 hrs	3 ml of EDTA whole blood, 2 ml of Flouride plasma, 3 ml of serum, 20 ml of spot urine
R0012	Renal (Kidney) Function Tests	Alibag-Panvel	C	1050	Daily: 9am to 9pm	After 6 hrs	3 ml of serum, 20 ml of spot urine
R0012_WithouteGFR	Renal (Kidney) Function Tests-2 RFT Mini	Alibag-Panvel	C	1115	Daily: 9am to 9pm	After 4 hrs	3 ml of serum, 20 ml of spot urine
R0013	Renin Direct Plasma	Alibag-Panvel	C	3815	Daily 9:00 am	Same day 5:00 pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
R0014	Pneumonia (Atypical) panel-IgG	Alibag-	D	6890	Thurs: 7:30 am	Same day : 5pm	3ml of Serum in Gel Vacutainer or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Respiratory Tract Infection Profile-IgG by EIA - Serum	Panvel					in Plain Sterile Vacutainer
R0015	Pneumonia (Atypical) panel-IgM Respiratory Tract Infection Profile-IgM by EIA - Serum	Alibag-Panvel	D	6890	Thurs: 7:30 am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0018	Rett Syndrome MECP2 Sequencing Blood	Alibag-Panvel	E	8395	Daily : 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
R0020	Rh Antibody, Serum	Alibag-Panvel	B	965	Daily: 9am and 5pm	After 6 hrs	3 ml Serum sample
R0021	Rheumatic Fever Panel	Alibag-Panvel	C	1750	Daily: 9am to 9pm	3rd day	3 ml of EDTA blood and serum. And Throat swab
R0022	Rheumatoid Arthritis Panel-1	Alibag-Panvel	C	3550	Wed and Sat: 7:30am	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0023	Rheumatoid Arthritis Panel-2	Alibag-Panvel	C	5405	Wed and Sat: 7:30am	Same day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0024	Rheumatoid Arthritis Panel-3	Alibag-Panvel	C	8215	Wed and Sat: 7:30am	Same day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0025	Rheumatology Profile	Alibag-Panvel	C	6255	Wed and Sat: 7:30am	Same day 7 pm	5 ml of serum
R0026	Ri Antibody, Serum	Alibag-Panvel	D	4770	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0027	RNP-Sm Antibody Serum	Alibag-Panvel	C	1855	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0028	Rota virus Antigen detection - Stool	Alibag-Panvel	C	1380	Daily : 9:00am & 3:00pm	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
R0030	Routine examination Comprehensive examination by Microscopy - Stool	Alibag-Panvel	A	220	Daily : 9:00am & 3:00pm	Next day : 5pm	5gm of Stool specimen in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
R0031	Routine examination - Body fluid	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Body Fluid in Sterile leak proof container
R0032	Routine examination - Ascitic fluid	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Ascitic Fluid in Sterile leak proof container
R0032_2	Routine examination - Ascitic fluid - 2	Alibag-Panvel	C	1050	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Ascitic Fluid in Sterile leak proof container
R0033	Routine examination - CSF	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of CSF in Sterile leak proof tube or container
R0033_2	Routine examination - CSF	Alibag-Panvel	C	1325	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of CSF in Sterile leak proof tube or container
R0034	Routine examination (Pericardial Fluid)	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2 ml of Pericardial Fluid in Sterile leak proof container
R0035	Routine examination (Peritoneal Fluid)_R0035_N	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2 ml of Peritoneal Fluid in Sterile leak proof container
R0036	Routine examination (Pleural Fluid)_R0036_N	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Pleural Fluid in Sterile leak proof container
R0036_2	Routine examination (Pleural Fluid)-2	Alibag-Panvel	C	1475	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Pleural Fluid in Sterile leak proof container
R0037	Routine examination (Prostatic Fluid)	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Prostatic Fluid in Sterile leak proof container
R0038	Semen Analysis by Microscopy - Semen	Alibag-Panvel	B	540	Daily : 9:00am to 9:00pm	After 6 hrs	2ml of Semen in Sterile leak proof container
R0039	Routine examination Sputum	Alibag-Panvel	B	855	Daily : 9:00am & 3:00pm	Next day : 5pm	2ml of Sputum in Sterile leak proof container
R0040	Routine Examination of Synovial Fluid	Alibag-Panvel	C	850	Daily : 9:00am & 3:00pm	Next day : 10am	2ml of Synovial Fluid in Sterile leak proof container
R0041	Routine Examination Urine	Alibag-Panvel	A	170	Daily : 9:00am & 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
R0042	RSV-IgG Antibody by EIA - Serum	Alibag-Panvel	C	2895	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0043	RSV-IgM Antibody by EIA - Serum	Alibag-Panvel	C	2225	Thurs : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0044	Rubella Virus Avidity test by EIA - Serum	Alibag-Panvel	C	1380	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0045	Rubella Virus IgG and IgM Antibody by CLIA - Serum	Alibag-Panvel	C	1270	Daily : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
R0047	Rubella Virus IgG Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0048	Rubella Virus IgM Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 9:00am to 9:00pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0049	Rubella Virus RNA Detection by PCR - Amniotic Fluid	Alibag-Panvel	C	3500	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
R0050	Rubella Virus RNA Detection by PCR - EDTA Blood	Alibag-Panvel	C	3500	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3 ml of Whole Blood in EDTA Vacutainer
R0051	Rubella Virus RNA Detection by PCR - CSF	Alibag-Panvel	C	3500	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
R0052	Rubella Virus RNA Detection by PCR - CVS	Alibag-Panvel	C	3500	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CVS in Sterile leak proof tube or container
R0053	Rubella Virus RNA Detection by PCR - Urine	Alibag-Panvel	C	3500	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	15ml of Spot Urine in Sterile leak proof container
R0055	RVVT-Russell Viper Venom Time	Alibag-Panvel	C	1060	Daily: 9am and 3pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
R0056	Retinitis Profile by Real Time PCR - Aqueous/Vitreous Fluid	Alibag-Panvel	D	10600	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of Aqueous/ Vitreous Fluid in Sterile leak proof container
R0059	Retinol binding protein**	Alibag-Panvel	R	2995	Daily : 11:30am	15th day : 6:00pm	3ml of serum
R0060	Ricketssia DNA Detection by Real Time PCR - Blood	Alibag-Panvel	D	5620	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
R0063	ROS1 Gene Rearrangement by FISH	Alibag-Panvel	D	12190	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
R0066	Respiratory panel by FilmArray (Biofire) - Nasopharyngeal swab	Alibag-Panvel	E	17305	Daily : 9:00am to 9:00pm	After 10 hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
R0067	RET Gene Rearrangement by FISH, Tissue	Alibag-Panvel	E	9270	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
R0069	RNA Polymerase III Antibodies, IgG**	Alibag-Panvel	C	3500	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0077	Allergy panel - Common Rhinitis/ Wheeze	Alibag-Panvel	D	7420	Daily : 11:30am	Next day : 5:00pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
R0080	Renal biopsy profile (LM, IF, EM)	Alibag-Panvel	R	12305	Daily : 9:00am	20 day	1) Tissue in 10% NB formalin 2) Tissue in Michel Medium. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium. For Electron microscopy please send 3% glutaraldehyde
R0086	Rifampicin**	Alibag-Panvel	D	6360	Daily : 11:30am	10th day : 6:00pm	2 ml K2-EDTA plasma
R1004	Reverse T3**	Alibag-Panvel	R	24075	Daily: 7.30am	1 month	3 ml of serum for single test and 5 ml serum for profiles and reflex tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment.
R1008	Ribosome antibodies, serum**	Alibag-Panvel	R	7490	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
R1901	Reticulocyte panel - Automated, EDTA whole blood	Alibag-Panvel	B	430	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
R1902	CANINE-Routine Examination Stool	Alibag-Panvel	A	160	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
R1903	Routine examination reflex to cytology, Body fluids	Alibag-Panvel	C	850	Daily: 9am, 3pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
R1904	Canine - Routine Examination Urine	Alibag-Panvel	A	130	Daily : 9:00am to 9:00pm	Report after 24 hrs	10 ml of Spot urine
R5588	Reassure BOH Mini	Alibag-Panvel	D	6255	Daily 7.00am	Reporting 3rd day	5 ml serum, 3 ml citrate plasma
R5589	Reassure BOH Maxi	Alibag-Panvel	D	11660	Daily 7 pm,	Reported 15th day	5 ml serum, 4 ml Heparin whole Blood (Husband and wife), 3 ml citrate plasma
S0001	Spinocerebellar Ataxia PANEL (SCA1, 2, 3, 6, 7, 12 and 17)	Alibag-Panvel	E	16000	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0002	Spinocerebellar Ataxia (SCA1) DNA TEST	Alibag-	D	3275	Mon & Wed:	7th day : 6:00pm	3-5 ml of EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel			9:00am		required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0003	Spinocerebellar Ataxia 2 (SCA2) DNA TEST	Alibag-Panvel	D	3235	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0004	SCA3 (Machado-Joseph Disease) DNA Test	Alibag-Panvel	D	3235	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0005	Spinocerebellar Ataxia 6 (SCA6) DNA TEST	Alibag-Panvel	D	3235	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0006	Spinocerebellar Ataxia TYPE 7 (SCA7) DNA TEST	Alibag-Panvel	D	3235	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0007	Spinocerebellar Ataxia Type 12 (SCA12) DNA Test	Alibag-Panvel	D	3275	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0008	Scl-70 Antibody Serum	Alibag-Panvel	C	1780	W,S: 7:30am	Same day 5pm	mandatory. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0009	Scleroderma Panel	Alibag-Panvel	C	5565	Wed/Sat - 7:30 am	Next day 5pm	5 ml of serum
S0010	Selenium, Blood	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0011	Selenium, Serum	Alibag-Panvel	D	3445	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0012	Selenium, Urine	Alibag-Panvel	D	3295	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0013	Selenium Urine 24H**	Alibag-Panvel	D	2915	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0014	Serine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
S0015	Serine Quantitative Urine 24H**	Alibag-Panvel	D	6570	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
S0016	Serotonin5-Hydroxy Tryptamine Serum	Alibag-Panvel	D	4665	Wed : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0017	Serotonin5-Hydroxy Tryptamine,Urine	Alibag-Panvel	D	5365	Wed : 11:30am	Next day : 5:00pm	10 ml of 24 hrs urine (Preferred) / Spot urine
S0018	SGOT AST Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0019	SGPT ALT Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0020	SHBG Sex hormone binding globulin Serum	Alibag-Panvel	C	2755	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0021	Sickle Cell Anemia Mutation Analysis	Alibag-Panvel	D	3710	Wed & Fri: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
S0022	Sickling Test	Alibag-Panvel	B	320	Daily : 9:00am to 9:00pm	after 6 hrs	3 ml EDTA whole blood
S0024	Silver ICPMS Urine	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
S0026	SIROLIMUS, BLOOD BY LC MSMS	Alibag-Panvel	C	5830	Tue & Fri: 11:30am	Next day : 5:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
S0027	Sjogrens Syndrome Profile	Alibag-Panvel	D	2650	Wed and Sat 7:30am	Next day 5 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0028	Anti-SLA/LP, IgG	Alibag-Panvel	C	2970	Tues/fri 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0029	SLE profile	Alibag-Panvel	C	5090	Sat - 7:30 am	Next day 5 pm	3 ml of EDTA whole blood , 3 ml of serum
S0030	Sm Antibody Smith Antibody Serum	Alibag-Panvel	C	1780	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0031	SMA 12+2	Alibag-Panvel	D	1885	Daily: 9am to 9pm	After 8 hrs	2 ml of flouride plasma , 3 ml of serum
S0032	Sodium ISE Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0033	Sodium Urine	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of Spot Urine
S0034	Sodium Urine 24H	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
S0035	Sodium Body Fluid	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
S0036	Soluble Transferrin Receptor Serum	Alibag-Panvel	C	1590	Daily: 9am to 9pm	3rd day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0037	Specific gravity by Fully Automated Urine chemistry & Microscopy - Urine	Alibag-Panvel	A	80	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
S0038	Spectral Karyotyping (SKY) (m-FISH) 24 Color Painting Blood**	Alibag-Panvel	D	18550	Daily: 9am	15th day	3 ml of Blood In Na-Heparin Vacutainer
S0039	Spectral Karyotyping (SKY) (m-FISH) 24 Color Painting Bone Marrow**	Alibag-Panvel	R	17120	Daily : 11:30am	15th day : 6:00pm	2-3ml Bone marrow/3ml Blood in Sodium Heparin Vacutainer
S0040	Sperm Antibody-Total ASAB serum	Alibag-Panvel	C	1485	Tue,Fri: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0041	Sphingomyelinase Niemann Pick Disease Blood**	Alibag-Panvel	R	8025	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
S0044	Spinal Muscular Atrophy Microdeletion By PCR SMN1 Gene Deletion	Alibag-Panvel	D	3390	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							clinicians contact number and TRF mandatory.
S0045	Sry Deletion FISH	Alibag-Panvel	D	5620	Daily : 9:00am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
S0046	SSA-Antibody Ro Serum	Alibag-Panvel	C	1780	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0047	SSB-Antibody La Serum	Alibag-Panvel	C	1910	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0048	STD Profile -I	Alibag-Panvel	D	3200	Tue,Thurs & Sat : 7:30am	5th day : 5pm	3 ml of serum
S0049	STD Profile -II	Alibag-Panvel	D	5300	Daily : 8:00pm	5th day : 5pm	4 ml Serum
S0050	STD Profile -III	Alibag-Panvel	D	8800	Daily : 9:00am	5th day : 6:00pm	6 ml of EDTA whole blood, 15ml Urine in sterile container. For HPV : Swab, Tissue for male and LBC, Swab, Tissue for female
S0051	Steroid analysis From medicine **	Alibag-Panvel	R	11770	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm)
S0052	Stomach Marker Profile	Alibag-Panvel	D	3765	Tue and Fri: 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0053	Calculus (Stone) Analysis by automated FTIR (Gall bladder calculus)	Alibag-Panvel	D	1590	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0054	Calculus (Stone) Analysis by automated FTIR (Kidney (Renal) calculus)	Alibag-Panvel	D	1380	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0055	Calculus (Stone) Analysis by automated FTIR (Urine calculus)	Alibag-Panvel	D	1380	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0056	Stone screening profile	Alibag-Panvel	D	2280	Daily: 9:000am	5th day : 6:00pm	24 hours urine sample with appropriate preservative.
S0058	Streptococcus group B Antigen detection by Agglutination - CSF	Alibag-Panvel	C	1380	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
S0059	Streptococcus group B Antigen detection	Alibag-	C	1380	Daily : 9:00am to	After 6 hrs	3ml of Serum in Gel Vacutainer or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	by Agglutination - Serum	Panvel			3:00pm		in Plain Sterile Vacutainer
S0060	Streptococcus pneumoniae Antigen detection by Agglutination - CSF	Alibag-Panvel	C	1380	Daily : 9:00am to 3:00pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
S0061	Streptococcus pneumoniae Antigen detection by Agglutination - Serum	Alibag-Panvel	C	1380	Daily : 9:00am to 3:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0062	Streptococcus pneumoniae Antigen detection by Agglutination - Urine	Alibag-Panvel	C	1380	Daily : 9:00am to 3:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
S0063	Sucrose Lysis Test (PNH Screening tests) (S0063)	Alibag-Panvel	B	855	Daily: 9am	Next day 5pm	3 ml of EDTA Whole Blood And 3 ml Serum
S0066	Glucose Sugar - Urine	Alibag-Panvel	A	80	Daily : 9:00am to 9:00pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
S0067	Syphilis Antibodies Treponema by EIA - Serum	Alibag-Panvel	C	1420	Tue & Fri: 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0070	Scrub typhus profile Weil felix and scrub typhus-IgM by EIA - Serum	Alibag-Panvel	C	1165	Tue & Fri: 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0071	Scrub typhus IgM by EIA - Serum	Alibag-Panvel	C	1220	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0074	SMA Carrier Detection Genetic Disorders**	Alibag-Panvel	R	9630	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
S0075	SCA17 PCR-Fragment analysis	Alibag-Panvel	D	3390	Mon & Wed: 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0077_Sperm-DFI	SPERM DNA FRAGMENTATION (DFI)	Alibag-Panvel	D	5300	Daily : 11.30 am	3rd day 1 pm	2-3 ml of freshly collected Semen sample in a sterile leak proof container. If reaching the lab within 4hrs of collection, transported at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0078	Calculus (Stone) Analysis by automated FTIR (other)	Alibag-Panvel	D	1380	Daily : 11:30am	Next day : 5:00pm	ambient temperature.If more than 4 hrs - then transported in frozen condition.3 days abstinence is mandatory. Collect sample in dry plain container, mention stone type and history
S0079	SYT gene rearrangement (Translocation: t(X;18) translocation) **	Alibag-Panvel	R	5565	Daily : 11:30am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
S0083	Campylobacter Culture and Identification by Vitek/ MALDITOF - Stool	Alibag-Panvel	C	700	Daily : 9:00am to 9:00pm	5th day : 5pm	5gm of Stool specimen in Sterile leak proof container
S0084	SUCCINYLACETONE, BLOOD**	Alibag-Panvel	R	5030	Daily : 11:30am	8th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Spot Urine:10 ml of Spot urine required with clinical history and clinician number.Amino acid Plasma: 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations
S0085	Succinylacetone Urine**	Alibag-Panvel	R	5030	Daily : 11:30am	7th day : 6:00pm	Spot Urine:10 ml of Spot urine required with clinical history and clinician number. Baby DOB, sample collection date and relevant clincial history mentioned .
S0096	STRONTIUM ICPMS Blood	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	3 ml EDTA Blood / Metal free EDTA Blood
S0097	Sexually Tranmitted Infections (STI) Urethritis Extended Panel	Alibag-Panvel	D	6890	Wed : 9:00am	Next day : 5:00pm	Urethral discharge, Genital discharge, Blister fluid, Ulcer, Ulcer base, High Vaginal swab, Urethral Swab, Endocervical swab
S0103	Soft Tissue Sarcoma Panel**	Alibag-Panvel	R	42800	Daily 7.30 am	10th days	Paraffin Block
S0547	sFlt-1 (Soluble fms-like tyrosine kinase-1) Serum	Alibag-Panvel	D	4030	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0548	PIGF (Placental Growth Factor) Serum	Alibag-	D	4030	Mon & Thu :	Next day : 5:00pm	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel			11:30am		ml serum for profiles and reflex tests.
S0549	sFlt-1/PIGF ratio serum	Alibag-Panvel	D	6150	Daily cut off 7:30 AM	same day 9:00 PM	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0551	Sanger Sequencing / Additional family member screening**	Alibag-Panvel	R	9630	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
S0552	Selenium, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
S0553	Selenium, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
S0554	Silver, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
S0555	Silver, Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
S0556	Steroids test by MS method	Alibag-Panvel	R	11770	Daily : 11:30am	10th day : 6:00pm	Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clincial symptoms if any. Reported in 7 days
S0558	SARS- CoV-2 (COVID 19) Detection by Real Time PCR - Nasopharangeal & Oropharangeal Swab	Alibag-Panvel	O	530	24hr registration	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S0559	SARS CoV2 Antigen Detection by	Alibag-	O	110	Daily : 9:00am	Same day : 5:00pm	1 Swab with Sufficient Material in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Immunchromatography - Nasopharangeal Swab	Panvel					Viral Transport Medium (VTM)
S0560	SARS CoV2 Antigen Reflex to SARS CoV2 real time RT PCR (COVID 19 reflex test)* - Nasopharangeal & Oropharangeal Swab	Alibag-Panvel	O	4290	Daily: 9:00 am Cut-off	24 hrs	For antigen test :at ambient temperature within an hour or if transported at 2 to 8 degree Celsius for 4 to 6 hours.
S0562	SARS- CoV-2 (COVID 19) viral load by Real Time PCR*	Alibag-Panvel	E	2060	Daily : 9:00am	Same day : 5:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S0565	Soluble CD25 (IL 2 Receptor)	Alibag-Panvel	D	12370	Daily : 11:30am	5th day : 6:00pm	3 ml Serum
S1005	SCC-TA4 ANTIGEN - SERUM **	Alibag-Panvel	R	9415	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
S1006	Schistosomiasis - confirmation by EIA - Serum**	Alibag-Panvel	R	10165	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S1007	Schistosomiasis Ab by Hemagglutination - Serum**	Alibag-Panvel	R	6155	Daily : 9:00am	After 30 days : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S1020	Strongyloidiasis serology, Serum by EIA** - Serum	Alibag-Panvel	R	6100	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S1038	Sickle Cell Anemia Mutation Prenatal Diagnosis	Alibag-Panvel	D	6995	Wed & Fri: 9:00am	7th day : 6:00pm	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S1039	Spinal Muscular Atrophy (SMA) Microdeletion	Alibag- Panvel	D	6360	Daily : 9:00am	7th day : 6:00pm	PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory. Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
S1039_c	Spinal Muscular Atrophy (SMA)-SMN1 Gene deletion	Alibag- Panvel	D	6360	Daily : 9:00am	7th day : 6:00pm	Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G -FORM OF CONSENT (For invasive techniques) Mother 3-5 ml EDTA Blood sample mandatory. Sample stable for 3 Days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Amibent Temperature and 7 Days at 2 to 8 degree celsius .
S1040	Stone screening profile-1	Alibag-Panvel	D	3920	Daily: 9:000am	5th day : 6:00pm	5 ml of serum and 20 ml of 24 Hr Urine sample. Appropriate preservative needed.
S1041	Systemic sclerosis Profile	Alibag-Panvel	D	6340	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S1901	Canine - SGOT (AST)	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
S1902	Canine - SGPT (ALT)	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
S1903	Skin Scraping Examination	Alibag-Panvel	C	1165	Daily: 9am	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
S1904	Canine - Sodium	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S1905	CANINE-Calculus (Stone) Analysis by automated FTIR	Alibag-Panvel	C	1380	Daily: 7am	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
S8322	SARS-CoV-2 (COVID 19) Detection (Qualitative) by Rapid	Alibag-Panvel	E	2035	Daily : 9:00am	Same day : 5:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S8399	Streptococcus Group A Antigen Detection	Alibag-Panvel	L4	1200	Daily: 9am to 9pm	After 6 hrs	Throat Swab
S8514	Salivary Cortisol	Alibag-Panvel	E	2885	Tuesday 9 am	next day 5 pm	4-5 ml saliva in sterile lolli sponge tube
T0004	t(1 19)by FISH E2A(ALL)	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0005	t(1 19)By FISH E2A (ALL) Bone Marrow	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0006	t(11;14) by FISH IGH/CCND1 (ALL, NHL) Bone Marrow**	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0007	t(11;14) by FISH IGH/CCND1 (ALL, NHL) Blood**	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0008	t(11q23) by FISH MLL gene rearrangement (ALL, AML) Blood	Alibag-Panvel	D	4345	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0009	t(11q23) by FISH MLL gene rearrangement (ALL, AML) Bone Marrow	Alibag-Panvel	D	4345	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0010	TEL/AML1(ALL) t(12 21) by FISH	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0011	t(12 21) by FISH TEL/AML1 (ALL) Bone Marrow	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Blood in Na-heparin vacutainer
T0012	PML Ra Ra t(15 17) (AML-M3) by FISH	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0013	t(15 17) by FISH PML Ra Ra (AML-M3) Bone Marrow	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0014	PML Ra Ra (Quanti) by PCR BLOOD**	Alibag-Panvel	D	5830	Daily: 7:30 am	7th day	3 ml of EDTA Whole Blood
T0015	PML Ra Ra (Quanti) by PCR BONE	Alibag-	D	5830	Daily: 7:30 am	7th day	2-3 ml Bone Marrow in EDTA

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	MARROW**	Panvel					vacutainer
T0016	PDGFR Alpha rearrangement t(4q12) (HES) by FISH	Alibag-Panvel	D	5405	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0017	t(4q12) by FISH PDGFR Alpha Rearrangement (HES) Bone Marrow**	Alibag-Panvel	D	5405	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0018	PDGFR Beta rearrangement t(5q33) (HES) Blood by FISH	Alibag-Panvel	D	5405	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0019	PDGFR Beta rearrangement t(5q33) (HES) Bone marrow by FISH	Alibag-Panvel	D	5405	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0020	ETO/AML1 (AML-M2) t(8;21) by FISH	Alibag-Panvel	D	4560	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0021	t(8 21) by FISH ETO/AML1 (AML-M2) Bone Marrow	Alibag-Panvel	D	4560	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0024	Bcr-Abl (PHILADELPHIA) t(9 22) by FISH, BLOOD	Alibag-Panvel	D	4770	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0025	Bcr-Abl (PHILADELPHIA) t(9 22) by FISH, Bone Marrow	Alibag-Panvel	D	4770	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0028	T3-Free Free Tri-Iodothyronine Serum	Alibag-Panvel	B	295	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0029	T3-Total Tri Iodothyronine Serum	Alibag-Panvel	B	215	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0030	T4-Free Free Thyroxine Serum	Alibag-Panvel	B	300	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0031	T4-Total Thyroxine Serum	Alibag-Panvel	B	215	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0032	Tacrolimus By ECLIA Blood	Alibag-Panvel	C	4400	Daily: 1pm	Same Day 7.30pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0033	Tacrolimus By LCMS, Blood	Alibag-Panvel	C	4450	Tue , Thur and Sat: 9: 00 am	Same day 9:00 pm	e.g C0 or C2) and clinical History along with the sample. Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
T0035	IGRAS Interferon gamma release assay by ELISA - Lithium Heparin Blood	Alibag-Panvel	C	2900	Mon, Wed, Fri : 7:30am	Next day : 5pm	5 ml of Lithium Heparin Blood
T0036	TCR-Alpha Beta	Alibag-Panvel	D	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
T0037	TCR-Gamma Delta	Alibag-Panvel	D	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
T0038	TDT (Nuclear)	Alibag-Panvel	D	2440	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
T0039	Testicular Marker Profile	Alibag-Panvel	D	1380	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0040	Testosterone Bioavailable	Alibag-	C	2545	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					ml serum for profiles and reflex tests.
T0041	TestosteroneFreeSerum	Alibag-Panvel	C	1770	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0042	Testosterone Total Serum	Alibag-Panvel	B	750	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0043	Testosterone Profile	Alibag-Panvel	C	3710	Tue, Thu & Sat: 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0044	Tetanus Toxoid-IgG Quantitative test by EIA - Serum	Alibag-Panvel	C	4630	Fri : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0045	Thalassemia Studies	Alibag-Panvel	C	1590	Daily: 7.30am	After 9 Hrs	3 ml EDTA whole blood and serum sample
T0046	Thallium Blood	Alibag-Panvel	D	3235	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
T0047	Thallium Serum	Alibag-Panvel	D	3235	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
T0048	Thallium Urine Spot	Alibag-Panvel	D	3235	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
T0049	Theophylline Serum	Alibag-Panvel	C	1050	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0050	Threonine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
T0051	Threonine Quantitative Urine**	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
T0052	Thrombin Time (TT)	Alibag-Panvel	B	1015	Daily: 9am and 3pm and 9pm	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
T0053	Thrombotic Risk DNA Panel (FV, FII, MTHFR)	Alibag-Panvel	D	12720	Wed & Fri: 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
T0054	Thrombophilia Profile-Maxi	Alibag-Panvel	D	19000	Mon and Thurs: 9am	Next day 5pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0055	Thrombophilia Profile-Mini	Alibag-Panvel	D	10200	Mon and Thurs: 9am	Next day 5pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.
T0056	Thrombotic Profile	Alibag-Panvel	D	17490	Mon and Thurs: 9am	Next day 5pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.
T0057	Thyroglobulin Serum	Alibag-Panvel	C	1695	Daily: 9am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0058	Thyroglobulin Antibody ATA CSF	Alibag-Panvel	C	1645	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
T0059	Thyroglobulin Antibody ATA Serum	Alibag-Panvel	B	1285	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0060	Thyroid Antibodies-AtAb TPO and ATA,CSF	Alibag-Panvel	C	2330	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
T0061	Thyroid Antibodies-TPO and ATG,Serum	Alibag-Panvel	C	2130	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0062	Thyroid Comprehensive Profile-1	Alibag-Panvel	B	2890	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0063	Thyroid Comprehensive Profile-2	Alibag-Panvel	B	1710	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0064	Thyroid Marker Profile	Alibag-Panvel	D	4230	Wed and Sat: 9am	Next day 5pm	5 ml of serum
T0065	Thyroid panel-1 (T3/T4/TSH)	Alibag-Panvel	B	590	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0066	Thyroid panel - 2(FT3, FT4, TSH)	Alibag-Panvel	B	800	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0067	Thyroid Panel-3 (Reflex)	Alibag-Panvel	B	430	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0068	Thyroid Panel-4	Alibag-	B	470	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel					ml serum for profiles and reflex tests.
T0069	Thyroxine Binding Globulin (TBG) Biochemical Serum	Alibag-Panvel	C	5300	Daily : 11:30am	5th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0071	TNF Alpha Tumour Necrosis Factor Serum	Alibag-Panvel	C	4770	Wed & Sat : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0072	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Amniotic Fluid	Alibag-Panvel	C	8375	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
T0073	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Blood	Alibag-Panvel	C	8375	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3 ml of Whole Blood in EDTA Vacutainer
T0074	TORCH by PCR **	Alibag-Panvel	C	8375	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	Chorionic Villus Sample In Sterile saline container
T0075	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - CSF	Alibag-Panvel	C	8375	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
T0076	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Urine	Alibag-Panvel	C	8375	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	15ml of Spot Urine in Sterile leak proof container
T0077	TORCH-10	Alibag-Panvel	C	3180	Daily: 9am	Same day 5pm	5 ml of serum
T0078	TORCH-13	Alibag-Panvel	C	3825	Mon: 9am	Next day 5pm	5 ml of serum
T0079	TORCH-4 IgG	Alibag-Panvel	C	1535	Daily: 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0080	Tacrolimus CYP3A5 genotyping**	Alibag-Panvel	R	8560	Tue & Thu: 11:30am	7th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
T0081	TORCH-4 IgM	Alibag-Panvel	C	1535	Daily: 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
T0083	TORCH-5 IgG	Alibag-Panvel	C	1695	Daily: 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0084	TORCH-5 IgM	Alibag-Panvel	C	1695	Daily: 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0085	TORCH-8	Alibag-Panvel	C	2755	Daily: 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0086	Toxoplasma Avidity test by EIA- Serum	Alibag-Panvel	C	1380	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0087	Toxoplasma DNA Detection by PCR - Amniotic Fluid**	Alibag-Panvel	C	3975	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
T0088	Toxoplasma DNA Detection by PCR - Blood	Alibag-Panvel	C	3975	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3 ml of Whole Blood in EDTA Vacutainer
T0089	Toxoplasma DNA Detection by PCR - Chorionic Villus	Alibag-Panvel	C	3975	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CVS in Sterile leak proof tube or container
T0090	Toxoplasma DNA Detection by PCR - Cord Blood**	Alibag-Panvel	C	3975	Mon & Thu : 7:30am	Next day : 5pm	3ml of Cord Blood in EDTA Vacutainer
T0091	Toxoplasma DNA Detection by PCR - CSF	Alibag-Panvel	C	3975	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
T0092	Toxoplasma DNA Detection by PCR - Urine	Alibag-Panvel	C	3975	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	15ml of Spot Urine in Sterile leak proof container
T0094	Toxoplasma-IgG IgG Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0095	Toxoplasma-IgG & IgM by CLIA - Serum	Alibag-Panvel	B	1390	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0096	Toxoplasma-IgM IgM Antibody by CLIA - Serum	Alibag-Panvel	B	705	Daily : 9:00am to 9:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0097	Treponema Pallidium Haemagglutination Assay by Agglutination - Serum	Alibag-Panvel	B	825	Daily : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0098	TPMT Enzyme ActivityThiopurine Methyl TransferasePlasma	Alibag-Panvel	D	4750	W,S: 7:30am	Same day 5pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0099	Thiopurine S-Methyltransferase (TPMT) Genotype	Alibag-Panvel	D	6095	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
T0100	TPO (Thyroid Peroxidase) Antibody(AMA) Microsomal Antibody CSF	Alibag-Panvel	C	1325	Daily: 9am to 9pm	After 6 hrs	2 ml of CSF in leakproof container (foilin vu conical tube is recommended to prevent leakage).
T0101	TPO (Thyroid Peroxidase) Antibody (AMA) Microsomal Antibody Serum	Alibag-Panvel	B	1290	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0102	TransferrinSerum	Alibag-Panvel	B	1390	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0103	TRH STIMULATION TEST FOR PROLACTIN, SERUM	Alibag-Panvel	C	1430	Daily: 9am to 9pm	After 6 hrs	3 ml of serum (0, 30, 60 min)
T0104	TRH stimulation test For TSH, Serum	Alibag-Panvel	C	1165	Daily: 9am to 9pm	After 6 hrs	3 ml of serum (0, 30, 60 min)
T0105	Triglycerides Urine	Alibag-Panvel	A	400	Daily: 9am to 9pm	After 6 hrs	2 ml of Spot Urine
T0106	Triglycerides Serum	Alibag-Panvel	A	300	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0107	Triglycerides Body Fluid	Alibag-Panvel	A	400	Daily: 9am to 9pm	After 6 hrs	2 ml of Body Fluid
T0108	Tripeptidyl Peptidase 1 Blood	Alibag-Panvel	R	5990	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood (sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
T0109	Trisomy 12 (CLL) by FISH**	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0110	Trisomy 12 by FISH CLL Bone Marrow	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0111	Trisomy 8 by FISH AML, MDS Blood	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
T0112	Trisomy 8 by FISH AML, MDS Bone Marrow	Alibag-Panvel	D	4135	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
T0113	Trisomy (Aneuploidy) for Chromosome 13	Alibag-	D	5195	Daily : 9:00am	3rd day : 6:00pm	20 ml of Amniotic Fluid In Sterile

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	& 21 By FISH Amniotic Fluid	Panvel					Falcon centrifuge tube
T0114	Trisomy (Aneuploidy) Chromosome 13 & 21 by FISH	Alibag-Panvel	D	5195	Daily : 9:00am	5th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
T0115	Trisomy (Aneuploidy) for Chromosome 13 & 21 By FISH Chorionic Villus	Alibag-Panvel	D	5195	Daily : 9:00am	3rd day : 6:00pm	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).
T0116	Trisomy for Chromosome 13 & 21 By FISH Cord blood	Alibag-Panvel	D	5195	Daily : 9:00am	5th day : 6:00pm	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
T0118	Trisomy(Aneuploidy)Chromosome13,18,21, X,Y by FISH	Alibag-Panvel	D	10865	Daily : 9:00am	3rd day : 6:00pm	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
T0119	Trisomy for Chromosome 13, 18, 21, X, Y By FISH Blood	Alibag-Panvel	D	9330	Daily : 9:00am	5th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
T0120	Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y By FISH Chorionic Villus	Alibag-Panvel	D	9330	Daily : 9:00am	3rd day : 6:00pm	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).
T0121	Trisomy for Chromosome 13, 18, 21, X, Y By FISH Cord blood	Alibag-Panvel	D	9330	Daily : 9:00am	5th day : 6:00pm	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
T0123	Trisomy (Aneuploidy) Chromosome 18, X,Y by FISH	Alibag-Panvel	D	5620	Daily : 9:00am	3rd day : 6:00pm	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
T0124	Trisomy for Chromosome 18, X & Y By FISH Blood	Alibag-Panvel	D	5620	Daily : 9:00am	5th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
T0125	Trisomy (Aneuploidy) for Chromosome 18, X & Y By FISH Chorionic Villus	Alibag-Panvel	D	5620	Daily : 9:00am	3rd day : 6:00pm	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).
T0126	Trisomy for Chromosome 18, X & Y By FISH Cord blood	Alibag-Panvel	D	5620	Daily : 9:00am	5th day : 6:00pm	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
T0128	Troponin-I, Serum	Alibag-Panvel	C	1770	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0129	Troponin-T, Serum	Alibag-Panvel	C	1750	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0130	TSH (Ultrasensitive) ECLIA Serum	Alibag-Panvel	B	380	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0131	TSH Receptor Antibody LATS, TSI - Serum	Alibag-Panvel	C	4600	W,S: 7:30am	Same day 5pm	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0132	TSH-Thyroid Stimulating Hormone Neonatal Screen Dried blood spot	Alibag-Panvel	B	480	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
T0133	tTG Antibody-IgA Tissue Transglutaminase,Celiac disease Serum	Alibag-Panvel	C	1600	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0134	tTG Antibody-IgG Tissue Transglutaminase,Celiac disease Serum	Alibag-Panvel	C	1645	Mon and Thu: 7.30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0135	Typhi Dot IgM IgM antibody for Typhoid by Immunochromatography - Serum	Alibag-Panvel	B	640	Daily : 9:00am	Same day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0136	Typhoid DNA by Real Time PCR - Blood	Alibag-Panvel	C	5830	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0137	Typhoid DNA by Real Time PCR - CSF	Alibag-Panvel	C	5830	Daily : 10:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container
T0138	Typhoid Profile	Alibag-Panvel	D	2035	Daily: 9am to 9pm	5th day	3 ml of EDTA whole blood, 3 ml of serum and 1 blood culture bottle
T0139	Tyrosine Quantitative Plasma	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
T0140	Tyrosine Quantitative Urine**	Alibag-Panvel	R	6635	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
T0141	Tzanck smear (Microscopic examination)	Alibag-Panvel	B	430	Daily: 9am	After 8 hrs	Air Dried Smears From Vesicular fluid
T0143	TBE-TICKBORNE ENCEPHALITIS Antibodies by EIA - Serum	Alibag-Panvel	D	7740	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0145	Trypanosoma Cruzi IgG by EIA - Serum**	Alibag-Panvel	R	2410	Daily : 11:30am	20th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0158	t(12;16):FUS rearrangement **	Alibag-Panvel	R	17120	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
T0160	t(X;18):SSX18 translocation **	Alibag-Panvel	R	17120	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
T0162	Tumor marker panel (270 genes), comprehensive, FFPE	Alibag-Panvel	D	47000		4 weeks	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report. 4 ml of EDTA whole blood or collection in special tubes as per test. Sample to be shipped at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambient temperature for local samples and refrigerated condition for outstation samples. do not freeze or keep EDTA blood samples in contact with ice packs. EDTA samples stable for 2 days at Ambient temperature and 5 days at Refrigerated condition
T0168	NextGen Tumor Mutation Burden	Alibag-Panvel	E	43000	Daily 9:00 am	25th Days	(FFPE block) Tumor containing tissue fixed in 20% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
T0169	Thallium, hair by ICPMS	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
T0170	Tin, EDTA Whole Blood**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0171	Tin, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
T0172	Tin, Spot Urine**	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0173	TUNGSTEN, EDTA WHOLE BLOOD	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0174	Tungsten, Hair tests by ICPMS	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
T0175	TUNGSTEN, SPOT URINE	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0182	TB CHECK - Pulmonary	Alibag-Panvel	D	10600	Daily : 7:30am	After 6 weeks : 6:00pm	Pulmonary Smear positive samples or Culture positive specimen
T0184	TB CHECK - Extra Pulmonary	Alibag-Panvel	D	10600	Daily : 7:30am	After 6 weeks : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
T0192	TB Spectrum - Pulmonary	Alibag-Panvel	D	18550	Daily : 7:30am	After 6 weeks : 6:00pm	Pulmonary Smear positive samples or Culture positive specimen
T0200	TRIO Clinical Exome sequencing - 26MB (80-100x) **	Alibag-Panvel	E	57680	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
T0201	TB Spectrum - Extra Pulmonary	Alibag-Panvel	D	18550	Daily : 7:30am	After 6 weeks : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
T0502	TBC1D24-Gene Analysis	Alibag-Panvel	E	20600	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
T0504	TRIO-Whole exome sequencing Sure SelectV5-45-50MB (80-100x)	Alibag-Panvel	E	57680	Daily: 7:30am	4 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0505	TTN-Gene sequencing	Alibag-Panvel	E	19570	Daily: 7:30am	4 weeks	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
T0506	Trisomy for Chromosome 18, X & Y by FISH, Ovarian follicular fluid **	Alibag-Panvel	D	5620	Daily : 11:30am	5th day : 6:00pm	CytogeneticsandFISH.pdf
T0507	Thrombophilia Super Maxi	Alibag-Panvel	D	22000	Monday : 9am	Wednesday : 7 pm	2 ml of citrated platelet poor plasma in frozen condition ,3 ml serum and 3 ml of EDTA whole blood is required.
T0938	TPMT and NUDT15 gene analysis**	Alibag-Panvel	R	15730	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood
T0987	Tricyclic antidepressants Drug(TCA) (Qualitative), Urine	Alibag-Panvel	D	690	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
T0988	Taurine DBS**	Alibag-Panvel	D	6570	Thu : 11:30am	Tue : 5:00pm	ried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0989	2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus(ADA)	Alibag-Panvel	E	310	Daily: 9am to 9pm	After 6 hrs	<p>GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to be stopped based on physician recommendations</p> <p>Glucose Screen in pregnancy. ADA recommends 2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus (GDM). Step 1: A 50 g glucose challenge test (GCT) is used for screening without regard to the time of last meal or time of the day. Step 2: If 1 hour GCT value is more than 140 mg/dl, 100g Oral Glucose Tolerance Test (OGTT) is recommended and plasma glucose is estimated at 0, 1, 2 and 3 hours. G0027_50 (post glucose 1 hr 50 gms) and G0066 (GTT- Gestational 3 hrs 100 gms</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							glucose). If Post Glucose 1hr 50 gms value Above 140 then reflex G0066 GTT-Gestational ,Three Hour(100 grams glucose) taken.
T1032	Tobramycin**	Alibag-Panvel	R	6315	Daily : 11:30am	5th day : 6:00pm	3ml of Serum sample required to be shipped at 2-8C. Do not use gel tubes. Sample is stable for 1day, 7 days & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2) and clinical History along with the sample.
T1053	Tropheryma whipplei - Direct Diagnosis by PCR - Blood**	Alibag-Panvel	R	26110	Daily : 9:00am	After 30 days : 5pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
T1170	BCR-ABL IS (International Scale) Transcript fusion Quantification by Real Time PCR - Blood	Alibag-Panvel	D	7250	Tue & Fri : 9:00am	3rd day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
T1171	BCR-ABL IS (International Scale) Transcript fusion Quantification by Real Time PCR - Bone Marrow	Alibag-Panvel	D	7315	Tue & Fri : 9:00am	3rd day : 6:00pm	3 ml of Bone Marrow in EDTA Vacutainer
T1901	Canine - T3 (Total)	Alibag-Panvel	B	180	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
T1902	Canine-T4-Free, Serum	Alibag-Panvel	B	270	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T1903	Canine-T4 (Total)	Alibag-Panvel	B	215	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
T1904	Testosterone Total, Serum	Alibag-Panvel	B	750	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
T1905	CANINE-Thyroid panel-1	Alibag-Panvel	C	585	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
T1906	CANINE-Thyroid panel - 2	Alibag-Panvel	C	795	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
T1908	Canine-TSH (Ultrasensitive), Serum	Alibag-Panvel	B	375	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T1910	Canine - Triglyceride	Alibag-Panvel	A	235	Daily: 9am to 9pm	Report after 24 hrs	Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
T1911	Thyroid cancer mutation panel, FFPE Tissye	Alibag-Panvel	E	35000	Daily : 11:30am	After 4 weeks : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
T5041	TruHealth Screen	Alibag-Panvel	W	499			See Individual Test Details
T5585	TruHealth Youth	Alibag-Panvel	W	4000			See Individual Test Details
T5586	TruHealth Master	Alibag-Panvel	W	4500			See Individual Test Details
T5587	TruHealth Senior	Alibag-Panvel	W	5000			See Individual Test Details
T5588	TruHealth Women	Alibag-Panvel	W	5000			See Individual Test Details
T5589	TruHealth Senior Women	Alibag-Panvel	W	5000			See Individual Test Details
T5610	Tru Health Heart Advance	Alibag-Panvel	W	6000	Mon and Thu: 7.30am	Same day 5pm	5 ml of serum
T5611	Tru Health Heart Basic	Alibag-Panvel	W	1500	Daily: 9am to 9pm	After 6 hrs	5 ml of serum,2 ml of flouride plasma
T5612	TruHealth Advance	Alibag-Panvel	W	2800			See Individual Test Details
T5628	Tru Health Heart Pro	Alibag-Panvel	W	3500	Daily: 9am to 9pm	After 6 hrs	5 ml of serum
T5705	T5705 : TruHeart Gold	Alibag-Panvel	W	2499	Daily	Next day 5.00 pm	4 ml Serum
T5709	TB Viram screening	Alibag-	D	6475	Daily : 9:00am	After 6 weeks :	3ml of Serum in Gel Vacutainer or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
		Panvel				6:00pm	in Plain Sterile Vacutainer. 2ml of Fluoride Plasma. 2ml of Pulmonary or Extra Pulmonary specimen in Sterile leak proof container. Also note, kindly refer to individual test for the sample guideline.
T5710	TB Viram susceptibility	Alibag-Panvel	D	20300	Daily : 9:00am	After 4 weeks : 6:00pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
T8006	Tissue processing	Alibag-Panvel	C	530			Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
T8500	Transplant Panel for Viral Infection	Alibag-Panvel	D	15000	Every Tuesday, Thursday and Saturday 9:00 AM	Same day 11:00 PM	2ml EDTA Plasma or Serum
U0001	U1-SnRNP (68 KDa)Serum	Alibag-Panvel	C	1750	W,S: 7:30am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U0002	UGT1A1 Gene Polymorphism (TA Repeat)	Alibag-Panvel	D	6570	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
U0003	Urea, Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U0004	Urea Urine 24H	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
U0005	Urea Breath Test For Helicobacter Pylori	Alibag-Panvel	C	2120	Daily : 9:00am	Same day : 5pm	NA
U0006	Urea Clearance Test Serum	Alibag-Panvel	A	590	Daily: 9am to 9pm	After 6 hrs	10 ml of 24 Hrs Urine & 2 ml of serum
U0007	Uric Acid Serum	Alibag-Panvel	A	240	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U0008	Uric Acid Spot urine	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	10 ml of Spot urine
U0009	Uric Acid Urine 24H	Alibag-Panvel	A	295	Daily: 9am to 9pm	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.
U0010	Urobilinogen Urine	Alibag-Panvel	A	105	Daily: 9am to 9pm	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
U0014	Urea Urine Spot	Alibag-Panvel	A	300	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
U1801	Ultrasound (USG) by Appointment- Biophysical profile	Alibag- Panvel	O	2750			
U1803	Ultrasound (USG) by Appointment- Follicular Study	Alibag- Panvel	O	1650			
U1804	Ultrasound (USG) by Appointment- Full Abdomen with pelvis	Alibag- Panvel	O	3080			
U1805	Ultrasound (USG) by Appointment- K.U.B	Alibag- Panvel	O	1650			
U1806	Ultrasound (USG) by Appointment- Musculoskeletal (Shoulder, Elbow, Ankle, Knee, etc)	Alibag- Panvel	O	1650			
U1807	Ultrasound (USG) by Appointment- Pelvis	Alibag- Panvel	O	1650			
U1808	Ultrasound (USG) by Appointment- Pregnancy - 2nd trimester	Alibag- Panvel	O	2200			
U1809	Ultrasound (USG) by Appointment- Pregnancy - 3rd trimester	Alibag- Panvel	O	1925			
U1810	Ultrasound (USG) by Appointment- Pregnancy - early	Alibag- Panvel	O	1650			
U1811	Ultrasound (USG) by Appointment- Pregnancy - level 3 Scan	Alibag- Panvel	O	2200			
U1812	Ultrasound (USG) by Appointment- Small parts (Thyroid, Scrotum, etc)	Alibag- Panvel	O	1650			
U1813	Ultrasound (USG) by Appointment- Trans rectal with K.U.B	Alibag- Panvel	O	1760			
U1814	Ultrasound (USG) by Appointment- Upper abdomen	Alibag- Panvel	O	1650			
U8003	Urine Sugar Fasting	Alibag- Panvel	A	25	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container
U8004	Urine sugar, 2 hrs post prandial	Alibag- Panvel	A	25	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container
U8004_PP	Urine sugar, post glucose	Alibag- Panvel	A	25	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container
U8005	Urine sugar, random	Alibag- Panvel	A	25	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container
V0001	Valproic Acid Sodium Valporate Serum	Alibag-	C	930	Daily: 9am to 9pm	After 6 hrs	3 ml of Serum (Mention Time of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
V0002	Vancomycin Serum	Alibag-Panvel	R	6955	Daily : 11:30am	4th day : 6:00pm	3 ml of Serum (Mention Time of Drug)
V0003	VDRL RPR by Flocculation - Serum	Alibag-Panvel	B	270	Daily : 9:00am to 3:00pm	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0004	VDRL by Flocculation - CSF	Alibag-Panvel	C	455	Daily : 9:00am, 12:00pm, 4:00pm, 8:00 pm	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
V0005	Voltage Gated Calcium Channel (VGCC) Antibody**	Alibag-Panvel	R	10700	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
V0006	VGKC Antibody, CSF	Alibag-Panvel	D	9750	Mon & Thu : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
V0007	VGKC Antibody, Serum	Alibag-Panvel	D	9500	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0008	Vitamin A (Retinol), Serum	Alibag-Panvel	D	4665	Mon & Thu : 11:30am	Next day : 5:00pm	2 ml Serum Or EDTA Plasma In aluminium Foil
V0009	Vitamin B1 (Thiamine), EDTA Whole blood by HPLC (V0009)	Alibag-Panvel	D	3710	Wed & Sat : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood covered In Aluminium Foil
V0010	Vitamin B12 Cyanocobalamin Serum	Alibag-Panvel	B	1200	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0011	Vitamin B12 Active Holo Transcobalamin Serum	Alibag-Panvel	C	1380	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0012	Vitamin B2 Riboflavin EDTA Whole Blood	Alibag-Panvel	D	3710	Wed : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood covered In Aluminium Foil
V0013	Vitamin B6 Pyridoxine EDTA Whole Blood	Alibag-Panvel	D	3605	Sat : 11:30am	Mon : 7:00pm	3 ml of EDTA whole blood covered In Aluminium Foil
V0014	Vitamin C, Serum/Heparin plasma by HPLC	Alibag-Panvel	D	3750	Tue & Fri: 11:30am	Next day : 5:00pm	2 ml Lithium heparin Plasma or serum In Fasting condition covered In Aluminium Foil
V0015	Vitamin D Total-25 Hydroxy Plasma/Serum	Alibag-Panvel	B	1700	Daily: 9am to 9pm	After 6 hrs	2 ml of serum / EDTA Plasma
V0016	Vitamin D plus profile	Alibag-Panvel	A	1700	Daily: 9am to 9pm	After 6 hrs	2 ml Serum / Edta Plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
V0017	Vitamin D-1,25-Dihydroxy Serum	Alibag-Panvel	C	3605	Daily: 7.30am	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0018	Vitamin E Tocopherol Serum	Alibag-Panvel	D	4650	Mon & Thu : 11:30am	Next day : 5:00pm	2 ml Serum Or EDTA Plasma In aluminium Foil
V0019	Vitamin profile	Alibag-Panvel	C	3180	Daily: 9am to 9pm	After 8 hrs	3 ml Serum and 3 ml of EDTA plasma
V0020_LC	Vanillyl Mandelic Acid (VMA), LC MSMS, 24hrs urine	Alibag-Panvel	C	3870	Mon and Thu: 1pm	Next day 5:00 pm	10 ml 24 Hrs Urine
V0021	VRE Screen Vancomycin Resistant Enterococci by Vitek/ MALDITOF - Perianal swab	Alibag-Panvel	C	1100	Daily : 9:00am to 9:00pm	3rd day : 5pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
V0022	Vw-Von Willebrand Antigen, Citrated plasma	Alibag-Panvel	D	10070	Mon : 9:00am	Same day : 8pm	1 ml of citrated platelet poor plasma in frozen condition.
V0023	VZV DNA Detection by Real Time PCR - Amniotic fluid	Alibag-Panvel	C	3500	Mon & Thurs : 9:00am	Next day : 5:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
V0024	VZV DNA Detection by Real Time PCR - Blood	Alibag-Panvel	C	3500	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
V0025	VZV DNA Detection by Real Time PCR - CSF	Alibag-Panvel	C	3500	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
V0026	VZV DNA Detection by Real Time PCR - CVS	Alibag-Panvel	C	3500	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CVS in Sterile leak proof tube or container
V0027	VZV DNA Detection by Real Time PCR - Swab	Alibag-Panvel	C	3500	Mon & Thurs : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
V0029	VZV IgG Antibody by CLIA - Serum	Alibag-Panvel	C	2070	Daily : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0030	VZV IgM Antibody by CLIA - Serum	Alibag-Panvel	C	2015	Daily : 9:00am	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0031	VDRL reflex Syphilis Total ABS - Serum	Alibag-Panvel	B	695	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0032	Voriconazole EDTA Plasma	Alibag-Panvel	D	6040	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
V0034	VGKC - CSF & Serum	Alibag-Panvel	E	13905	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.2 ml of CSF in sterile screw capped container.
V0036	Vitamin B Complex profile	Alibag-Panvel	E	6385	Daily: 9am	7th day	3 ml of serum and 3 ml of EDTA whole bloodIn aluminium Foil
V0037	Vitamin K1**	Alibag-Panvel	R	4950	Daily : 11:30am	15th day : 6:00pm	5 ml serum without gel tube. Wrap in aluminium foil. Frozen.
V0038	VANADIUM ICPMS BLOOD	Alibag-Panvel	R	2945	Daily : 11:30am	10th day : 6:00pm	3 ml EDTA Blood / Metal free EDTA Blood
V0144	VITAMIN D GOLD(covers Vitamin D2 , vitamin D3 & D total)	Alibag-Panvel	D	2650	Daily : 11:30am	3rd day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0148	Vasculitis profile, Serum	Alibag-Panvel	D	4665	Tue, Thur, Sat 7:30 am	Next day 5 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0149	Vesicobullous Disorder profile	Alibag-Panvel	E	9270	Mon : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V5023	Vascular Endothelial Growth Factor (VEGF) â€” serum**	Alibag-Panvel	D	6360	Daily 7.30 am	4 Weeks	3 ml Serum
V7005	Vascular Endothelial Growth Factor (VEGF) serum**	Alibag-Panvel	R	6420	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml Serum
V8123	Vitamin B3 (Niacin)	Alibag-Panvel	D	3815	Daily 7.30 am	7th Days	4 ml Serum
V8124	Vitamin B7 (Biotin)	Alibag-Panvel	D	3815	Daily 7.30 am	7th Days	4 ml Serum
V8125	Vitamin B5	Alibag-Panvel	D	3815	Daily 7.30 am	7th Days	4 ml Serum
W0001	Warfarin Sensitivity CYP2C9*2,CYP2C9*3 &VKORC1 Mutation Blood**	Alibag-Panvel	R	15410	Daily : 11:30am	10th day : 6:00pm	Clinical history and TRF mandatory Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. below details are mandatory along with sample for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							the test "Genotyping for warfarin dose determination" 1.Clinical details 2.Medication details (Dose) 3.Height and Weight
W0002	Water analysis Chemical**	Alibag-Panvel	R	1475	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0003	Water Culture for coliforms Water	Alibag-Panvel	C	635			50ml of Water in Sterile leak proof container
W0006	WBC:Total & Differential Counts, EDTA blood.	Alibag-Panvel	A	215	Daily: 9am to 9pm	After 6 hrs	3 ml EDTA whole Blood
W0007	WBC:Total & Differential Counts, Body Fluid	Alibag-Panvel	A	270	Daily: 9am to 9pm	After 6 hrs	Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required.Body fulids(CSF, Pleural, Peritoneal, Pericardial, synovial fluid)
W0009	WBC-Total Counts, Body Fluid.	Alibag-Panvel	A	215	Daily: 9am to 9pm	After 6 hrs	Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fulids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid)
W0010	Weil Felix Test For Rickettsia by Agglutination - Serum	Alibag-Panvel	B	1050	Daily : 7:30pm	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0011	Widal Test for Typhoid by Agglutination - Serum	Alibag-Panvel	B	380	Daily : 7:30pm	Next day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0013	WilsonS Disease Panel	Alibag-Panvel	D	4450	Mon and Thu: 9am	Same day 5pm	3 ml of EDTA whole blood, 2 ml of flouride plasma random, 3 ml of serum, 20 ml aliquot of 24 hrs urine (Volume reqd)
W0014	West nile virus IgG by EIA - Serum	Alibag-Panvel	D	3710	1st & 3rd Fri : 9:00am	4th day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0015	West nile virus IgM by EIA - Serum	Alibag-Panvel	D	3710	1st & 3rd Fri : 9:00am	4th day : 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0017	West nile virus DNA Detection by Real Time PCR - EDTA Blood	Alibag-Panvel	D	6040	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
W0018	Whole mitochondrial genome	Alibag-	R	14000	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	sequencing**	Panvel				6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
W0019	WT1 MUTATION DETECTION**	Alibag-Panvel	R	8080	Daily : 11:30am	12th Day : 6:00pm	4 ML EDTA whole blood
W0020	Whole Exome panel**	Alibag-Panvel	R	25000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
W0021	Whole genome sequencing Mean 30x	Alibag-Panvel	R	95550	Daily : 11:30am	After 6 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
W0022	Whole Slide Imaging per slide	Alibag-Panvel	C	670		2nd Day	Well mounted H &E stained Or IHC stained slide, Doctors TRF & E mail ID
W0023	Water chemistry panel - 3**	Alibag-Panvel	R	4815	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0024	Water test profile, Routine	Alibag-Panvel	R	2675	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
W0025	Water test profile, Comprehensive	Alibag-Panvel	R	9630	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0026	Water chemistry panel - 1**	Alibag-Panvel	R	640	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W1802_F	Wellness packages (Body watch) by Appointment- Fitness check-Female Below 45 years	Alibag-Panvel	W	4500			See Individual Test Details
W1802_M	Wellness packages (Body watch) by Appointment- Fitness check-Male Below 45 years	Alibag-Panvel	W	4500			See Individual Test Details
W1803_F	Wellness packages (Body watch) by Appointment- Life style check -Female Below 45 years	Alibag-Panvel	W	8500			See Individual Test Details
W1803_M	Wellness packages (Body watch) by Appointment- Life style check -Male Below 45 years	Alibag-Panvel	W	8500			See Individual Test Details
W1804_F	Wellness packages (Body watch) by Appointment- Vitality check-Female Below 45 years	Alibag-Panvel	W	16500			See Individual Test Details
W1804_M	Wellness packages (Body watch) by Appointment- Vitality check-Male Below 45 years	Alibag-Panvel	W	16500			See Individual Test Details
W1805_F	Wellness packages (Body watch) by Appointment- Fitness check-Female Above 45 years	Alibag-Panvel	W	6500			See Individual Test Details
W1805_M	Wellness packages (Body watch) by Appointment- Fitness check-Male Above 45 years	Alibag-Panvel	W	6500			See Individual Test Details
W1806_F	Wellness packages (Body watch) by Appointment- Life style check-Female Above 45 years	Alibag-Panvel	W	12500			See Individual Test Details
W1806_M	Wellness packages (Body watch) by Appointment- Life style check-Male Above 45 years	Alibag-Panvel	W	12500			See Individual Test Details
W1807_F	Wellness packages (Body watch) by Appointment- Vitality check- Female Above	Alibag-Panvel	W	20500			See Individual Test Details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
W1807_M	45 years Wellness packages (Body watch) by Appointment- Vitality check-Male Above 45 years	Alibag-Panvel	W	20500			See Individual Test Details
X0001	X And Y (Sex Mismatch) by FISH	Alibag-Panvel	D	4665	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
X0002	X And Y (Sex Mismatch) by FISH Bone Marrow Transplant Bone Marrow	Alibag-Panvel	D	4665	Daily : 9:00am	3rd day : 6:00pm	2-3 ml Bone Marrow in Na-heparin vacutainer
X8011	XDR Rapid plus (For extra pulmonary samples)	Alibag-Panvel	D	6465	Daily : 7:30am	Same day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
X8012	XDR Rapid plus (For pulmonary samples)	Alibag-Panvel	D	6465	Daily : 7:30am	Same day : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container
Y0001	Y-Chromosome Microdeletion Analysis	Alibag-Panvel	D	8480	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.
Y0002	Yersinia Enterocolitica Culture by Vitek/MALDITOF - Stool	Alibag-Panvel	C	2280	Daily : 9:00am to 9:00pm	3rd day : 5pm	5gm of Stool specimen in Sterile leak proof container
Y0005	Yo Antibody Neuronal antibody for Paraneoplastic syndromes Serum	Alibag-Panvel	D	4920	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
Z0001	ZAP-70	Alibag-Panvel	D	5830	Daily : 11:30am	4th day : 6:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
Z0005	Zinc Urine	Alibag-Panvel	D	2330	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0006	Zinc, Blood	Alibag-Panvel	D	2330	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
Z0007	Zinc, Serum	Alibag-Panvel	D	2300	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0009	Zinc Urine 24H**	Alibag-Panvel	D	2330	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0011	Zika Virus RNA Detection by Real Time PCR - Serum	Alibag-Panvel	D	6890	Daily : 10:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
Z0012	Zinc , Water tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
Z0013	Zinc, Hair tests by ICPMS**	Alibag-Panvel	R	1925	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
Z0014	Zika Virus RNA Detection by Real Time PCR - Urine	Alibag-Panvel	D	6890	Daily : 10:00am	24 Hrs	15ml of Spot Urine in Sterile leak proof container
Z0015	Zinc Transporter 8 (ZnT8) Antibody	Alibag-Panvel	D	3180	Mon & Thu : 9:00 am	Next day : 5:00pm	3 ml Serum
Â D8269	DRUG PANEL - (PAIN KILLER - 5 DRUG)Â	Alibag-Panvel	L4	5400	next day 7 pm	All org	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
Â I0390	IHC stain only HHV 8	Alibag-Panvel	D	3500	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
Â I0392	IHC stain only MDM 2	Alibag-Panvel	D	3500	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
Â I0393	IHC single marker with reporting MDM2	Alibag-Panvel	D	4500	Daily : 9:00am	4th day	Paraffin blocks (Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail