

## METROPOLISEDOS\_Delhi

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0002	1p/19q Deletion by FISH Oligodendrogliomas Tissue**	Delhi	D	11445	Daily: 9am and 12th day	12th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
#0003	3-Methyl Histidine Quantitative Urine**	Delhi	D	6760	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
#0004	3-Methyl Histidine Quantitative Serum**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
#0006	5-HIAA, Urine 24 hrs by column chormatography**	Delhi	D	3545	Tue & Fri : 11:30am	Same day : 9:00pm	24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliqout to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
#0007	5q del ( MDS ) by Fish**	Delhi	D	5450	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
#0008	5q deletion/Monosomy 5 by FISH MDS Bone Marrow**	Delhi	D	5450	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0011	7q deletion/Monosomy 7 by FISH,MDS**	Delhi	D	4905	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0012	7q deletion/Monosomy 7 by FISH MDS Bone Marrow**	Delhi	D	4905	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0013	Williams Syndrome; Microdeletion of chromosome 7q11.23**	Delhi	R	10920	Daily : 11:30am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
#0014	FGFR 1 gene rearrangement t(8p11.2), Blood**	Delhi	E	4725	Daily: 9am and 7th day	7th day	3 ml Blood in Na-heparin vacutainer
#0015	FGFR 1 gene rearrangement t(8p11.2), Bone Marrow**	Delhi	E	4725	Daily: 9am and 7th day	7th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0017	11q ( ATM ) by FISH**	Delhi	D	4905	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
#0018	11q deletion by FISH ATM (CLL) Bone Marrow**	Delhi	D	4905	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0021	13q del by FISH**	Delhi	D	4905	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
#0022	13q deletion by FISH MM, CLL Bone Marrow**	Delhi	D	4905	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0023	14q32.3 by FISH IGH gene rearrangement (ALL, NHL) Blood**	Delhi	D	6200	Daily: 9am and 7th day	7th day	3 ml Blood in Na-heparin vacutainer
#0024	14q32.3 by FISH, IGH gene rearrangement (ALL, NHL) Bone Marrow**	Delhi	D	5995	Daily: 9am and 7th day	7th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0025	Prader-Willi/Angeman Syndrome (Microdeletion 15q9-13)**	Delhi	R	7175	Daily : 11:30am	12th Day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
#0026	17 OH Corticosteroids, Urine by Column Chromatography (#0026)**	Delhi	D	4470	Tue & Fri : 11:30am	Same day : 9:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0027	17-Hydroxy Progesterone Neonatal Screen Dried blood spot**	Delhi	C	380	Daily : 11:30am	Next day : 5:00pm	accurate results and such history to be conveyed to lab.  Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
#0028	17-Hydroxy-Progesterone by Serum	Delhi	C	1580	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
#0029	17 Ketosteroids,urine by Column Chromatography (#0029)**	Delhi	C	4140	Tue & Fri : 11:30am	Same day : 9:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
#0030	Del 17p53 by FISH**	Delhi	D	4905	Daily: 9am and 5th day	5th day	include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. 2-3 ml Bone Marrow in Na-heparin vacutainer
#0031	17p deletion by FISH, p53 (MM, CLL) Blood**	Delhi	D	5450	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
#0034	20q deletion (MDS) by FISH, Blood FISH probe for chromossome 20q Blood**	Delhi	D	4905	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
#0035	Del 20q (MDS) Blood / bone marrow**	Delhi	D	4905	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
#0036	DEL 22q ( Microdeletion digeorge syndrome) by FISH**	Delhi	D	5775	Daily: 9am and 7th day	7th day	3 ml of Blood In Na-Heparin Vacutainer
#1018	5 Nucleotidase activity , Serum**	Delhi	R	6240	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
A0001	Abnormal Haemoglobin Studies, Hb Variants, EDTA Blood	Delhi	C	1000	Daily :10.00 am	Same Day 7.00 pm	3 ml EDTA whole blood
A0003	Absolute Eosinophile Count	Delhi	A	195	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA whole blood
A0008	Acetone Ketone by Fully Automated Urine chemistry & Microscopy - Urine	Delhi	A	115	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0012	AChR Antibodies Acetyl Choline Receptor Antibodies Serum**	Delhi	C	3200	Daily : 11:30am	Next day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0013	Acid Phosphatase Total Serum**	Delhi	A	250	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0014	Acid Phosphatase Total and prostatic fraction Serum**	Delhi	C	435	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0015	ACTH Stimulation Test - For 17 OH progesterone -Serum	Delhi	C	3595	Daily : 11:30am	After 8hrs	3 ml of serum (0 min, 30, 60 min)
A0016	ACTH Stimulation Test - For Aldosterone - Serum**	Delhi	C	5450	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of serum (0 min, 30, 60 min)
A0017	ACTH Stimulation Test - For Androstenedione - Serum**	Delhi	C	4470	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of serum (0 min, 30, 60 min)
A0018	ACTH Stimulation Test - For Cortisol - Serum	Delhi	C	1745	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0 min, 30, 60 min)
A0019	ACTH Stimulation Test - For DHEAS-Serum	Delhi	C	2725	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0 min, 30, 60 min)
A0020	ACTH Adreno Corticotropic Hormone - Plasma	Delhi	C	1745	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA plasma .
A0021	Actinomycetes Culture by Vitek/ MALDITOF - Sputum**	Delhi	D	1415	Daily: 9am to 9pm and Upto 1-5 days	Upto 1-5 days	2ml of Sputum in Sterile leak proof container
A0022	Actinomycetes Culture by Vitek/ MALDITOF - Tissue**	Delhi	D	1310	Daily: 9am to 9pm and Upto 1-5 days	Upto 1-5 days	Tissue with Normal Saline in Sterile leak proof container
A0023	Actitest and Fibrotest**	Delhi	E	15750	Daily: 7am and 5th day	5th day	5 ml of serum
A0024	Acylcarnitine quantitative Neonatal**	Delhi	R	4680	Daily : 11:30am	8th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0025	ADA - Adenosine Deaminase by Biochemical Method - Ascitic Fluid	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. 3 ml of Fluid in Sterile leak proof container
A0026	ADA - Adenosine Deaminase by Biochemical Method - CSF	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of CSF in Sterile leak proof tube or container
A0027	ADA (Adenosine Deaminase), Pericardial fluid	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0028	ADA - Adenosine Deaminase by Biochemical Method- Peritoneal Fluid	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0029	ADA - Adenosine Deaminase by Biochemical Method - Pleural Fluid	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0030	ADA - Adenosine Deaminase by Biochemical Method - Pus	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	Sample in sterile container
A0031	ADA - Adenosine Deaminase by Biochemical Method - Serum	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0032	Adenovirus DNA Detection by PCR - Respiratory Fluid **	Delhi	D	4580	Daily : 11:30am	10th day : 6:00pm	3 ml of Fluid in Sterile leak proof container
A0033	Adenovirus DNA Detection by PCR - Oral swab**	Delhi	D	4580	Daily : 11:30am	10th day : 6:00pm	1 Swab with Sufficient Material in Sterile Vacutainer
A0034	Adenovirus DNA Detection by PCR - Eye swab**	Delhi	D	4580	Daily : 11:30am	10th day : 6:00pm	1 Swab with Sufficient Material in Sterile Vacutainer
A0035	Adenovirus DNA Detection by PCR - Nasal swab **	Delhi	D	4685	Daily : 11:30am	10th day : 6:00pm	1 Swab with Sufficient Material in Sterile Vacutainer
A0036	Adenovirus IgG Antibody by EIA - Serum**	Delhi	D	1745	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0037	Adenovirus IgM Antibody by EIA - Serum**	Delhi	D	1635	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0038	ADH-Anti Diuretic Hormone Vasopressin Plasma**	Delhi	D	4470	Mon : 11:30am	Next day : 5:00pm	3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.
A0039	Adiponectin ELISA Serum**	Delhi	D	2725	Wed : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0041	Adrenaline (Epinephrine) Plasma**	Delhi	D	3160	Wed : 11:30am	Next day : 5:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
A0042	Adrenaline (Epinephrine] HPLC,Urine24hrs**	Delhi	D	3160	Wed : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
A0052	AFB Rapid culture by Bactec Fx - Blood**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
A0053	AFB Rapid culture by MGIT - Body Fluid**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of Body Fluid in Sterile leak proof container
A0054	AFB Rapid culture by Bactec Fx - Bone Marrow**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0055	AFB Rapid culture by MGIT - BAL / Other Respiratory samples**	Delhi	C	1070	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of BAL / Other Respiratory samples in Sterile leak proof container
A0056	AFB Rapid culture by MGIT - CSF**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of CSF in Sterile leak proof tube or container
A0057	AFB Rapid culture by MGIT - Endometrium**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of Endometrium in Sterile leak proof container
A0058	AFB Rapid culture by MGIT - Other**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of Specimen in Sterile leak proof container
A0059	AFB Rapid culture by MGIT - Pus, abscess and aspirates**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0060	AFB Rapid Culture by MGIT - Sputum**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	2ml of Sputum in Sterile leak proof container
A0061	AFB Rapid culture by MGIT - Tissue/ Biopsy**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	Tissue with Normal Saline in Sterile leak proof container
A0062	AFB Rapid Culture by MGIT - Urine**	Delhi	C	1145	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	15ml of Spot Urine in Sterile leak proof container
A0063	MOTT Antibigram for Rapid Growers by Microbroth dilution - Pure Culture**	Delhi	D	8720	Wed and Sat: 7:30am and 15th day	15th day	Isolated colony on culture plates
A0064	MOTT Antibigram for Slow Growers by Microbroth dilution - Pure Culture**	Delhi	D	10465	Wed and Sat: 7:30am and 15th day	15th day	Isolated colony on culture plates
A0065	AFB (TB) - Antibigram for MTb complex - Amikacin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	3270	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0066	AFB (TB) - Antibigram for MTb complex - Capreomycin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0067	AFB (TB) - Antibigram for MTb complex - Clofazimine Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0068	AFB (TB) - Antibigram for MTb complex - Ethambutol Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0069	AFB (TB) - Antibigram for MTb complex - Ethionamide Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0070	AFB (TB) - Antibigram for MTb complex -	Delhi	C	2615	Daily: 7.30am and	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Isoniazid Drug by MGIT - Pure Growth of MTB complex**				Upto 4 weeks		Or MGIT Tube or LJ slant
A0071	AFB (TB) - Antibiogram for MTb complex - Kanamycin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0072	AFB (TB) - Antibiogram for MTb complex - Levofloxacin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0073	AFB (TB) - Antibiogram for MTb complex - Moxifloxacin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0074	AFB (TB) - Antibiogram for MTb complex - Ofloxacin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0075	AFB (TB) - Antibiogram for MTb complex - PAS Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0076	AFB (TB) - Antibiogram for MTb complex - Pyrazinamide Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0077	AFB (TB) - Antibiogram for MTb complex - Rifabutin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0078	AFB (TB) - Antibiogram for MTb complex - Rifampicin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2615	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0079	AFB (TB) - Antibiogram for MTb complex - Streptomycin Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2615	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0080	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Sputum/ BAL	Delhi	C	2290	Mon, Wed, Fri : 12.00PM	Next day 12.00PM	2ml of Sputum/ BAL/ Other respiratory samples in Sterile leak proof container
A0081	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Body Fluids	Delhi	C	2290	Mon, Wed, Fri : 12.00PM	Next day 12.00PM	2ml of Body Fluid in Sterile leak proof container
A0082	AFB-DNA (TB-PCR) Detection by Real Time	Delhi	C	2290	Mon, Wed, Fri :	Next day	2ml of CSF in Sterile leak proof

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - CSF				12.00PM	12.00PM	tube or container
A0083	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Pus / Abscess / Aspirate	Delhi	C	2290	Mon, Wed, Fri : 12.00PM	Next day 12.00PM	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0084	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Other sample type	Delhi	C	2290	Mon, Wed, Fri : 12.00PM	Next day 12.00PM	2ml of Specimen in Sterile leak proof container
A0085	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Tissue / Biopsy /Lymph nodes/Endometrium	Delhi	C	2290	Mon, Wed, Fri : 12.00PM	Next day 12.00PM	Tissue/ Endometrium with Normal Saline/ Biopsy/ Lymph nodes in Sterile leak proof container
A0086	AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Urine	Delhi	C	2290	Mon, Wed, Fri : 12.00PM	Next day 12.00PM	15ml of Spot Urine in Sterile leak proof container
A0087	AFB Drug susceptibility - 1st and 2nd Line (10 drugs) panel by MGIT - Pure Culture**	Delhi	D	10355	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0088	AFB Drug susceptibility - 1st Line (4 drugs) SIRE panel by MGIT - Pure Culture**	Delhi	D	5450	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0089	AFB Drug susceptibility - 2nd Line (4 Drugs) KEPO panel by MGIT - Pure Culture**	Delhi	D	6320	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0090	AFB Drug susceptibility - Additional drugs 4 Nos. MACC panel by MGIT - Pure Culture**	Delhi	D	6105	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0091	AFB Drug susceptibility - Comprehensive 13 drugs panel by MGIT - Pure Culture**	Delhi	D	14715	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0092	AFB Identification & Speciation MTB and MOTT by Hains Line Probe - Pure culture**	Delhi	D	3815	Tue: 9am and Next day 5pm	Next day 5pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.
A0093	AFB MDR Screen by Hains Line Probe Assay - Sputum / BAL/ Other respiratory samples**	Delhi	D	2070	Tue: 9am and Next day 5pm	Next day 5pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container
A0094	AFB MDR Screen by Hains Line Probe Assay - Extra pulmonary samples**	Delhi	D	1960	Tue: 9am and Next day 5pm	Next day 5pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, Synovial fluid)
A0102	AFB-Smear examination by Fluorescent stain - Body fluid **	Delhi	C	545	Daily: 9am and Same day 5pm	Same day 5pm	2ml of Body Fluid in Sterile leak proof container
A0103	AFB-Smear examination by Fluorescent stain - BAL / Other Respiratory Sample **	Delhi	C	545	Daily: 9am and Same day 5pm	Same day 5pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container
A0104	AFB-Smear examination by Fluorescent stain - Pus, abscess and aspirates **	Delhi	C	545	Daily: 9am and Same day 5pm	Same day 5pm	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0105_1	AFB-Smear examination by Fluorescent stain - Sputum (1 sample)**	Delhi	C	240	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0105_3	AFB-Smear examination by Fluorescent stain - Sputum ( 3 sample )**	Delhi	C	1310	Daily	AFTER 8 HOURS	2ml of Sputum in Sterile leak proof container
A0106	AFB-Smear examination by Fluorescent stain - Tissue/Biopsy**	Delhi	C	655	Daily: 9am and Same day 5pm	Same day 5pm	Tissue with Normal Saline / Biopsy / Lymph nodes in Sterile leak proof container
A0107_1	AFB-Smear examination by Fluorescent stain - Urine (1 sample)**	Delhi	C	240	Daily: 9am and 3pm After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0107_3	AFB-Smear examination by Fluorescent stain - Urine ( 3 sample ) **	Delhi	C	490	Daily	AFTER 8 HOURS	15ml of Spot Urine in Sterile leak proof container
A0108	AFB-Smear examination by ZN Stain - Body fluids	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Body Fluid in Sterile leak proof container
A0109	AFB- Smear examination by ZN Stain - BAL / Other Respiratory samples	Delhi	B	245	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of BAL / Other Respiratory samples in Sterile leak proof container
A0110	AFB-Smear examination by ZN Stain - Pus, abscess and aspirates	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Pus / Abscess / Aspirate in Sterile leak proof container
A0111_1	AFB-Smear examination by ZN Stain - Sputum (1 sample)	Delhi	B	245	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0111_3	AFB-Smear examination by ZN Stain - Sputum (3 samples)	Delhi	B	890	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Sputum in Sterile leak proof container
A0112	AFB- Smear examination by ZN Stain -	Delhi	B	390	Daily: 8.00 am and	After 6 hrs	Tissue with Normal Saline in Sterile

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Tissue/Biopsy				3.00 pm and After 6 hrs		leak proof container
A0113_1	AFB- Smear examination by ZN Stain - Spot Urine (Single Sample)	Delhi	B	245	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0113_3	AFB-Smear examination by ZN Stain - Urine (3 samples)	Delhi	B	775	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0114	AFB Speciation (MOTT) Additional species by Hains Line Probe Assay - Pure culture**	Delhi	C	4685	Tue: 9am and Next day 5pm	Next day 5pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.
A0115	AFB XDR Screen by Hains Line Probe Assay - Sputum / BAL/ Other respiratory samples**	Delhi	C	5450	Tue: 9am and Next day 5pm	Next day 5pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container
A0116	AFB XDR Screen by Hains Line Probe Assay - Extra pulmonary samples**	Delhi	C	5450	Tue: 9am and Next day 5pm	Next day 5pm	Extra - Pulmonary Smear positive samples or Culture positive specimen
A0117	AFB-Xpert panel (M.Tb Detection & Rifampicin resistance) by CBNAAT - Pulmonary samples	Delhi	D	2400	Daily 9 AM	Same day 6pm	2ml of Pulmonary specimen in Sterile leak proof container
A0118	AFB-Xpert panel (M.Tb Detection & Rifampicin resistance) by CBNAAT - Extra pulmonary samples	Delhi	D	2400	Daily 9 AM	Same day 6pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
A0119	AFP-Alpha Feto Protein- CLIA- Serum	Delhi	B	900	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0120	Alpha Fetoprotein - Amniotic Fluid (AFP-AF)**	Delhi	C	1035	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml Amniotic Fluid In Sterile container
A0121	AFP-Alpha Feto Protein -CLIA- CSF**	Delhi	C	870	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
A0122	Albert stain by smear examination - Throat swab	Delhi	B	335	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0123	Albumin Qualitative - Urine	Delhi	A	150	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
A0124	Albumin Quantitative Urine 24H	Delhi	B	720	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample.
A0125	Albumin Serum	Delhi	A	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0126	Albumin CSF**	Delhi	C	1310	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
A0127	Albumin/Creatinine Ratio, Urine	Delhi	A	550	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
A0128	Alcohol Ethanol Urine**	Delhi	C	1310	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
A0129	Alcohol Ethanol Serum	Delhi	C	870	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0130	Aldehyde Chopra Test for Kala Azar by Chemical Formal Test - Serum	Delhi	R	470	Daily : 11:30am	3rd day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0131	Aldolase enzymatic Serum**	Delhi	C	1035	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0132	Aldosterone 24H URINE**	Delhi	C	1960	Daily : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample.
A0133	Aldosterone ELISA Serum**	Delhi	C	1960	Daily : 9:00am	Same day after 8 hrs	3 ml Serum (Mention The Position)
A0134	ALK1/EML4 ( LUNG CANCER ) by FISH**	Delhi	E	8400	Daily : 9:00am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
A0135	Alkaline Phosphatase Serum	Delhi	A	145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0136	Alkaline Phosphatase Isoenzymes Electrophoresis - Serum**	Delhi	D	5450	Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0137	Alkaline Phosphatase with Bone Fraction Ostase Serum**	Delhi	C	2180	Mon & Thu : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0138	Allergen,Individual-Animal Cat Dander Serum**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0140	Allergen,Individual-Animal Cow DanderSerum**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0141	Allergen,Individual-Animal Dog Dander Serum**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0143	Allergen,Individual-Animal Guinea Pig Epithelium Serum**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0145	Allergen,Individual-Animal Horse Dander Serum**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0152	Allergen,Individual-Drug ACTH**	Delhi	C	1800	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0158	Allergen,Individual-Drug Ciprofloxacinantibiotic**	Delhi	C	1635	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0173	Allergen, Individual-Drug Sulpha antibiotic**	Delhi	C	1635	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0175	Allergen,Individual-Dust Dermatophagoides FarinaeHouse Dust Mite**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0176	Allergen,Individual-Dust Dermatophagoides Pteronyssinus House Dust Mite**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0178	Allergen,Individual-Dust House Dust - Hollistier**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0179	Allergen,Individual-DustHouse Dust Greer Labs**	Delhi	C	1415	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0180	Allergen,Individual-Food Almond Badam (Amygdalus Communis)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0181	Allergen,Individual-Food Alpha - Lactalbumin Milk protein**	Delhi	C	1525	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0182	Allergen,Individual-Food Apple Safarchand (Malus X Domestica)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0185	Allergen,Individual-Food Baingan**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0186	Allergen,Individual-Food Bakers Yeast ( Saccharomyces Cerevisiae)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
A0187	Allergen,Individual-Food Banana Kela (Musa Spp.)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0189	Allergen,Individual-Food Basil Ocimum basilicum**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0191	Allergen,Individual-Food Beef Cow meat (Bos spp.)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0192	Allergen,Individual-Food Beta - Lactoglobulin- Milk protein**	Delhi	C	1525	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0193	Allergen,Individual-Food Black Pepper Piper nigrum**	Delhi	C	1525	Mon & Thu : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0194	Allergen,Individual-Food Blue MusselMytilus Edulis**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0195	Allergen,Individual-Food Brazil Nut Bertholletia excelsa**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0198	Allergen,Individual-Food Cabbage Gobi (Brassica Oleraceavar.Capitata)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0199	Allergen,Individual-Food Cardamon Elettaria cardamomum**	Delhi	C	1525	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0201	Allergen,Individual-Food Casein( Milk Protein)Dahi**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0202	Allergen,Individual-Food Cashew Nut Kaju ( Anacardium Occidentale)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0204	Allergen,Individual-Food Celery Apium Graveolens**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0205	Allergen,Individual-Food Cheese Cheddar**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0207	Allergen,Individual-Food Chick Pea Kabuli Chana (Cicer Arietinus)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0208	Allergen,Individual-Food Chicken Meat Murgi**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0209	Allergen,Individual-Food Chilipepper Capsicum frutescens**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0211	Allergen,Individual-Food Clove(Syzygium aromaticum)**	Delhi	C	1525	Mon & Thu : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0212	Allergen,Individual-Food Cocoa Chocolate (Theobroma Cacao)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0213	Allergen,Individual-Food Coconut Narial (Cocos Nucifera)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0214	Allergen,Individual-Food Cod Fish Machhli (Gadus Morhua)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0215	Allergen,Individual-Food Coffee**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0216	Allergen,Individual-Food Coriander**	Delhi	C	1525	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0217	Allergen,Individual-Food Corn / Maize Makka (Zea Mays)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0218	Allergen,Individual-Food Cow Milk Doodh**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0219	Allergen,Individual-FoodCrabCancer pagurus**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0224	Allergen,Individual-Food Egg White Anda**	Delhi	C	1525	Daily : 11:30am	After 8hrs	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0225	Allergen,Individual-Food Egg Yolk Anda**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0228	Allergen,Individual-Food Garlic Lehsoun (Allium Sativum)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0230	Allergen,Individual-Food Gluten**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0234	Allergen,Individual-Food Green Pea**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0236	Allergen,Individual-Food Hazelnut Corylus avellana**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0238	Allergen,Individual-Food Kiwi Fruit Actinidia deliciosa**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0242	Allergen,Individual-Food Lemon Nimbu (Citrus Limon)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0243	Allergen,Individual-Food Lentil Masoor Dal (Lens Esculenta)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0245	Allergen,Individual-Food Lobster Homarus gammarus**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0249	Allergen,Individual-Food Mango Mangifera Indica**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0252	Allergen,Individual-Food Mushroom champignon / Agaricus hortensis**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0253	Allergen,Individual-Food Mustard Sarson (Brassica / Sinapsis Spp.)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0254	Allergen,Individual-Food Mutton Ovis Spp.**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0256	Allergen,Individual-Food Olive Olea Europaea**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0257	Allergen,Individual-Food Onion Piaz (Allium Cepa)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0258	Allergen,Individual-Food Orangesantra (Citrus sinensis)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0260	Allergen,Individual-Food Papaya Carica Papaya**	Delhi	C	1635	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0261	Allergen,Individual-Food Paprica Simla Mirchi (Capsicum Annuum)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0263	Allergen,Individual-Food Peach Prunus persica**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0264	Allergen,Individual-Food Peanut Moongfali (Arachis Hypogaea)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0265	Allergen,Individual-Food Pear Pyrus communis**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0266	Allergen,Individual-Food Pecan nut Carya illinoensis**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0267	Allergen,Individual-Food Pineapple Ananas**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0268	Allergen,Individual-Food Pistachio**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
A0269	Allergen,Individual-Food Plaice Fish (Pleuronectes platessa)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0272	Allergen,Individual-Food Pork Pig meat**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0273	Allergen,Individual-Food Potato Aaloo (Solanum Tuberosum)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0277	Allergen,Individual-Food Rice Chawal (Oryza Sativa)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0278	Allergen,Individual-Food Salmon Rawas fish (Salmo Salar)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0281	Allergen,Individual-Food Shrimp / Prawns**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0282	Allergen,Individual-Food Soyabean Glycine Max**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0283	Allergen,Individual-Food Spinach Palak ( Spinachia Oleracea)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0284	Allergen,Individual-Food Strawberry Fragaria vesca**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0289	Allergen,Individual-Food Tomato Tamatar (Lycopersicon Lycopersicum)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0290	Allergen,Individual-Food TunaFish (Pleuronectes platessa)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0292	Allergen,Individual-Food Walnut Juglans californica**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0294	Allergen,Individual-Food Wheat Gehon (Triticum Aestivum)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0295	Allergen,Individual-Food White Bean Phaseolus Vulgaris**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0298	Allergen,Individual-Grass pollen Bermuda Grass Durva (Cynodon Grass)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0300	Allergen,Individual-Grass pollen Cultivated Rye Grass Secale Cereale**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0302	Allergen,Individual-Grass pollen Johnson Grass Jowar grass (Sorghum Grass)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0304	Allergen,Individual-Grass pollen Meadow Grass Poa Pratensis**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0308	Allergen,Individual-Grass pollen Timothy Grass Ghass (Phleum Pratense)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0311	Allergen,Individual-Insect Cockroach German Blatella Germanica**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0312	Allergen,Individual-InsectHoney Bee Venom Madhu Makhhi (Apis Mellifera)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0315	Allergen,Individual-Micro organism Alternaria Tenius fungus**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0316	Allergen,Individual-Micro organism Aspergillus Fumigatus fungus**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0317	Allergen,Individual-Micro organism Candida Albicans fungus**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0318	Allergen,Individual-Micro organismCladosporium Herbarum	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	fungus**						tests.
A0320	Allergen, Individual - Insect Mosquito Machhar (Aedes Communis)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0322	Allergen, Individual-Micro organism Penicillium Notatum fungus (Penicillium chrysogenum)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0338	Allergen, Individual-Tree pollen Acasia Babool (Acasia Longifolia)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0339	Allergen, Individual-Tree pollen Alder Alnus Incana**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0340	Allergen, Individual-Tree pollen Birch Betula Verrucosa**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0342	Allergen, Individual-Tree pollen Eucalyptus Nilgiri (Safeda )**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0345	Allergen, Individual-Tree pollen Mesquite Pahadi Keekar (Prosopis Juliflora)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0346	Allergen, Individual-Tree pollen Mulberry Shahtoot (Morus alba)**	Delhi	C	1525	Daily : 11:30am	5th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0347	Allergen, Individual-Tree pollen Oak Quercus Alba**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0348	Allergen, Individual-Tree pollen White Pine Pinus strobus**	Delhi	C	1525	Daily : 11:30am	5th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0349	Allergen, Individual-Tree pollen Willow Salix Caprea**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0350	Allergen, Individual-Weed pollen Cocklebur Xanthium commune**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0351	Allergen,Individual-Weed pollen Common Pigweed Kaantewali Chauli ( Amaranthus Retroflexus)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0352	Allergen,Individual-Weed pollen Common RagweedClose To Parthenium / Congress Grass (Ambrosia Elatior)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0353	Allergen,Individual-Weed pollen English Plantain Plantago Lanceolata**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0355	Allergen,Individual-Weed pollen Goose Foot Chenopodium Album**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0356	Allergen,Individual-Weed pollen Mugwort Sita Bani (Artemisia Vulgaris / BanoBarna)**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0360	Allergy - Fruit Panel**	Delhi	D	6865	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0361	Allergy Fx 5 Panel**	Delhi	D	5340	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0362	Allergy - Milk & Milk Product Panel**	Delhi	D	4580	Daily : 11:30am	Next day : 6:00pm	5 ml of serum
A0363	Allergy - Non-vegetarian Panel**	Delhi	D	7795	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0364	Allergy-Nuts Panel**	Delhi	D	6800	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0367	Allergy - Spices Panel**	Delhi	D	6105	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0368	Allergy - Vegetable-1 Panel**	Delhi	D	6865	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0370	Allergy - Vegetarian + Nonvegetarian Panel**	Delhi	D	16500	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0371	Allergy panel - food Vegetarians Panel**	Delhi	D	8500	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0372	Allergy - Adult (Comprehensive) Panel**	Delhi	D	17900	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0373	Allergy - Animal Panel**	Delhi	D	4580	Daily : 11:30am	Next day : 5:00pm	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0377	Allergy - Drug Panel: ( Maxi )**	Delhi	D	7000	Tue & Fri : 11:30am	After 8hrs	5 ml of serum
A0379	Allergy - Dust Panel**	Delhi	D	4360	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0382	Allergy - Environmental Panel**	Delhi	D	17005	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0383	Allergy - GIT Panel**	Delhi	D	19785	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0384	Allergy-Grass Panel**	Delhi	D	3815	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0389	Allergy - Mold-2 Panel**	Delhi	D	4905	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0395	Allergy - Trees pollen Panel**	Delhi	D	4140	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0396	Allergy - Weeds pollen Panel**	Delhi	D	5180	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0398	IgETotal antibodySerum	Delhi	B	900	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0399	Allergy Screening IgE With Phadiatop (Adult & >5y)**	Delhi	D	1650	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0400	Allergy screeningPhadiatop-AdultFor > 5 years**	Delhi	C	1200	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0401	Phadiatop allergen screening - Infant (For Below 5 yrs)**	Delhi	C	1200	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0403	Alpha 1 Acid Glycoprotein Serum**	Delhi	D	2290	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0404	Alpha 1 Antitrypsin Serum**	Delhi	C	2290	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0406	Alpha 2 Macroglobulin Serum**	Delhi	D	3050	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0407	Alpha Fucosidase Blood**	Delhi	R	7800	Daily : 11:30am	10th day :	sample type - 5 ml Heparin Blood



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0408	Alpha Galactosidase Fabry Blood**	Delhi	R	6240	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0409	Alpha Glucosidase GSD II / pompe Blood**	Delhi	R	8010	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0410	Alpha Iduronidase Hurler / MPS I Blood**	Delhi	R	6760	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0411	Alpha Mannosidase Blood**	Delhi	R	6240	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0412	Alpha N-Acetyl Galactosaminidase Schindler disease Blood**	Delhi	R	6240	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0413	Alpha Thalassemia by PCR**	Delhi	D	5995	Tues & Sat 7.30 am and 8th day	8th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
A0414	Aluminium in serum**	Delhi	C	2945	Daily: 7:30am	Next day 5:00pm	HeavyMetalSamplingguidelines.pdf
A0415	Aluminium, Urine 24 Hrs**	Delhi	C	2945	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0416	Aluminium spot urine**	Delhi	C	2945	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0417	AMH Mullerian Inhibiting Substance Serum	Delhi	B	2100	Daily: 8.00 am to	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		ml serum for profiles and reflex tests.
A0422	Amino Acid Quantitative Analysis by LC MSMS Plasma**	Delhi	D	7905	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0423	Amino Acid Quantitative Urine**	Delhi	D	7770	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
A0424	Amino Levulinic Acid (ALA) 24 H Urine**	Delhi	D	4610	Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
A0425	Amino Levulinic Acid (ALA) Urine Spot**	Delhi	D	4635	Thu : 11:30am	Next day : 5:00pm	10 ml of Spot urine (Protect From Light)
A0427	Ammonia Biochemical Plasma**	Delhi	B	1165	Daily: 9am to 9pm and After 3 hrs	After 3 hrs	2 ml of Heparinised Plasma
A0428	Amoebiasis Antibodies-IgG Antibody by IHA - Serum**	Delhi	C	1525	Mon and Thu: 7.30am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0429	Amphetamine Quantitative Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	5 ml of Spot Urine
A0430	Amphiphysin Antibody Neuronal Ag in Paraneoplastic Syndrome Serum	Delhi	D	5125	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0431	Amylase Enzymatic Ascitic Fluid	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Ascitic Fluid

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0432	Amylase Enzymatic Serum	Delhi	B	400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0433_24	Amylase enzymatic Urine Spot	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
A0433_24H	Amylase enzymatic Urine 24H	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
A0434	Amyloid A Serum**	Delhi	D	3980	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0435	ANA Blot 18 Antigen, Serum	Delhi	C	3500	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0436	ANA by ELISA Anti Nuclear Antibody Screening Serum	Delhi	B	890	Mon , Wed , Fri: 10.00 am and Same Day 5.00 pm	Same Day 5.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0437	Anti Nuclear Antibody by IFA	Delhi	C	1500	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0438	ANA Profile Serum	Delhi	D	5500	Tue,Thur and Sat 7.30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0440	Anaemia Profile-Haemolytic Type**	Delhi	C	3380	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	4 ml Heparin & EDTA Blood, 4ml Serum
A0441	Anaemia Profile-Maxi**	Delhi	C	8175	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	4 ml Heparin & EDTA Blood, 4ml Serum
A0442	Anaemia Profile-Mini	Delhi	C	1960	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 5 ml of serum
A0443	Anaemia Profile-Nutritional	Delhi	C	3815	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml EDTA blood & Serum
A0444	Anaemia Profile-Pernicious**	Delhi	C	3215	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3ml EDTA blood & Serum
A0445	Anti neutrophil cytoplasmic antibody (ANCA) Serum	Delhi	C	2235	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0446	Androgen Profile**	Delhi	C	4580	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum
A0447	AndrostenedioneA4Serum**	Delhi	C	2180	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0448	ACE - Angiotensin Converting Enzyme Serum	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0449	ACE-Angiotensin Converting Enzyme, CSF**	Delhi	D	3050	Daily : 11:30am	4th day : 6:00pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
A0450	Antenatal Profile-II	Delhi	C	1035	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine
A0451	Antenatal Profile - I	Delhi	C	1800	Daily: 8.00 am to 8.00 pm and Next day 8.00 pm	Next day 8.00 pm	2 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine
A0453	Anti - A Titre**	Delhi	D	1635	Daily : 11:30am	After 8hrs	3 ml Serum
A0454	Anti - B Titre**	Delhi	D	1635	Daily : 11:30am	After 8hrs	3 ml Serum
A0455	Anti DNase B enzymatic Seum**	Delhi	D	1960	Daily: 7am and 3rd day	3rd day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0458	Anti Thrombin III Activity Functional, Citrated plasma	Delhi	D	3490	Mon: 7.30am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
A0459	Anti Thrombin III Antigen, Citrated plasma **	Delhi	D	6540	Mon: 9am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
A0462	Antimony ICPMS Urine Spot**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
A0463_N	Phospholipid Profile - 3**	Delhi	D	8395	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of Citrate plasma, 3 ml of serum
A0464	APA-IgG Phospholipid Antibody Serum	Delhi	C	980	Daily: 7:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0465	APA-IgM Phospholipid Antibody Serum	Delhi	C	980	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0466	APCR Activated Protein C Resistance Test, Citrated plasma**	Delhi	D	4580	Mon: 9am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
A0467	Apolipoproteins A1 serum	Delhi	B	720	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0468	Apolipoproteins B/A1	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0469	Apolipoproteins B serum	Delhi	B	720	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0470	Apolipoproteins Profile, Serum	Delhi	C	1855	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0471	APTT Activated Partial Thromboplastin Time, Citrated plasma.	Delhi	B	550	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
A0472	Arginine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0473	Arginine Quantitative Urine**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
A0474	Arsenic**	Delhi	D	3270	Daily : 11:30am	3rd day :	HeavyMetalSamplingguidelines.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	
A0475	Arsenic, Urine 24 Hrs**	Delhi	D	3270	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0476	Arsenic, Urine Spot**	Delhi	D	3270	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0477	Arthritis Profile	Delhi	C	3160	Daily: 8.00 am to 8.00 pm and Next day 8.00 pm	Next day 8.00 pm	2 ml of EDTA whole blood, 3 ml of serum, 20 ml of spot urine
A0478	Aryl Sulphatase A metachromatic leucodystrophy Blood**	Delhi	R	6240	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0479	Aryl Sulphatase B MPS VI Blood**	Delhi	R	9255	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0480	ASCA-IgA Saccharomyces Cerevisiae Serum**	Delhi	C	1745	Fri: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0481	ASCA-IgG Saccharomyces Cerevisiae Serum**	Delhi	C	1745	Fri: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0482	ASH /NASH / STEATO Profile**	Delhi	E	15750	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum and 2 ml of fluoride plasma . Fasting sample
A0483	ASKA Skeletal (Striated) Muscle Antibody Serum**	Delhi	D	3815	Mon, Wed & Fri : 11:30am	Same day: 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0484	ASMA Smooth Muscle Antibody Serum	Delhi	C	2070	Daily: 11:30am	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0485	ASO titre Quantitative Serum	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0486	Asparagine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0487	Asparagine Quantitative Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0488	Aspartic Acid Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
A0489	Aspartic Acid Quantitative Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
A0490	Aspergillosis IgG antibodies by EIA - Serum**	Delhi	C	2180	Mon: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0491	Aspergillosis IgM antibodies by EIA - Serum**	Delhi	C	2725	Mon: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0492	Galactomannan, Aspergillus Antigen test by EIA -Serum**	Delhi	C	5775	Wed & Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0493	Autoimmune Liver Disease Profile -1	Delhi	D	6000	Mon, Wed : 10.00 am and Same day 6.00 pm	Same day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0495	Autoimmune Liver Disease Profile-3	Delhi	D	3925	Mon, Wed : 10.00 am and Same day 6.00 pm	Same day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0496	Autoimmune Liver Disease Profile-4**	Delhi	D	5450	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0497	Autoimmune Encephalitis Panel	Delhi	E	22000	Mon, Wed, Fri : 7:30am	Next Day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0499	Acid lipase disorder**	Delhi	R	7280	Daily : 11:30am	4 weeks	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
A0500	ACTN3 GENOTYPING_A0500**	Delhi	R	4160	Thu : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0509	AFB-Xpert panel by Combo (MTB /RIF Detection & AFB Culture) - Extrapulmonary	Delhi	D	3200	Daily: 9am and Same day 5pm	Same day 5pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Samples**						FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
A0510	AFB-Xpert panel by Combo (MTB /RIF Detection & AFB Culture) - Pulmonary Samples**	Delhi	D	3000	Daily: 9am and Same day 5pm	Same day 5pm	2ml of Pulmonary specimen in Sterile leak proof container
A0512	ANCA by IFA reflex MPO/PR3 Antibodies Serum	Delhi	C	2725	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0513	Apolipoproteins E**	Delhi	R	4265	Wed : 11:30am	4th day : 6:00pm	3 ml of serum
A0514	TruHeart Platinum**	Delhi	W	5800	Mon and Thu: 9am and Same day 5pm	Same day 5pm	5 ml of serum
A0519	Allergen,Individual-Tree pollen Papdi Chibil / Elm_A0519**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0520	Allergen,Individual-Weed pollen SALTWORT ( Salsola kali / pestifer)_A0520**	Delhi	C	1525	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0522	ALK (D5F3) reflex FISH**	Delhi	D	6540	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
A0525	Allergen,Individual-Animal Pigeon Feathers, Serum_A0525**	Delhi	C	1415	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0533	ADA - Adenosine Deaminase by Biochemical Method - Synovial fluid	Delhi	B	835	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of Fluid in Sterile leak proof container
A0536	APA-IgA Phospholipid Antibody Serum**	Delhi	C	1090	Tue and Thu and Sat: 7:30am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0539	Aldosterone/PRA Ratio**	Delhi	D	7000	Tue & Fri: 11:30am	Next day : 5:00pm	2 ml of EDTA Plasma and 2 ml Serum
A0560	Galactomannan, Aspergillus Antigen test	Delhi	C	5995	Wed & Sat : 11:30am	Next day :	3 ml of Fluid in Sterile leak proof



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	by EIA - BAL Fluid**					5:00pm	container
A0563	AFB (TB) - Antibiogram for MTb complex - Cycloserine Drug by Conventional LJ - Pure Growth of MTB complex**	Delhi	C	2835	Daily	After 28 Days	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0564	Albumin body fluid	Delhi	A	230	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	2 ml body fluid
A0568	ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, BLOOD**	Delhi	D	5015	Daily: 9am and 7th day	7th day	3 ml Blood in Na-heparin vacutainer
A0570	ECP (Eosinophil cationic protein) Serum**	Delhi	D	1635	WED	After 4 Days	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0580	Allergy-GIT Pane I(Veg + Non Veg)**	Delhi	D	27250	Daily : 11:30am	Next day : 5:00pm	5 ml of serum
A0584	Allergy screening-Tryptase**	Delhi	C	2180	Daily: 9am and 5th day	5th day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0585	Anaemia Profile - Macrocytic	Delhi	C	1960	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml EDTA blood & Serum
A0586	Anaemia Profile - Microcytic Hypochromic**	Delhi	C	1960	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3ml EDTA blood & Serum
A0587	Anaemia Workup Profile	Delhi	C	2180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml EDTA blood & Serum
A0588	Aneuploidy-Sperm 13,18,21,X and Y by FISH**	Delhi	D	5995	Daily: 9am and 7th day	7th day	CytogeneticsandFISH.pdf
A0595	Adrenoleukodystrophy (X-linked ALD) sequencing of ABCD1 gene**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0596	Autoimmune encephalitis panel-CSF	Delhi	E	25000	Mon, Wed, Fri :	Next Day :	2 ml of CSF in sterile screw capped

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0599	APC gene analysis**	Delhi	R	17850	7:30am Daily : 11:30am	7:00pm After 4 weeks : 6:00pm	container. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
A0608	AFB (TB) - Antibiogram for MTb complex - Linezolid Drug by MGIT - Pure Growth of MTB complex**	Delhi	C	2835	Daily: 7.30am and Upto 4 weeks	Upto 4 weeks	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0613	Alpha thalassemia gene analysis (HBA1 & HBA2)**	Delhi	E	16800	Tue: 7am and 10th day	10th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
A0616	Aldosterone/Direct Renin Ratio**	Delhi	D	7305	Daily: 9am and Next day 5pm	Next day 5pm	2 ml of EDTA Plasma and 2 ml Serum
A0617_CSF	Autoimmune encephalitis panel-2**	Delhi	E	32550	1st and 3rd Tue: 9am	Same day 5pm	2 ml of CSF in sterile screw capped container.
A0617_serum	Autoimmune encephalitis panel-2**	Delhi	E	30450	Tue: 9:00am	Next day : 7:00pm	3 ml of serum
A0618	APO E GENOTYPING**	Delhi	R	26000	Daily : 11:30am	12th Day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
A0623	Alzheimer disease screening profile CSF**	Delhi	D	13625	Tue : 11:30am	Next day :	2 ml of CSF in leakproof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						5:00pm	(folin vu conical tube is recommended to prevent leakage).
A0624	Arsenic plasma**	Delhi	D	3270	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
A0625	Serum Ascites Albumin Gradient (SAAG)	Delhi	D	435	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	Serum 1 ml, Fluid 1 ml
A0626	Allergy Screening**	Delhi	D	6105	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0629	Aspergillus broncho pulmonary aspergillosis (ABPA)**	Delhi	D	3500	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A0630	AFB Drug susceptibility - Flexi panel (4 drugs) by MGIT - Pure Culture**	Delhi	D	6540	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A0632	Asthma / Rhinitis Comprehensive**	Delhi	D	12535	Daily : 11:30am	Next day : 5:00pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0633	Allergy panel - Asthma / Rhinitis comprehensive with monitoring 4**	Delhi	D	18585	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0635	Allergy - Adult panel - 2**	Delhi	D	5340	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0636	Allergy - Adult panel - 3**	Delhi	D	8395	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A0638	Aluminium, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
A0639	Aluminium, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
A0640	Amphetamines confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1 day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
A0641	Antimony, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
A0642	Arsenic, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
A0643	Arsenic, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
A0644	Acute intermittent porphyria (HMBS)-Gene Analysis**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A0645	Alkaptonuria (HGD)-Gene Analysis**	Delhi	E	19950	Daily : 7:30am	After 4 weeks : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
A0649	Mycobacterial culture identification by MALDI TOF- Pure Culture **	Delhi	C	1310	Daily : 9:00am	15th day : 6:00pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.
A0650	SARS-CoV-2 Antibody, qualitative by CLIA - Serum**	Delhi	C	925	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0653	ALPS Screen Panel by Flow cytometry **	Delhi	R	9465	Daily : 11:30am	5th day : 6:00pm	sample : 3 ml of EDTA Blood
A0654	SARS-CoV-2 (Spike) Antibody, Quantitative (Coviprotect) by CLIA - Serum	Delhi	C	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
A0656	Aspergillus DNA Detection by Real Time PCR - Body fluids/CSF/EDTA Blood/Pure culture/Sputum/Tissue**	Delhi	D	8500	Daily 8:00	Same day 8:00 pm	3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container
A0657	Array Feto**	Delhi	E	17000	Daily: 9am and 15th day	15th day	1)Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies.
A0658	Amniochrome**	Delhi	E	19950	Daily: 9am and 15th day	15th day	Amniotic fluid (20-30ml divided in 2 sterile falcon centrifuge tube) and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. (Completely filled Consent form G with patient and doctor stamp and signature is mandatory as per PCPNDT Act)
A0659	Array Chrome**	Delhi	E	16800	Daily: 9am and 15th day	15th day	3ml Peripheral Blood in EDTA Vacutainers
A0660	Anti complement Factor H**	Delhi	R	5200	Daily : 11:30am	6th day : 6:00pm	3 ml Serum
A0661	ADAMTS 13 Activity**	Delhi	R	7675	Daily : 11:30am	6th day : 6:00pm	3 ml Citrate Plasma ( Frozen mandatory)
A0662	ADAMTS 13 Autoantibody**	Delhi	E	8400	Daily : 11:30am	5th day : 6:00pm	3 ml Citrate Plasma ( Frozen mandatory)
A0680	ALLERGY COMPONENT TESTING (CRD)**	Delhi	E	21000	Daily : 9:00am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and -20Å°C for long time.
A1009	Adrenal Gland Antibodies, Serum**	Delhi	R	6240	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
A5583	AMH Premium	Delhi	D	3000	Daily: 8.00 am to	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		ml serum for profiles and reflex tests.
A5592	AMH Supreme	Delhi	D	4685	Daily: 1pm(1)	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A5702	Comprehensive Allergy Panel**	Delhi	D	16350	Daily 9:00	Same Day 8 pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A5703	Comprehensive Eczema panel**	Delhi	D	11990	Daily 9:00	Same Day 8 pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A5704	Common Food panel**	Delhi	D	6540	Daily 9:00	Same Day 8 pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
A8121	Amylase Enzymatic,Pleural Fluid	Delhi	B	500	Daily: 8.00 am to 8.00 pm	After 6 hrs	2 ml body fluid
A8285	AFB SUSCEPTIBILITY BEDAQILINE**	Delhi	C	2615	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8455	AFB Drug susceptibility - 14 Drugs Panel by MGIT - Pure Culture**	Delhi	D	15260	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8456	AFB Drug susceptibility - First Line 4 Drugs Panel (HREZ) by MGIT - Pure Culture**	Delhi	D	6320	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8457	AFB Drug susceptibility - 11 Drugs Panel by MGIT - Pure Culture**	Delhi	D	11390	Daily : 9:00am	After 4 weeks :	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A8458	AFB Drug susceptibility - Oral Bedaquiline Panel by MGIT - Pure Culture**	Delhi	D	8720	Daily : 9:00am	6:00pm After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8459	AFB Drug susceptibility - Isoniazid Monoresistance Panel by MGIT - Pure Culture**	Delhi	D	6320	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
A8598	Allergen,Individual-Drug CEPHALOSPORIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8599	Allergen,Individual-Drug LIDOCAINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8600	Allergen,Individual-Drug BENZOCAINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8601	Allergen,Individual-Drug MEPIVACAINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8602	Allergen,Individual-Drug PRILOCAINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8603	Allergen,Individual-Drug PARACETAMOL	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8604	Allergen,Individual-Drug PYRAZOLONE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8605	Allergen,Individual-Drug PIROXYCAM	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8606	Allergen,Individual-Drug DICLOFENAC	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8607	Allergen,Individual-Drug IBUPROFEN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
A8608	Allergen,Individual-Drug PENICILLOYL G	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8609	Allergen,Individual-Drug PENICILLOYL V	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8610	Allergen,Individual-Drug DOXYCYCLINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8611	Allergen,Individual-Drug CLOXACILLIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8612	Allergen,Individual-Drug NEOMYCIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8613	Allergen,Individual-Drug OXACILLIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8614	Allergen,Individual-Drug CHLORAMPHENICOL	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8615	Allergen,Individual-Drug METRONIDAZOLE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8616	Allergen,Individual-Drug AMPICILLIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8617	Allergen,Individual-Drug AMOXICILLIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8618	Allergen,Individual-Drug TETRACYCLINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8619	Allergen,Individual-Drug GENTAMYCIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8620	Allergen,Individual-Drug ERYTHROMYCIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
A8621	Allergen,Individual-Drug STREPTOMYCIN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8622	Allergen,Individual-Drug TRIMETHOPRIM	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8623	Allergen,Individual-Drug SULFAMETHOXAZOLE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8624	Allergen,Individual-Drug INSULIN HUMAN	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8625	Allergen,Individual-Drug CORTISONE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8626	Allergen,Individual-Drug PREDNISOLONE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8627	Allergen,Individual-Drug THEOPHYLLINE	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8628	Allergen,Individual-Drug AMBROXOL	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8629	Allergen,Individual-Drug PYRIDOXAMINE (VITAMIN B6)	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
A8630	Allergen,Individual-Drug COBALAMIN (VITAMIN B12)	Delhi	D	1390	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0007	Bacterial Meningitis Panel (5 antigen) by Latex agglutination - CSF**	Delhi	D	4795	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
B0008	Bacterial Meningitis Panel 5 antigen by Latex agglutination - Urine**	Delhi	D	6105	Daily: 9am and 3pm and 3rd day	3rd day	15ml of Spot Urine in Sterile leak proof container
B0010	Barbiturates Quantitative Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	5 ml of Spot Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0013	Bence Jones Proteins, Urine-Qualitative	Delhi	B	1110	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of 24 hrs urine (Preferred ) / Spot urine
B0015	Benzodiazapine Diazepam Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	5 ml of Spot Urine
B0017	Beta Galactocerebrosidase Krabbe Blood**	Delhi	R	8530	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0018	Beta Galactosidase GM 1 / MPS IV B Blood**	Delhi	R	5825	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0019	Beta Glucosidase Gaucher Blood**	Delhi	R	5825	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0020	Beta Hexosaminidase A GM2-1/ taysachs Blood**	Delhi	R	7800	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0021	Beta Hexosaminidase T GM2-2/ Sandhoff Blood**	Delhi	R	7800	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0022	Beta Mannosidase Blood**	Delhi	R	6240	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
B0023	Beta Thallesemia Prenatal Diagnosis**	Delhi	D	17985	Daily: 7am and 7th day	7th day	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
B0025	Beta-Thalassemia, Beta Globin (HBB) Gene Sequencing**	Delhi	D	9590	Wed and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
B0026	Beta-2-Crosslaps CTx-1 Plasma**	Delhi	C	2725	Mon and Thu: 9am and Same day 6pm	Same day 6pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
B0027	Beta-2-Glycoprotein 1- IgA serum**	Delhi	C	1310	Tue and Fri: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0028	Beta-2-Glycoprotein 1 - IgG Antibody Serum	Delhi	C	1145	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0029	Beta-2-Glycoprotein 1- IgM Antibody Serum	Delhi	C	1145	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0030	Beta-2-Microglobulin CSF**	Delhi	C	1745	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0031	Beta-2-Microglobulin Serum	Delhi	C	1525	Daily: 1pm(1)	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0032	Beta-2-Microglobulin Urine Spot**	Delhi	C	1745	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
B0033	Bicarbonate biochemical Serum**	Delhi	B	650	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0034	Bile Acids-Total biochemical Serum	Delhi	C	1855	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0035	Bile Salt & Pigments - Urine	Delhi	A	55	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
B0036	Bilirubin Direct Serum	Delhi	A	160	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0037	Bilirubin Total Serum	Delhi	A	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0038	Bilirubin Total, Direct, Indirect Serum	Delhi	A	250	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0039	Biotinidase Neonatal Dried blood spot**	Delhi	C	820	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
B0040	Biotinidase Quantitative Plasma **	Delhi	R	5410	Daily : 11:30am	10th day : 6:00pm	4 ml of Heparin plasma
B0044	BK Polyoma DNA Detection by Real Time PCR - Urine**	Delhi	C	4905	Mon, Thursday: 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
B0045	Bleeding & Clotting Time (BT,CT)	Delhi	B	200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	NA
B0046	Blood Group ABO & Rh Typing	Delhi	B	140	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood and Serum sample required
B0047	Bombay Blood Group Evaluation**	Delhi	D	1090	Daily : 11:30am	3rd day : 6:00pm	3 ml EDTA whole blood
B0053	BOH (Bad Obstetric History) Profile-Maxi**	Delhi	C	14715	Daily: 7pm and 15th day	15th day	3 ml EDTA whole blood, 5 ml of serum, 4 ml of heparin whole blood (husband and wife), 3 ml of citrate plasma
B0054	BOH (Bad Obstetric History) Profile-Mini	Delhi	C	5885	Daily: 8.00 am to 8.00 pm and Next day 8.00 pm	Next day 8.00 pm	3 ml EDTA whole blood, 5 ml of serum, 3 ml of citrate plasma
B0055	Bone Marrow Aspiration for morphological examination	Delhi	C	925	Daily : 11:30am	Next day : 5:00pm	2 Stained,2 Unstained Fixed BM Smears and 2 Peripheral Smears Required.
B0056	Bone Profile	Delhi	C	925	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0057	Bordetella Pertussis IgG antibodies Quantitative by EIA -Serum**	Delhi	C	2725	Fri: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0058	BRAF V600 Mutation Analysis, Tissue**	Delhi	D	6540	Mon and Fri: 9am and 7th day	7th day	Tumor containing FFPE block (>40% of tumor). Tumor containing

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
B0059	BRAF V600E Mutation Analysis, Hairy Cell Leukemia**	Delhi	D	5995	Mon and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
B0062	Breast Marker Profile	Delhi	D	2015	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0063	Brucella Total antibodies by Tube Agglutination - Serum **	Delhi	B	945	Daily: 4pm and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0064	Brucella IgG antibody by EIA - Serum**	Delhi	C	1415	Wed and Sat: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0065	Brucella IgM antibody by EIA - Serum**	Delhi	C	1415	Wed and Sat: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B0066	Bullous Pemphigoid 180 Vesiculobullous disorders Serum**	Delhi	D	5450	Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0067	Bullous Pemphigoid 230 Vesiculobullous disorders Serum**	Delhi	D	5450	Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0068	BUN Urea Nitrogen Serum	Delhi	A	160	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B0069	BUN Urea Nitrogen Urine 24H	Delhi	A	230	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
B0070	BUN Urea NitrogenPericardial Fluid	Delhi	A	170	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Pericardial Fluid
B0074	Bladder Cancer/Urothelial carcinoma Marker Profile (Aneuploidy for chromosomes 3, 7, 17, and loss of the 9p21 **	Delhi	R	14560	Daily : 11:30am	10th day : 6:00pm	100 ml Early morning Urine
B0075	BRCA deletion/duplication analysis - EDTA Whole blood	Delhi	E	16540	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
B0076	TARGETED MUTATION ANALYSIS (FAMILY MEMBERS) **	Delhi	E	5250	Daily: 7am and 7th day	7th day	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
B0077	NextGen BRCA Comprehensive (NGS & MLPA), Blood**	Delhi	E	30000	Daily : 9 am	6 weeks	3-5 ml of EDTA whole blood required. Sample stable for 3 Days



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form
B0078	Urea Nitrogen Body Fluid	Delhi	A	285	Daily: 8.00 am to 8.00 pm	After 6 hrs	2 ml body fluid
B0080	16s rRNA Sequencing Bacterial Identification**	Delhi	D	3270	Daily: 9am and 7th day	7th day	Isolated colony on culture plates. Sample stable for 2 Days at 2 to 8 degree celsius.
B0081	Beta Thalassemia (Prenatal + Parental Testing ) - 30 Mutaions**	Delhi	D	20165	Daily: 7am and 7th day	7th day	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
B0083	BCR-ABL Breakpoint Analysis Qualitative by Real Time PCR - Blood**	Delhi	D	4250	Tue & Fri : 9:00am	3rd Day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
B0084	BCR-ABL Breakpoint Analysis Qualitative by Real Time PCR - Bone Marrow**	Delhi	D	4250	Tue & Fri : 9:00am	3rd Day : 6:00pm	3 ml of Bone Marrow in EDTA Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0090	Beta-Trace protein(BTP) CSF leakage in body fluid**	Delhi	D	6320	Daily : 11:30am	Next day : 5:00pm	2 ml Nasal Fluid And 3 ml Serum.
B0101	BCL6 Gene rearrangement, FISH, Tissue**	Delhi	E	7350	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
B0104	(1-3)-?-D-Glucan Level by Protease Zymogen Colorimetry by Protease Zymogen Colorimetry - Serum	Delhi	D	8000	Daily: 7.30am and Same day 5pm	Same day 5pm	Collect sample in gel tube directly and send after centrifugation. Kindly do not open tube or separate serum from gel tube to another tube to avoid contamination. Aliquot sample will not accepted. Kindly send minimum 2 ml serum.
B0106	NextGen BRCA Somatic, FFPE tissue**	Delhi	E	22000	Daily: 9am and 6 weeks	6 weeks	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
B0108	Pneumonia panel by FilmArray (Biofire)- Lower respiratory tract - Sputum/BAL/ Endotracheal secretions **	Delhi	E	27825	Daily: 7am and Next day 5pm	Next day 5pm	2 ml of BAL/ Sputum/ Endotracheal secretions in Sterile leak proof container
B0109	Barbiturates confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1 day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
B0111	Barium, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							before sending
B0112	Barium, Spot Urine**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
B0113	Barium, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
B0114	Beryllium, EDTA Whole Blood**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
B0115	Benzodiazapine confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1 day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
B0116	Beryllium, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
B0117	Beryllium, Spot Urine**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
B0119	Biotinidase deficiency (BTD)-Gene Analysis**	Delhi	E	19950	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
B0120	Bone Marrow-2 Comprehensive **	Delhi	D	7085	Daily : 9:00am	5th day : 6:00pm	Bone marrow biopsy (in 10% Neutral buffered formalin) & aspirate (in EDTA) examination with special stain & IHC. Send PBS as well.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
B0121	BK Polyoma DNA Detection by Real Time PCR - EDTA Blood**	Delhi	C	4685	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
B0122	Bismuth ICPMS , Blood**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	3 ml EDTA Blood / Metal free EDTA Blood
B0125	Bone Marrow Aspirate Iron stain**	Delhi	C	490	Daily : 11:30am	Next day : 5:00pm	1 Stained, 2 Unstained air dried Bone marrow smears with good particles and 1 Peripheral smear required._x000D_ _x000D_
B0126	Biofire Blood Panel (BCID)**	Delhi	D	18310	Daily : 9:00am to 9:00pm	After 10hrs	Positive blood culture bottle
B1008	Beta Carotene**	Delhi	R	3015	Mon : 11:30am	5th day : 6:00pm	3 ml of serum
B1017	Borreliosis-IgG Confirm serology by western blot - Serum **	Delhi	R	13310	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B1029	Bacterial Meningitis Panel 5 antigen by Latex agglutination - Serum**	Delhi	D	4795	Daily : 9:00am & 3:00pm	After 6hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
B1030	Bone formation markers**	Delhi	D	6540	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
B1031	Bone Resorption Markers**	Delhi	D	4360	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum and 20 ml of spot urine
B1032	NextGen BRCA Germline, Blood**	Delhi	E	16000	Daily: 9am to 9pm and Next day 5pm	15th Day 6.00 PM	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form
B8046	BK Polyoma DNA Viral load by Real Time PCR - Urine**	Delhi	C	5670	Mon, Thursday: 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
B8047	BK Polyoma DNA Viral load by Real Time PCR - EDTA Blood**	Delhi	C	5450	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
B8596	Bone & Joint Infection panel (JI) by FilmArray	Delhi	E	24000	Daily : 9:00am to 9:00pm	After 10hrs	3ml of Synovial fluid in sterila container
C0001	C1 Esterase Inhibitor Serum**	Delhi	D	3270	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0003	C3 - Complement-3 Serum	Delhi	C	800	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0004	C4 - Complement-4 Serum	Delhi	C	870	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0005	CA-125 Serum	Delhi	B	1300	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0006	CA-15.3 Serum	Delhi	B	1445	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0007	CA-19.9 Serum	Delhi	B	1400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0009	CA-72.4 Serum**	Delhi	C	1800	Tue & Fri : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0010	Cadmium Blood**	Delhi	D	3705	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0011	Cadmium Urine 24H**	Delhi	D	3475	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0013	CAH Panel - Congenital Adrenal Hyperplasia**	Delhi	C	8175	Daily: 9am and Next day 5pm	Next day 5pm	5ml of serum
C0014	Calcitonin Thyrocalcitonin Serum**	Delhi	C	2400	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0015	Calcium Urine 24H	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0016	Calcium Ionised Serum	Delhi	C	765	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0017	Calcium Total Serum	Delhi	A	140	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0018	Calcium Profile Serum	Delhi	C	710	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0019_24	Calcium/Creatinine Ratio (24 hrs)	Delhi	A	455	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0019_SP	Calcium/Creatinine Ratio (Spot sample)	Delhi	A	490	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
C0020	Campylobacter antigen detection by Immunochromatography - Stool**	Delhi	C	1745	Daily: 9am and 3pm After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0021	Cancer Detection Profile, Female**	Delhi	D	8500	Daily: 9am to 9pm and 5th day	5th day	3 ml of EDTA whole blood, 5 ml of serum, 1 thin prep container
C0022	Cancer Detection Profile, Male**	Delhi	D	7200	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of EDTA whole blood, 5 ml of serum
C0028	Candida Albicans Ab by Indirect Haemagglutination - Serum**	Delhi	R	11440	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0029	Cannabis Marijuana, THC Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	5 ml of Spot Urine
C0031	Calprotectin Stool	Delhi	C	3200	Mon, Wed & Fri:1:00pm	Same day 8.00 pm	100 gms of stool in leak proof container. History of medicines, morning sample preferred.
C0032	Carbamazepine Tegretol Serum**	Delhi	C	980	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0033	Cardiac Injury Profile-Maxi**	Delhi	D	4905	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
C0034	Cardiac Injury Profile-Mini	Delhi	D	1415	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
C0035	Cardiac Risk Profile	Delhi	D	4470	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum and 3 ml of citrate plasma
C0036	Cardiac Screen	Delhi	C	1415	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
C0037	Cardiolipin Antibody ACL-IgA antibody Serum**	Delhi	C	1310	Tue & Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0038	Cardiolipin Antibody ACL-IgG antibody Serum	Delhi	C	1090	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0039	Cardiolipin Antibody ACL-IgM antibody Serum	Delhi	C	980	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0042	Catecholamines in Plasma**	Delhi	D	7850	Wed : 11:30am	Next day :	3 ml of EDTA plasma or heparin

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						7:00pm	plasma to be sent in aliquot tube at proper temperature.
C0043	Catecholamines in urine**	Delhi	D	5125	Wed : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0044	CBC Haemogram	Delhi	A	350	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA whole blood
C0045	inv (16) CBF Beta Translocation by fish**	Delhi	D	4905	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
C0046	CBF Beta Inversion (16) by FISH AML-M4E0 Bone Marrow**	Delhi	D	4905	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
C0047	Cyclic Citrullinated Peptide Antibody (CCP Antibody) Serum	Delhi	C	1750	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0048	CD2 by Flow cytometry Blood**	Delhi	C	2400	Daily: 9am and 4th day	4th day	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0049	CD 3	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0050	CD 3/CD 4/CD 8	Delhi	C	1800	Daily: 12.00 pm	Next day 5.00 pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0051	CD 3/CD 4/CD 8/CD 45	Delhi	C	1800	Daily: 12.00 pm	Next day 5.00 pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0052	CD4 / CD 8 BY FLOW CYTOMETRY, BODY FLUID**	Delhi	R	4370	Daily : 11:30am	5th day : 6:00pm	5ml BAL fluids to be send in Sterile container. Clinical history and clinician number required. (Sample require as soon as possible after collection, Avoid weekend and Holiday)
C0053	CD 4 counts	Delhi	C	1310	Daily: 12.00 pm	Next day 5.00 pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0054	CD 4/CD 8	Delhi	C	2180	Daily: 12.00 pm	Next day 5.00 pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0055	CD 5**	Delhi	C	2400	Daily : 11:30am	Next day :	3 ml of EDTA whole blood required.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						5:00pm	Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0056	CD 7**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0057	CD 8	Delhi	C	2180	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0058	CD 10**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0059	CD13**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0060	CD14**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0061	CD15**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	required. 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0062	CD16/56**	Delhi	C	4250	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0063	CD19**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0064	CD20**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0065	CD22**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0066	CD23**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0067	CD25**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	condition(preferably). Clinical history and clinician number required. 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0068	CD33**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0069	CD34 Stem Cells**	Delhi	C	5995	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0070	CD34**	Delhi	C	2615	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0071	CD38**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0074	CD45	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0075	CD79A**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0076	CD103**	Delhi	C	2505	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0077	CEA Carcino Embryonic Antigen Body Fluid	Delhi	B	1110	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
C0078	CEA Carcino Embryonic Antigen Serum	Delhi	B	650	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0079	Celiac Disease Profile**	Delhi	D	5670	Mon and Thu: 9am and Same day 5pm	Same day 5pm	5 ml of serum
C0080	Body fluids Cell Count	Delhi	A	340	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fulids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid)
C0081	Centromere Antibody Serum	Delhi	C	1635	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0082	Ceruloplasmin (Copper Oxidase)Serum	Delhi	C	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0083	Cervical Screening-1 (Conventional PAP & HPV-DNA) - Smear & LBC**	Delhi	D	2890	Daily: 9am and 5th day	5th day	Smear & Thin Prep LBC Container
C0084	Cervical Screening-2 (PAP Smear and HPV-DNA ) - LBC **	Delhi	D	2900	Daily: 9am and 5th day	5th day	10 ml LBC Container
C0086	CH-50 Complement, total Serum**	Delhi	C	3815	Fri : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0087	Chikungunya RNA Detection by Real Time PCR - EDTA Plasma **	Delhi	C	1635	Daily : 10:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer
C0088	Chikungunya IgM antibody by Immunochromatography - Serum	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0090	Chitotriosidase storage disorder Plasma**	Delhi	R	4160	Daily : 11:30am	10th day : 6:00pm	6 ml Heparin Plasma
C0091	Chlamydia Trachomatis DNA Detection by Real Time PCR - Swab**	Delhi	D	4035	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0092	Chlamydia Trachomatis DNA Detection by Real Time PCR - Fluid**	Delhi	D	4140	Wed & Sat : 9:00am	Next day : 5:00pm	2ml of Body Fluid in Sterile leak proof container
C0093	Chlamydia Trachomatis DNA Detection by Real Time PCR - Urine**	Delhi	D	4035	Wed & Sat : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
C0094	Chlamydia Trachomatis DNA Detection by Real Time PCR - Vaginal Swab**	Delhi	D	3980	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0096	Chlamydia Pneumoniae IgG Antibody - Serum**	Delhi	C	2015	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0097	Chlamydia PneumoniaeIgM Antibody - Serum**	Delhi	C	2015	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0098	Chlamydia Trachomatis IgA Antibody by EIA - Serum**	Delhi	C	1035	Mon and Wed and Fri: 7am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0099	Chlamydia Trachomatis IgG Antibody by EIA - Serum**	Delhi	C	1035	Mon and Wed and Fri: 7am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0100	Chlamydia Trachomatis IgM Antibody by EIA - Serum**	Delhi	C	1200	Mon and Wed and Fri: 7am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0101	Chloride ( Cl ) Serum	Delhi	A	150	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0102	Chlorides Urine 24H	Delhi	A	340	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0103	Chlorides Urine Spot	Delhi	A	320	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
C0104	Chlorides Body Fluid	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	2 ml of Body Fluid
C0105	Cholesterol-Total Body Fluid	Delhi	A	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
C0106	Cholesterol-Total Serum	Delhi	A	180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0107	Chromium, Blood**	Delhi	D	3445	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0108	Chromium, Urine 24 Hrs**	Delhi	D	3595	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0109	ChromiumGraphite Furnace AASUrine Spot**	Delhi	D	3705	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0110	Chromogranin - A, Plasma**	Delhi	D	7500	Wed & Sat : 11:30am	Same day : 9:00pm	3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.
C0113	Chromosomal Anylsis (Fanconis Anemia)**	Delhi	R	9110	Daily : 11:30am	20th day : 6:00pm	Clinical history and TRF mandatory. Blood : 5 ml Heparine Whole Blood, Sample sent as soon as possible after collection
C0115	Chylomicron Qualitative Urine	Delhi	B	555	Daily: 1pm	After 8 hrs	10 ml of Spot urine
C0117	Citrate, Urine 24 H Spectrophotometry**	Delhi	C	1200	Daily : 11:30am	5th day : 6:00pm	10 mL aliquot of 24-hour Urine. Collect urine with 25 mL 50% concentrated HCl to maintain pH below 3. Record 24-hour urine volume on test request form and urine vial. Ship refrigerated or frozen.
C0118	Citrulline Quantitative Serum**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
C0119	Citrulline Quantitative Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
C0121	C-Kit (GIST) - Exon 9, 11, 13 and 17 by PCR - FFPE Tissue**	Delhi	D	10355	Daily: 9am and 7th day	7th day	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours Clinical history with Histopathology report.
C0122	C-Kit - Exon 8 and 17 by PCR - Bone Marrow**	Delhi	D	5995	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0123	C-Kit - Exon 8 and 17 by PCR - Blood**	Delhi	D	5995	Wed: 9am and 10th day	10th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0124	CK-MB Serum	Delhi	B	555	Daily: 8.00 am to	After 6 hrs	3 ml of serum for single test and 5



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		ml serum for profiles and reflex tests.
C0128	Clostridium Difficile GDH Reflex Toxin A/B by CLIA - Stool **	Delhi	C	2615	Daily: 9am and Same day 5pm	Same day 5pm	Category R: Referred ( Please enquire before sending sample), Category I: International ( Please enquire before sending sample)
C0130	Clotting Time (CT)	Delhi	A	135	Daily: 9am and After 6 hrs	After 6 hrs	NA
C0131	Clozapine Serum**	Delhi	D	4905	Wed : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0132	CMV Avidity test by EIA - Serum**	Delhi	C	1310	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0133	CMV DNA Detection by Real Time PCR - Amniotic Fluid**	Delhi	C	4905	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
C0134	CMV DNA Detection by Real Time PCR - CSF**	Delhi	C	4685	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
C0135	CMV DNA Detection by Real Time PCR - EDTA Plasma	Delhi	C	4580	Mon and Wed and Fri: 9am and Next day 6pm	Next day 6pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
C0136	CMV DNA Detection by Real Time PCR - BAL or Saliva**	Delhi	C	4905	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of BAL/ Saliva in Sterile Leak proof container
C0137	CMV DNA Detection by Real Time PCR - Urine**	Delhi	C	4905	Mon and Thu: 9am and Next day 5pm	Next day 5pm	15ml of Spot Urine in Sterile leak proof container
C0138	CMV Combo (CMV Viral load and GCV resistance) by PCR & Sequencing - EDTA Whole Blood**	Delhi	R	11440	Tue : 11:30am	12th day : 6:00pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
C0139	CMV IgG & IgM Antibody by CLIA - Serum	Delhi	B	1275	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0141	CMV IgG Antibody by CLIA - Serum	Delhi	B	720	DAILY : 9:00 AM to 9:00 PM	After 8Hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0142	CMV IgM Antibody by CLIA - Serum	Delhi	B	665	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0143	CMV DNA Viral load by Real Time PCR -	Delhi	C	8900	Mon and Wed and	Next day 6pm	3ml of EDTA Plasma in Sterile Plain

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	EDTA Plasma				Fri: 9am and Next day 6pm		Vacutainer
C0144	CMV by CISH - FFPE**	Delhi	D	3000	Daily: 7.30pm(1)	5th day	Tissue In 10% Formalin Or Block / FFPE .
C0145	Cobalt Blood**	Delhi	D	3595	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0145_CS	Cobalt Serum **	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0146	Cobalt Urine 24H**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0147	Cobalt Urine Spot**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0148	Cocaine Benzoyllecgonine Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	5 ml of Spot Urine
C0149	Cold AgglutininSerum**	Delhi	B	665	Daily : 11:30am	Next day : 5:00pm	3 ml of Serum
C0150	Cancer marker profile.**	Delhi	D	5450	Wed and Sat: 9am and Next day 5pm	Next day 5pm	3 ml of Serum and 3 ml of EDTA plasma
C0151	Coombs Test-Direct ,Direct Antiglobulin Test (DAT)-EDTA Blood	Delhi	C	565	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA whole blood
C0152	Coombs Test-Indirect, Indirect Antiglobulin Test (IAT)-Serum	Delhi	C	600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Serum sample
C0154	Copper ,24 hr Urine **	Delhi	D	2500	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0155	Copper, Urine Spot**	Delhi	D	2180	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0156	Copper Serum**	Delhi	D	2180	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0157	Cortisol Serum_8.00 AM	Delhi	B	750	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0157_4PM	Cortisol Serum_04.00 PM	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0157_R	Cortisol Serum_Random	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0158	Cortisol - Free Urine 24H**	Delhi	B	1000	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0159	Coxiella Burnetti IgG antibody by EIA - Serum**	Delhi	D	2015	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0160	Coxiella Burnetti IgM antibody by EIA - Serum **	Delhi	D	2015	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0161	Coxsackie IgG Antibody by EIA - Serum**	Delhi	C	2015	Daily: 7am and 10th day	10th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0162	Coxsackie IgM Antibody by EIA - Serum**	Delhi	E	2015	Daily: 7am and 10th day	10th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0163	C-Peptide, Fasting, Serum	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Serum In Fasting
C0163_PP	C-Peptide Post prandial, Serum	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Serum In Fasting
C0163_R	C-Peptide, Random, Serum	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Serum In Fasting
C0164	CPK Isoenzymes Serum**	Delhi	D	8720	Fri : 11:30am	Next day :	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						5:00pm	ml serum for profiles and reflex tests.
C0165	CPK Total Serum	Delhi	A	320	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0166	Creatinine Clearance test 24H Urine	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Serum And 24 Hrs Urine . No Preservative
C0167	Creatinine Quantitative Urine 24H	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
C0168	Creatinine Body Fluid	Delhi	A	285	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
C0169	Creatinine Serum	Delhi	A	150	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0170	CRP, C - Reactive Protein Serum	Delhi	B	450	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0171	Cryoglobulins Serum **	Delhi	C	1090	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0172	Cryptococcus Antigen detection by Agglutination - CSF**	Delhi	C	2180	Daily: 9am,1pm,6pm,After	After 6 hrs	2ml of CSF in Sterile leak proof tube or container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					6 hrs		
C0173	Cryptococcus Antigen detection by Agglutination - Serum**	Delhi	C	2180	Daily: 9am,1pm,6pm,After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0179	Cryptosporidium by smear examination - Stool**	Delhi	C	490	Daily: 3pm and Next day 1pm	Next day 1pm	5gm of Stool specimen in Sterile leak proof container
C0180	Cryptosporidium Parvum Antigen Detection by Immunochromatography - Stool**	Delhi	C	1635	Daily: 9am and 3pm After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
C0181	CSF Index (CSF and serum)**	Delhi	D	2180	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.
C0182	Culture & Sensitivity, Aerobic bacteria - Blood single bottle	Delhi	C	1100	Daily: 8.00 am to 8.00 pm	5th day	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0183	Culture & Sensitivity, Aerobic bacteria - Blood Two bottle set	Delhi	C	1635	Daily: 8.00 am to 8.00 pm	5th day	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0184	Culture & Sensitivity, Aerobic bacteria - Blood 1 Aerobic 1 Anaerobic**	Delhi	C	1635	Daily: 9am to 9pm and 5th day	5th day	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0185	Culture & Sensitivity, Aerobic bacteria - Body Fluids	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of Body Fluid in Sterile leak proof container
C0186	Culture & Sensitivity, Aerobic bacteria - Bone Marrow	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin
C0187	Culture & Sensitivity, Aerobic bacteria - Central Line Catheter Tip	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	Central Line Catheter Tip in sterile container
C0188	Culture & Sensitivity, Aerobic bacteria - Clot	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0189	Culture & Sensitivity, Aerobic bacteria - CSF	Delhi	C	980	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of CSF in Sterile leak proof tube or container
C0190	Culture & Sensitivity, Aerobic bacteria - Ear Samples	Delhi	C	925	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	Ear specimens in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0191	Culture & Sensitivity, Aerobic bacteria - Eye Samples	Delhi	C	925	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	Eye specimens in Sterile leak proof container
C0192	Culture & Sensitivity, Aerobic bacteria - Other samples	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of Specimen in Sterile leak proof container
C0192_C	Culture and Identification, Aerobic bacteria - Other Samples**	Delhi	C	1365	Daily	After 3 Days	Pure culture isolate is required
C0193	Culture & Sensitivity, Aerobic bacteria - Pus	Delhi	C	870	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of PUS in Sterile leak proof container
C0194	Culture & Sensitivity, Aerobic bacteria - Respiratory Samples BAL,ET Secretions	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container
C0195	Culture & Sensitivity, Aerobic bacteria - Semen	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of Semen in Sterile leak proof container
C0196	Culture & Sensitivity, Aerobic bacteria - Sputum	Delhi	C	925	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of Sputum in Sterile leak proof container
C0197	Culture & Sensitivity, Aerobic bacteria - Stool	Delhi	C	545	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	5gm of Stool specimen in Sterile leak proof container
C0198	Culture & Sensitivity, Aerobic bacteria - Throat Swab	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0199	Culture & Sensitivity, Aerobic bacteria - Throat Swab For C.Diphtheriae**	Delhi	C	925	Daily: 9am and 3rd day	3rd day	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0200	Culture & Sensitivity, Aerobic bacteria - Tissue/Biopsy	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	Tissue with Normal Saline in Sterile leak proof container
C0201	Culture & Sensitivity, Aerobic bacteria - Urethral Discharge	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	2ml of Urethral Discharge in Sterile leak proof container
C0202	Culture & Sensitivity, Aerobic bacteria - Urine	Delhi	C	950	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	15ml of Spot Urine in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0203	Culture & Sensitivity, Aerobic bacteria - Vaginal Sample Includes Gr B Strepto	Delhi	C	925	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
C0204	Culture and Identification, Anaerobic bacteria - Blood Single bottle**	Delhi	C	1090	Daily: 9am to 9pm and 5th day	5th day	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
C0205	Culture and Identification, Anaerobic bacteria - High Vagina Discharge**	Delhi	C	1415	Daily: 9am to 9pm and Upto 1-5 days	Upto 1-5 days	2ml of Vaginal Discharge in Sterile leak proof container
C0206	Culture and Identification, Anaerobic bacteria - Pus**	Delhi	C	1310	Daily: 9am to 9pm and Upto 1-5 days	Upto 1-5 days	2ml of PUS in Sterile leak proof container
C0207	Culture and Identification, Anaerobic bacteria (C.Difficile) - Stool **	Delhi	C	1525	Daily: 9am to 9pm and Upto 1-5 days	Upto 1-5 days	5gm of Stool specimen in Sterile leak proof container
C0208	Culture and Identification, Anaerobic bacteria - Tissue/Biopsy**	Delhi	C	1310	Daily: 9am to 9pm and Upto 1-5 days	Upto 1-5 days	Tissue with Normal Saline in Sterile leak proof container
C0209	Cyclospora by smear examination - Stool**	Delhi	C	545	Daily: 3pm and Next day 1pm	Next day 1pm	5gm of Stool specimen in Sterile leak proof container
C0210	Cyclosporine-By LCMS, Blood**	Delhi	C	2890	Daily : 7:30am	Same day : 8:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
C0212	Cyfra (Ca) 21-1, Serum**	Delhi	D	3145	Tue & Fri : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0213	CYP2C19 Genotyping**	Delhi	D	8720	Wed: 9am and 12th day	12th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .
C0214	Cystatin C, Serum	Delhi	C	1415	Daily: 1pm(1)	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0218	Cystic Fibrosis (CF) Delta F508 Mutation Analysis**	Delhi	E	5250	Thu: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
C0219	Cystic Fibrosis IRT (Neonatal screen)Dried blood spot**	Delhi	C	600	Mon to Fri, 9am and Next day 5pm	Next day 5pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
C0220	Cysticercus (Taenia Solium) IgG Antibody by EIA - CSF**	Delhi	C	1745	Tue and Fri: 7:30am and Same day 5pm	Same day 5pm	2 ml of CSF in sterile screw capped container.
C0221	Cysticercus (Taenia Solium) IgG Antibody by EIA - Serum**	Delhi	C	1635	Tue and Fri: 7:30am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0222	Cystine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
C0223	Cystine Quantitative Spot Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
C0224	Cytochemistry Panel**	Delhi	C	2400	Daily: 9am and 5th day	5th day	Direct smears & 3 ml of EDTA blood



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0226	Ascitic Fluid by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0227	Bronchoalveolar Lavage (BAL) by LBC**	Delhi	C	1090	Daily: 9am and 2nd day	2nd day	Broncheoalveolar lavage in a plain leak proof container along with brochoscopy findings & relevant clinical/radiological details
C0228	CSF by Cyto centrifuge	Delhi	C	870	Daily: 9 am(6)	2nd day	More than 0.5 ML fluid in plain leak proof container along with relevant clinical details & CT/MRI reports
C0229	Drain Fluid by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0230	Nipple Discharge by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	Prefixed smears along with relevant clinical & radiological details
C0233	Other Fluids by Conventional method	Delhi	C	655	Daily: 9am and 2nd day	2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0234	Pericardial Fluid by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0235	Peritoneal washings by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0236	Pleural Fluid by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	More than 1 ML fluid in plain leak proof container along with relevant clinical details
C0238	Sputum by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	Sputum in a plain leak proof container along with relevant clinical/radiological details
C0239	Synovial Fluid by Conventional method	Delhi	C	870	Daily: 9am and 2nd day	2nd day	0.5 ml Synovial fluid in a plain container
C0241	Urine by Liquid based cytology**	Delhi	C	1090	Daily: 9am and 2nd day	2nd day	More than 1 MI Urine in a leak proof plain container along with relevant clinical & radiological details
C0242	Cytology Reflex to cell block and relevant	Delhi	C	3270	Daily: 9am and 5th	5th day	More than 1 ML fluid in plain leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	IHC Body fluid**				day		proof container along with relevant clinical details
C0244	Carbohydrate-Deficient Transferrin (CDT) **	Delhi	R	4160	Daily: 9am and 1 month	1 month	3 ml of serum for single test and 5 ml serum for profiles and reflex tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment.
C0246	Chromosomal Array CNV+SNP Array Blood**	Delhi	E	16800	Daily: 9am and 15th day	15th day	3 ml of EDTA Whole Blood
C0247	Chromosomal Array CNV+SNP Array POC**	Delhi	E	17640	Daily: 9am and 15th day	15th day	1)Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin
C0248	Clostridium Difficile DNA Detection by Real Time PCR - Stool**	Delhi	C	4035	Wed and Sat: 7am and 5th day	5th day	5gm of Stool specimen in Sterile leak proof container
C0249	Connexin (26 mutations)_C0249**	Delhi	R	6760	Wed : 11:30am	10th day :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0250	Copper reflex Ceruloplasmin, Serum**	Delhi	D	2505	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C0251	Calreticulin (CALR) Exon 9 Mutation Analysis, Blood**	Delhi	D	6540	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0252	Calreticulin (CALR) Exon 9 Mutation Analysis, Bone marrow**	Delhi	D	6540	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0253	Chromium, Serum**	Delhi	R	3640	Daily : 11:30am	12th Day : 6:00pm	BD RED TOP VACCUTAINER, CENTRIFUGE, SEPARATE SERUM in red top
C0255	Creatinine Urine Spot	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
C0256	CPEO (Chronic Progressive External Ophthalmoplegia) Mitochondrial diseases**	Delhi	R	7490	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0260	NextGen Cancer Hotspot 50 Gene Panel**	Delhi	E	28000	Daily : 11:30am	After 4 weeks : 6:00pm	Genetci history is mandatory. (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
C0264	CD64, Blood by Flow Cytometry**	Delhi	C	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
C0265	CEBPA MUTATION ANALYSIS**	Delhi	E	6300	Daily: 7am and 7th day	7th day	3-5 ml of EDTA whole blood or 3 ml EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
C0267	Cervical Screening-3 (PAP Smear, HPV-DNA and reflex CINtec PLUS) - LBC**	Delhi	D	5340	Daily: 9am and 7th day	7th day	10 ml LBC Container
C0269	Cancer marker profile (Brain and Pituitary)**	Delhi	D	3595	Tue and Fri: 9am and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0272	Cancer marker profile (Gall Bladder)	Delhi	D	1635	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
C0273	Cancer marker profile Liver-2**	Delhi	D	6270	Wed and Sat: 9am and Next day 5pm	Next day 5pm	3 ml of Serum and 3 ml of EDTA plasma
C0275	Cancer marker profile (Neuroendocrine tumors)**	Delhi	D	6540	Tue and Fri: 9am and After 8 hrs	After 8 hrs	3 ml of Serum and 3 ml of EDTA plasma
C0276	Cancer marker profile-Ovarian-Comprehensive	Delhi	D	2400	Daily: 8.00 am to 8.00 pm and After 8 hrs	After 8 hrs	5 ml of serum
C0277	Cancer marker profile - Thyroid-DTC**	Delhi	D	2400	Daily: 9am to 9pm	After 8 hrs	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					and After 8 hrs		
C0279	Cytology CINtec plus**	Delhi	D	4250	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
C0281	cMYC Gene rearrangement, FISH, BONE MARROW**	Delhi	D	4795	Daily: 7.30am and 3rd day	3rd day	2-3 ml Bone Marrow in Na-heparin vacutainer
C0282	CMYC Gene rearrangement, FISH, BLOOD**	Delhi	D	4795	Daily : 9:00am	3rd day : 6:00pm	3 ml Blood in Na-heparin vacutainer
C0283	cMYC Gene rearrangement Tissue / FFPE**	Delhi	D	8720	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
C0284	Coeliac disease profile-1**	Delhi	D	2725	Mon and Thu: 9am and Same day 5pm	Same day 5pm	5 ml of serum
C0285	Coeliac disease profile-2 Comprehensive**	Delhi	D	9810	Mon and Thu: 9am and Same day 5pm	Same day 5pm	5 ml of serum and 4ml EDTA / ACD blood
C0286	Catechol-O-Methyltransferase (COMT) Genotyping**	Delhi	E	6300	Daily: 7am and 10th day	10th day	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0289	CMV DNA Detection by Real Time PCR - Tissue**	Delhi	C	4360	Daily	After 5 Days	Tissue with Normal Saline in Sterile leak proof container
C0290	Chloride, CSF	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
C0292	CMV DNA Viral load by Real Time PCR -	Delhi	C	8065	Mon, Wed & Fri :	Same day:	2ml of BAL/ Saliva in Sterile Leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	BAL or Saliva**				9:00am	9:00pm	proof container
C0297	C3 Nephritic Factor**	Delhi	R	5200	Daily : 11:30am	8th day : 6:00pm	3 ml Serum
C0306	CHIMERISM, PRE-TRANSPLANT (STR ANALYSIS - DONOR & RECIPIENT)**	Delhi	E	10395	Daily: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis - Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship
C0307	CHIMERISM (Post transplant) **	Delhi	E	10395	Daily: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship
C0311	Cardiomyopathy gene panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
C0318	Chylomicron Qualitative Body fluid	Delhi	B	665	Daily: 1pm	After 8 hrs	2 ml body fluid
C0319	Clinical Exome Panel**	Delhi	R	22050	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							ice packs. Do not freeze. TRF, Genetci history is mandatory.
C0323	Cell free DNA for EGFR**	Delhi	E	14700	Daily : 9:00am	7th day : 6:00pm	10-15 ml of blood in streck tube required. Sample stable for 3-7 Days at Ambient Temperature. For streck tubes, enquire before sending the sample. Clinical history with Histopathology report.
C0326	Carba R (Carbapenem Resistance) by CBNAAT - Culure Plate / Anal Swab**	Delhi	D	10575	Daily: 9am and Same day 5pm	Same day 5pm	Culure Plate / Anal Swab with Sufficient Material in Sterile Falcon Tube
C0337_Adult	Creatinine, advanced (Above18 years) - spot urine**	Delhi	A	295	Daily : 9:00am to 9:00pm	After 6 hrs	10 ml of Spot urine
C0340	Chromosomal Array CGH - Prenatal**	Delhi	E	16800	Daily: 9am and 15th day	15th day	Amniotic fluid (20-30ml divided in 2 sterile falcon centrifuge tube) and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. (Completely filled Consent form G with patient and doctor stamp and signature is mandetory as per PCPNDT Act)
C0342	Allergy panel - Child panel**	Delhi	D	13460	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
C0343	Clustered AchR and MuSK and LRP4 Antibodies**	Delhi	R	16000	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
C0347	CSF ACPII**	Delhi	R	28080	Daily : 11:30am	After 4 weeks : 6:00pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment.
C0348	Chromosomal Array CGH-Cancer**	Delhi	E	26250	Daily: 9am and 15th day	15th day	3 ml of EDTA whole blood and 3 ml of Bone marrow
C0349	Cadmium, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0350	Cadmium, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
C0351	Chromium , Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0352	Chromium, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
C0353	Cobalt , Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
C0354	Cocaine confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
C0356	Copper, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day :	1 gram of hair in leak proof



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	container. Ambient temperature storage and shipping. Plz enquire before sending
C0357	Copper, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
C0360	CLL prognostication/risk stratification gene panel- EDTA Whole Blood**	Delhi	E	17850	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood/bone marrow aspirate
C0361	Carrier ?screening - Gold (500 genes)**	Delhi	E	43050	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0362	Carrier ?screening - Platinum (2000 genes)**	Delhi	E	70350	Daily : 7:30am	After 6 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0363	Carrier ?screening - Silver (100 genes)**	Delhi	E	36855	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0364	Congenital adrenal hyperplasia due to HSD3B2-Gene Analysis**	Delhi	E	21000	Daily : 7:30am	After 4 weeks :	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0365	Congenital cataract-Gene Panel**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0366	Congenital hepatic fibrosis-Gene Panel**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
C0368	Chromosomal Array CGH-High resolution**	Delhi	R	26000	Daily : 11:30am	20th day : 6:00pm	3 ml of EDTA Whole Blood
C0369	Chikungunya RNA Detection by Real Time PCR - Serum**	Delhi	C	4905	Daily : 10:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
C0370	CMV DNA Viral load by Real Time PCR - CSF**	Delhi	C	8065	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	2ml of CSF in Sterile leak proof tube or container
C0371	CMV DNA Viral load by Real Time PCR - Urine**	Delhi	C	8065	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	15ml of Spot Urine in Sterile leak proof container
C0372	CT - NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Panel - Genital Swab**	Delhi	D	5450	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C0373	CT - NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Panel - Spot Urine**	Delhi	D	5450	Wed & Sat : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
C0374	Covid Monitor Initial**	Delhi	C	6320	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0375	Covid Monitor Maintenance.**	Delhi	C	4250	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0376	Covid Monitor Recovery.**	Delhi	C	3050	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0378	Conventional Karyotyping for CLL (B-Cell Stimulation)**	Delhi	R	12480	Daily : 11:30am	20th day : 6:00pm	10 ml Heparin Blood
C0379	CoviRisk TBNK by Flow Cytometry - Blood**	Delhi	D	5450	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of EDTA Whole Blood
C0381	Covid Associated Biomarker Profile**	Delhi	C	4905	Daily : 9:00am to 9:00pm	After 8hrs	2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma
C0394	Cytology - Brush Cytology by conventional method	Delhi	C	2725	Daily : 9:00am	3rd day	Unstained slides, Complete clinical & radiology details, clinician contact number
C1001	C1q antibodies test, Serum**	Delhi	R	7000	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
C1014	Carnitine free and total plasma**	Delhi	R	13000	Daily : 11:30am	10th day : 6:00pm	3 ml Heparin Plasma
C5054	Cadmium / Creatinine ratio**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
C5523	CBC, MP, ESR Panel	Delhi	B	600	Daily: 8.00 am to 8.00 pm	After 6 hrs	3 ml EDTA whole blood
C5631	COVIPROTECT Plus**	Delhi	C	2615	Mon, Wed & Fri: 1:00pm	Next day 5pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
C5643	Comprehensive metabolic panel**	Delhi	D	5110	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 2 ml of Flouride plasma, 4 ml of serum, 20 ml of spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
C8103	Cytopathology-Expert opinion	Delhi	C	2725	Daily: 9am and 7th day	7th day	Stained/unstained slides with original cytopathology report & relevant clinical & radiological details
C8369	COVID VARIANT SCREENING**	Delhi	D	820	Daily: 9am to 9 pm and After 24hrs	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
C8551	COMPREHENSIVE OPHTHALMIC GENETIC DISORDER PANEL	Delhi	R	20800	Daily 7.30 am	4 Weeks	3 ml of EDTA whole blood
C8606	Critical care antibiotics for drug resistant Gram negative bacteria.	Delhi	D	1200	Daily : 9:00am to 9:00pm	4th day : 6:00pm	Pure culture isolate is required
C8623	Celiac Disease Profile - 1	Delhi	C	2100	Mon & Thu : 7:30am	Same day : 5:00pm	5 ml of serum
D0001_DCP	DCP- Decarboxy Prothrombin PIVKA II, Serum**	Delhi	D	4000	Mon, Wed, Fri : 7:30am	Same day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0002	D-Dimer Quant, plasma	Delhi	C	1250	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
D0003	Dengue IgG Antibody by CLIA - Serum	Delhi	C	600	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0004	Dengue IgM Antibody by CLIA - Serum	Delhi	C	600	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0005	Dengue NS1 antigen Detection by CLIA - Serum	Delhi	C	650	Daily :3.30 pm	Same Day 7.30 p.m	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0006	Dengue Profile-1 (Dengue-IgG, IgM, NS1, Platelet count) by EIA - Serum & EDTA blood	Delhi	C	2200	Daily: 8.00 am to 8.00 pm and After 5 hrs	After 5 hrs	3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of EDTA Whole Blood in EDTA Vacutainer
D0007	Dengue RNA Detection by Real Time PCR - CSF**	Delhi	C	4035	Daily : 10:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container
D0008	Dengue RNA Detection by Real Time PCR - EDTA Plasma**	Delhi	C	4035	Daily : 10:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer
D0009	Desmoglein I Antibody Vesiculobullous disorders Serum**	Delhi	D	2800	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0010	Desmoglein III Antibody Vesiculobullous disorders Serum**	Delhi	D	3000	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0011	Dexamethasone Suppression test-High dose for ACTH, Plasma	Delhi	C	2505	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA Plasma each
D0012	Dexamethasone Suppression test for Cortisol-High dose, Serum	Delhi	C	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Serum each
D0014	Dexamethasone Suppression test for Cortisol-Low dose, Serum	Delhi	C	1635	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Serum each
D0015	Dexamethasone Suppression test Overnight suppression For ACTH, Plasma	Delhi	C	2505	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA Plasma each
D0016	Dexamethasone Suppression test Overnight suppression For Cortisol, Serum	Delhi	C	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Serum each
D0017	DHEA- Dehydroepiandrostedione Serum**	Delhi	C	2835	Daily: 8.00 am to 3.00 pm	Next Day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0018	DHEAS- Dehydroepiandrostedione Sulphate Serum	Delhi	B	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0019	DHT- Dihydrotestosterone Serum**	Delhi	C	3000	Tue and Fri: 7:30am and Same day 4pm	Same day 4pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0020	Diabetes Profile, Mini	Delhi	E	920	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
D0021	Diabetes Profile,Maxi**	Delhi	E	2890	Wed: 7.30am and Same day 5pm	Same day 5pm	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma (F, PP), 10 ml of spot urine
D0022	Dialysis Panel	Delhi	C	2180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml EDTA blood, fluoroide plasma & Serum
D0023	DIC (Coagulation) Profile	Delhi	C	3050	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	3 ml of EDTA whole blood and 1 ml of citrated platelet poor plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0024	Digoxin Lanoxin Serum**	Delhi	C	655	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0025	Diphtheria IgG antibodies by EIA - Serum **	Delhi	D	2835	Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0026	DMD/BMD (18 Exons) for Males Only**	Delhi	D	7630	Tue and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
D0027	DMD/BMD-79 exons Deletion/Duplication Analysis MLPA - Blood	Delhi	D	15900	Daily: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
D0028	DMD-Test Duchenne Muscular Dystrophy Amniotic Fluid**	Delhi	D	18530	Tue and Fri: 9am and 7th day	7th day	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
D0028_c	DMD/ BMD-79 exons Deletion/ Duplication Analysis (Dystrophin gene - Xp21)**	Delhi	D	18530	Daily : 9:00am	7th day : 6:00pm	Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS)

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
D0030	DNA (Double Strand) Antibody By IFA - Reflex end point titre Serum**	Delhi	C	1635	Daily	AFTER 9 HOURS	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0032	DNA (Double Strand) Antibody NcX DNA Serum	Delhi	C	1690	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0033	DNA IsolationBlood**	Delhi	C	1200	Mon and Thu: 9am and 3rd day	3rd day	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
D0034	DNA Paternity 16 markers **	Delhi	E	10500	Daily: 9am and 10th day	10th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed Paternity Consent form and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							documents mandatory. Photo Identity proof of father and child 2 Passport size photograph attached to consent form, Birth certificate of child In case of alleged father mother declaration required.
D0036	DNPH (Dinitro Phenyl hydralazine) test, urine**	Delhi	B	165	Daily : 11:30am	After 6hrs	10 ml of Spot urine
D0037	Dopamine ELISA Plasma**	Delhi	D	2725	Wed : 11:30am	Next day : 7:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
D0038	Dopamine, HPLC, 24 hrs urine**	Delhi	D	2725	Wed : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
D0039	Maternal screen-1st Trimester Dual Marker test serum**	Delhi	C	2500	Daily 07:30 am	same day 09:00 pm	3 ml of Serum
D0039_reflex	Pregascreen Dual (First trimester test-VII, serum Dual Marker test reflex Confirmation Either NIPT or Karyotyping/FISH of CVS)	Delhi	D	3500	Daily 07:30 am	same day 09:00 pm	3 ml of serum , If screen is positive reflex confirmation Either NIPT or Karyotyping and FISH of amniotic fluid
D0040	Maternal screen-2nd Trimester- Quadruple Marker test, Serum	Delhi	C	3200	Daily 07:30 am	same day 09:00 pm	3 ml of Serum
D0040_reflex	Pregascreen Quadruple (Second trimester test-IV, serum Quadruple marker test reflex	Delhi	C	4000	Daily 07:30 am	same day 09:00 pm	3 ml of serum , If screen is positive reflex confirmation Either NIPT or



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	confirmation Either NIPT or Karyotyping/ FISH of amniotic fluid).If Positive reflex NIPT						Karyotyping and FISH of amniotic fluid
D0041	Maternal screen (Triple test) 2nd trimester	Delhi	C	2725	Daily: 8.00 am to 8.00 pm and Next day 8.00 pm	Next day 8.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D0042	DPD-Deoxyypyridinoline (Pyrilinks D)Urine**	Delhi	C	1745	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	10 ml of Spot Urine (Protect From Light)
D0043	Dihydropyrimidine Dehydrogenase (DPD) Gene Mutation Analysis**	Delhi	D	7630	Tue & Fri : 9:00am	5th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .
D0044	DPT Antibodies by EIA - Serum**	Delhi	D	6975	Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D0045	Drugs Of Abuse Panel-5 Drug Panel, Urine**	Delhi	C	2725	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
D0046	Drugs Of Abuse Panel-6 Drug Panel, Urine**	Delhi	C	3815	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
D0047	Drugs Of Abuse Panel - 9 Drug, Urine**	Delhi	C	4905	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
D0048	DVT-Deep Vein Thrombosis Panel**	Delhi	D	11990	Mon: 9am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
D0049	Dysmorphic RBC detection - Spot Urine **	Delhi	B	390	Daily: 7.30am and 5th day	5th day	15ml of Spot Urine in Sterile leak proof container
D0050	D3 Hydroxybutarate (Ranbut), Serum**	Delhi	C	980	Mon and Thu: 9am and Next day 5pm	Next day 5pm	3ml of serum
D0053	Drugs Of Abuse Panel-12 Drug Panel, Urine**	Delhi	C	6430	Daily: 9am to 9pm and After 10 hrs	After 10 hrs	10 ml of Spot urine
D0054	DRPLA Gene Analysis**	Delhi	E	6530	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
D0059	Diabetes Complications assessment**	Delhi	E	2995	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma (F,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D0060	Diabetes Risk Assessment Profile**	Delhi	E	2890	Wed: 9am and Next day 5pm	Next day 5pm	PP), 10 ml of spot urine 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma
D0061	Diabetes type I profile**	Delhi	E	11000	Wed: 9am and Next day 5pm	Next day 5pm	5 ml of serum
D0125	Dystonia gene panel**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
D0127	DFS-70 Antibody**	Delhi	C	1035	Wed : 11:30am	Same day : 9:00pm	2 ml serum required
D0128	Deafness panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
D0129	DLBCL (Diffuse large B-cell lymphoma) FISH PANEL Tissue**	Delhi	E	14700	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
D0130	11 Deoxycorticosterone**	Delhi	R	15600	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
D0140	Deletion/ Duplication Analysis**	Delhi	R	11025	Daily : 11:30am	After 4	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						weeks : 6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
D0141	Dengue RNA Detection by Real Time PCR - Serum**	Delhi	C	4035	Daily : 10:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
D5612	Diabetes Platinum**	Delhi	E	3570	Daily : 9:00am	Next day : 6:00pm	4 ml Serum ,3 ml EDTA,3 ml Flouride.1Urine container
D5613	Diabetes Gold**	Delhi	E	1470	Daily : 9:00am	Next day : 6:00pm	4 ml Serum ,3 ml EDTA,3 ml Flouride.1Urine container
D8252	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, CVS - Prenatal	Delhi	E	15500	Daily : 9:00am	15th day : 6:00pm	â€¢ Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .
D8254	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, Amniotic Fluid-Prenatal	Delhi	E	15500	Daily : 9:00am	15th day : 6:00pm	â€¢ Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
D8259	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, Amniotic Fluid - Prenatal	Delhi	E	18000	Daily : 9:00am	15th day : 6:00pm	<p>Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition</p> <p>3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p>
D8263	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, POC - Prenatal	Delhi	E	18000	Daily : 9:00am	15th day : 6:00pm	<p>POC - 1) Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container</p> <p>2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container</p> <p>3) IUFD &gt;20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin</p> <p>3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p>
D8264	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR, Karyotyping and Chromosomal Array CGH, Amniotic Fluid - Prenatal	Delhi	E	19000	Daily : 9:00am	15th day : 6:00pm	<p>Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition</p> <p>3-5 ml EDTA Blood</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius
D8266	ALLERGY DRUG PANEL - (COMPREHENSIVE - 35 DRUG)	Delhi	E	17325	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D8267	ALLERGY DRUG PANEL -(ANTIBIOTICS - 19 DRUG)	Delhi	E	11445	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D8268	ALLERGY DRUG PANEL - (ANESTHETIC - 4 DRUG)	Delhi	E	4830	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
D8269	ALLERGY DRUG PANEL-( PAIN KILLER - 5 DRUG)	Delhi	E	7180	Tue & Fri - 11:30 am	next day 7 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
DL001	Amphetamine, Qualitative	Delhi	B	450	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL002	Barbiturates, Qualitative	Delhi	B	750	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL003	Benzodiazepine Diazepam	Delhi	B	630	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL005	Cannabis Marijuana, THC, Qualitative	Delhi	B	630	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL006	Cocaine Benzoylcegonine, Qualitative	Delhi	B	630	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL015	Methadone Dolophine, Qualitative	Delhi	B	450	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL016	Opiates Morphine, Qualitative, Urine Spot	Delhi	B	750	Daily : 9:00am to 9:00pm	After 10 mins	Urine
DL017	PCP Phencyclidine Phosphate, Qualitative, Urine Spot_DL017	Delhi	B	450	Daily : 9:00am to 9:00pm	After 10 mins	Urine
E0001	E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - CSF**	Delhi	C	1255	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
E0002	E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - Serum**	Delhi	C	1255	Daily: 9am and 3pm After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0003	E Coli K1 / N. Meningitidis B Antigen	Delhi	C	1255	Daily: 9am and 3pm	After 6 hrs	15ml of Spot Urine in Sterile leak

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	detection by Agglutination - Urine**				After 6 hrs		proof container
E0004	E2 Estradiol Serum	Delhi	B	650	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0005	E3, unconjugated Estriol Serum	Delhi	C	1470	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0006	EBV DNA Detection by Real Time PCR - EDTA Blood**	Delhi	D	4360	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
E0007	EBV DNA Detection by Real Time PCR - CSF**	Delhi	D	4580	Mon, Thursday: 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
E0008	EBV DNA Detection by Real Time PCR - Tissue**	Delhi	D	4250	Mon, Thursday: 9:00am	Next day : 5:00pm	Tissue with Normal Saline in Sterile leak proof container
E0009	EBV EA IgG Antibody by CLIA - Serum**	Delhi	C	1960	Mon: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0010	EBV NA IgG Antibody by CLIA - Serum**	Delhi	C	2180	Mon: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0011	EBV VCA IgG Antibody by CLIA - Serum**	Delhi	C	1960	Mon: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0012	EBV NA IgM Antibody by EIA - Serum**	Delhi	C	1960	Tue and Fri: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0013	EBV VCA IgM Antibody by CLIA - Serum**	Delhi	C	1745	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0014	EBV encoded RNA (EBER) by CISH - FFPE**	Delhi	D	3270	Daily: 7.30pm and 5th day	5th day	Tissue In 10% Formalin Or Block / FFPE .
E0016	Echinococcus IgG Antibody by EIA - Serum**	Delhi	C	1635	Tue & Fri: 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
E0021	Electrolytes Serum	Delhi	B	400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0022	Electrolytes Urine 24H	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
E0023	Electrolytes Urine Spot	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
E0024	Electrolytes Dialysis Fluid	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Dialysis Fluid
E0027	Endomysial Antibody IgA antibody Serum**	Delhi	C	2180	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0028	Endomysial Antibody IgG antibody Serum**	Delhi	C	3270	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0030	Enteroviruses RNA Detection by PCR - CSF**	Delhi	R	6030	Daily : 11:30am	5th day : 6:00pm	2 ml of CSF in Sterile leak proof tube or container
E0031	Enteroviruses RNA Detection by PCR - Plasma**	Delhi	R	6145	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA Plasma in Sterile Plain Vacutainer
E0032	Eosinophil Detection, URINE	Delhi	B	335	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml urine sample
E0033	Eosinophil detection (SPUTUM)	Delhi	B	145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	Sputum In Sterile Container
E0035	Erythropoietin Serum**	Delhi	C	2400	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
E0038	ESR Automated Blood	Delhi	A	150	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	3 ml EDTA Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
E0039	Everolimus, Blood by LCMS method**	Delhi	D	7000	Daily: 7.30am and same Day 7:30 pm	Same day 7:30PM	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
E0042	E1, Estrone, Serum **	Delhi	R	6240	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
E0043	EGFR MUTATION DETECTION (EXONS 18, 19, 20, 21)**	Delhi	D	8500	Mon and Fri: 9am and 7th day	7th day	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
E0045	EWS gene rearrangement (:Translocation t(11;22) /t(21;22) translocation/ rearrangement **	Delhi	R	8110	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0051	EBV DNA Viral load by Real Time PCR - EDTA Blood**	Delhi	D	6540	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
E0053	Extended RAS Test (KRAS, BRAF, NRAS, PIK3CA) - FFPE Tissue**	Delhi	D	16350	Mon and Fri: 9am and 7th day	7th day	Tumor containing FFPE block. Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
E0055	Epileptic encephalopathy gene panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	with Histopathology report. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
E0056	EGFR T790M Mutation (Acquired EGFR TKI Resistance)**	Delhi	E	8400	Mon and Fri: 9am and 7th day	7th day	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
E0057	EXPANDED LUNG CANCER PANEL BY FISH**	Delhi	E	25200	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0064	Allergy panel -Common Eczema **	Delhi	D	7905	Daily : 11:30am	Next day : 5:00pm	All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
E0065	Allergy panel - Eczema Comprehensive Veg**	Delhi	D	17985	Daily : 11:30am	Next day : 5:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
E0066	Allergy panel - Eczema Comprehensive Veg + non Veg**	Delhi	D	22180	Daily : 11:30am	Next day : 5:00pm	for 7 days and at Ambient temperature for a day. Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
E0068	ERA-Endometrium Receptivity Assay, Endometrial biopsy**	Delhi	R	43680	Daily : 11:30am	15th Day	CytogeneticsandFISH.pdf
E0069	EWSR1-FLI1 **	Delhi	R	12480	Daily : 11:30am	15th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0070	EWSR1(22q12)/NTRK3 (15q25) translocation **	Delhi	R	12480	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
E0071	EBV DNA Viral load by Real Time PCR - CSF**	Delhi	D	6865	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
E0072	EBV DNA Viral load by Real Time PCR - Tissue**	Delhi	D	6865	Mon & Thurs : 9:00am	Next day : 5:00pm	Tissue with Normal Saline in Sterile leak proof container
E0075	Endometritis Panel**	Delhi	D	7850	Wed: 9:00am	Next day : 5:00pm	Genital discharge, Ulcer, Ulcer base, High Vaginal swab, Endocervical swab, Endometrial Pus, Endometrial Fluid, Endometrial Tissue.
E1019	E Histolytica Antigen Detection by Immunochromatography -Stool **	Delhi	R	2810	Daily : 11:30am	3rd day : 6:00pm	1gm of Stool specimen in Sterile leak proof container
E1020	Entamoeba histolytica detection by Wet	Delhi	B	335	Daily: 8.00 am to	After 6 hrs	5gm of Stool specimen in Sterile

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Mount - Stool				8.00 pm and After 6 hrs		leak proof container
E1021	Kidney Biopsy by Electron Microscopy**	Delhi	R	9880	Daily 7.30	15 day	Biopsy in 3% Glutraldehyde along with histopathology report & relevent clinical details
F0002	Factor V Leiden-Mutant Detection (G1691A Mutation) by Real Time PCR - Blood**	Delhi	D	6000	Wed & Sat : 9:00am	Next day : 5:00pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
F0003	Factor V Level**	Delhi	D	5995	Mon: 9am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
F0004	Factor VII Activity Proconvertin Citrated plasma**	Delhi	R	3330	Daily : 11:30am	10th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0005	Factor VIII Activity Anti Haemophilia factor A, Citrated plasma	Delhi	D	2180	Mon: 7.30am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
F0006	Factor IX Activity Anti Haemophilic factor B (Christmas Disease), Citrated plasma**	Delhi	D	2180	Mon : 9:00am	Same day : 8pm	1 ml of citrated platelet poor plasma in frozen condition.
F0007	Factor X Activity Stuart Power Citrated plasma**	Delhi	R	4890	Daily : 11:30am	10th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0008	Anti Factor X A Assay**	Delhi	R	6000	Daily : 11:30am	4th day : 6:00pm	Sample 3 ml Citrate Plasma Frozen with medication history.
F0009	Factor XI Activity Rosenthal Citrated plasma**	Delhi	R	3535	Daily : 11:30am	10th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0010	Factor XII Activity Hageman Citrated plasma**	Delhi	R	3640	Daily : 11:30am	5th day : 6:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0011	Factor XIII Activity, Citrated plasma**	Delhi	R	2685	Daily : 11:30am	Next day : 5:00pm	1 ml of citrated platelet poor plasma in frozen condition.
F0012	Fatty Acids With Very Long Chains C22 To C26 Plasma**	Delhi	R	15600	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA Plasma Or Heparin plasma
F0014	FDP DR 70**	Delhi	R	3745	Daily : 11:30am	7th day : 6:00pm	3 ml of Serum and 3 ml of citrate plasma
F0015	FDP Fibrin degradation products Reflex to end point titre.**	Delhi	C	1200	Daily: 9am and 3pm and 9pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
F0016	Febrile by Agglutination - Serum**	Delhi	B	1330	Daily: 7.30pm and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
F0017	Ferric Chloride, Urine**	Delhi	C	165	Daily : 11:30am	Next day :	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						5:00pm	
F0018	Ferritin Serum	Delhi	B	680	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0019	Fertility Endocrine Panel-Female	Delhi	B	2000	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
F0020	Fertility Endocrine Panel-Male	Delhi	B	2775	Daily: 1pm(1)	After 8 hrs	5 ml of serum
F0021	Fever Profile (Maxi)	Delhi	C	2835	Daily: 9am to 9pm	Same Day	1.4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine
F0022	Fever Profile (Mini)	Delhi	C	850	Daily: 9am to 9pm	Report Same Day: 1. Complete Blood Count(CBC Haemogram) 2. ESR - Erythrocyte Sedimentation Rate 3. Malaria Parasite Detection 4. Routine Examination Urine 4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine F5604 Fever Profile (Super Maxi) Delhi C 4575 Daily : 9:00am Report Same Day: 1.	4ml of serum 3 ml of EDTA whole blood 20 ml of spot urine Collect blood 2-3 ml in Bactec FX aerobic bottle

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						Complete Blood Count(CBC Haemogram) 2. Routine Examination Urine 3. CRP - C Reactive Protein 4. Malaria Parasite Detection 5. SGPT 6. Typhi Dot IgM 7. Dengue	
F0023	Fibrinogen Plasma (F0023)	Delhi	C	830	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
F0028	Fibromax Fibrosis, Activity, STEATO, ASH and NASH of Liver.**	Delhi	E	13650	Daily: 9am to 9pm and 5th day	5th day	5 ml of serum and 2 ml of fluoride plasma . Fasting sample
F0029	Filaria Antibody detection by Immunochromatography - Serum	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
F0030	Filaria Antigen detection by Immunochromatography - EDTA blood	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
F0031	Filaria Profile	Delhi	B	1275	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA whole blood and serum sample
F0032	FLT-3 (AML) by PCR ITD, D835 - Blood**	Delhi	D	4360	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
F0033	FLT-3 (AML) by PCR ITD, D835 - Bone Marrow**	Delhi	D	5995	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
F0034	FMC 7 by Flow cytometry**	Delhi	D	2400	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
F0039	By Conventional method	Delhi	C	1000	Daily: 9am and 2nd day	2nd day	Prefixed smears along with air dry smears, relevant clinical & radiological details mandatory
F0040	By LBC**	Delhi	C	1415	Daily: 9am and 3rd day	3rd day	More than 1 ML fluid in a leak proof plain container along with relevant clinical & radiological details
F0043	Procedure charge**	Delhi	C	545	Daily	AFTER 6 HOURS	NA
F0046	Folic Acid Serum	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0048	Food intolerance Test**	Delhi	D	14000	Daily : 11:30am	3rd day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0050	Fragile X (FMR1)CGG Repeat Analysis**	Delhi	D	6540	Tues & Sat 7.30 am and 10th day	10th day.	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
F0051	Friedreich Ataxia Mutation Analysis**	Delhi	D	7410	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0052	Free Androgen Index FAI**	Delhi	D	2725	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0053	Free Beta HCG Serum	Delhi	C	1365	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0054	Free Kappa Freelite chains Serum	Delhi	D	2945	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0055	Free Lambda Freelite chains Serum	Delhi	D	2945	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0056	Fructosamine Serum**	Delhi	C	980	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0057	Fructose biochemical by Biochemical - Semen	Delhi	B	335	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2ml of Semen in Sterile leak proof container
F0058	FSH-Follicle Stimulating Hormone ECLIA Serum	Delhi	B	600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0059	FSH-LH-Prolactin Serum	Delhi	C	1150	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0060	FSH-LH-Prolactin-Testosterone	Delhi	C	2200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0061	FSH-LH-Prolactin-TSH	Delhi	C	2125	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0062	FSH-LH-Testosterone	Delhi	C	1365	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
F0065	Fungal Antibiogram (Yeast) MIC Panel - Pure culture**	Delhi	C	2725	Daily: 7.30am and 4th day	4th day	Pure culture Growth on Agar slant/ Plate
F0066	Fungal Identification - Pure culture**	Delhi	C	2180	Daily: 7.30am and 10th day	10th day	Pure culture on SDA plate/ slant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0067	Fungal stain by KOH & Calcofluor White stain - BAL /E.T Secretion/Respiratory Sample	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of BAL / Other Respiratory samples in Sterile leak proof container
F0068	Fungal stain by KOH & Calcofluor White stain- Specify type Body fluid	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	3ml of Fluid in Sterile leak proof container
F0069	Fungal stain by KOH & Calcofluor White stain - CSF	Delhi	B	445	Daily: 8.00 am to 8.00 pm and After 2 hrs	After 2 hrs	2ml of CSF in Sterile leak proof tube or container
F0070	Fungal stain by KOH & Calcofluor White stain - Ear Sample	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Ear specimens should be collected by a medical specialist, an experienced technologist or nurse. Aspirate discharge and collect in a sterile container or collect with a sterile swab. Transport at the earliest. Amies transport medium can be used for transportation.
F0071	Fungal stain by KOH & Calcofluor White stain- Eye Sample	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Eye specimens in Sterile leak proof container
F0072	Fungal stain by KOH & Calcofluor White stain - Hair	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Hair sample in Sterile leak proof container
F0073	Fungal stain by KOH & Calcofluor White stain- Nail	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Nail sample in Sterile leak proof container
F0074	Fungal stain by KOH & Calcofluor White stain- Other samples	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.
F0075	Fungal stain by KOH & Calcofluor White stain- Pus	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of PUS in Sterile leak proof container
F0076	Fungal stain by KOH & Calcofluor White stain- Skin	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Skin sample in Sterile leak proof container
F0077	Fungal stain by KOH & Calcofluor White stain- Sputum	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Sputum in Sterile leak proof container



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0078	Fungal stain by KOH & Calcofluor White stain- Tissue	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Tissue with Normal Saline in Sterile leak proof container
F0079	Fungal stain by KOH & Calcofluor White stain- Urine	Delhi	B	445	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
F0080	Fungal culture and identification by MALDITOF (Vitek MS) - BAL, E.T Secretion Respiratory Sample**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	2ml of BAL / Other Respiratory samples in Sterile leak proof container
F0081	Fungal culture and identification by MALDITOF (Vitek MS) - Blood**	Delhi	C	1310	Daily: 9am to 9pm and 5th day	5th day	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin
F0082	Fungal culture and identification by MALDITOF (Vitek MS) - Body Fluid**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	2ml of Body Fluid in Sterile leak proof container
F0083	Fungal culture and identification by MALDITOF (Vitek MS) - Bone Marrow**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin
F0084	Fungal culture and identification by MALDITOF (Vitek MS) - CSF**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	2ml of CSF in Sterile leak proof tube or container
F0085	Fungal culture and identification by MALDITOF (Vitek MS) - Ear Sample**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	Ear specimens in Sterile leak proof container
F0086	Fungal culture and identification by MALDITOF (Vitek MS) - Eye Sample**	Delhi	C	1525	Daily: 9am to 9pm and 21st day	21st day	Eye specimens in Sterile leak proof container
F0087	Fungal culture and identification by MALDITOF (Vitek MS) - Hair**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	Hair sample in Sterile leak proof container
F0088	Fungal culture and identification by MALDITOF (Vitek MS) - Nail**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	Nail sample in Sterile leak proof container
F0089	Fungal culture and identification by MALDITOF (Vitek MS) - Other Sample**	Delhi	C	1310	Daily: 9am to 9pm and 21st day	21st day	2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.
F0090	Fungal culture and identification by MALDITOF (Vitek MS) - Pus**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	2ml of PUS in Sterile leak proof container
F0091	Fungal culture and identification by MALDITOF (Vitek MS) - Skin**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	Skin sample in Sterile leak proof container
F0092	Fungal culture and identification by MALDITOF (Vitek MS) - Sputum**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	2ml of Sputum in Sterile leak proof container
F0093	Fungal culture and identification by MALDITOF (Vitek MS) - Stool**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	5gm of Stool specimen in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
F0094	Fungal culture and identification by MALDITOF (Vitek MS) - Tissue**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	Tissue with Normal Saline in Sterile leak proof container
F0095	Fungal culture and identification by MALDITOF (Vitek MS) - Urine**	Delhi	C	1080	Daily: 9am to 9pm and 21st day	21st day	15ml of Spot Urine in Sterile leak proof container
F0099	Fever Profile Detection by Real Time Multiplex PCR - EDTA Blood	Delhi	D	5995	Mon and Wed and Fri: 9am and Next day 5pm	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
F0103	FIP1L1-PDGFR A GENE REARRANGEMENT **	Delhi	R	11440	Tue : 11:30am	12th day : 6:00pm	4 ML EDTA whole blood / Bone marrow
F0105	Flu Profile-1 Detection by Real Time PCR - Nasopharangeal & Oropharangeal Swab**	Delhi	D	6430	Daily: 9am and 5th day	5th day	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
F0106	Fibroblast Growth Factor 23, Plasma**	Delhi	D	9265	Daily : 7:30am	20th day : 6:00pm	3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.
F0107	Flow for Lymphoma/ CLPD / lymphoma MRD**	Delhi	R	15080	Daily: 9am and 3rd day	3rd day	3 ml of EDTA Bone Marrow
F0109	Flow for B ALL MRD**	Delhi	R	15080	Daily: 9am and 5th day	5th day	3 ml of EDTA Bone Marrow
F0110	Flow for T ALL MRD**	Delhi	R	19240	Daily: 9am and 6th day	6th day	3 ml of EDTA Bone Marrow
F0112	Food Intolerance (Vegetarian panel)**	Delhi	D	10900	Daily : 11:30am	3rd day : 6:00pm	Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
F0115	First trimester test-V, Serum Quad Test Free beta HCG, PAPPa, AFP and PLGF**	Delhi	D	5340	Daily cut off 7:30 AM	same day 9:00 PM	3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements .
F0116	First trimester test-VI, serum Penta Screen Free beta HCG, PAPPa, AFP, Inhibin A, PLGF and NT 10 to 13.6 TBA**	Delhi	R	6240	Daily : 11:30am	10th day : 6:00pm	3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements
F0117	Fragile X mutation analysis+Chromosomal Array profile**	Delhi	E	22050	Tue & Fri : 9:00am	7th day : 6:00pm	3 ml of Blood In Na-Heparin +3 ml of EDTA Vacutainer
F0118	FOX01 (13q14) translocation **	Delhi	R	16640	Daily : 11:30am	12th Day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
F0119	COVI-INFLUENZA VIRUS PANEL BY REAL TIME PCR (Inf A, Inf B, H1N1(Swine Flu), H3N2, RSV, Covid-19)**	Delhi	D	5500	Daily : 7:00am & 3:00pm	Same Day : 3:00pm & 11:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
F0120	Mould/Filamentous fungi by microbroth dilution - Agar plate or slant**	Delhi	C	11335	Daily: 9am to 9pm and 15th day	15th day	Pure culture Growth of Filamentous fungi on Agar slant/ Plate.
F0122	Factor VIII inhibitor assay**	Delhi	D	7085	Daily : 11:30am	3rd day : 6:00pm	3 ml Citrate Plasma ( Fasting & Frozen mandatory)
F0126	Foundation one CDX**	Delhi	R	306800	Daily: 9am and 5	5 weeks	Paraffin Block (Carcinoma)

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					weeks		
F1003	Free Fatty Acid (Non-Esterified)**	Delhi	D	13625	Daily	After 31 Days	3 ml Serum
F5605	Fatty Liver**	Delhi	D	6285	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 2 ml of Flouride plasma, 3 ml of serum
F5606	Fever Profile (Super Mini)	Delhi	C	1950	Daily : 9:00am	Same Day	4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine
F8194	Foundation one Heme**	Delhi	R	360000	Daily 7.30 am	5 weeks	Paraffin Block (Sarcoma)
F8215	FIT-Fecal Immunochemical Test, quantitative	Delhi	D	4200	Daily : 9:00AM	Same day : 7:00 PM	100 gmsof stool is required
G0001	G6PD Neonatal Screen Dried blood spot**	Delhi	C	870	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
G0002	G6PD Qualitative Blood	Delhi	B	890	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA Whole Blood
G0003	G6PD Quantitative Reflex Qualitative**	Delhi	C	870	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml EDTA Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0004	GAD Total Antibody Type I Diabetes Serum**	Delhi	D	6700	Tue,Thu & Sat and same day 7:00pm	Same day 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0005	Galactose 6 Sulphate Sulphatase Blood**	Delhi	R	6760	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
G0006	Galactose Classical Transferase Blood**	Delhi	R	2465	Daily : 11:30am	8th day : 6:00pm	6 ml Sodium heparin whole blood required as soon as possible after collection
G0008	Galactose screening,Blood **	Delhi	R	1000	Daily : 11:30am	7th day : 6:00pm	4 ml of Blood In Sodium Heparin
G0011	Galactose-Total Neonatal Screen Dried blood spot**	Delhi	C	380	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
G0012	Ganglioside IgG Antibody,serum	Delhi	D	4360	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0013	Ganglioside IgM Antibody,serum	Delhi	D	4090	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0016	Gastrin Serum**	Delhi	C	1470	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	2 ml of Serum.Fasting Required
G0017	GBM-Antibody Glomerular Basement Membrane serum**	Delhi	C	1910	Fri: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0018	Genetic Hair Loss Test Alopecia Blood**	Delhi	E	5250	Daily: 7am and 15th day	15th day	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0019	GFR With Creatinine, Serum	Delhi	B	280	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0019_A	GFR With Creatinine (Adult - Above 18 Years) Serum	Delhi	B	355	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0019_C	GFR With Creatinine (Upto 18 Years) Serum	Delhi	B	355	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0020	GGTP Gamma GT Serum	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0021	Giardia Antigen detection by Immunochromatography - Stool**	Delhi	B	1275	Daily: 9am and 3pm After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
G0022	Gliadin-IgA Antibodies De-amidated (DGP)Serum**	Delhi	C	2070	Mon and Thu: 7am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0023	Gliadin-IgG Antibodies De-amidated (DGP)Serum**	Delhi	C	2070	Mon and Thu: 7am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0024	Glucagon Stimulation Test - For C-peptide, Serum	Delhi	D	3815	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0min, 5, 10, 15 min)
G0025	Glucosamine N Acetyl Transferase Blood**	Delhi	R	7800	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
G0026	Glucose Urine spot	Delhi	A	145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
G0027	Fasting Glucose, plasma	Delhi	A	70	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_100	Glucose Post glucose (100 GMS) Plasma	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_120	GLUCOSE 120 MIN	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_180	GLUCOSE 180 MIN	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_240	GLUCOSE 240 MIN	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_300	GLUCOSE 300 MIN	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_50	Glucose Post glucose (50 GMS) Plasma	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_60	GLUCOSE 60 MIN	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_75	Glucose plasma(75 GMS)	Delhi	A	80	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0027_P	Glucose post prandial plasma	Delhi	A	70	Daily: 8.00 am to	After 6 hrs	2 ml of Fluoride Plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		
G0027_R	Random, Glucose	Delhi	A	70	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma
G0028	Glucose CSF	Delhi	A	145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
G0028_B	Glucose Body Fluid	Delhi	A	145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
G0028_S	Glucose Synovial Fluid	Delhi	A	145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
G0029	Glucose Tolerance Test 2 hours 3 sample	Delhi	B	235	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	0 min, 60 , 120 min -2ml Fluoride plasma
G0030	Glucose Tolerance Test 2.5 hours 5 samples	Delhi	B	390	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	0 min, 30, 60, 120, 150 min - 2ml Fluoride plasma
G0031	Glucose Tolerance Test 5 hours 8 samples	Delhi	B	620	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	0 min, 30, 60, 90, 120, 180, 240, 300 min - 2ml Fluoride plasma
G0032	Glucose Tolerance Test 3 samples for glucose and insulin	Delhi	C	2180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	0 min, 60 , 120 min -2ml Fluoride plasma and 3ml serum
G0033	Glutamic Acid Quantitative Urine 24H**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
G0034	Glutamic Acid Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
G0035	Glutamine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
G0036	Glutamine Quantitative Urine 24H**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
G0037	Glycine Quantitative CSF**	Delhi	D	6760	Daily : 11:30am	7th day : 6:00pm	2 ml of CSF in leakproof container (folin vu conical tube is



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0038	Glycine Quantitative Urine 24H**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	recommended to prevent leakage). 10 ml of Spot urine
G0039	Glycine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
G0041	Glycophorin-A**	Delhi	D	2505	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
G0042	GNRH (LHRH) Stimulation Test For FSH and LH**	Delhi	B	3995	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0044	Goodpasture`s Syndrome Panel**	Delhi	D	3545	Sat: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0045	Gram stain For Neisseria sp by Microscopy - Urethral discharge	Delhi	B	290	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2 ml of Urethral Discharge in Sterile leak proof container
G0046	Gram stain Nugent s score by Microscopy -- Vaginal discharge	Delhi	B	390	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Discharge on sterile swab in Amies transport medium
G0047	Gram stain by Microscopy - Other samples	Delhi	B	290	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2 ml of Specimen in Sterile leak proof container
G0048	Growth Disorder Panel**	Delhi	D	5670	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	5 ml of serum
G0049	Growth Hormone HGH Serum	Delhi	C	870	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Serum In Fasting And Resting
G0050	Growth Hormone Stimulation Test- Arginine, Serum	Delhi	D	3270	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0051	Growth Hormone Stimulation Test - Clonidine, Serum	Delhi	D	3270	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0052	Growth Hormone Stimulation Test-Exercise, Serum**	Delhi	D	3270	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0053	Growth Hormone Stimulation Test - GHRH, Serum	Delhi	D	3270	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0054	Growth Hormone Stimulation Test-Insulin	Delhi	D	3270	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0056	Growth Hormone Suppression Test-Glucose, Serum	Delhi	D	3270	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0min, 30, 60, 90, 120 min)
G0058	Anti GAD-65 Paraneoplastic Syndrome Serum**	Delhi	D	7000	Wed 1:00pm and Next day 5:00 pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0059	GFR With Cystatin C Serum	Delhi	C	1200	Daily : 11:30am	After 6hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0059_A	GFR With Cystatin C Serum (Adult - Above 18 Years)	Delhi	C	1505	Daily: 1pm(1)	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0059_C	GFR With Cystatin C Serum (Upto 18 Years)	Delhi	C	275	Daily: 1pm(1)	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0061	Glycosaminoglycan,Urine**	Delhi	R	3225	Daily : 11:30am	15th day : 6:00pm	20 ml Spot Urine Sample In Leak Proof Container
G0065	GTT-Gestational ,Two Hour(75 grams glucose)	Delhi	B	290	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma Each
G0066	GTT-Gestational ,Three Hour(100 grams glucose)	Delhi	B	290	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma Each
G0073	G6pd Gene Mutation**	Delhi	R	4575	Tue : 11:30am	12th day : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. Amniotic Fluid or Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition.
G0074	GALACTOSEMIA GENE MUTATION**	Delhi	R	8840	Tue : 11:30am	12th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0075	Gardenella Vaginalis - Vaginal Discharge/ cervical secretions**	Delhi	R	1350	Daily : 9:00am to 9:00pm	7th day : 6:00pm	Collect vaginal discharge on a sterile cotton swab and place in into Amies transport medium with aseptic precautions. 2. Make vaginal discharge smears on clean glass slide for Gram staining.
G0078	Councelling Genetics**	Delhi	E	1155	Daily	AFTER 6 HOURS	Prior Appointment
G0079	GIST PDGFRA gene mutation**	Delhi	R	10400	Thu & Sat: 11:30am	15th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
G0080	Glucose Tolerance Test 2 hours 2 samples	Delhi	B	180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	0 min, 120 min -2ml Fluoride plasma
G0082	GLIOMA PANEL (1P/19Q, IDH1/2,MGMT)**	Delhi	D	27250	Daily: 9am and 20th	20th day	(FFPE block) Tumour containing

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					day		tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
G0083	Gene analysis Alpha-1 antitrypsin deficiency - SERPINA1**	Delhi	R	21840	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0087	Gene analysis Achondroplasia FGFR3 G380R common mutation screening**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0088	Agammaglobulinemia (BTK)-Gene analysis, EDTA Blood**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							degree celsius. Sample to be preferably shipped at Refrigerated condition.
G0089	Gene analysis Alexander disease (GFAP)**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0091	Alstrom syndrome (ALMS1) gene analysis	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0092	Androgen receptor (AR)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0093	Gene analysis Ataxia-telangiectasia (ATM)**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0094	Gene analysis ATRX**	Delhi	E	19950	Daily: 9am and 6 weeks	6 weeks	3 ml EDTA Whole Blood
G0095	Brown Vialetto-Van Laere syndrome-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0096	C8orf37 gene-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0097	Canavan disease (ASPA)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0098	Cantu syndrome (ABCC9) gene-Gene Analysis**	Delhi	R	22880	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0099	Carney complex (PRKAR1A)-Gene Analysis**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0100	Chediak-Higashi syndrome (LYST)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0101	Cohen s syndrome (VPS13B)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0103	Gene analysis Congenital adrenal hyperplasia CYP21A2 (21-OH) by NGS**	Delhi	R	21840	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0104	Gene analysis Cystic fibrosis (CFTR)-Whole gene**	Delhi	R	19260	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0105	Gene analysis Cystic megalencephaly (MLC1)**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0106	Gene analysis DOCK8 (Hyper IgE Syndrome) gene**	Delhi	R	17850	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0108	Dravet syndrome (SCN1A) gene panel,NGS**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at</p>



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0109	Gene analysis duchenne muscular dystrophy (DMD)**	Delhi	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0110	Fabry disease (GLA)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0111	Factor VII deficiency-Gene analysis, EDTA Blood**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.</p>
G0112	Fanconi bickel syndrome (SLC2A2)-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0113	Gene analysis(Farber lipogranulomatosis - ASAH1 -**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0114	Fraser syndrome genes-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0115	Fucosidosis - Lysosomal storage disorder- Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0116	Galactosialidosis-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0117	GLB1 (GM1 gangliosidosis; mucopolysaccharidosis type IVB ) gene analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0118	Gene analysis GLUT1 deficiency (SLC2A1)**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0119	Haemophilia A-Gene analysis, EDTA Blood**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.</p>
G0120	Gene analysis Haemophilia B (F9)**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0121	Hereditary fructose intolerance-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0122	Hyperargininemia (ARG1)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0123	Krabbe disease (GALC)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0124	Lysosomal acid lipase deficiency (LIPA gene)-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0126	McArdle disease (PYGM)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0127	Menkes disease (ATP7A)-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0128	Mondini defect (SLC26A4)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0129	Gene analysis MYD88 gene L265P mutation**	Delhi	R	18720	Daily : 11:30am	12th Day : 6:00pm	3 ml EDTA Whole Blood
G0130	Neurofibromatosis type 1 (NF1) Gene Analysis **	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0131	Gene analysis Neurofibromatosis type 2 (NF2)**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0132	NOTCH3 (CADASIL) gene analysis -NGS**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0133	Pallister Hall syndrome (GLI3)-Gene Analysis**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0134	Phenylketonuria (PAH)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0135	PMP22 Gene analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0136	Polycystic Liver Disease-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0137	Gene analysis Pompe Disease (GAA)**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0138	PTEN-Gene Analysis**	Delhi	R	18720	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0139	Pulmonary alveolar microlithiasis (SLC34A2)-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0142	Gene analysis RB1**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0143	Gene analysis RBC membrane disorders and Enzymopathies**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0144	Sialidosis-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0145	Sjogren-Larsson syndrome (ALDH3A2)-Gene Analysis**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0147	Gene analysis Smith-Lemli-Opitz syndrome (DHCR7)**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0149	Tay-Sachs disease (HEXA)-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0150	Thrombotic Thrombocytopenic Purpura (TTP) - ADAMTS13 gene analysis**	Delhi	R	18900	Daily : 11:30am	After 4 weeks : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0151	TSC1-Gene Analysis**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0152	Gene analysis TSC1 & TSC2**	Delhi	R	17500	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0153	TSC2-Gene Analysis**	Delhi	R	17680	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0154	Tyrosinemia-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0155	Gene analysis Von Hippel-Lindau syndrome (VHL)**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0156	Gene analysis Von Willebrand disease (VWF)**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.
G0157	WAS (Wiskott Aldrich Syndrome)-Gene analysis, EDTA Blood**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0158	Wilson disease (ATP7B) gene analysis,NGS**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0159	Xanthinuria (XDH)-Gene Analysis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0162	4H syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0163	Aicardi-Goutieres syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0164	Alagille syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0165	Alport syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0166	Gene Panel Aplastic anaemia**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0167	Arthrogryposis & congenital myasthenic syndrome Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	condition. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0168	Bardet-Biedl syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0169	Gene Panel Bartter syndrome**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0170	Benign infantile epilepsy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0171	Cardiac channelopathy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0173	Gene Panel Charcot-Marie-Tooth and sensory neuropathies**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0174	Ciliopathy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0175	Citrullinemia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0176	Cockayne syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0177	Congenital afibrinogenemia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0178	Congenital dyserythropoietic anemia gene panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0180	Congenital hypopituitarism-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4	3 ml of EDTA whole blood required



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						weeks : 6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0181	Gene Panel Congenital neutropenia**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0182	Congenital stationary night blindness-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0183	Gene Panel Connective tissue disorder**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0184	Corneal dystrophy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0185	Cornelia de Lange Syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0186	Craniosynostosis-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0187	Cutis-laxa-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0188	Diamond blackfan anemia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0189	Gene Panel Dyskeratosis congenita**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0190	Gene Panel Early-onset juvenile parkinsonism**	Delhi	R	22465	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0191	Ectodermal dysplasia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0192	Gene Panel Ehler Danlos syndrome**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0193	Epidermolysis bullosa-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0194	Gene Panel Episodic ataxia**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0195	Familial female mental retardation/epilepsy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0196	Gene panel Familial hemiplegic migraine**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>
G0197	Gene Panel Fanconi anemia**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p>
G0198	Fatty acid oxidation disorders-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0199	Glycine encephalopathy-Gene Panel**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0200	Gene Panel Glycogen storage disorder**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0201	Glycosylation (CDG) disorders-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0202	Gene Panel Haemophilia (F8 & F9)Gene Panel, EDTA Blood**	Delhi	R	19950	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0203	Gene Panel Hemophagocytic lymphohistiocytosis (HLH)**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	at Amibent or referigerated condition based on sample stability. Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0204	Hereditary elliptocytosis-Gene Panel, EDTA Blood**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0205	Hereditary multiple exostoses Panel-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0206	Hereditary pancreatitis gene panel**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0207	Hereditary Spherocytosis-Gene Panel, EDTA Blood**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0208	Gene Panel Homocystinuria**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0209	Gene Panel Hypercholesterolemia**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0210	Hyperekplexia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0211	Hypomyelination syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0212	Icthyosis-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0213	Gene panel Joubert syndrome**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0214	Kallmann syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0215	Leber congenital amaurosis-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0216	Gene Panel Leigh syndrome & mitochondrial encephalopathy**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0217	Gene Panel Leukodystrophy**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0218	Lissencephaly-Gene Panel, EDTA Blood**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0219	Maple syrup urine disease-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0220	Meckel Gruber syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0221	Gene Panel Methylmalonic aciduria (MMA)**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0222	Microcephaly-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0223	Microphthalmia and anophthamia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0224	Gene Panel Mucopolysaccharidosis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0225	Myotonia congenita-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0226	Gene Panel Neuronal ceroid lipofuscinosis**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0227	Neuronal migration disorder-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0228	Niemann-Pick disease gene panel**	Delhi	R	19760	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0229	Non-immune hydrops-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0230	Gene Panel Noonan syndrome**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0231	Oculocutaneous albinism-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0232	Optic atrophy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0233	Organic acidemia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0234	Gene Panel Osteogenesis imperfecta**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0235	Osteopetrosis-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0236	Pachydermoperiostosis & primary hypertrophic osteoarthopathy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0237	Pantothenate kinase-associated neurodegeneration-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0238	Peroxisomal disorder-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0240	Gene Panel Polycystic kidney disease**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0241	Pontocerebellar hypoplasia-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0242	Gene Panel Primary hyperoxaluria**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0243	Gene Panel (Primary immunodeficiency)**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0244	Progressive familial intrahepatic cholestasis-Gen Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0245	Progressive myoclonic epilepsy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	ice packs. Do not freeze. TRF, Genetci history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0246	Rasopathy-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0247	Retinal Degeneration-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0249	Seckel syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0250	Gene Panel Severe combined immunodeficiency (SCID)**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	ice packs. Do not freeze. TRF, Genetci history is mandatory. Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0251	Sideroblastic anaemia-Gene Panel, EDTA Blood**	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
G0252	Gene Panel Skeletal dysplasia**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0253	Sotos syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0254	Gene Panel Urea cycle defects**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0255	Usher syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0256	Waardenburg syndrome-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0257	Xeroderma pigmentosum-Gene Panel**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
G0323	BTP-Beta Trace Protein GFR**	Delhi	D	3595	Daily 9 am to 9pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
G0324	Gastrointestinal panel by FilmArray (Biofire) - Stool **	Delhi	E	18375	Daily: 7.30am and 7th day	7th day	5gm of Stool specimen in Sterile leak proof container
G0333	Klippel-Feil syndrome-Gene panel**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0334	Nephrotic syndrome-Gene Panel**	Delhi	R	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0335	Genotypic phenotypic correlation / case review by International experts**	Delhi	R	5200	Daily : 11:30am	Next day : 6:00pm	ice packs. Do not freeze. TRF, history is mandatory. Prior Appointment
G0336	Glioma Panel-1**	Delhi	D	19075	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
G0337	Gene panel ALL risk stratification - T-ALL**	Delhi	E	17850	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood/bone marrow aspirate
G0338	Neurodegeneration with brain iron accumulation-Gene Panel**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0339	FKTN-Gene Sequencing**	Delhi	E	19950	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0340	Gaucher disease (GBA)-Gene Analysis**	Delhi	E	19950	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
G0341	FISH-MDM2 (12q15) GENE AMPLIFICATION**	Delhi	E	10185	Daily : 11:30am	15th day : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. Formalin fixed paraffin embedded tissue block. Ship at room temperature. Tissue block must contain at least 10% tumor tissue. Histopath report with History mandatory.
G0344	Clinical exome & whole mitochondrial genome sequencing**	Delhi	E	26000	Daily: 9am and 6 weeks	6 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0345	Giant axonal neuropathy-1 (GAN)-Gene analysis**	Delhi	E	19950	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
G0348	Bone marrow failure syndrome gene panel **	Delhi	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	4 ml EDTA Whole Blood
G0349	GI mapping biopsies (Upto 5 containers)**	Delhi	C	4905	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
G8175	Germline HRR gene panel	Delhi	R	23920	Daily 7.30 am	25TH Days	3 ml of EDTA whole blood
H0001	H1N1 (Swine Flu) RNA Detection by Real	Delhi	C	4580	Daily: 12.00 pm &	Same Day	1 Swab in Normal Saline with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Time PCR - Swab				7.00 pm		Sufficient Material in Sterile Falcon Tube
H0002	Hemochromatosis (HFE) Mutations Analysis (C282Y, H63D)**	Delhi	D	7085	Daily: 7.30am and 10th day	10th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.
H0003	Haemoglobin-Free biochemical Plasma**	Delhi	R	1145	Daily : 11:30am	5th day : 6:00pm	2 ml of Citrated Plasma
H0004	Haemoglobin, free, urine**	Delhi	C	380	Daily : 11:30am	Same day : 9:00pm	10 ml of Spot urine
H0005	Haemophilia Profile**	Delhi	D	3490	Mon: 9am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
H0007	Haemophilus Influenza B Antigen Antigen detection by Agglutination - CSF**	Delhi	D	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
H0008	Haemophilus Influenza B Antigen Antigen detection by Agglutination - Serum**	Delhi	D	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0009	Haemophilus Influenza B Antigen Antigen detection by Agglutination - Urine**	Delhi	D	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
H0011	Hanging Drop preparation for V Cholerae by Microscopy - Stool	Delhi	B	220	Daily: 8.00 am to 8.00 pm and After 2 hrs	After 2 hrs	5gm of Stool specimen in Sterile leak proof container
H0013	Haptoglobin genotype by PCR**	Delhi	R	3975	Wed & Sat : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
H0014	Haptoglobin Serum**	Delhi	C	2290	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0015	HAV-IgG Antibody by CLIA - Serum	Delhi	B	1330	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0016	HAV-IgM Antibody by CLIA - Serum	Delhi	B	1330	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0017	HAV-RNA Detection by PCR - EDTA Blood**	Delhi	D	5670	Daily: 7am and 7th day	7th day	3 ml of Whole Blood in EDTA Vacutainer
H0018	HbA1C- Glycated Haemoglobin, by HPLC method	Delhi	B	480	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA whole blood
H0026	Anti HBcAg total by CLIA - Serum	Delhi	B	1000	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0027	Anti HBcAg-IgM by CLIA - Serum**	Delhi	B	1000	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0028	Anti HBeAg by CLIA - Serum	Delhi	B	1110	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0029	Anti HbsAg Antibody by CLIA - Serum	Delhi	B	1110	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0030	HBV DNA Detection by Taqman RT PCR - Serum or Plasma	Delhi	C	4415	Daily : 07:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0031	HBV DNA Detection by PCR - Amniotic fluid**	Delhi	D	4415	Daily : 11:30am	7th day : 6:00pm	10 ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
H0032	HBV DNA Detection by PCR - Ascitic fluid**	Delhi	D	4415	Daily : 11:30am	7th day : 6:00pm	3 ml of Fluid in Sterile leak proof container
H0033	HBV DNA Detection by PCR - CSF**	Delhi	D	4415	Daily : 11:30am	7th day : 6:00pm	3 ml of Body Fluid in Sterile leak proof container
H0035	HBV DNA Genotype & Drug Resistance by PCR & Sanger Sequencing - Serum or Plasma**	Delhi	D	9810	Mon: 9am and Wed 5pm	Wed 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0037	HBeAg by CLIA - Serum	Delhi	B	1110	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0038	HBsAg-Confirmation by CLIA - Serum	Delhi	C	655	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0039	HBsAg-Quantitative by CLIA - Serum	Delhi	C	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0040	HBsAg-Screening by CLIA - Serum	Delhi	B	450	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0041	HBV DNA Viral load by Taqman RT PCR - Serum or Plasma	Delhi	C	3000	Daily : 7:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0042	HBV YMDD mutation by PCR & Sanger Sequencing - Serum **	Delhi	D	4580	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0043	HCG Beta Subunit, Serum	Delhi	B	700	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0044	HCG Beta Subunit Urine 24H**	Delhi	B	835	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
H0045	HCG Beta Subunit Urine Spot**	Delhi	B	775	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
H0046	HCG Beta Subunit, CSF**	Delhi	B	835	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					and After 8 hrs		(folin vu conical tube is recommended to prevent leakage).
H0047	HCG Stimulation Test for DHT**	Delhi	D	3925	Tue and Fri: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0048	HCG stimulation test for FSH and LH	Delhi	B	1610	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0049	HCG Stimulation test for Testosterone	Delhi	B	1000	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0050	HCV Genofibro (Fibromax by CLIA , Genotyping and IL28B by PCR & Sequencing - Serum **	Delhi	C	26160	Daily: 9am and 10th day	10th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0051	HCV RNA Combo 1 (SGPT, Anti HCV by EIA, HCV-RNA Detection & Quantification by RT-PCR, HCV-Genotyping by Sanger Sequencing) - Serum**	Delhi	C	10900	Daily: 9am and 10th day	10th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0052	HCV Genotyping by PCR & Sanger Sequencing - Serum or Plasma **	Delhi	D	6110	Tue and Fri: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0053	HCV-IgM Antibody by EIA - Serum**	Delhi	C	1580	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0054	HCV RNA Detection by Taqman RT PCR - Serum or Plasma	Delhi	C	4250	Daily : 07:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0055	HCV-total Antibody by CLIA - Serum	Delhi	B	1600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0056	HCV RNA Viral load by Taqman RT PCR - Serum or Plasma	Delhi	C	2500	Daily : 07:30am	Same day : 11:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0057	HDL Cholesterol Direct serum	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0058	HDV-IgM Antibody by EIA - Serum **	Delhi	D	3270	Daily: 9am and 7th day	7th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0059	HDV-RNA Detection by PCR - EDTA Plasma**	Delhi	D	7085	Daily: 7am and 10th day	10th day	3 ml of EDTA Plasma in Sterile Plain Vacutainer
H0060	HDV-total Antibody by EIA - Serum**	Delhi	C	2070	Mon and Thu: 9am and Same day 4pm	Same day 4pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0061	HE4 with ROMA index	Delhi	C	2505	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0062	Heinz BodiesBlood	Delhi	B	165	Daily : 11:30am	After 8hrs	3 ml EDTA Whole Blood
H0063	Helicobacter Pylori Antigen detection by Immunochromatography - Stool**	Delhi	C	1525	Daily: 3pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
H0064	Helicobacter Pylori Culture by Vitek/ MALDITOF - Tissue**	Delhi	C	1415	Daily: 9am to 9pm and 15th day	15th day	Tissue with Normal Saline in Sterile leak proof container
H0065	Helicobacter Pylori IgA antibodies by EIA - Serum **	Delhi	C	1960	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0066	Helicobacter Pylori IgG antibodies by CLIA - Serum**	Delhi	C	2015	Mon and Thu: 7.30am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0067	Helicobacter Pylori IgM antibodies by EIA - Serum**	Delhi	C	2015	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0069	Hemoglobin	Delhi	A	100	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA Whole Blood
H0070	Hemosiderin, LBC **	Delhi	C	1635	Daily: 7am and 3rd day	3rd day	More than 1 MI fluid in a leak proof plain container along with relvent clinical & radiological details
H0071	Heparan Sulphate Sulphamidase Sanfillipo / MPS III A Blood**	Delhi	R	10400	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
H0072	HBV Immunity Profile by CLIA - Serum	Delhi	C	2180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0073	HBV Profile by CLIA - Serum**	Delhi	C	4360	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0074	Hepatitis Marker Profile - Acute by CLIA -	Delhi	C	3435	Mon and Wed and	After 8 hrs	3ml of Serum in Gel Vacutainer or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Serum **				Fri: 7am and After 8 hrs		in Plain Sterile Vacutainer
H0075	Hepatitis Profile, Comprehensive by CLIA - Serum**	Delhi	C	6975	Mon and Thu: 9am and After 8 hrs	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0076	Hepatitis - Atypical Virus Profile by CLIA - Serum **	Delhi	D	4360	Daily: 7am and 6th day	6th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0077	Hepcidin Serum**	Delhi	D	2725	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0078	Her-2/Neu(C-Er-B2)(ERBB2)by FISH**	Delhi	D	11445	Daily: 9am and 6th day	6th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
H0079	HEV IgG Antibody by EIA - Serum **	Delhi	B	1665	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0080	HEV IgM Antibody by EIA - Serum	Delhi	B	1665	Mon and Wed and Fri: 9am and Next day 6pm	Next day 6pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0081	HGV-RNA Detection by PCR - EDTA plasma**	Delhi	R	5410	Daily : 11:30am	15th day : 6:00pm	3 ml of EDTA Plasma in Sterile Plain Vacutainer
H0082	Hirsutism Profile-1**	Delhi	C	3380	Tue and Fri: 7am and Same day 5pm	Same day 5pm	5 ml of serum
H0083	Hirsutism Profile-2**	Delhi	C	5450	Tue and Fri: 7am and Same day 5pm	Same day 5pm	5 ml of serum
H0084	Hirsutism Profile-3**	Delhi	C	7630	Tue and Fri: 7am and Same day 5pm	Same day 5pm	5 ml of serum
H0085	Histamine EIA Plasma**	Delhi	R	6240	Daily : 11:30am	20th day : 6:00pm	3 ml of EDTA plasma
H0086	Histidine Quantitative Serum**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
H0087	Histidine Quantitative Urine 24H**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0088	Histochemistry (special stain with reporting) Alcian Blue Tissue/FFPE	Delhi	C	710	Daily: 9 am(7)	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0089	Histochemistry (special stain with reporting) Bleach Tissue/FFPE	Delhi	C	1090	Daily: 9 am(7)	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0090	Histochemistry (special stain with reporting) Congo Red Tissue/FFPE**	Delhi	C	710	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0091	Histochemistry (special stain with reporting) Fite Farraco Tissue/FFPE	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0092	Histochemistry (special stain with reporting) Fontana Masson Silver Tissue/FFPE**	Delhi	C	710	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0093	Histochemistry (special stain with reporting) Giemsa Tissue/FFPE	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0094	Histochemistry (special stain with reporting) Gomori Silver Methanamine (GMS) Tissue/FFPE	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0095	Histochemistry (special stain with reporting) Hale S Colloidal Iron Tissue/FFPE**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0096	Histochemistry (special stain with reporting) Histochemistry Unspecified Special stain Tissue/FFPE**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0097	Histochemistry (special stain with reporting) Masson Trichrome Tissue/ FFPE**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0098	Histochemistry (special stain with reporting) Mucicarmin Tissue/FFPE	Delhi	C	710	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0099	Histochemistry (special stain with reporting) Orcein Tissue/FFPE**	Delhi	C	1090	Daily: 9 am(8)	3rd day 5 pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0100	Histochemistry (special stain with reporting) PAS with and/or Without Diastase Tissue/FFPE	Delhi	C	1090	Daily: 9 am(7)	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0101	Histochemistry (special stain with reporting) PASM Stain Tissue/FFPE**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0102	Histochemistry (special stain with reporting) Prussian Blue Tissue/FFPE	Delhi	C	710	Daily: 9 am(7)	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0103	Histochemistry (special stain with reporting) PTAH Tissue/FFPE**	Delhi	C	710	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0104	Histochemistry (special stain with reporting) Reticulin Tissue/FFPE	Delhi	C	710	Daily: 9 am(7)	3rd day	all relevant clinical and radiological detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0105	Histochemistry (special stain with reporting) Van Gieson Tissue/FFPE**	Delhi	C	710	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0106	Histochemistry (special stain with reporting) Verhoeff S Vangieson Tissue/FFPE**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0107	Histochemistry (special stain with reporting) Von Kossa Stain Tissue/FFPE**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0108	Histochemistry (special stain with reporting) ZN Tissue/FFPE	Delhi	C	1090	Daily: 9 am(7)	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
H0109	Histochemistry (Special Stain Only) Alcian Blue Stain Tissue/FFPE	Delhi	C	545	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0110	Histochemistry (Special Stain Only) Bleach Stain Tissue/FFPE	Delhi	C	545	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0111	Histochemistry (Special Stain Only) Congo Red Stain Tissue/FFPE	Delhi	C	545	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0112	Histochemistry (Special Stain Only) Fite Farraco Stain Tissue/FFPE	Delhi	C	545	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0113	Histochemistry (Special Stain Only) Fontana Masson Silver Method Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0114	Histochemistry (Special Stain Only) Giemsa Stain Tissue/FFPE	Delhi	C	350	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0115	Histochemistry (Special Stain Only) Gomori Silver Methanamine Stain (GMS) Tissue/FFPE	Delhi	C	545	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0116	Histochemistry (Special Stain Only) Hale S Colloidal Iron Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0117	Histochemistry (Special Stain Only) Masson Trichrome Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0118	Histochemistry (Special Stain Only) Mucicarmine Stain Tissue/FFPE	Delhi	C	545	Daily: 9 am(6)	2nd day	Single Paraffin block / section on charged slide
H0120	Histochemistry (Special Stain Only) PAS With and/or Without Diastase Stain Tissue/FFPE	Delhi	C	545	Daily: 9am and 2nd day	2nd day	Single Paraffin block / section on charged slide
H0121	Histochemistry (Special Stain Only) PASM Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0122	Histochemistry (Special Stain Only) Prussian Blue Stain Tissue/FFPE	Delhi	C	545	Daily: 9am and 2nd day	2nd day	Single Paraffin block / section on charged slide
H0123	Histochemistry (Special Stain Only) PTAH Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0124	Histochemistry (Special Stain Only) Reticulin Stain Tissue/FFPE	Delhi	C	545	Daily: 9am and 2nd day	2nd day	Single Paraffin block / section on charged slide
H0125	Histochemistry (Special Stain Only) Unspecified Special Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0126	Histochemistry (Special Stain Only) Van Gieson Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0127	Histochemistry (Special Stain Only) Verhoeff S Vangieson Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0128	Histochemistry (Special Stain Only) Von Kossa Stain Tissue/FFPE**	Delhi	C	545	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
H0129	Histochemistry (Special Stain Only) ZN Stain Tissue/FFPE	Delhi	C	545	Daily: 9am and 2nd day	2nd day	Single Paraffin block / section on charged slide
H0130	Histology Frozen Section (Intra Operative) day frozen 8am to 8pm, working days**	Delhi	D	8175	Daily: 9am to 5pm and After 4 hrs	After 4 hrs	Fresh tissue to be sent along with relevant clinical & radiological details
H0131	Second opinion	Delhi	D	1090	Daily: 9am and 3rd	3rd day	Paraffin blocks ( Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					day		paraffin embedded)/ Stained unstained slides Please attach original Histopathology report and all relevant clinical and radiological detail
H0132	Histone Antibody Serum**	Delhi	C	1690	Sat: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0133	Histopathological examination of-Amputation of Limb**	Delhi	C	4905	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0135	Histopathological examination of-Appendix	Delhi	C	820	Daily: 9 am(7)	3rd day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0136	Histopathological examination of-Bone Marrow Trepine biopsy**	Delhi	C	3925	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0137	Histopathological examination of-Bone Specimen**	Delhi	C	1635	Daily: 9am and 7th day	7th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0138	Histopathological examination of-Brain Tissue**	Delhi	C	4035	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0139	Histopathological examination of-Breast Lump**	Delhi	C	2180	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0141	Histopathological examination of- Breast MRM / Breast conservative surgery reflex FISH **	Delhi	D	6865	Daily: 9am and 10th day	10th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0142	Histopathological examination of-Buccal Mucosal Biopsy**	Delhi	C	980	Daily: 9am and 3rd day	3rd day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0143	Histopathological examination of- Cervix Biopsy	Delhi	C	980	Daily: 9 am(7)	3rd day	clinical & radiological details Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0144	Histopathological examination of- Cervix Cone Biopsy**	Delhi	C	4035	Daily: 9am and 6th day	6th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0145	Histopathological examination of- Colectomy / APR**	Delhi	C	5450	Daily: 9am and 10th day	10th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0147	Histopathological examination of- Commando With RND/MND	Delhi	C	3270	Daily: 9 am(14)	7th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0148	Histopathological examination of - Endobronchial biopsy	Delhi	C	1525	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0149	Histopathological examination of- Endometrium (D&C Material)**	Delhi	C	1090	Daily: 9am and 3rd day	3rd day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0150	Histopathological examination of- Eye ball Specimen**	Delhi	C	3925	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0151	Histopathological examination of - Fistulectomy / Sinus tract includes special stains	Delhi	C	925	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0152	Histopathological examination of- Gall Bladder	Delhi	C	820	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0153	Histopathological examination of-	Delhi	C	4795	Daily: 9am and 5th	5th day	Tissue to be sent in adequate 10%

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Gastrectomy**				day		Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0154	Histopathological examination of- GI Endoscopic Biopsy / Colonic Biopsy	Delhi	C	1960	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0157	Histopathological examination of-Hepatic Resection**	Delhi	C	4795	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0158	Histopathological examination of- Hirschsprungs Disease**	Delhi	C	4035	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0159	Histopathological examination of -Kidney Biopsy**	Delhi	C	1690	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0161	Histopathological examination of-Liver Biopsy**	Delhi	C	2725	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0162	Histopathological examination of-Lung (Lobectomy)**	Delhi	C	4795	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0163	Histopathological examination of-Lymph Node	Delhi	C	1635	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0164	Histopathological examination of- Mediastinal Mass**	Delhi	C	4905	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0165	Histopathological examination of-Muscle Biopsy	Delhi	C	1960	Daily: 9 am(14)	7th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0166	Histopathological examination of-Nasal Polyp	Delhi	C	870	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0167	Histopathological examination of-Nephrectomy (Non Tumorous)	Delhi	C	2505	Daily : 9 am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0168	Histopathological examination of-Oesophagectomy**	Delhi	C	4035	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0169	Histopathological examination of-Orchidectomy **	Delhi	C	4035	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0170	Histopathological examination of-Ovarian Mass (Large)**	Delhi	C	4795	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0171	Histopathological examination of-Ovarian Mass (Small To Medium)**	Delhi	C	2180	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0172	Histopathological examination of-Penis**	Delhi	C	3000	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0173	Histopathological examination of-Prostate Chips (Tur-P)**	Delhi	C	1855	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0174	Histopathological examination of-Prostate Trucut Needle Biopsy**	Delhi	C	3815	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0175	Histopathological examination of-Radical Cystectomy**	Delhi	C	4035	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							clinical & radiological details
H0177	Histopathological examination of-Radical Nephrectomy**	Delhi	C	4905	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0178	Histopathological examination of-Radical Prostatectomy**	Delhi	C	4905	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0179	Histopathological examination of-Sebaceous cyst	Delhi	C	820	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0180	Histopathological examination of-Skin Biopsy	Delhi	C	1635	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0182	Histopathological examination of-Small Intestinal Resection**	Delhi	C	4035	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0183	Histopathological examination of-Soft Tissue Tumor**	Delhi	C	4795	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0184	Histopathological examination of-Spleen	Delhi	C	2400	Daily : 9 am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0185	Histopathological examination of-Synovial Biopsy	Delhi	C	1090	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0186	Histopathological examination of-Thyroidectomy	Delhi	C	1960	Daily : 9 am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0187	Histopathological examination of- Trucut	Delhi	C	3925	Daily: 9am and 5th	5th day	Tissue to be sent in adequate 10%

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Biopsy (CT/USG Guided) Special stains & Reflex IHC**				day		Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0188	Histopathological examination of-TUR Urinary Bladder**	Delhi	C	2615	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0189	Histopathological examination of-Unspecified specimen-Large	Delhi	C	3000	Daily : 9 am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0190	Histopathological examination of-Unspecified specimen-Large & Complex	Delhi	C	4905	Daily: 9 am(14)	7th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0191	Histopathological examination of-Unspecified specimen-Medium	Delhi	C	1500	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0192	Histopathological examination of-Unspecified specimen-Small	Delhi	C	750	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0193	Histopathological examination of-Uterus With/Without Adnexae	Delhi	C	1960	Daily : 9 am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0194	Histopathological examination of-Werthiems Hysterectomy	Delhi	C	4905	Daily : 9 am	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0195	Histopathological examination of-Whipples Resection	Delhi	C	4905	Daily: 9 am(14)	7th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0198	HIT Antibody Heparin Induced Thrombocytopenia / PF4 Serum**	Delhi	R	7500	Daily : 11:30am	4th day : 6:00pm	2ml serum required
H0201	HIV-1 Proviral DNA Detection by RT PCR -	Delhi	C	3925	Daily : 07:30am	Same day :	3 ml of Whole Blood in EDTA

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	EDTA Blood**					11:00pm	Vacutainer
H0202	HIV-1 RNA Detection by Taqman RT PCR - EDTA Plasma	Delhi	C	3270	Daily : 07:30am	Same day : 11:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0205	HIV I & II Western Blot Test	Delhi	C	2725	Tue,Thu,Sat:10.00 am	4th Day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0206	HIV-1 RNA Combo 1 - EDTA Blood & Plasma**	Delhi	C	7000	Daily: 7am and Next day 5pm	Next day 5pm	3 ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer
H0207	HIV1/2 - Human Immunodeficiency Virus - confirmatory serology by immuno-transfer technique - serum**	Delhi	R	10920	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0208	HIV-2 RNA Detectionby Real Time PCR - EDTA Plasma**	Delhi	C	4580	Daily: 7.30am and 3rd day	3rd day	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0209	HIV-2 RNA Quantitative Viral load by Real Time PCR - EDTA Plasma**	Delhi	C	6540	Daily: 7.30am and 3rd day	3rd day	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0210	HIV-2 RNA Combo by Flow Cytometry & Real Time PCR - EDTA Blood & Plasma**	Delhi	C	8175	Daily: 9am and 7th day	7th day	3 ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer
H0211	HIV-DUO by CLIA - Serum	Delhi	B	650	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0212	HIV Early Detection Profile-1 - EDTA Plasma & Serum**	Delhi	C	3815	Daily: 7.30am and 3rd day	3rd day	3ml of EDTA Plasma in Sterile Plain Vacutainer & 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0213	HIV Early Detection Profile-2 - EDTA Blood & Serum**	Delhi	C	3160	Daily: 7.30am and 3rd day	3rd day	3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of Whole Blood in EDTA Vacutainer
H0214	Donor Specific Antibody (DSA) **	Delhi	D	9265	Mon and Thu: 9am and 3rd day	3rd day	Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA whole blood, Donor: 20 ml Heparin/ACD/EDTA Blood
H0215	HLA Typing A Locus**	Delhi	D	9700	Daily 9 AM	Same day 6pm	6 ml EDTA/ACD Blood
H0216	HLA typing A,B,C,DR,DQ loci (Class I & Class II) **	Delhi	D	19620	Mon to Fri: 9am and 3rd day	3rd day	6 ml EDTA/ACD Blood



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0217	HLA Typing A,B,C Locus (ClassI)**	Delhi	D	12535	Mon to Fri: 9am and 3rd day	3rd day	6 ml EDTA/ACD Blood
H0218	HLA Typing B Locus**	Delhi	D	9265	Daily 9 AM	Same day 6pm	6 ml EDTA/ACD Blood
H0221	HLA Typing B5 Locus**	Delhi	D	9265	Mon to Fri: 9am and 3rd day	3rd day	6 ml EDTA/ACD Blood
H0222	HLA Typing B51 Locus**	Delhi	D	9265	Daily 9 AM	Same day 6pm	6 ml EDTA/ACD Blood
H0224	HLA Typing C Locus**	Delhi	D	9700	Daily 9 AM	Same day 6pm	6 ml EDTA/ACD Blood
H0225	HLA Typing DQ Locus**	Delhi	D	5450	Mon to Fri: 9am and 3rd day	3rd day	6 ml EDTA/ACD Blood
H0226	HLA Typing DR Locus**	Delhi	D	7085	Mon to Fri: 9am and 3rd day	3rd day	6 ml EDTA/ACD Blood
H0227	HLA Typing DR & DQ Loci (ClassII)**	Delhi	D	11445	Daily 9 AM	Same day 6pm	6 ml EDTA/ACD Blood
H0233	Single Antigen Bead Assay (Class I & Class II)**	Delhi	E	42000	Wed: 9am and 3rd day	3rd day	Recipient: 5 ml serum
H0234	Auto Antibody Detection Test**	Delhi	D	1310	Daily 2 PM	Next day 12 PM	Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA Blood
H0235	HLA (Lymphocyte) Cross Match Total (T+B) cells**	Delhi	D	2180	Mon to Fri: 9am and Next day 5pm	Next day 5pm	Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA Blood, Donor: 6 ml Heparin/ACD/EDTA Blood
H0249	HLA-B5701 Associated HCP5 rs2395029 Genotyping for Abacavir Hypersensitivity**	Delhi	D	3270	Tue and Thu: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
H0250	HLA B27 (Human Leucocyte Antigen B27)	Delhi	C	3000	Daily: 12.00 pm	Next day 5.00 pm	3 ml of EDTA whole blood
H0252	HLA-B27 PCR	Delhi	C	3380	Tue,Thu,Sat:12.00 pm	Next day 6.00 pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
H0253	HOMA Index Insulin Resistance Test	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum and 2 ml of fluoride plasma. Fasting sample.
H0254	Homocysteine Serum	Delhi	C	1250	Daily: 8.00 am to	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		ml serum for profiles and reflex tests.
H0256	Homogentisic Acid (ALKAPTANURIA)**	Delhi	C	1090	Daily : 11:30am	Same day : 9:00pm	10 ml of Spot urine
H0258	HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - Vaginal swab**	Delhi	C	2560	Mon & Thurs : 9:00am	3rd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
H0259	HPV-DNA Detectionby PCR and Typing PCR & Sanger Sequencing - Cervical scrapping**	Delhi	C	2560	Mon & Thurs : 9:00am	3rd day : 6:00pm	Thin Prep Container
H0260	HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - Tissue**	Delhi	C	3050	Mon & Thurs : 9:00am	3rd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container
H0261	HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - LBC**	Delhi	C	2560	Mon & Thurs : 9:00am	3rd day : 6:00pm	Thin Prep Container
H0264	HRT Profile	Delhi	C	1255	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0265	HsCRP -High Sensitivity CRPSerum	Delhi	B	850	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0266	HSV-1 IgG and IgM Antibody by EIA - Serum	Delhi	B	1225	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0268	HSV-1 IgG Antibody by EIA - Serum	Delhi	B	775	Daily: 1pm(1)	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0269	HSV-1 IgM Antibody by EIA - Serum	Delhi	B	775	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0270	HSV 1&2 DNA Detection by Real Time PCR - Blister fluid**	Delhi	C	4360	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3ml of Fluid in Sterile leak proof container
H0271	HSV 1&2 DNA Detection by Real Time PCR - CSF**	Delhi	C	4360	Mon and Thu: 9am and Next day 5pm	Next day 5pm	2ml of CSF in Sterile leak proof tube or container
H0272	HSV 1&2 DNA Detection by Real Time PCR - Serum**	Delhi	C	4360	Mon and Thu: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0273	HSV 1&2 DNA Detection by Real Time PCR - Swab**	Delhi	C	4360	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0274	HSV 1&2 IgG and IgM Antibody by EIA - Serum	Delhi	B	1390	Mon and Wed and Fri: 10am and After 8 hrs	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0276	HSV 1+2 IgG Antibody by CLIA - Serum	Delhi	B	665	Daily: 1pm	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0277	HSV 1&2 IgG Antibody by western blot - Serum**	Delhi	D	2180	Daily: 11:30am	Next day 8pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0278	HSV 1+2 IgM Antibody by CLIA - Serum	Delhi	B	720	Mon and Wed and Fri: 10am and After 8 hrs	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0279	HSV 1&2 IgM Antibody by western blot - Serum**	Delhi	D	2180	Daily: 11:30am	Next day 8pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0280	HSV-2 IgG and IgM Antibody by EIA - Serum	Delhi	B	1500	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0282	HSV-2 IgG Antibody by EIA - Serum	Delhi	B	835	Daily: 1pm(1)	After 8 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0283	HSV-2 IgM Antibody by EIA - Serum	Delhi	B	835	Mon , Wed , Fri: 10.00 am and Same Day 6.00 p.m	Same Day 6.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0284	HTLV 1 And 2 Virus Total Antibody by CLIA - Serum**	Delhi	D	5450	Mon : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0285	Hu AntibodyNeuronal ag in Paraneoplastic syndromesSerum	Delhi	D	4905	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0286	Huntington Disease Mutation Analysis**	Delhi	D	5230	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
H0287	Hydatid Cyst Detection by Microscopy - Fluid**	Delhi	C	655	Daily: 9am and 3rd day	3rd day	3ml of Fluid in Sterile leak proof container
H0288	Hypertension Profile-Routine	Delhi	C	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0289	Heart failure profile- maxi	Delhi	D	5125	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
H0295	Extra slide set Histopathology cases	Delhi	C	325	Daily: 9 am(7)	3rd day	Stained slide set is issued
H0300	HBV mutation Profile by PCR & Sanger Sequencing - Serum**	Delhi	R	11440	Daily : 11:30am	10th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0301	HBV precore mutations by PCR & Sanger Sequencing - Serum**	Delhi	R	5720	Wed : 11:30am	10th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0302	HCV Reflex Profile - Serum	Delhi	B	1555	Daily: 9 am(22)	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0304	Histopathological examination of - Fallopian tube	Delhi	C	1090	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0306	Histopathological examination of- Placenta**	Delhi	C	2180	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0307	Histopathological examination of- Testicular biopsy	Delhi	C	1635	Daily: 9 am(9)	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0308	Single Antigen Bead Assay (Class I)**	Delhi	E	23100	Wed: 9am and 3rd day	3rd day	Recipient: 5 ml serum
H0309	Single Antigen Bead Assay (Class II)**	Delhi	E	22050	Wed: 9am and 3rd day	3rd day	Recipient: 5 ml serum
H0310	Homocysteine reflex B12-folate Serum	Delhi	C	1855	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	4ml of Serum
H0311	HIV-1 RNA Drug Resistance for integrase inhibitor by PCR & Sanger Sequencing - EDTA Plasma**	Delhi	D	5450	1st and 3rd Mon: 9am	15th day	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0312	HIV-1 RNA Coreceptor Tropism (Genotype) by PCR & Sanger Sequencing - EDTA Plasma**	Delhi	D	7195	1st and 3rd Mon: 9am	15th day	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0313	HBV Basal Core Promoter mutation by PCR & Sanger Sequencing - Serum**	Delhi	R	5720	Wed : 11:30am	8th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0314	Homovanillic acid urine**	Delhi	R	4680	Daily : 11:30am	12th Day : 6:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 30 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
H0316	HIV-1 RNA Drug Resistance-Extended by PCR & Sanger Sequencing - EDTA Plasma**	Delhi	D	21800	1st and 3rd Mon: 9am	15th day	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0317	HPFH (Hereditary persistence of fetal haemoglobin) 5 deletion**	Delhi	R	13520	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.
H0318	HNPCC/ Lynch Syndrome Panel**	Delhi	R	18000	Daily : 11:30am	After 4 weeks :	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
H0320	Breast Carcinoma Profile I**	Delhi	D	9810	Daily: 9am and 10th day	10th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0322	Lung Carcinoma (NSCLC) Profile**	Delhi	D	12535	Daily: 9am and 8th day	8th day	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
H0324	Head and neck cancer (HNSCC profile)**	Delhi	D	7085	Daily: 9am and 5th day	5th day	HistologyandIHC.pdf
H0326	Heavy Metals profile-1, Hair**	Delhi	R	5720	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
H0327	Heavy Metals profile-2, Hair**	Delhi	R	11960	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
H0328	Heavy Metals profile-3, Hair**	Delhi	R	18200	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
H0329	Heavy metals for ayurvedic tablets test**	Delhi	R	5720	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm ), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clincial symptoms if any.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Reported in 7 days
H0357	Histopathological examination of- GI Endoscopic Biopsy with reflex IHC	Delhi	D	4905	Daily : 9:00am	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0793	H3 Viral marker Profile by CLIA - Serum	Delhi	C	1700	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
H0794	Heavy and Trace Metals profile-1**	Delhi	D	11000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
H0795	Heavy and Trace Metals profile-2**	Delhi	D	6540	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
H0796	CELL BLOCK**	Delhi	C	4360	Daily : 9:00am	4th day : 6:00pm	HistologyandIHC.pdf
H0797	HIV-1 RNA Viral load by Taqman RT PCR - EDTA Plasma	Delhi	C	5400	Daily : 07:30am	Same day : 11:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0798	HIV-1 RNA Quantitative Viral load by Taqman RT PCR - CSF**	Delhi	C	6320	Daily : 07:30am	Same day : 11:00pm	2ml of CSF in Sterile leak proof tube or container
H0799	Panel Reactive Antibody (PRA) Identification by Luminex (ClassI)**	Delhi	D	11695	Daily 12 PM	Same day 6pm	Recipient: 5 ml serum
H0800	Panel Reactive Antibody (PRA)Identification by Luminex (ClassII)**	Delhi	D	11695	Daily 12 PM	Same day 6pm	Recipient: 5 ml serum
H0801	Panel Reactive Antibody (PRA) Screening by Luminex (ClassI & Class II)**	Delhi	D	6540	Mon to Fri: 9am and 3rd day	3rd day	Recipient: 5 ml serum
H0808	HEV RNA Detection by Real Time PCR - EDTA Blood**	Delhi	D	5450	Daily: 9am and 5th day	5th day	3 ml of Whole Blood in EDTA Vacutainer
H0810	Hereditary Cancer panel **	Delhi	R	18000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
H0813	HLA typing A,B (ClassI) and DR loci (Class	Delhi	D	11445	Mon to Fri: 9am and	3rd day	6 ml EDTA/ACD Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	II) **				3rd day		
H0824	Any specimen with reflex IHC**	Delhi	C	6540	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0825	Histopathological examination of-Nasopharyngeal Biopsy **	Delhi	D	4905	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0826	Histopathological examination of-Salivary Gland**	Delhi	C	3925	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0827	Histopathological examination of-Laryngeal Biopsy**	Delhi	C	2400	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0828	Histopathological examination of-Nasal Polyp with Reflex IHC**	Delhi	D	2400	Daily: 9am and 5th day	5th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0829	Rush Biopsy service**	Delhi	D	5450	Daily: 9am and 2nd day	2nd day	NA
H0841	HPV-DNA Detection by Hybrid Capture reflex Typing by PCR & Sanger Sequencing - LBC or Cervical sampler**	Delhi	C	2560	Mon and Thu: 9am and 3rd day	3rd day	Thin Prep Container/ Digene Sampler
H0849	High Resolution HLA Typing (A, B, C, DR, DQ, DP) - Solid Organ Transplant	Delhi	E	14980	Mon & Thur : 9.00 am	7 Days	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
H0850	High Resolution HLA Typing (A, B, C, DR, DQ, DP) - BMT/ Stem cell Transplant	Delhi	E	14980	Mon & Thur : 9.00 am	7 Days	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H0856	Sub speciality expert opinion**	Delhi	D	10680	Daily: 9am and 6th day	6th day	mandatory. Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container Or paraffin blocks along with relevant clinical & radiological details
H0860	Histology - Frozen Section (Intra Operative) Night frozen 8 pm to 8 am, week off & public holidays**	Delhi	D	17440	Daily : 8:00pm to 8:00am	Within 1hr	Fresh tissue to be sent along with relevant clinical & radiological details
H0861	HLA-B 1502 for carbamazepine toxicity**	Delhi	D	9265	Daily: 9am and 20th day	20th day	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
H0862	HLA - T and B Cell Flow Cytometry Cross Match (FCXM)	Delhi	D	7100	Daily : 11:30am	3rd day : 6:00pm	Recipient: 5 ml serum, Donor: 15 ml Heparin
H0863	High Resolution HLA Typing B**	Delhi	R	6135	Tue & Fri: 11:30am	10th day : 6:00pm	6 ml EDTA Blood
H0864	HCG as Tumour Marker, Serum	Delhi	C	870	Daily: 8.00 am to 8.00 pm	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
H0865	High Resolution HLA Typing DQB1**	Delhi	R	6135	Tue & Fri: 11:30am	10th day : 6:00pm	6 ml EDTA Blood
H0866	Pre Transplant Workup panel**	Delhi	D	38150	Daily : 9:00am	Next day : 6:00pm	Recipient : 3 tubes EDTA/ ACD blood & 1 Gel tube, Donor-6 tubes EDTA/ACD Blood
H0867	PRA Identification Class I and Class II**	Delhi	D	19620	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml serum
H0869	HBV DNA Combo RT-PCR & Sanger Sequencing - Serum or Plasma**	Delhi	C	14715	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0870	HCV RNA Combo 2 by RT-PCR & Sanger	Delhi	C	10900	Tue & Fri : 9:00am	Next day :	3ml of Serum in Gel Vacutainer or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Sequencing - Serum or Plasma **					5:00pm	in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H0871	HIV-1 RNA Combo 2 by PCR & Sanger Sequencing - EDTA Plasma**	Delhi	D	22890	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
H0872	Anti HMGCR antibodies - serum **	Delhi	R	11000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml Serum
H0874	NextGen HRR Gene Panel**	Delhi	E	25300	Daily : 11:30am	After 4 weeks : 6:00pm	FFPE block with a minimum of 10% (as assessed by the pathologist) of tumor cells should be present
H0876	Hydroxychloroquine (HCQ)**	Delhi	D	1415	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml EDTA Whole Blood
H0877	Histopathology for fungal infection**	Delhi	C	1635	Daily: 9am and 4th day	4th day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
H0879	Hemophagocytic lymphohistiocytosis (T-cell Activation HLH Panel)**	Delhi	R	9880	Daily : 11:30am	7th day : 6:00pm	Sample required: EDTA Blood 3ml
H1030	HEREDITARY SPASTIC PARAPLEGIA GENE PANEL**	Delhi	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
H5671	Hepatitis B Monitoring profile**	Delhi	D	10605	Daily: 7.30pm and Next day 5pm	Next day 5pm	3ml of serum, 3 ml of EDTA Plasma in Plain Sterile Vacutainer
H5682	Tru Heart Basic H5682**	Delhi	W	1399	Daily	Next Day	4 ml Serum
H5692	Hrd track stand-alone test**	Delhi	R	135200	Daily : 11:30am	After 4 weeks : 6:00pm	FFPE blocks with 20% tumor content and HP report.
H8335	[Combo] Haemophilia A (F8) gene analysis (along with analysis of the F8-intron 22 inversion**	Delhi	R	24960	Daily : 11:30am	After 4 weeks : 6:00pm	4 ml EDTA Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
H8395	Hypersensitive pneumonitis panel-Extended	Delhi	E	11025	Mon, Wed & Fri : 11:30am	Next day : 5:00pm	3ml serum sample required
I0001	IA2 Insulin Autoantibodies serum**	Delhi	D	2615	Mon and Thu: 9am and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0002	IBD Profile**	Delhi	C	5670	Fri: 7am and Same day 5pm	Same day 5pm	3 ml of serum, 100 gms of stool in sterile container
I0004	Iduronate 2 Sulphate Sulphatase Hunter/ MPS II Blood**	Delhi	R	10295	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
I0005	IgA CSF**	Delhi	C	1415	Daily: 7am and 6th day	6th day	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0006	IgA Serum	Delhi	C	710	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0007	IgD by Flow cytometry Blood*	Delhi	D	3270	Daily : 11:30am	Next day 5pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
I0008	IGF BP3 Serum**	Delhi	C	4035	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0009	IGF-1 Somatomedin C Serum**	Delhi	C	4000	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0010	IgG by Flow cytometry Blood**	Delhi	R	2860	Daily : 11:30am	4th day : 6:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
I0011	IgG Total antibody CSF**	Delhi	C	1745	Daily: 9am to 9pm	After 8 hrs	2 ml of CSF in leakproof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					and After 8 hrs		(folin vu conical tube is recommended to prevent leakage).
I0012	IgG Total antibody Serum	Delhi	C	765	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0013	IgG4 Sub Class Serum**	Delhi	D	7000	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0014	IgM by Flow cytometry Blood**	Delhi	R	2340	Daily : 11:30am	4th day : 6:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
I0015	IgM total CSF**	Delhi	C	1415	Daily: 7am and 4th day	4th day	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0016	IgM total Serum	Delhi	C	545	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0017	IHC Panels with reporting- Bone Marrow **	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0018	IHC Panels with reporting-Brain Tumor**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0019	IHC Panels with reporting Breast IV Comprehensive diagnosis**	Delhi	D	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0020	IHC panel-Breast-I, tissue**	Delhi	C	2725	Daily: 9am and 3rd day	3rd day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0021	IHC Panels with reporting Breast-II ER, PR, c-erb-B2**	Delhi	C	4035	Daily: 9am and 3rd day	3rd day	all relevant clinical and radiological detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0022	IHC Panels with reporting Breast-III ER, PR, c-erb-B2, Ki 67**	Delhi	C	4905	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0023	IHC Panels with reporting - Cervical Cancer**	Delhi	C	6320	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0025	IHC Panels with reporting - GastroIntestinal neoplasm**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0026	IHC Panels with reporting - Liver Neoplasm**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0027	IHC Panels with reporting - Lung Neoplasm**	Delhi	C	8720	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0028	IHC Panels with reporting - Lymph node**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0032	IHC Panels with reporting Ovarian Neoplasm **	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0033	IHC Panels with reporting Pancreatic Neoplasm**	Delhi	C	7085	Daily: 9am and 5th day	5th day	original Histopathology report and all relevant clinical and radiological detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0034	IHC Panels with reporting Peritoneal Adenocarcinoma Vs Mesothelioma**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0035	IHC Panels with reporting Pituitary Marker Profile - ACTH, LH, FSH, TSH, PROLACTIN**	Delhi	C	14715	Daily: 9am and 7th day	7th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0037	IHC Panels with reporting - Round Cell Tumor(Adult/Pediatric)**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0038	IHC Panels with reporting - Carcinoma of unknown primary (CUP)**	Delhi	C	7630	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0039	IHC Panels with reporting - Salivary Gland Neoplasm**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0040	IHC Panels with reporting - Soft Tissue Tumor**	Delhi	C	8720	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0041	IHC Panels with reporting - Testicular	Delhi	C	7085	Daily: 9am and 5th	5th day	Paraffin blocks ( Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Neoplasm**				day		paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0042	IHC Panels with reporting - Thyroid Neoplasm**	Delhi	C	7085	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0043	IHC Panels with reporting - 34 Beta E12 (HMWCK)**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0046	IHC single marker with reporting Alpha Feto Protein**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0048	IHC single marker with reporting Bcl-2 Oncoprotein**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0049	IHC single marker with reporting Bcl-6 Oncoprotein**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0050	IHC single marker with reporting Beta Catenin**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0051	IHC single marker with reporting Beta HCG**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0053	IHC single marker with reporting C4D**	Delhi	D	2505	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0054	IHC single marker with reporting CA 125**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0055	IHC single marker with reporting CA-19.9 **	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0056	IHC single marker with reporting Calcitonin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0057	IHC single marker with reporting Calponin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0058	IHC single marker with reporting Carletinin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0061	IHC multiplex marker with reporting CD 20 + CD 3 Cocktail**	Delhi	D	3270	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0062	IHC single marker with reporting CD10**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							detail
I0063	IHC single marker with reporting CD117**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0064	IHC single marker with reporting CD138**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0065	IHC single marker with reporting CD15**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0066	IHC single marker with reporting CD1a**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0067	IHC single marker with reporting CD20**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0068	IHC single marker with reporting CD21**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0070	IHC single marker with reporting CD23**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0071	IHC single marker with reporting CD3**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							all relevant clinical and radiological detail
I0072	IHC single marker with reporting CD30**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0073	IHC single marker with reporting CD31**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0074	IHC single marker with reporting CD34**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0075	IHC multiplex marker with reporting CD4 + CD8 Cocktail**	Delhi	D	3270	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0076	IHC single marker with reporting CD43**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0077	IHC single marker with reporting CD45 LCA**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0078	IHC single marker with reporting CD5**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0079	IHC single marker with reporting CD56**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							original Histopathology report and all relevant clinical and radiological detail
I0080	IHC single marker with reporting CD57**	Delhi	D	2505	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0081	IHC single marker with reporting CD68**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0082	IHC single marker with reporting CD79a**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0083	IHC single marker with reporting CD99 Mic2**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0084	IHC single marker with reporting CDX2**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0085	IHC single marker with reporting CEA**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0086	IHC-CERB2 (Her 2/neu)-IHC single marker, tissue**	Delhi	D	1960	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0087	IHC single marker with reporting C-erb-B2	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	for Gastric carcinoma Her2 Neu**				day		paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0088	IHC single marker with reporting Chromogranin A**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0089	IHC single marker with reporting CK10**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0090	IHC single marker with reporting CK19**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0091	IHC single marker with reporting CK20**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0092	IHC single marker with reporting CK5/6**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0093	IHC single marker with reporting CK7**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0094	IHC single marker with reporting CK8**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0095	IHC single marker with reporting p16INK4a**	Delhi	D	4905	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0096	IHC single marker with reporting Cyclin D1**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0097	IHC single marker with reporting Desmin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0098	IHC multiplex marker with reporting Desmoglein 3 + Napsin A Cocktail**	Delhi	D	3270	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0099	IHC single marker with reporting DOG-1**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0100	IHC single marker with reporting E Cadherin**	Delhi	D	2290	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0101	IHC single marker with reporting EGFR**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0102	IHC single marker with reporting EMA Epithelial Membrane Antigen**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0103	IHC-Estrogen Receptor (ER)-single marker, tissue**	Delhi	D	1635	Daily: 9am and 4th day	4th day	detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0104	IHC single marker with reporting Factor VIII**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0106	IHC single marker with reporting GCDFP15**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0107	IHC single marker with reporting GFAP**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0108	IHC single marker with reporting Glypican-3**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0110	IHC single marker with reporting H.Pylori**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0113	IHC single marker with reporting Hep-Par 1**	Delhi	D	2505	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0114	IHC single marker with reporting HMB45**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0115	IHC single marker with reporting HPV**	Delhi	D	2070	Daily : 9:00am	4th day : 6:00pm	all relevant clinical and radiological detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0119	IHC single marker with reporting Inhibin Alpha**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0120	IHC single marker with reporting Insulin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0121	IHC multiplex marker with reporting Kappa + Lambda Cocktail**	Delhi	D	2725	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0122	IHC single marker with reporting Ki 67**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0126	IHC single marker with reporting Lysoyme**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0127	IHC single marker with reporting Melan A**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0128	IHC single marker with reporting Mesothelin**	Delhi	D	2505	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0129	IHC single marker with reporting MOC 31**	Delhi	D	2070	Daily: 9am and 4th day	4th day	original Histopathology report and all relevant clinical and radiological detail Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0130	IHC single marker with reporting MPO Myeloperoxidase**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0131	IHC single marker with reporting Mum1 Protein**	Delhi	D	2290	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0132	IHC single marker with reporting My F4 Myogenin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0133	IHC single marker with reporting Myoglobin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0134	IHC single marker with reporting NSE Neuron Specific Enolase**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0135	IHC single marker with reporting Oct.2**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0137	IHC single marker with reporting p53**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					day		paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0138	IHC single marker with reporting p63**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0139	IHC single marker with reporting Pan CK AE1/AE3**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0140	IHC single marker with reporting Pax 5**	Delhi	D	2290	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0141	IHC single marker with reporting Pax 8**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0142	IHC multiplex marker with reporting PIN 4 Cocktail Ck5 + Ck14 +P63 + P504S**	Delhi	D	3270	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0143	IHC single marker with reporting PLAP Placental Alkaline Phosphatase**	Delhi	D	2290	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0144	IHC-Progesterone Receptor (PR)single marker,tissue**	Delhi	D	1745	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0146	IHC single marker with reporting Prostatic Acid Phosphatase**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0147	IHC single marker with reporting PSA Prostate Specific Antigen**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0148	IHC single marker with reporting S100 Protein**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0149	IHC single marker with reporting Smooth Muscle Actin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0150	IHC single marker with reporting Synaptophysin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0151	IHC single marker with reporting TdT**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0152	IHC single marker with reporting Thyroglobulin**	Delhi	D	2290	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0154	IHC single marker with reporting TTF1**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							detail
I0155	IHC single marker with reporting Vimentin**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0156	IHC single marker with reporting WT1 Wilm S Tumor Protein**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0157	IHC stain only 34 Beta E12**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0158	IHC stain only ALK1**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0159	IHC stain only Alpha Feto Protein**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0160	IHC stain only Bcl-2 Oncoprotein**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0161	IHC stain only Bcl-6 Oncoprotein**	Delhi	D	1310	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0162	IHC stain only Beta Catenin**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0163	IHC stain only Beta HCG**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0164	IHC stain only CA125**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0165	IHC stain only Calcitonin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0166	IHC stain only Calponin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0167	IHC stain only Calretinin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0170	IHC stain only CD10**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0171	IHC stain only CD117**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0172	IHC stain only CD138**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0173	IHC stain only CD15**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0174	IHC stain only CD1a**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0175	IHC stain only CD20**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0176	IHC stain only CD21**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0178	IHC stain only CD23**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0179	IHC stain only CD3**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0180	IHC stain only CD30**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0181	IHC stain only CD31**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0182	IHC stain only CD34**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0184	IHC stain only CD43**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0185	IHC stain only CD45 LCA**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0186	IHC stain only CD5**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0187	IHC stain only CD79a**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0188	IHC stain only CD99 Mic2**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0189	IHC stain only CDX2**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0190	IHC stain only CEA**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0191	IHC stain only c-erb-B2 Her 2 Neu**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0192	IHC stain only Chromogranin A**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0194	IHC stain only CK 19**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0195	IHC stain only CK 20**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0196	IHC stain only CK 5/6**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0197	IHC stain only CK 7**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0198	IHC stain only CK8**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0200	IHC stain only Cyclin D1**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0201	IHC stain only Desmin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0202	IHC stain only DOG-1**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0203	IHC stain only E Cadherin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0204	IHC stain only EGFR**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0205	IHC stain only EMA Epithelial Membrane Antigen**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0206	IHC stain only ER Estrogen Receptor**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0207	IHC stain only Factor VIII**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0208	IHC stain only GCDP15**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0209	IHC stain only GFAP**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0210	IHC stain only Glypican-3**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0211	IHC stain only H.Pylori**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0212	IHC stain only Hep-Par 1**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0213	IHC stain only HMB45**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0215	IHC stain only Inhibin Alpha**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0216	IHC stain only Insulin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0217	IHC stain only Ki 67**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0218	IHC stain only Melan A**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0219	IHC stain only Mesothelin**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0220	IHC stain only MOC 31**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0221	IHC stain only MPO Myeloperoxidase**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0222	IHC stain only Multiplex CD 20 + CD3 Cocktail**	Delhi	D	2070	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0223	IHC stain only Multiplex CD4 + CD8**	Delhi	D	2070	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0224	IHC stain only Multiplex Desmoglein 3 + Napsin A**	Delhi	D	2070	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0225	IHC stain only Multiplex Kappa + Lambda**	Delhi	D	2070	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0226	IHC stain only Multiplex Pin-4 Cocktail Ck5 + Ck14 + P63 + P504S**	Delhi	D	2070	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0227	IHC stain only Mum1 Protein**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0228	IHC stain only My F4 (Myogenin)**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0230	IHC stain only NSE Neuron Specific Enolase**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0231	IHC stain only OCT.2**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0233	IHC stain only p53**	Delhi	D	1310	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0234	IHC stain only p63**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0235	IHC stain only Pan CK AE1/AE3**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0236	IHC stain only Pax 5**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0237	IHC stain only Pax 8**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0238	IHC stain only PLAP**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0239	IHC stain only PR Progesterone Receptor**	Delhi	D	820	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0240	IHC stain only Prostatic Acid Phosphatase**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0241	IHC stain only PSA Prostate Specific Antigen**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0242	IHC stain only S100 Protein**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0243	IHC stain only Single Marker (Any other)**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0244	IHC stain only SMA Smooth Muscle Actin**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0245	IHC stain only Synaptophysin**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0246	IHC stain only TdT**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0247	IHC stain only Thyroglobulin**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0248	IHC stain only TTF1**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0249	IHC stain only Vimentin**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0250	IHC stain only WT1 Wilm S Tumor Protein**	Delhi	D	1035	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0251	IHC Comprehensive panel for diagnosis **	Delhi	C	9000	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0258	IL28 B SNP Genotyping by PCR & Sanger Sequencing - EDTA Blood**	Delhi	D	4905	Daily: 9am and 10th day	10th day	3 ml of Whole Blood in EDTA Vacutainer
I0259	Immune Status Panel**	Delhi	C	6430	Daily: 9am and After 8 hrs	After 8 hrs	5 ml of serum
I0260	Immunofixation Qualitative Serum	Delhi	C	5670	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	4 ml of Serum
I0261	Immunofixation Qualitative Urine Profile**	Delhi	C	6540	Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
I0262	Immunofixation- Quantitative Serum	Delhi	C	8000	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0263	Immunofixation-Quantitative Urine**	Delhi	C	8610	Mon : 11:30am	Next day : 5:00pm	10 ml 24 Hrs Urine (Preferred) OR Spot urine
I0264	Immunoglobulin Profile IgG, IgM and IgA,CSF**	Delhi	C	3595	Daily: 11am	Next day 4pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
I0265	Immunoglobulin Profile IgG, IgM and IgA, Serum	Delhi	C	1960	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					hrs		tests.
I0266	Impotence Profile**	Delhi	C	3380	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	5 ml of serum
I0267	India Ink Preparation by Microscopy - CSF	Delhi	B	335	Daily: 8.00 am to 8.00 pm and After 2 hrs	After 2 hrs	2ml of CSF in Sterile leak proof tube or container
I0268	Infectious Mononucleosis Profile by IFA - Serum**	Delhi	C	5450	Wed and Sat: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0269	Infertility Profile , Female**	Delhi	C	6540	Daily: 9am and 5th day	5th day	3 ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine
I0270	Infertility Profile, Male**	Delhi	C	5450	Daily: 9am and 5th day	5th day	3 ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine, Semen sample
I0273	Inhibin A Serum	Delhi	C	925	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0274	Inhibin B Serum**	Delhi	C	2290	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0275	Insulin (Fasting) Serum	Delhi	B	850	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Serum Collected In Fasting.
I0275_PG	Insulin, Post Glucose Serum	Delhi	B	890	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of serum collected 2 hours post Glucose Monohydrate 82.5 gm
I0275_PP	Insulin, Post Prandial Serum	Delhi	B	890	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of serum collected 2 hours post lunch
I0275_R	Insulin (Random) Serum	Delhi	B	890	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of serum
I0276	Insulin Antibody Type I & II diabetes serum**	Delhi	D	2725	Wed: 7.30am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0279	Interleukin -6 CLIA Plasma	Delhi	C	3215	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	3 ml of EDTA plasma to be send in aliquot tube at proper temperature.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0281	Intrinsic Factor Antibody by IFA Serum**	Delhi	C	2670	hrs Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0282	Iron biochemical Serum	Delhi	B	420	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0284	Iron Urine 24H**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
I0285	Iron Serum**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
I0286	Iron Studies, Serum	Delhi	B	700	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0287	Islet Cell Antibody ICA-512 serum**	Delhi	D	2290	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
I0288	Isoleucine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
I0289	Isoleucine Quantitative Urine 24H**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
I0290	Isospora by smear examination - Stool	Delhi	B	555	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
I0291	IHC single marker with reporting Unspecified stain**	Delhi	D	2070	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0292	Reticulocyte count profile**	Delhi	B	355	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA Whole Blood
I0293	IHC stain only CD 56_I0293**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0294	IHC stain only CD 57_I0294**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0295	IHC stain only CD68_I0295**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0296	IHC stain only Lysozyme_I0296**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0297	IHC p16INK4a stain only**	Delhi	D	3160	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0300	IgVH GENE MUTATION_I0300**	Delhi	R	9505	Wed : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood
I0301	BCR ABL1 Mutation Analysis**	Delhi	E	9450	Tues & Sat 7.30 am and 8th day	8th day	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
I0305	IGH/CCND1:t(11;14) translocation Mantle Cell Lymphoma FISH, TISSUE**	Delhi	D	8720	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
I0312	IGH gene rearrangement Translocations involving 14q32 locus**	Delhi	D	8720	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
I0315	IDH1 and IDH2 gene mutation - FFPE Tissue**	Delhi	E	7350	Tues & Sat 7.30 am and 8th day	8th day	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Clinical history with Histopathology report.
I0316	IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BONE MARROW**	Delhi	D	4905	Daily: 9am and 7th day	7th day	2-3 ml Bone Marrow in Na-heparin vacutainer
I0317	IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BLOOD**	Delhi	D	4905	Daily: 9am and 7th day	7th day	3 ml Blood in Na-heparin vacutainer
I0318	IGH/BCL2 fusion**	Delhi	D	8720	Daily: 9am and 10th day	10th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
I0319	IHC single marker with reporting p40**	Delhi	D	2505	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0320	IHC single marker with reporting Uroplakin II**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0321	IHC stain only p40**	Delhi	D	1035	Daily: 9am and 4th day	4th day	Single Paraffin block / section on charged slide
I0322	IHC stain only Uroplakin II**	Delhi	D	1310	Daily: 9am and 4th day	4th day	Single Paraffin block / section on charged slide
I0323	Immature Platelet fraction (IPF) Count**	Delhi	B	555	Daily: 9am and After 8 hrs	After 8 hrs	3 ml EDTA whole Blood with direct smear
I0324	Influenza A virus IgG Antibody by EIA - Serum**	Delhi	C	1855	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0325	Influenza A virus IgM Antibody by EIA - Serum**	Delhi	C	1855	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0326	Influenza B virus IgG Antibody by EIA - Serum**	Delhi	C	1855	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
I0327	Influenza B virus IgM Antibody by EIA - Serum**	Delhi	C	1855	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0331	ICG Clearance Test Serum**	Delhi	D	5995	Daily	AFTER 8 HOURS	5 ml Serum Sample(Sample should be collected in plain red vacutainer) $\tilde{A}f\tilde{E}'\tilde{A}t\tilde{a}\tilde{\epsilon}^{\tilde{m}}\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{E}'\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{A}\tilde{c}\tilde{A}\tilde{c}\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A}\tilde{-}\tilde{A}...,\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{-}\tilde{A}f\tilde{E}'\tilde{A}\tilde{c}\tilde{a},\tilde{-}\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{0}$ mins(4 red top vacutainers-5 ml of blood in each tube) $\tilde{A}f\tilde{E}'\tilde{A}t\tilde{a}\tilde{\epsilon}^{\tilde{m}}\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{E}'\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{A}\tilde{c}\tilde{A}\tilde{c}\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A}\tilde{-}\tilde{A}...,\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{-}\tilde{A}f\tilde{E}'\tilde{A}\tilde{c}\tilde{a},\tilde{-}\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{5}$ mins(1 red top vacutainer-2 ml of blood) $\tilde{A}f\tilde{E}'\tilde{A}t\tilde{a}\tilde{\epsilon}^{\tilde{m}}\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{E}'\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{A}\tilde{c}\tilde{A}\tilde{c}\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A}\tilde{-}\tilde{A}...,\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{-}\tilde{A}f\tilde{E}'\tilde{A}\tilde{c}\tilde{a},\tilde{-}\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{10}$ mins (1 red top vacutainer-2 ml of blood) $\tilde{A}f\tilde{E}'\tilde{A}t\tilde{a}\tilde{\epsilon}^{\tilde{m}}\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{E}'\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{A}\tilde{c}\tilde{A}\tilde{c}\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A}\tilde{-}\tilde{A}...,\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{-}\tilde{A}f\tilde{E}'\tilde{A}\tilde{c}\tilde{a},\tilde{-}\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{15}$ mins (1 red top vacutainer-2 ml of blood) $\tilde{A}f\tilde{E}'\tilde{A}t\tilde{a}\tilde{\epsilon}^{\tilde{m}}\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{E}'\tilde{A},\tilde{A}\tilde{c}\tilde{A}f\tilde{A}\tilde{c}\tilde{A}\tilde{c}\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A}\tilde{-}\tilde{A}...,\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{-}\tilde{A}f\tilde{E}'\tilde{A}\tilde{c}\tilde{a},\tilde{-}\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}\tilde{c}\tilde{20}$ mins (1 red top vacutainer-2 ml of blood) Sample should reach within 2 hrs of collection at 2-8 $\tilde{A}f\tilde{E}'\tilde{A}t\tilde{a}\tilde{\epsilon}^{\tilde{m}}\tilde{A}f\tilde{A}\tilde{c}\tilde{A}\tilde{c}\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A}\tilde{-}\tilde{A}...,\tilde{A}i\tilde{A}f\tilde{E}'\tilde{A}\tilde{c}\tilde{a},\tilde{-}\tilde{A}i\tilde{A}f\tilde{a}\tilde{\epsilon}\tilde{s}\tilde{A},\tilde{A}^{\circ}\tilde{C}$ . Sample tubes to be wrapped in aluminium foil to avoid exposure to light. Left over dye solution to be sent across to the lab along with the samples.
I0332	IHC Androgen Receptor with interpretation**	Delhi	D	2725	Daily : 9 am	6th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0337	PDL1 (SP263) by IHC - Ventana**	Delhi	D	8720	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0338	IMMUNOHISTOCHEMISTRY C-MYC ANTIBODY**	Delhi	D	2505	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0339	IMMUNOHISTOCHEMISTRY EBV**	Delhi	D	2070	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0342	IHC single marker with reporting TFE3**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0347	IHC stain only C-myc antibody**	Delhi	D	1310	Daily: 9am and 4th day	4th day	Single Paraffin block / section on charged slide
I0348	IHC stain only EBV**	Delhi	D	1200	Daily: 9am and 4th day	4th day	Single Paraffin block / section on charged slide
I0350	IHC stain only CD7**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0352	IHC stain only IgG4**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0353	IHC stain only GATA3**	Delhi	D	1310	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0354	IHC stain only H caldesmon**	Delhi	D	1310	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0355	IHC stain only ERG**	Delhi	D	2400	Daily: 9am and 4th day	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0363	IHC stain only Androgen Receptor**	Delhi	D	1635	Daily: 9am and 3rd day	3rd day	Single Paraffin block / section on charged slide
I0366	Hypersensitive pneumonitis panel**	Delhi	D	8000	Mon, Wed & Fri : 11:30am	Next day : 5:00pm	3ml serum sample required
I0366_1	Penicillium Chrysogenum(Specific IgG)**	Delhi	C	1855	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_2	Cladosporium herbarum (Specific IgG)**	Delhi	C	1855	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_3	Aspergillus fumigatus(Specific IgG)**	Delhi	C	1855	Mon & Thu : 11:30am	Next day : 5:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_4	Mucor Racemosus(Specific IgG)**	Delhi	C	1855	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0366_5	Alternaria alternata(Specific IgG)**	Delhi	C	1855	Mon & Thu : 11:30am	Next day : 6:00pm	Require serum (3ml) sample collected in fasting status

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
I0368	Tb- Interferon-y (Gamma) release assay (IGRA)-4 tube	Delhi	D	3500	Daily :3.30 pm	Next Day 7.30 p.m	5 ml of Lithium Heparin Blood
I0371	Iron, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
I0372	IDH1 and IDH2 gene mutation, AML, Blood**	Delhi	E	6825	Tue and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
I0372_BM	IDH1 and IDH2 gene mutation, AML, Bone Marrow**	Delhi	E	6825	Tue and Fri: 9am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
I0373	Tb- Interferon-y (Gamma) release assay (IGRA)-3 tube**	Delhi	C	3000	Daily: 9am and 2nd day	2nd day	5 ml of Lithium Heparin Blood
I0378	Immunofluorescence Analysis in Michels Medium (Kidney / Skin Biopsy)**	Delhi	D	3815	Daily: 9am and 7th day	7th day	Biopsy to be sent in Michelâ€™s Medium in a Leak proof container along with relevant clinical & radiological details
I0380	Isavuconazole **	Delhi	R	6240	Daily : 7:30am	7th day : 6:00pm	3 ml of EDTA Plasma.Please indicate history of the drug dose taken, time of sample collection and clinical History along with the sample.
I0384	IHC stain only ATRX	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0385	IHC single marker with reporting ATRX	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0386	IHC stain only IDH 1	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0387	IHC single marker with reporting IDH 1	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0388	IHC stain only SOX 10	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0389	IHC single marker with reporting SOX 10	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0391	IHC single marker with reporting HHV 8	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0394	IHC stain only SV 40	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0395	IHC single marker with reporting SV 40	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0397	IGLON5 ANTIBODY Serum**	Delhi	D	13080	Tue & Fri: 11:30am	Next day : 6:00pm	3 ml Serum
I0399	IHC stain only PLA 2 R1	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0400	IHC single marker with reporting PLA 2 R1	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0401	IHC stain only STAT 6	Delhi	D	2725	Daily : 9:00am	3rd day	detail Single Paraffin block / section on charged slide
I0402	IHC single marker with reporting STAT 6	Delhi	D	3270	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0403	IHC stain only INI 1	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0404	IHC single marker with reporting INI 1	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0405	IHC stain only Sall 4	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0406	IHC single marker with reporting Sall 4	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0407	IHC stain only NKX 3.1	Delhi	D	3815	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0408	IHC single marker with reporting NKX 3.1	Delhi	D	4905	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0409	IHC stain only CD 4	Delhi	D	2180	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
I0410	IHC single marker with reporting CD 4	Delhi	D	3270	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0411	IHC stain only CD 8	Delhi	D	2180	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I0412	IHC single marker with reporting CD 8	Delhi	D	3270	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I0413	IHC single marker with reporting CMV	Delhi	D	2400	Daily : 9:00am	7th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
I1005	IgG Subclass 1(IgG1) serum by Nephelometry**	Delhi	R	5200	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum (Age & gender manadatory)
I1006	IgG Subclass 2(IgG2) serum by Nephelometry**	Delhi	R	5200	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum (Age & gender manadatory)
I1007	IgG Subclass 3(IgG3) serum by Nephelometry**	Delhi	R	5200	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum (Age & gender manadatory)
I1025	IODINE, Serum by ICP-MS method**	Delhi	R	9610	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml Serum
I1026	IODINE, Urine by ICP-MS method**	Delhi	R	9360	Daily : 11:30am	After 4 weeks : 6:00pm	Individual Metals and Minerals.pdf
I5073	Isoniazid**	Delhi	R	7280	Daily : 7:30am	10th day : 6:00pm	2 ml Na-Heparin Plasma
I5649	FLU-XPRT VIRAL PANEL**	Delhi	D	4600	Daily : 7:00am & 3:00pm	Same Day : 3:00pm & 11:00pm	Swab with Sufficient Material in Viral Transport Medium (VTM)
I8151	Immunofixation image**	Delhi	C	545	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	Pre-requisite: Kindly mention the VID for gel electrophoresis test asked.
I8335	ILD Complete**	Delhi	D	19075	Tue & Fri : 9:00am	Next day : 5:00pm	5 ML OF SERUM
I8336	ILD Screen **	Delhi	D	7630	Mon & Thu : 9:00am	Next day : 5:00pm	3 ml EDTA WHOLE BLOOD,5 ML OF SERUM,
I8337	ILD Autoimmune Maxi**	Delhi	D	14715	Tue & Fri : 9:00am	Next day :	5 ML OF SERUM

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
I8338	ILD Autoimmune Profile Mini**	Delhi	D	8175	Tue & Fri : 9:00am	5:00pm Next day : 6:00pm	5 ML OF SERUM
J0001	JAK-2 Mutation (CMPD) Exon 12 Mutation Bone Marrow**	Delhi	D	6320	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0002	JAK-2 Mutation (CMPD) (V617F) by Real Time PCR - Bone Marrow**	Delhi	D	5995	Tue, Fri: 9 am	Next day 7pm	3 ml of Bone Marrow in EDTA Vacutainer
J0003	JAK-2 Mutation (CMPD) Exon 12 Mutation Blood**	Delhi	D	6320	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0004	JAK-2 Mutation (CMPD) (V617F) by Real Time PCR - Blood**	Delhi	D	5995	Tue, Fri: 9 am	Next day 7pm	3 ml of Whole Blood in EDTA Vacutainer
J0005	JC-BK Virus DNA Detection by Real Time PCR - CSF**	Delhi	D	5995	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
J0006	JC-BK Virus DNA Detection by Real Time PCR - EDTA Plasma**	Delhi	D	5995	Mon & Thurs : 9:00am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
J0007	JC-BK Virus DNA Detection by Real Time PCR - Urine**	Delhi	D	5995	Mon & Thurs : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
J0008	JEV RNA Detection by Real Time PCR - EDTA Blood**	Delhi	D	3490	Fri: 9am and Next day 5pm	Next day 5pm	3 ml of Whole Blood in EDTA Vacutainer
J0009	JEV RNA Detection by Real Time PCR - CSF**	Delhi	D	3815	Fri: 9am and Next day 5pm	Next day 5pm	2ml of CSF in Sterile leak proof tube or container
J0010	JEV RNA Detection by Real Time PCR - EDTA Plasma**	Delhi	D	4305	Fri: 9am and Next day 5pm	Next day 5pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
J0011	JEV RNA Detection by Real Time PCR - Serum**	Delhi	D	3595	Fri: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
J0012	Jo-1 Antibody Serum	Delhi	C	1635	Tue, Thu & Sat : 7:30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
J0013	JC DNA Detection by Real Time PCR - CSF**	Delhi	D	4360	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
J0014	JC DNA Detection by Real Time PCR - EDTA Plasma**	Delhi	D	4360	Mon & Thurs : 9:00am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer
J0015	JC DNA Detection by Real Time PCR - Urine**	Delhi	D	5015	Mon & Thurs : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
J0016	JAK2 V617 Mutation, with Reflex to Jak2 Ex- 12, CALR Ex-9 Mutation and MPL W515, S505 Mutation**	Delhi	D	14715	Wed & Sat 9.00 am and 10th day	10th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0017	JAK2 V617 Mutation, with Reflex to Jak2 Ex- 12, CALR Ex-9 Mutation and MPL W515, S505 Mutation,Bone Marrow**	Delhi	D	13080	Wed & Sat 9.00 am and 10th day	10th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
J0020	JC DNA Detection by Real Time PCR - EDTA Blood**	Delhi	D	5340	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
J0021	JC-BK Virus DNA Detection by Real Time PCR - EDTA Blood**	Delhi	D	5995	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
K0001	Kappa And Lambda-Freelite, Urine**	Delhi	D	5995	Daily: 9am and Same day 5pm	Same day 5pm	10 ml of 24 hrs urine (Preferred ) / Spot urine
K0002	Kappa And Lambda-Freelite, Serum	Delhi	D	6500	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
K0003	Kappa Light Chains by Flow cytometry**	Delhi	D	3270	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
K0004	Kappa Light Chains-Total Urine 24H**	Delhi	D	3270	Daily: 9am and 4th	4th day	24 H urine: 24 hour Urine should be

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					day		collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
K0005	FISH for Aneuploidy in POC - Chromosomes - 13,16,18, 21, 22, X and Y**	Delhi	D	9810	Daily: 9am and 15th day	15th day	POC in sterile container with normal saline with few drops of antibiotic. In case of expected delay store at 4 degrees. Never add formalin or freeze. Note: Whole Fetus is not accepted.
K0006	Karyotyping reflex FISH-13,18,21,X,Y AmnioticFluid**	Delhi	D	11795	Daily: 9am and 15th day	15th day	20 ml of Amniotic Fluid In sterile centrifuge Falcon 15 ml tubes.
K0007	Karyotyping reflex FISH(13,18,21,X,Y)Chorion Villi**	Delhi	D	10790	Daily: 9am and 15th day	15th day	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).
K0010	FISH for Aneuploidy in POC - Chromosomes 13,18,21, X,Y**	Delhi	D	7085	Daily: 9am and 15th day	15th day	POC in sterile container with normal saline with few drops of antibiotic. In case of expected delay store at 4 degrees. Never add formalin or freeze.Note: Whole Fetus is not accepted.
K0012	Karyotyping by G-Banding Peripheral Blood**	Delhi	D	3500	Daily: 9am and 12th day	12th day	3 ml of Blood In Na-Heparin Vacutainer
K0014	Karyotyping by G-Banding Bone marrow**	Delhi	D	4140	Daily: 9am and 12th day	12th day	2-3 ml Bone Marrow/3 ml Blood in Na-heparin vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
K0017	Karyotyping by high resolution banding (HRB) Blood**	Delhi	D	4905	Daily: 9am and 12th day	12th day	3 ml of Blood In Na-Heparin Vacutainer
K0018	Kaolin Clotting Time	Delhi	B	1390	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
K0019	KRAS-Exon 2 and 3 Mutation Analysis - FFPE Tissue**	Delhi	D	7085	Mon and Fri: 9am and 7th day	7th day	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
K0021	Kennedy disease (CAG repeats) by PCR**	Delhi	R	7385	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
K0022	Karyotyping from cell pellet /slides**	Delhi	D	1635	Daily: 9am and 10th day	10th day	Cell pellet / Slides
K0023	Kala azar**	Delhi	R	1770	Daily : 11:30am	5th day : 6:00pm	3ml of serum
K0026	Karyotyping G Banding and FISH (Chr 13,18, 21, X and Y),Amniotic Fluid**	Delhi	D	16350	Daily: 9am and 15th day	15th day	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
K0030	Karyotyping by G-Banding for neonates**	Delhi	D	4905	Daily : 9:00am	7th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
K0031	Karyotyping by G-Banding for 50 metaphase cells**	Delhi	D	4905	Daily : 9:00am	12th day : 6:00pm	3 ml of Blood In Na-Heparin Vacutainer
K0033	Karyotyping by G-Banding reflex FISH**	Delhi	D	10790	Daily : 9:00am	15th day : 6:00pm	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
K8112	Kidney biopsy for Medical Renal Disease	Delhi	D	5450	Daily : 9:00am	7th day	1) Tissue in 10% NB formalin for histopathology 2) Tissue in Michel

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Medium for Immunofluorescence. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium.
K8113	Kidney biopsy for Transplant Pathology	Delhi	D	10790	Daily : 9:00am	14th day	1) Tissue in 10% NB formalin for histopathology 2) Tissue in Michel Medium for Immunofluorescence. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium.
L0001	Lactate CSF	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
L0002	Lactate Biochemical Plasma	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Fluoride Plasma Labile Analyte
L0003	Lactose Tolerance Test 5 Samples for Glucose, Plasma	Delhi	C	655	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of flouride plasma (5Samples)
L0004	Lambda Light Chains by Flow cytometry**	Delhi	D	3270	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
L0005	Lambda Light Chains-Total Urine**	Delhi	D	3270	Daily: 9am and Same day 5pm	Same day 5pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample.



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
L0006	Lamotrigine Level Plasma**	Delhi	D	4905	Tue : 11:30am	Next day : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
L0007	LAP Score**	Delhi	B	1220	Daily : 11:30am	3rd day : 6:00pm	5 Peripheral Blood Smears and EDTA Blood. Clinical history and clinician no is mandatory
L0008	Liver cytosolic antigen type-1(LC-1)Antibody, Serum**	Delhi	C	3050	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0009	LD (Leigh`s Disease),Blood **	Delhi	R	15080	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
L0010	LD bodies Leishmania Dodovani bodies by Microscopy - Blood**	Delhi	B	1000	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA Bone Marrow in EDTA Vacutainer
L0011	LD bodies Leishmania Dodovani bodies by Microscopy - Bone Marrow**	Delhi	C	980	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA Whole Blood in EDTA Vacutainer
L0012	LDH Lactate Dehydrogenase Serum	Delhi	A	370	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0013	LDH Lactate Dehydrogenase Ascitic Fluid	Delhi	A	455	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Ascitic Fluid
L0014	LDH Lactate Dehydrogenase Peritoneal Fluid	Delhi	A	435	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Peritoneal Fluid

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0015	LDH Lactate Dehydrogenase Pleural Fluid	Delhi	A	435	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Pleural Fluid
L0016	LDH- Isoenzyme by Elctrophoresis Serum**	Delhi	D	4360	Wed : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0017	LDL Cholesterol -Direct serum	Delhi	A	260	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0019	Lead, Blood**	Delhi	C	1960	Daily 7:30 AM	Same Day 8 PM	HeavyMetalSamplingguidelines.pdf
L0020	Lead, Urine 24 Hrs**	Delhi	C	1960	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
L0021	Lead,Urine Spot**	Delhi	C	1960	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
L0022	Legionella Culture by Vitek/ MALDITOF - Sputum / BAL**	Delhi	R	1145	Daily: 9am and 15th day	15th day	2 ml of Sputum in Sterile leak proof container
L0026	Legionella Pneumophila Antigen detection Urine**	Delhi	C	3215	Daily: 9am and Same day 5pm	Same day 5pm	15ml of Spot Urine in Sterile leak proof container
L0027	Legionella Pneumophila IgG antibodies by EIA - Serum**	Delhi	C	2725	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0028	Legionella Pneumophila IgM antibodies by EIA - Serum**	Delhi	C	2725	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0029	Leishmania Antibody-IgG Antibody for Kala Azar by EIA - Serum**	Delhi	C	1635	Tue: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0034	Leptin Human Serum**	Delhi	D	4580	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0035	Leptospira Detection by smear examination - Blood**	Delhi	B	610	Daily: 9am and Same day 5pm	Same day 5pm	3 ml of Whole Blood in EDTA Vacutainer
L0036	Leptospira Detection by smear examination - CSF**	Delhi	B	720	Daily: 9am and Same day 5pm	Same day 5pm	2ml of CSF in Sterile leak proof tube or container
L0037	Leptospira Detection by smear examination - Urine**	Delhi	B	720	Daily: 9am and Same day 5pm	Same day 5pm	15ml of Spot Urine in Sterile leak proof container
L0038	Leptospira DNA Detection by Real Time PCR - Blood **	Delhi	D	2615	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0039	LeptospiraDNA Detection by Real Time PCR - Urine**	Delhi	D	2725	Daily : 10:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container
L0040	Leptospira IgG antibodies by EIA - Serum**	Delhi	C	1525	Daily: 5pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0041	Leptospira IgM antibodies by EIA - Serum**	Delhi	C	1525	Daily: 5pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0042	Leptospira Profile**	Delhi	C	2645	Daily : 11:30am	same day 11:00 pm	3 ml of Whole Blood in EDTA Vacutainer, 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0043	Leucine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
L0044	Leucine Quantitative Urine 24H**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
L0046	Leukemia panel by FISH - ALL**	Delhi	D	15260	Daily: 9am and 5th day	5th day	3 ml Bone Marrow in Na-heparin vacutainer
L0047	Leukemia panel by FISH - AML**	Delhi	D	16350	Daily: 9am and 5th day	5th day	3 ml Bone Marrow in Na-heparin vacutainer
L0051	Leukemia panel by FISH - CLL**	Delhi	D	15260	Daily: 9am and 5th day	5th day	3 ml Bone Marrow in Na-heparin vacutainer
L0052	Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Bone Marrow/Leukemic Blood**	Delhi	D	13080	Daily: 9am and 5th day	5th day	3 ml Bone Marrow in Na-heparin vacutainer
L0053	Myelodysplastic Syndrome (MDS) Panel by FISH, Bone marrow**	Delhi	D	9810	Daily: 9am and 5th day	5th day	3 ml Bone Marrow in Na-heparin vacutainer
L0054	Comprehensive Multiple Myeloma Panel by FISH**	Delhi	D	16895	Daily: 8am and 8th day	8th day	3 ml of Heparin Bone Marrow
L0055	Leukemia -Acute Leukemia Panel, Blood**	Delhi	D	10575	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA or heparin blood and Direct smears required
L0056	Leukemia - Acute Leukemia Panel, Bone Marrow**	Delhi	D	10575	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA and heparin bone marrow. Direct smears required
L0057	Leukemia - Chronic Lymphoproliferative Disorder Panel, Blood**	Delhi	D	15260	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA or heparin blood and Direct smears required
L0058	Leukemia - Chronic Lymphoproliferative Disorder Panel, Bone Marrow**	Delhi	D	15040	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA or heparin bone marrow and Direct smears required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0065	Myeloma panel by flowcytometry, Bone marrow**	Delhi	D	8720	Daily : 11:30am	5th day : 6:00pm	3 ml of EDTA or heparin bone marrow and Direct smears required
L0066	LH-Luteinizing Hormone ECLIA Serum	Delhi	B	600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0067	LHON (Leber's Hereditary Optic Neuropathy) by PCR**	Delhi	R	16640	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
L0068	Lipase Serum	Delhi	B	630	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0068_Fluid	Fluid Lipase	Delhi	B	695	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0069	Lipase Urine	Delhi	B	720	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
L0070	Lipid Profile - Maxi	Delhi	C	1350	Daily: 8.00 am to	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		ml serum for profiles and reflex tests.
L0071	Lipid Profile-Mini	Delhi	B	850	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0071_NF	Lipid profile 2 (Non- fasting)	Delhi	B	775	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0072	Lipid ScreenCholesterol and TriglyceridesSerum	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0072_NF	Lipid profile 3 (Non- fasting)	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0073	Total Lipids, serum**	Delhi	A	435	Daily: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0076	Lipoprotein Electrophoresis, Serum**	Delhi	C	2725	Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0077	Lithium Serum	Delhi	C	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0079	Liver Function Test-1(Maxi)	Delhi	B	1400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum and 3 ml of citrate plasma
L0080	Liver Function Test-2(Mini)	Delhi	B	800	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
L0081	Liver Onco Marker Profile	Delhi	D	1525	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
L0082	Liver Function Test-3 (LIVER SCREEN)	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0083	LKM1 by IFA Liver Kidney Microsomes Reflex to end point titre Serum	Delhi	C	2070	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0084	Lp(a)Lipoprotein(a) serum	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0085	Lung Marker Profile**	Delhi	D	7795	Tue and Fri: 9am and After 8 hrs	After 8 hrs	3 ml of Serum and 3 ml of EDTA plasma
L0086	Lupus Anticoagulants (LAC) profile	Delhi	D	2300	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
L0087	LymeBorrelia Burgdorferi IgG antibodies by EIA - Serum **	Delhi	C	2725	Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0089	LymeBorrelia Burgdorferi IgM antibodies by EIA - Serum **	Delhi	C	2400	Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
L0091	Lysine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
L0092	Lysine Quantitative Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
L0097	Leukemia Characterisation Panel for CLPD, Blood**	Delhi	D	21580	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA and heparin blood. Direct smears required
L0098	Leukemia Characterisation Panel for CLPD , Bone Marrow**	Delhi	D	21580	Daily : 11:30am	7th day : 6:00pm	3 ml of EDTA and heparin bone marrow and Direct smears required
L0099	Leukemia Comprehensive workup panel- Acute Leukemia, Blood**	Delhi	D	27250	Daily : 11:30am	12th day : 6:00pm	3 ml of EDTA and heparin blood. Direct smears required
L0100	Leukemia Comprehensive workup panel- Acute Leukemia, Bone Marrow**	Delhi	D	27250	Daily : 11:30am	12th day : 6:00pm	3 ml of EDTA and heparin bone marrow. Direct smears required
L0101	Leukemia CMPD Panel: JAK2 by PCR and BCR-ABL by FISH,Blood**	Delhi	D	9590	Daily: 9am and 5th day	5th day	3 ml of EDTA and Na-heparin blood and Direct smears required
L0102	Leukemia CMPD Panel: JAK2 by PCR and BCR-ABL by FISH, Bone Marrow**	Delhi	D	9590	Daily: 9am and 5th day	5th day	3 ml of EDTA Bone Marrow
L0103	Lp- PLA2 (PLAC)Cardiac risk marker serum**	Delhi	D	2725	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
L0105	Leukemia panel by FISH - ALL, Leukemic Blood**	Delhi	D	15260	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
L0106	Leukemia AML panel by FISH, Leukemic Blood**	Delhi	D	16350	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
L0107	Leukemia panel by FISH - CLL, Leukemic	Delhi	D	15260	Daily: 9am and 5th	5th day	3 ml Blood in Na-heparin

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Blood**				day		vacutainer
L0108	Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Leukemic Blood**	Delhi	D	13080	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
L0109	Myelodysplastic Syndrome (MDS) Panel by FISH**	Delhi	D	9810	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
L0111	Lymphocyte subset panel with NK cells**	Delhi	D	6540	Daily : 11:30am	Next day : 5:00pm	6 ml EDTA whole Blood
L0112	LDH Lactate Dehydrogenase CSF	Delhi	A	560	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
L0113	Lyme-Borrelia Burgdorferi IgM by EIA - CSF **	Delhi	C	5230	Sat : 11:30am	Next day : 5:00pm	2 ml of CSF in Sterile leak proof tube or container
L0114	Lyme-Borrelia Burgdorferi IgG by EIA - CSF **	Delhi	C	5230	Sat : 11:30am	Next day : 5:00pm	2 ml of CSF in Sterile leak proof tube or container
L0117	Leukemia translocation Panel (ALL) - t(1;19), t(4;11), t(9;22), t(12;21)**	Delhi	D	8175	Sat: 9am and 8th day	8th day	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
L0118	Leukemia translocation Panel (AML) - t(8;21), t(15;17), Inv(16)**	Delhi	D	8175	Sat: 9am and 8th day	8th day	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
L0123	LDH Body fluid	Delhi	A	435	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml body fluid
L0133	LUNG CANCER TARGETED THERAPY PANEL (EGFR+ALK+ROS1)**	Delhi	E	20000	Daily: 9am and 7th day	7th day	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
L0134	Lung Panel by NGS [EGFR, BRAF, MET (includes Ex-14 skipping), RET, ERBB2, KRAS (SNVs & small INDELs); ALK, ROS1, RET and NTRK1, NTRK2, NTRK3 (Fusions)]	Delhi	E	32000	Daily: 9am and 5-6 weeks	5-6 weeks	Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
L0135	Lead, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
L0136	Lead, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
L0138	Lithium, Spot Urine**	Delhi	C	3000	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
L0139	Leukemia Panel-Ph like B-ALL, Bone Marrow **	Delhi	R	19760	Daily : 11:30am	10th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0139_BLOOD	Leukemia Panel-Ph like B-ALL, Blood**	Delhi	R	19760	Daily : 9:00am	8th day : 6:00pm	3 ml BLOOD in Na-heparin vacutainer
L0140	Leukemia Panel-T-ALL, Blood**	Delhi	R	16640	Daily : 11:30am	8th day : 6:00pm	3 ml Blood in Na-heparin vacutainer
L0140_BM	Leukemia Panel-T-ALL, Bone marrow**	Delhi	R	16640	Daily : 11:30am	10th day : 6:00pm	3 ml Bone Marrow in Na-heparin vacutainer
L0141	Leukemia Panel-AML Mutation, Blood**	Delhi	D	12755	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
L0141_BM	Leukemia Panel-AML Mutation, Bone marrow**	Delhi	D	9810	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
L0142	NextGen Oncomine Myeloid 69 Gene Panel**	Delhi	E	20050	DAILY : 9 : 00 AM	20 Days	6 ml EDTA whole Blood
L0143	Leptin deficiency (LEP) -Gene Analysis**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
L0144	Myeloma MRD Flow cytometry Bone marrow **	Delhi	R	19240	Daily : 11:30am	5th day : 6:00pm	sample : 3 ml of EDTA Bone Marrow & direct smear
L0145	Flow for AML MRD**	Delhi	R	19240	Daily : 11:30am	5th day : 6:00pm	3 ml of EDTA Bone Marrow & General Instruction Local Samples reaching in 24 Hours can be send in Ambient condition and outstation samples to be shipped at Refrigerated condition. Do not keep EDTA or Heparin blood samples in contact with ice packs. Do not freeze. Medical history / Heamato-pathological reports with referring doctors number.
L0146	Lip biopsy for Sjogrens syndrome ( Focus score) with WSI**	Delhi	C	2400	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
L0152	Lung Cancer NGS panel (SNVs, InDels and Fusions)- Liquid Biopsy**	Delhi	E	46200	Daily : 11:30am	25th day : 6:00pm	Peripheral Blood in Streck tube (2 tubes of 10 ml each) (Tube suplied upon request)
L1008	Levetiracetam, serum**	Delhi	D	6540	Wed : 11:30am	Next day : 5:00pm	3 ml of serum(sample collect in, plain vacutainer, not in gel tube)
L1902	Canine - Liver profile**	Delhi	D	925	Daily: 8.00 am to	After 6 hrs	Please contact lab before sending

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.
L8015	LH/FSH Ratio Serum	Delhi	B	1000	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0001	Anti MAG (Myelin associated Glycoprotein) Ab (M0001)**	Delhi	D	4360	Tue & Fri : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0002	Magnesium Serum	Delhi	B	550	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0003	Magnesium, Spot Urine	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
M0004	Magnesium Urine 24H	Delhi	B	720	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
M0006	Malaria Parasite detection by Direct Smear examination by Microscopy - EDTA Blood	Delhi	B	130	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0007	Malaria DNA Detection by Real Time PCR - EDTA Blood**	Delhi	C	3815	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
M0008	Malaria Detection by QBC - EDTA Blood **	Delhi	B	390	Daily: 9am and 1pm,5pm,After 4 hrs	After 4 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
M0009	Malaria Profile reflex Malaria antigen by Immunochromatography - EDTA Blood	Delhi	C	545	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
M0010	Malarial Antigen Vivax & Falciparum by Immunochromatography - EDTA Blood	Delhi	B	650	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA Whole Blood in EDTA Vacutainer
M0011	Manganese Blood**	Delhi	D	3445	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0012	Manganese Serum**	Delhi	D	2725	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0013	Manganese Urine**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0014	Manganese Urine 24H**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0015	Mantoux test Tuberculin test (10TU)	Delhi	O	220	Daily: 9am and 5pm and Reported at 48 - 72 hrs	Reported at 48 - 72 hrs	Mycobacteriology.pdf
M0015_2TU	Mantoux test Tuberculin test (2TU)	Delhi	O	185	Daily	After 3 Days	Mycobacteriology.pdf
M0015_5TU	Mantoux test Tuberculin test (5TU)	Delhi	O	265	Daily	After 3 Days	Mycobacteriology.pdf
M0019	MDMA (Qualitative) Ecstasy, XTC Urine Spot**	Delhi	D	820	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	10 ml of Spot urine
M0020	Measles Virus IgG Antibody by CLIA - Serum**	Delhi	C	2180	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0021	Measles Virus IgG Antibody by EIA - CSF**	Delhi	C	3160	Tue and Fri: 7am and Next day 5pm	Next day 5pm	2 ml of CSF in Sterile leak proof tube or container & 2 mL Serum
M0022	Measles Virus IgM Antibody by CLIA - Serum**	Delhi	C	2180	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0023	Medullary Thyroid Carinoma Mutation Detection Sequencing method Blood**	Delhi	R	15995	Daily : 11:30am	10th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0024	MELAS-Mutation Detection Blood**	Delhi	R	6240	Daily : 11:30am	8th day : 6:00pm	refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0026	Meningitis (viral) Profile IgG by CLIA - Serum**	Delhi	D	5015	Wed: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0027	Meningitis (viral) Profile IgG & IgM by CLIA - Serum**	Delhi	D	8610	Wed: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0028	Meningitis (viral) Profile IgM by CLIA - Serum**	Delhi	D	5015	Wed: 9am and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0029	Menopause	Delhi	C	3050	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
M0030	Menopause diagnostic profile	Delhi	C	1855	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
M0031	Menopause monitoring profile	Delhi	C	2725	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5 ml of serum
M0032	Mercury Blood**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0033	Mercury Serum**	Delhi	D	3270	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0034	Mercury Urine**	Delhi	D	3705	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0035	Mercury Urine 24H**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0036	MERRF Mutation Detection Blood**	Delhi	R	10400	Daily : 11:30am	8th day :	3 ml of EDTA whole blood required

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0037	Neoxpert by GCMS**	Delhi	R	7500	Daily : 11:30am	4th day : 6:00pm	Spot Urine:10 ml of Spot urine required with clinical history and clinician number.
M0038	Metabolic Screen**	Delhi	R	7280	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
M0039	Metanephrine- Free Plasma**	Delhi	D	6000	Tue & Fri : 11:30am	Next day : 5:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
M0040	Metanephrine level, HPLC, 24 hrs urine**	Delhi	D	3500	Mon & Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
M0041	Methadone Dolophine Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	10 ml of Spot urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0042	Methamphetamine Qualitative Urine Spot	Delhi	B	680	Daily : 9:00am to 9:00pm	After 10 mins	Urine
M0042	Methamphetamine Qualitative Urine Spot**	Delhi	B	835	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	10 ml of Spot urine
M0043	Methaqualone Qualitative Urine Spot**	Delhi	B	720	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
M0044	Meth-Haemoglobin Blood**	Delhi	C	1035	Daily : 11:30am	Next day : 5:00pm	3 ml of Heparin Blood. Sample required within 12 to 24 hrs after collection & avoid holiday & weekends.
M0045	Methionine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
M0046	Methionine Quantitative Urine SPOT**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
M0047	Methotrexate Serum**	Delhi	C	3270	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of serum(sample collect in, plain vacutainer, not in gel tube)
M0048	Methyl Malonic Acid Qualitative Urine Spot**	Delhi	R	730	Daily : 11:30am	5th day : 6:00pm	15 ml of Spot Urine
M0049	Methyl Malonic Acid Quantitative Urine SPOT**	Delhi	R	13520	Daily : 11:30am	5th day : 6:00pm	15 ml of Spot Urine
M0050	MGMT PCR Temozolomide Resistance Tissue**	Delhi	R	16950	Daily : 11:30am	25th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
M0051	MICM By PCR Maternally Inherited Cardiomyopathy Blood**	Delhi	R	7280	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0052	Microalbumin Urine 24H	Delhi	B	665	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					hrs		relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
M0053	Microalbumin / Creatinine Ratio Urine Spot	Delhi	B	650	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
M0054	Microsporidium Detection by modified ZN Stain - Stool **	Delhi	B	555	Daily: 9am and Same day 5pm	Same day 5pm	5gm of Stool specimen in Sterile leak proof container
M0055	Mitochondrial (M2) Antibody by IFA Reflex to end point titre Serum	Delhi	C	2070	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0059	Mixing Studies (APTT)	Delhi	B	3110	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
M0060	MMC-Mutation Detection Maternal Myopathy With Cardiomyopathy Blood**	Delhi	R	7280	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0061	MM-Mutation Detection Mitochondrial Myopathy**	Delhi	R	8840	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0063	MPO by EIA, p-ANCA Serum	Delhi	C	1745	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0064	(cMPO )Myeloid cell marker**	Delhi	D	2455	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition (preferably). Clinical history and clinician details required.
M0065	MPO (Myeloperoxidase )Stain, Blood**	Delhi	C	870	Daily : 11:30am	3rd day : 6:00pm	3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory
M0066	MPO (Myeloperoxidase ) Stain, Bone Marrow**	Delhi	C	925	Daily : 11:30am	3rd day : 6:00pm	3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory
M0068	MRSA Screen - Nasal swab**	Delhi	C	980	Daily: 9am to 9pm and Upto 18 - 36 hrs	Upto 18 - 36 hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
M0069	MSUD-Maple Syrup Urine Disorder Neonatal Screen Blood**	Delhi	D	545	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
M0070	MTHFR C677T/A1298C Mutations**	Delhi	D	7000	Wed and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
M0071	Mucopolysaccharides (MPS) Type-I Blood**	Delhi	R	5720	Daily : 11:30am	7th day : 6:00pm	10 ml sodium Heparin OR EDTA Blood
M0072	Mucopolysaccharides (MPS) Type-VI Blood**	Delhi	R	2290	Daily : 11:30am	7th day : 6:00pm	10 ml sodium Heparin OR EDTA Blood
M0074	Mucopolysaccharides, urine**	Delhi	D	545	Daily : 11:30am	Next day : 5:00pm	10 ml of Spot urine
M0075	Multiple Sclerosis Profile, Maxi**	Delhi	D	10900	Tue and Fri: 9am and Next day 5pm	Next day 5pm	2 ml of CSF in leakproof container (foolin vu conical tube is recommended to prevent leakage). 3 ml of Serum.
M0076	Multiple Sclerosis Profile, Mini**	Delhi	D	7085	Tue and Fri: 9am and Next day 5pm	Next day 5pm	2 ml of CSF in leakproof container (foolin vu conical tube is recommended to prevent leakage). 3 ml of Serum.
M0078	Mumps virus IgG Antibody by CLIA - Serum**	Delhi	C	2180	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0079	Mumps virus IgM Antibody by CLIA - Serum**	Delhi	C	2180	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0080	MUSK Antibody Myasthenia gravis Serum**	Delhi	C	6760	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0081	Myasthenia Gravis Profile**	Delhi	D	10900	Mon: 9am and 4th day	4th day	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0086	Mycoplasma Pneumoniae IgG Antibody by EIA - Serum**	Delhi	C	2235	Thu: 9am and Same day 4pm	Same day 4pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0087	Mycoplasma Pneumoniae IgM Antibody by EIA - Serum**	Delhi	C	2235	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
M0090	Myositis Profile-IgG, 11 Antigen, Serum	Delhi	D	9265	Tue, Sat: 10.00 am and Same day 6.00 pm	Same day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0091	Myoglobin Serum**	Delhi	C	2725	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0092	Myoglobin Urine Spot**	Delhi	C	1635	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
M0095	Myotonic Dystrophy Type 1 (DM1) Mutation Analysis **	Delhi	E	6825	Daily: 9am and 1 month	1 month	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
M0099	MRSA screen Methicillin Resistant Staphylococcus aureus - PCR**	Delhi	C	2180	Daily: 9am and Same day 7pm	Same day 7pm	One swab from Nasal, Groin and Axilla.
M0100	Multiple myeloma workup panel**	Delhi	D	21745	Daily: 9am and 7th day	7th day	3 ml of EDTA Bone Marrow, 4ml of heparin Bone marrow, Serum, Direct smears
M0101	MPL W515/S505 Mutation Analysis, Blood**	Delhi	E	5775	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
M0102	MPL W515/S505 Mutation Analysis, Bone marrow**	Delhi	E	6300	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0103	Microsatellite Instability (MSI), HNPCC/ Lynch Synd**	Delhi	D	15260	Daily: 9am and 10th day	10th day	â€¢ Clinical history with Histopathology report. FFPE Block - Ambient & EDTA Blood
M0104	MYCN Neuroblastoma (n MYC gene amplification)**	Delhi	R	13520	Daily : 11:30am	12th Day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
M0108	Metachromatic Leukodystrophy gene**	Delhi	R	20800	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0132	MISMATCH REPAIR (MMR) PROTEIN IMMUNOHISTOCHEMISTRY ONLY**	Delhi	D	9810	Daily: 9am and 5th day	5th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail
M0136	Marfan s syndrome By NGS**	Delhi	R	21840	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0140	Muscular Dystrophy & Congenital Myopathy gene panel**	Delhi	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0141	Methylmalonic acids Quantitative Serum**	Delhi	R	2390	Thu : 11:30am	4th day : 6:00pm	3ml of serum
M0142	MET Amplification FISH**	Delhi	E	8925	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
M0145	Maturity-Onset Diabetes of the Young (MODY) & neonatal diabetes gene panel**	Delhi	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M0147	MLH1 Promoter Hypermethylation**	Delhi	E	5250	Daily: 9am and 7th day	7th day	â€¢ Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable.
M0149	MSH2 Sequencing and deletion duplication analysis**	Delhi	E	18900	Daily: 9am and 15th day	15th day	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0150	MMR IHC Reflex to BRAF CD600 and MHL1 promoter Hypermethylation**	Delhi	D	11990	Daily: 9am and 7th day	7th day	EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. (FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf
M0151	Metanephrine- Fractionated Plasma**	Delhi	D	7630	Tue & Fri : 11:30am	Next day : 5:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
M0153	Combine screening of Pre-eclampsia & Trisomies**	Delhi	D	3815	Daily cut off 7:30 AM	same day 9:00 PM	3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements
M0154	Meningitis/Encephalitis panel by FilmArray (Biofire) - CSF**	Delhi	E	19425	Daily: 9am to 9pm and 2nd day	2nd day	2ml of CSF in Sterile leak proof tube or container
M0160	MMR IHC Reflex to MSI PCR**	Delhi	D	8610	Daily: 9am and 10th day	10th day	(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Histopathology report, HistologyandIHC.pdf
M0161	Myositis Profile-IgG(16 Antigen)**	Delhi	D	11000	Daily: 11:30am	Next day 8pm	4 ml of serum
M0163	Magnesium, Hair tests by ICPMS**	Delhi	R	5720	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
M0164	Manganese, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
M0165	Manganese, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
M0166	Marijuana confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
M0167	Mercury, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
M0169	Metals profile-1, EDTA whole blood **	Delhi	D	6540	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0170	Metals profile-1, Spot urine	Delhi	D	6540	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0172	Metals profile-2, Spot urine**	Delhi	R	11960	Daily : 11:30am	10th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0174	Metals profile-3, Spot urine**	Delhi	R	16120	Daily : 11:30am	10th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
M0175	Methadone confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0176	Methaqualone confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
M0178	Minerals profile, Hair**	Delhi	R	11960	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
M0179	Minerals profile, Spot Urine**	Delhi	R	11960	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
M0181	Molybdenum, Hair tests by ICPMS**	Delhi	R	5720	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
M0182	Molybdenum, Spot Urine**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
M0183	Mucorales (Mucormycosis) DNA Detection by Real Time PCR - Body fluids/CSF/EDTA Blood/Pure culture/Sputum/Tissue**	Delhi	C	7085	Daily 8:00	Same day 8:00 pm	3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container
M0193	MetroHealth Instant Glucose Fasting	Delhi	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0194	MetroHealth Instant Glucose Post Prandial	Delhi	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0195	MetroHealth Instant Glucose Random	Delhi	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0196	MetroHealth Instant Haemoglobin	Delhi	L0	100	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood
M0197	MetroHealth Instant Urine	Delhi	L0	150	Daily : 9:00am to 9:00pm	After 5 mins	Urine
M0823	Macro TSH (TSH, Free TSH,% Recovery) Serum**	Delhi	C	545	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
M0824	Anti diabetic drug contents**	Delhi	R	5720	Daily : 11:30am	10th day : 6:00pm	Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
M0825	Medicine test profile (steroids, heavy metals, anti diabetic, NSAIDS)**	Delhi	R	20800	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 gm ), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
M0826	NSAID contents**	Delhi	R	3120	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 gm ), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
M0829	Monogenic and syndromic obesity-Gene Panel	Delhi	E	21000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
M0830	MTB Antibigram (TB NGS) by Next Generation Sequencing - Pure Culture**	Delhi	R	8840	Daily : 11:30am	15th day : 6:00pm	Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
M0831	MPA ( Mycophenolic Acid)**	Delhi	C	2455	Mon & Thu : 9:00am	Same day : 5:00pm	require serum (3ml) sample collected in fasting status preferably but not mandatory.
M5085	MPN Comprehensive Panel (Blood)**	Delhi	D	15000	Tue and Fri: 9am and 7th day	7th day	3ml whole blood in EDTA Vacutainer & 3ml Heparin blood
M5086	MPN Comprehensive Panel (Bone Marrow)**	Delhi	D	16350	Tue and Fri: 9am and 7th day	7th day	3ml Bone Marrow in EDTA Vacutainer & 3ml Bone Marrow
M5097	MTB triple combo (For pulmonary samples)**	Delhi	D	7305	Daily : 7:30am	After 6 weeks : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container
M5098	MTB triple combo (For extra pulmonary samples)**	Delhi	D	7305	Daily : 7:30am	After 6 weeks : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
M5768	MetroHealth Instant 5 min Screen Pkg	Delhi	L0	350	Daily : 9:00am to 9:00pm	After 5 mins	Whole Blood-Finger Prick , 30 to 60 ml of Urine in a leak proof container.
M8027	Myotonic Dystrophy Type 2 (3q 21)	Delhi	R	9360	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
M8228	MIC OF COLISTIN BY MICRO BROTH DILUTION**	Delhi	C	545	Daily : 9:00am to 9:00pm	3rd day : 6:00pm	Pure culture isolate is required with identification upto species level.
M8268	MTB Xpert XDR Rapid (For Pulmonary Samples)**	Delhi	D	4010	Daily : 7:30am	Same day : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container
M8269	MTB Xpert XDR Rapid (For Extra pulmonary Samples)**	Delhi	D	4010	Daily : 7:30am	Same day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
M8346	MELD package	Delhi	R	1250	Daily 9.00am to 9.00pm	Same day at 5.00pm	
N0001	N- Acetyl Glucosamine 6 Sulphate Sulphatase Blood**	Delhi	R	8840	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
N0002	NARP Neurogenic Ataxia Retinitis Pigmentosa Blood**	Delhi	R	6760	Daily : 11:30am	8th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0003	Natural Killer cells**	Delhi	D	4360	Daily : 11:30am	Next day : 5:00pm	6 ml EDTA whole Blood
N0006	Neisseria Gonorrhoeae Culture & Identification by Vitek/ MALDITOF - Urethral discharge**	Delhi	C	1090	Daily: 9am to 9pm and 3rd day	3rd day	2 ml of Urethral Discharge in Sterile leak proof container
N0007	Neisseria Gonorrhoeae Culture & Identification Vitek/ MALDITOF - Vaginal discharge**	Delhi	C	1090	Daily: 9am to 9pm and 3rd day	3rd day	2 ml of Vaginal Discharge in Sterile leak proof container
N0008	Neisseria Gonorrhoea DNA Detection by Real Time PCR - Genital swab**	Delhi	C	3705	Wed & Sat : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
N0009	Neisseria Gonorrhoea DNA Detection by Real Time PCR - Urethral discharge**	Delhi	C	3705	Wed & Sat : 9:00am	Next day : 5:00pm	2ml of Urethral Discharge in Sterile leak proof container
N0010	Neisseria Gonorrhoea DNA Detection by Real Time PCR - Urine**	Delhi	C	3705	Wed & Sat : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container
N0011	Neisseria Meningitidis A,C,Y W135 Antigen detection by Agglutination - CSF**	Delhi	C	2615	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
N0012	Neoxpert IAP (Newborn Screening 3 Analytes)**	Delhi	C	765	Daily 11:30am	Next Day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0013	Neoxpert 5 (Newborn Screening 5 Analytes)**	Delhi	C	1310	Daily 9:00am	Next day : 5:00pm	<p>Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.</p> <p>Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0014	Neoxpert 8 (Newborn Screening 8 Analytes)**	Delhi	C	2835	Daily 9:00am	Next day : 5:00pm	dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
N0015	Neoxpert by TMS (Newborn Screening 40+ Analytes)**	Delhi	C	5340	Daily : 11:30am	5th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
N0017	Paraneoplastic syndrome/Neuronal Antibody Profile (IgG)	Delhi	E	9450	Tuesday & Saturday	Next day, 5 pm	3 ml of serum
N0018	Nickel EDTA Whole Blood**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
N0019	Nickel Serum**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
N0020	Nickel, Urine Spot**	Delhi	D	3595	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
N0021	Nicotine Metabolite Quantitative Serum**	Delhi	C	1415	Daily: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0022	Nicotine Metabolite Quantitative Urine Spot**	Delhi	C	2180	Daily: 9am and Same day 5pm	Same day 5pm	2 ml of Spot Urine
N0023_NIPS	NEXTGEN NON-INVASIVE PRENATAL SCREENING TEST**	Delhi	E	16500	Daily : 9:00am	8th day : 6:00pm	Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo Identification Proof.
N0027	NMDA Receptor Antibody (NR1), CSF**	Delhi	D	6540	Mon & Thu : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
N0028	NMDA Receptor Antibody (NR1) Autoimmune encephalitis Serum**	Delhi	D	7085	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0029	NMO (Aquaporin 4)Neuromyelitis Optica Antibodies Serum	Delhi	C	4685	Tue & Fri : 11:30am	Same day : 9:00pm	tests. 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0030	NMO (Aquaporin 4)Neuromyelitis Optica Antibodies CSF	Delhi	C	4685	Tue & Fri : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
N0032	Nocardia Detection by smear examination - Sputum	Delhi	B	835	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	2ml of Sputum in Sterile leak proof container
N0033	Nocardia Detection by smear examination - Tissue	Delhi	B	555	Daily: 8.00 am and 3.00 pm and After 6 hrs	After 6 hrs	Tissue with Normal Saline in Sterile leak proof container
N0034	Nor-Adrenaline (Nor-Epinephrine) Plasma**	Delhi	D	3160	Wed : 11:30am	Next day : 7:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
N0035	Nor-Adrenaline (Nor-Epinephrine) Urine-HPLC**	Delhi	D	3160	Wed : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
N0036	Nor-Metanephrine-Free Plasma**	Delhi	D	4500	Tue & Fri : 11:30am	Next day : 7:00pm	Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.
N0037	Nor-Metanephrine, HPLC, urine 24 hrs**	Delhi	D	2180	Mon & Thu : 11:30am	Next day : 7:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
N0039	NPM1 mutations AML - Blood**	Delhi	D	4360	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
N0040	NPM1 mutations AML - Bone Marrow**	Delhi	D	4360	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
N0041	NRAS mutations Exon-2 & 3 FFPE Tissue**	Delhi	D	7305	Daily: 9am and 7th day	7th day	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
N0042	NSE Neuron Specific Enolase CSF**	Delhi	D	3490	Tue & Fri: 11:30am	After 8hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
N0043	NSE Neuron Specific Enolase Serum**	Delhi	D	3705	Tue & Fri: 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0044	NT-Pro BNP Serum	Delhi	C	3500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
N0045	NTxN-Tellopeptide (Collagen Crosslinked)Urine 24H**	Delhi	C	3490	Wed : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
N0047	NMDA- CSF & Serum**	Delhi	D	11990	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests. 2 ml of CSF in sterile screw capped container.
N0048	NMO- CSF & Serum	Delhi	D	8175	Tue & Fri : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0056	Paraneoplastic syndrome/Neuronal Antibody Profile-3**	Delhi	E	13000	Daily: 11:30am	Next day 8pm	3 ml of serum
N0057	Neoxpert Expanded Screening Panel (Newborn Screening 48+ Analytes)**	Delhi	D	6430	Daily : 11:30am	5th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
N0058	Comprehensive Neurology panel**	Delhi	R	22880	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
N0059_Serum	NMO with MOG Antibody Profile	Delhi	D	7000	Daily : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
N0060_CSF	NMO with MOG Antibody Profile	Delhi	D	7085	Daily : 11:30am	Same day : 9:00pm	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
N0061	Nocardia Susceptibility by Microbroth dilution - Pure Culture**	Delhi	C	3545	Daily: 9am and 15th day	15th day	Pure growth of Nocardia spp. on Blood/Chocolate Agar plate. Kindly provide Previous identification report of Nocardia.
N0062	Nitrosonaphthol Test Qualitative, Spot Urine**	Delhi	R	20800	Daily : 11:30am	5th day : 6:00pm	10 ml of Spot sample in Leakproof container. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
N0064	Nickel, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
N0065	Nickel, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
N0066	NR4A3 (TEC) 9p22.3 translocation**	Delhi	R	12480	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
N0067	NTRK3 and ETV6 translocation**	Delhi	R	14560	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
N0068	Neurology comprehensive panel & whole mitochondrial genome sequencing**	Delhi	E	26250	Daily : 7:30am	After 4 weeks :	3 ml of EDTA whole blood required to be send at Ambient temperature

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6:00pm	for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0069	Neurotransmitter disorders-Gene Panel**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0070	New born screening panel by NGS**	Delhi	E	16800	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
N0096_C	Integrated test, standard**	Delhi	E	5775	Daily : 11:30am	7th day : 6:00pm	3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histroy additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days.
N0096_S	Integrated test, sequential**	Delhi	E	5775	Daily : 11:30am	7th day : 6:00pm	3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histroy additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days.
N5543_NIPS Advanced	NEXTGEN NON-INVASIVE PRENATAL SCREENING TEST-ADVANCED**	Delhi	E	19000	Daily : 9:00am	8th day : 6:00pm	Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo Identification Proof.
N8209	NextGen Precision Assay (500 genes +TMB+MSI)**	Delhi	R	65000	11.30 am	20 day 6:00pm	EDTA SAMPLE + Paraffin Block
O0001	Obesity Profile**	Delhi	C	6430	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine
O0002	Occult blood by chemical test - Stool	Delhi	A	170	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
O0003	Occult blood by chemical test - Urine	Delhi	A	115	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
O0004	Oligoclonal band,CSF**	Delhi	C	4905	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml of serum & 2 ml of CSF in sterile screw capped container.
O0005	Opiates Morphine Urine Spot**	Delhi	B	720	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	5 ml of Spot Urine
O0006	Oppportunistic infection panel by Modified ZN smear - Stool**	Delhi	C	1525	Daily: 7pm and Next day 4pm	Next day 4pm	5gm of Stool specimen in Sterile leak proof container
O0008	Ornithine Quantitative Plasma**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
O0009	Ornithine Quantitative Urine 24H**	Delhi	R	6450	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
O0010	Osmolality freezing point Serum**	Delhi	C	1090	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
00011	Osmolality freezing point Urine**	Delhi	C	870	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	tests. 5 ml of Spot Urine
00012	Osmotic Fragility Test	Delhi	C	820	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Sodium heparin sample
00013	Osteocalcin BGP-Bone Gla Protein Serum**	Delhi	C	3105	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
00014	Osteomon Profile**	Delhi	D	3050	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum and 3 ml of EDTA plasma
00015	Osteoporosis Profile-I**	Delhi	C	2015	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	2 ml of EDTA Plasma
00016	Osteoporosis Profile-II**	Delhi	C	6215	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine
00017	Osteoporosis Profile-III**	Delhi	C	8610	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine
00018	OT Microbiological Surveillance Panel Bacterial & Fungal by Vitek/ MALDITOF - Per swab	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
00020	Ovarian Antibody AOA serum**	Delhi	C	3595	Mon : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
00021	Ovarian Marker Profile**	Delhi	D	4250	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum
00022	Ovarian Reserve Profile-Maxi**	Delhi	C	6430	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum
00023	Ovarian Reserve Profile-Mini**	Delhi	C	3490	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
00024	Oxalate, Urine**	Delhi	C	2070	Daily : 11:30am	Same day : 9:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
O0025	OT Microbiological Surveillance Panel Bacterial & Fungal - 5 swabs	Delhi	C	2455	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
O0026	Oxcarbazepine, Serum**	Delhi	D	4905	Fri : 11:30am	Next day : 5:00pm	3 ml of serum(sample collect in, plain vacutainer, not in gel tube)
O0027	Ova and Parasite Examination,Other Samples**	Delhi	B	335	Daily	Next Day	5gm of Stool specimen in Sterile leak proof container
O0040	Opiates confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
O0041	Oncotrack - Ultima [Liquid biopsy for 56 theranostic genes]**	Delhi	R	49400	Daily : 11:30am	After 4 weeks : 6:00pm	Peripheral blood in 2 Streck tubes , (tube supplied upon request)
O0042	NextGen Oncomine Focus Assay - 52 Gene Panel	Delhi	E	39500	Daily 9:00 am	4 Weeks	Tumor containing FFPE block (>10% of tumor). Clinical history with Histopathology report.
P0001	P1NP Intact N-Terminal Propeptide of Type I Procollagen Serum**	Delhi	C	1800	Mon and Thu: 9am and Same day 6pm	Same day 6pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0002	Pacer-26	Delhi	C	2070	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	5 ml of serum and 2 ml of F flouride plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					hrs		
P0003	Palmitoyl Protein Thioesterase1**	Delhi	R	5825	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
P0004	Pancreatic (Acute) Profile	Delhi	D	1635	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum and 2 ml of EDTA whole blood
P0005	Pancreatic Marker Profile**	Delhi	D	3815	Wed and Sat: 7:30am and After 8 hrs	After 8 hrs	5 ml of serum
P0006	Panfungal-DNA detection by PCR & Sanger Sequencing - EDTA Blood**	Delhi	D	10900	Daily : 7:30am	3rd day : 6:00pm	3 ml of Whole Blood in EDTA Vacutainer
P0007	Panfungal-DNA detection by PCR & Sanger Sequencing - Body fluids**	Delhi	D	10900	Daily : 7:30am	3rd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container
P0008	Panfungal-DNA detection by PCR & Sanger Sequencing - CSF**	Delhi	D	9810	Daily : 7:30am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container
P0009	Panfungal-DNA detection by PCR & Sanger Sequencing - Sputum**	Delhi	D	10900	Daily : 7:30am	3rd day : 6:00pm	2ml of Sputum in Sterile leak proof container
P0010	Panfungal-DNA detection by PCR & Sanger Sequencing - Tissue**	Delhi	D	10355	Daily : 7:30am	3rd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container
P0011	PAP smear by Conventional method	Delhi	C	655	Daily: 9am and 2nd day	2nd day	Pre fixed smears along with P/S findings
P0012	PAP smear by Liquid based cytology (LBC)	Delhi	C	1300	Daily: 9am and 2nd day	2nd day	Cervical scraping in a LBC vial
P0013	PAPPa-Pregnancy Associated Plasma Protein Serum	Delhi	D	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0014	Paracetamol Acetaminophen Serum**	Delhi	D	1200	Daily: 9am and 3rd day	3rd day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0015	Parainfluenza 1,2 & 3 IgG Antibody by EIA - Serum**	Delhi	C	1855	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0016	Parainfluenza 1,2 & 3 IgM Antibody by EIA - Serum**	Delhi	C	1855	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0017	Parathyroid Panel	Delhi	C	2945	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	2 ml of EDTA plasma, 3 ml of serum and spot sample urine



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					hrs		
P0018	Parietal Cell Antibody GPCA by IFA Serum**	Delhi	C	2725	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0019	Parvovirus B19 DNA Detection by Real Time PCR - Amniotic fluid**	Delhi	D	3105	Mon, Thursday: 9:00am	Next day : 5:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
P0020	Parvovirus B19 DNA Detection by Real Time PCR - EDTA Blood**	Delhi	D	3000	Mon, Thursday: 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
P0021	Parvovirus B19 DNA Detection by Real Time PCR - CSF**	Delhi	D	3105	Mon, Thursday: 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
P0022	Parvovirus B19 IgG Antibody by EIA - Serum**	Delhi	C	3490	Wed & Sat 1:00 pm and Next day 5:00 pm	Next day 5:00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0023	Parvovirus B19 IgM Antibody by EIA - Serum**	Delhi	C	3270	Wed & Sat 1:00 pm and Next day 5:00 pm	Next day 5:00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0024	PAS Stain, Blood**	Delhi	C	765	Mon & Thu : 11:30am	3rd day : 6:00pm	3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory
P0025	PAS Stain, Bone Marrow**	Delhi	C	765	Mon & Thu : 11:30am	3rd day : 6:00pm	3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory
P0026	Paul bunnel test by Agglutination - Serum**	Delhi	B	1330	Daily: 9am and 3rd day 7pm	3rd day 7pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0028	PCP Phencyclidine Phosphate Urine Spot**	Delhi	B	775	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	5 ml of Spot Urine
P0032	Peripheral smear examination (PBS)	Delhi	B	140	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA Whole Blood
P0033	pH by Indicator Strip - Stool	Delhi	A	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
P0034	pH by Indicator Strip - Urine	Delhi	A	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
P0035	Phenobarbitone Gardinal Serum**	Delhi	C	1095	Daily: 9am to 9pm	After 6 hrs	3 ml of serum for single test and 5

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule and After 6 hrs	Reportedon	Sample Guideline
P0036	Phenyl Alanine Neonatal Screen Dried blood spot**	Delhi	B	390	Daily : 11:30am	Next day : 5:00pm	ml serum for profiles and reflex tests. Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
P0037	Phenylalanine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
P0038	Phenylalanine Quantitative Spot Urine**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
P0039	Phenytoin Eptoin, Dilantin Serum**	Delhi	C	1035	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0040	Pheochromocytoma Marker Profile-I**	Delhi	D	7520	Daily: 9am and 7th day	7th day	20 ml of 24 hrs urine in HCL preservative. Quote Volume.
P0041	Pheochromocytoma Marker Profile-II**	Delhi	D	17985	Daily: 9am and 7th day	7th day	4 ml of EDTA plasma and 20 ml of urine (Urine 24H)
P0050	Phospholipid profile IgG**	Delhi	C	5395	Thu: 1:00 pm and	Next day 5:00	5 ml of serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0051	Phospholipid profile IgM**	Delhi	C	5395	Next day 5:00 pm Thu: 1:00 pm and Next day 5:00 pm	pm Next day 5:00 pm	5 ml of serum
P0052	Phospholipid Syndrome Profile	Delhi	D	4900	Tue, Thu, Sat: 10.00 am and Same day 6.00 pm	Same day 6.00 pm	3 ml of Citrate plasma, 3 ml of serum
P0053	Phosphorus-Inorganic Serum	Delhi	A	170	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0054	Phosphorus-Inorganic Urine Spot	Delhi	A	340	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
P0055	Phosphorus-Inorganic Urine 24H	Delhi	A	320	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
P0056	Phosphotidylserine IgG antibodySerum**	Delhi	C	1635	Thu: 1:00 pm and Next day 5:00 pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0057	Phosphotidylserine IgM antibodySerum**	Delhi	C	1635	Thu: 1:00 pm and Next day 5:00 pm	Next day 5:00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0058	PIK3CA Gene Mutations - FFPE Tissue**	Delhi	E	6090	Daily: 9am and 12th day	12th day	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.
P0059	Pituitary Marker Profile	Delhi	C	3925	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA plasma, 3 ml of serum
P0060	PLA2 receptor antibody Primary membranous Glomerulopathy Serum**	Delhi	D	4905	Tue : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0061	Plate/Slant For Identification & Susceptibility - Automated Plate/Slant**	Delhi	C	870	Daily: 9am to 9pm and Upto 18 - 36 hrs	Upto 18 - 36 hrs	Pure culture isolate is required
P0062	Platelet Antibodies by IFA Serum**	Delhi	D	6540	Mon : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0063	Platelet Count ,EDTA Blood	Delhi	A	55	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA Whole Blood
P0066	Pneumocystis Carinii Detection by IFA - BAL / Sputum**	Delhi	C	2725	Daily: 9am and Same day 5pm	Same day 5pm	2 ml of BAL / Sputum in Sterile leak proof container
P0070	Pneumonia Viral-III Panel by EIA - Serum **	Delhi	D	7085	Thu: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
P0071	PNH confirmation test, Blood**	Delhi	D	7195	Daily: 9am and Next day 5pm	Next day 5pm	3 ml EDTA whole Blood
P0072	PNMA2 (MA2/TA) Antibody Serum	Delhi	D	4905	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0073	Synovial Fluid by Polarizing microscopy**	Delhi	C	545	Daily: 7am and 4th day	4th day	0.5 ml Synovial fluid in a plain container
P0074	Pompe Disease Enzyme Assay Blood**	Delhi	R	8010	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
P0075	Porphobilinogen (Quantitative), urine 24 Hrs**	Delhi	C	4140	Thu : 11:30am	Next day : 5:00pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
P0076	Porphyria Profile, 24 hrs Urine**	Delhi	D	5450	Thu : 11:30am	Next day : 5:00pm	Add 10 ml of 6 M HCL preservative in 24 hrs urine container. Collect 24 hrs urine sample and send 10 ml of 24 Hrs Urine In Dark Container.
P0077	Porphyria Profile, Urine Spot**	Delhi	D	5995	Thu: 9am and Next day 5pm	Next day 5pm	10 ml of 24 Hours Urine OR spot urine In Dark Container
P0078	Potassium ISE Serum	Delhi	A	140	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0079	Potassium Urine 24H	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							accurate results and such history to be conveyed to lab.
P0080	Potassium, urine by ISE_P0080	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
P0081	PR3 - c-ANCA Serum	Delhi	C	1470	Daily: 9am & Next day 7pm	Next day 7pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0082	PRA- Plasma Renin Activity**	Delhi	C	4360	Tue & Fri: 11:30am	Next day : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
P0083	Pre Albumin Serum**	Delhi	D	3815	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0086	Pre-Operative Profile (Maxi)	Delhi	C	2400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 2 ml of citrate plasma, 3 ml of serum, 20 ml of spot urine
P0087	Pre-Operative Profile (Mini)	Delhi	C	1470	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 3 ml of serum, 20 ml of spot urine
P0088	Procalcitonin Serum	Delhi	C	3000	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0089	Progesterone (P4) Serum	Delhi	B	700	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0090	Prolactin Serum	Delhi	B	600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	4 ml of Serum
P0091	Propoxyphene Qualitative Urine Spot**	Delhi	C	820	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	10 ml of Spot urine
P0092	Prostate Profile**	Delhi	D	2070	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0094	Protein C Activity Functional ,Citratd plasma	Delhi	C	4360	Mon: 7.30am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0095	Protein C Antigen Citrated plasma	Delhi	C	5340	Daily: 7:30am	Same day :	1 ml of citrated platelet poor

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	(P0095)**					9:00pm	plasma in frozen condition.
P0096	Serum, Protein Electrophoresis	Delhi	C	800	Daily 9 AM	Same day 6pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0097	Protein Electrophoresis, Urine 24 Hrs**	Delhi	C	1090	Mon and Thu: 9am and Next day 5pm	Next day 5pm	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
P0098	Protein Electrophoresis reflex immunofixation Serum	Delhi	C	2505	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0099	Protein S activity, Plasma	Delhi	C	3925	Mon: 7.30am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0100	Protein S Antigen (Free)Citrated plasma**	Delhi	C	5995	Mon: 9am and Next day 5pm	Next day 5pm	1 ml of citrated platelet poor plasma in frozen condition.
P0101	Proteins Serum	Delhi	B	180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0102	Proteins Urine 24H	Delhi	A	400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
P0103	Proteins Ascitic Fluid	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Ascitic Fluid
P0104	Proteins CSF	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
P0105	Proteins Pericardial Fluid	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Pericardial Fluid
P0106	Proteins Pleural Fluid	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Pleural Fluid
P0107	Proteins Synovial Fluid	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Synovial Fluid
P0108	Proteins/Creatinine Ratio	Delhi	B	500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
P0109	Prothrombin G20210A (Factor II) Mutation**	Delhi	D	5450	Wed and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
P0110	Prothrombin Time (PT)	Delhi	B	350	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	Local Labs can send whole Blood within 24 hrs of collection and for Outstations Frozen Plasma required.
P0111	PSA-Free Prostate Specific Antigen Serum	Delhi	C	980	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					hrs		tests.
P0112	PSA-Total Prostate Specific Antigen Serum	Delhi	B	800	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0113	Pseudo Cholinesterase OPC poisoning Serum**	Delhi	C	1090	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0114	PTH-Intact Molecule Parathyroid hormone Serum/Plasma	Delhi	B	1600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Serum / EDTA Plasma
P0115	PUO Profile**	Delhi	C	5450	Daily: 9am to 9pm and 5th day	5th day	2 Blood culture bottle (Aerobic and anaerobic), 3 ml of serum
P0117	Pyruvate by Biochemical Method**	Delhi	C	2725	Daily: 9am and 3rd day	3rd day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0119	PSA with Free PSA ratio	Delhi	C	1635	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0123	Prolactin, Active & macroprolactin serum**	Delhi	C	980	Daily : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0124	PSA reflex Free PSA, Serum	Delhi	C	1145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
P0125	Porphobilinogen (Quantitative), Urine Spot**	Delhi	C	3815	Thu : 11:30am	Next day : 5:00pm	10 ml of Spot urine
P0126	Protein Body Fluid	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml body fluid
P0127	Potassium Body Fluid	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml body fluid
P0135	Neurotropic Virus panel by real time PCR	Delhi	D	6320	Daily: 9am and 3rd day	3rd day	2ml of CSF in Sterile leak proof tube or container
P0139	Pancreatic Elastase Test**	Delhi	D	7085	Wednesday-9.00AM	same day 5.00 PM	100 gms of stool in leak proof container. History of medicines, morning sample preferred.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0149	PV panel (Jak-2 V617F Reflex to Jak-2 Exon 12 Mutation)-Blood**	Delhi	D	6540	Wed & Sat 9.00 am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
P0152	Pre-eclampsia screening Serum**	Delhi	D	3490	Mon & Thu : 11:30am	Next day : 6:00pm	3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histry additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days.
P0154	Posaconazole Serum**	Delhi	R	6240	Mon & Thu : 11:30am	Next day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0155	Plasma Acylcarnitine profile**	Delhi	R	5720	Daily : 11:30am	7th day : 6:00pm	3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations
P0156	PV panel (Jak-2 V617F Reflex to Jak-2 Exon 12 Mutation)-Bone Marrow**	Delhi	D	6540	Daily: 7am and Next day 5pm	Next day 5pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.
P0158	PML/RARA - t(15;17) Qualitative by PCR**	Delhi	D	5340	Daily: 7.30am and 4th day	4th day	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.
P0159	Phencyclidine confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
P0160	Platinum, EDTA Whole Blood**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
P0161	Platinum, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
P0162	Platinum, Spot Urine**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
P0163	Propoxyphine confirmation by LCMS, Spot Urine**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
P0165	POLG-Gene Analysis**	Delhi	E	17850	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
P0166	Pulmonary surfactant metabolism dysfunction-Gene Panel**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
P0169	Panfungal-DNA detection by PCR & Sanger Sequencing - Pure Culture**	Delhi	D	9810	Daily : 7:30am	3rd day : 6:00pm	Pure culture on SDA plate/ slant
P1002	Plasminogen Activator Inhibitor-1 (PAI-1) / SERPINE-1, 4G/5G Genotyping**	Delhi	R	14870	Wed : 11:30am	10th day : 6:00pm	Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.
P1003	PCOS Profile - 1	Delhi	D	3200	Daily : 7:30am	Same day : 5:00pm	5 ml of serum and 2 ml of F, PP fluoride plasma
P1004	PCOS Profile - 2**	Delhi	D	6800	Tue and Fri: 9am and Same day 5pm	Same day 5pm	2 ml of Fluoride plasma (F, PP), 5 ml of fasting serum sample
P1005	PCOS profile - 3**	Delhi	D	10790	Tue and Fri: 9am and Same day 5pm	Same day 5pm	2 ml of Fluoride plasma (F, PP), 6 ml of fasting serum sample
P1008	Prader-Willi / Angelman Syndrome by MS-PCR**	Delhi	D	8175	Tues & Sat 7.30 am and 10th day	10th day.	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
P1009	Prolactin (Tripled Sample) serum	Delhi	D	600	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum(0, 20, 40 min)
P1017	Phenol, Urine**	Delhi	R	2985	Daily : 11:30am	20th day : 6:00pm	31 ml Urine (collect Urine after end of work shift on last working day of shift)
P5629	Prega-Plus**	Delhi	E	9030	Daily: 9am and 3rd day	3rd day	2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of fluoride plasma , 20 ml of spot urine, 10 ml of urine in Sterile Container .(Mid-stream or early morning) . Upon 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose ) and Sample has to be collected exactly after two hours.Sample for

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Pregascreen Dual is collected between 11-13 weeks gestation. Tests for partner to be registered separately under P0630. )
P5631	Prega-Pro**	Delhi	E	5880	Daily: 9am and 3rd day	3rd day	2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of flouride plasma , 20 ml of spot Urine 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose ) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation...
P8220	Pneumocystis jirovecii (PCP) Detection	Delhi	D	7500	Every Tuesday, Thursday and Saturday. 9AM	Same day 11pm	3ml Sputum or BAL
P8229	PLA2 receptor antibody Quantitative , Serum**	Delhi	D	5450	Tue : 11:30am	Next day : 5:00pm	2 ml Serum
P8530	PDL-1 (22C3) Head & Neck squamous cell carcinoma	Delhi	D	15020	Daily 9 am	7th day	Paraffin Block
P8531	PDL-1 (22C3) Breast	Delhi	D	15020	Daily 9 am	7th day	Paraffin Block
P8532	PDL-1 (22C3) Cervix	Delhi	D	15020	Daily 9 am	7th Day	Paraffin Block
P8533	PDL-1 (22C3) Lung	Delhi	D	15020	Daily 9 am	7th Day	Paraffin Block
P8534	PDL-1 (22C3) Urothelial	Delhi	D	15020	Daily 9 am	7th Day	Paraffin Block
Q8101	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR	Delhi	E	5200	Daily : 9:00am	Next day : 6:00pm	â€¢ Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or â€¢ Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . â€¢ çPOC - 1)Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin
R0001	RA test Rheumatoid Arthritis Serum	Delhi	B	450	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0002	RA test Rheumatoid Arthritis Synovial Fluid	Delhi	B	555	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1ML of Synovial Fluid
R0004	Rabies virus antibodies IgG by EIA**	Delhi	D	3925	Mon: 7.30am and 7th day	7th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0005	RA-IgA Rheumatoid Arthritis Serum**	Delhi	R	830	Daily : 11:30am	7th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0007	RBC Folate EDTA Whole Blood**	Delhi	C	2070	Daily : 9:00am	Same day after 8 hrs	EDTA Blood (2 ml) And Serum (2 ml)

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
R0009	Reducing Substances Paediatric - Urine	Delhi	A	115	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
R0010	Reducing Substance by chemical test - Stool	Delhi	A	115	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
R0011	Renal (Kidney) Function Tests-1 RFT Maxi	Delhi	C	1800	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of EDTA whole blood, 2 ml of Flouride plasma, 3 ml of serum, 20 ml of spot urine
R0012	Renal (Kidney) Function Tests	Delhi	C	850	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum, 20 ml of spot urine
R0012_WithouteGFR	Renal (Kidney) Function Tests-2 RFT Mini	Delhi	C	1145	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum, 20 ml of spot urine
R0013	Renin Direct Plasma**	Delhi	C	4140	Tue and Fri: 9am and Same day 5pm	Same day 5pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
R0014	Pneumonia (Atypical) panel-IgG Respiratory Tract Infection Profile-IgG by EIA - Serum**	Delhi	D	7085	Thu: 7:30am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0015	Pneumonia (Atypical) panel-IgM Respiratory Tract Infection Profile-IgM by EIA - Serum**	Delhi	D	7085	Thu: 7:30am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0018	Rett Syndrome MECP2 Sequencing Blood**	Delhi	E	6825	Daily: 7.30am and 10th day	10th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
R0020	Rh Antibody, Serum	Delhi	B	945	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml Serum sample
R0021	Rheumatic Fever Panel	Delhi	C	1690	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	3 ml of EDTA blood and serum. And Throat swab
R0022	Rheumatoid Arthritis Panel-1	Delhi	C	3380	Daily :10.00 am	Same Day	3 ml of serum for single test and 5



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
						6.00 pm	ml serum for profiles and reflex tests.
R0023	Rheumatoid Arthritis Panel-2	Delhi	C	5340	Wed, Sat: 10.00 am and Same day 6.00 pm	Same day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0024	Rheumatoid Arthritis Panel-3	Delhi	C	8175	Wed, Sat: 10.00 am and Same day 6.00 pm	Same day 6.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0025	Rheumatology Profile	Delhi	C	6215	Wed, Sat: 10.00 am and Same day 6.00 pm	Same day 6.00 pm	5 ml of serum
R0026	Ri Antibody, Serum	Delhi	D	4905	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0027	RNP-Sm Antibody Serum	Delhi	C	1960	Tue, Thu & Sat : 7:30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0028	Rota virus Antigen detection - Stool	Delhi	C	1415	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
R0030	Routine examination Comprehensive examination by Microscopy - Stool	Delhi	A	140	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	5gm of Stool specimen in Sterile leak proof container
R0031	Routine examination - Body fluid	Delhi	C	380	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2ml of Body Fluid in Sterile leak proof container
R0032	Routine examination - Ascitic fluid	Delhi	C	380	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2ml of Ascitic Fluid in Sterile leak proof container
R0033	Routine examination - CSF	Delhi	C	545	Daily: 8.00 am to 6.00 pm	After 4 hrs	2ml of CSF in Sterile leak proof tube or container
R0034	Routine examination (Pericardial Fluid)	Delhi	C	380	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2 ml of Pericardial Fluid in Sterile leak proof container
R0035	Routine examination (Peritoneal Fluid)	Delhi	C	380	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2 ml of Peritoneal Fluid in Sterile leak proof container

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
R0036	Routine examination (Pleural Fluid)	Delhi	C	380	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2ml of Pleural Fluid in Sterile leak proof container
R0037	Routine examination (Prostatic Fluid)	Delhi	C	870	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2ml of Prostatic Fluid in Sterile leak proof container
R0038	Semen Analysis by Microscopy - Semen	Delhi	B	500	Daily: 8.00 am to 4.00 pm and After 6 hrs	After 6 hrs	2ml of Semen in Sterile leak proof container
R0039	Routine examination of Sputum	Delhi	B	665	Daily: 9am and 2nd day	2nd day	2ml of Sputum in Sterile leak proof container
R0040	Routine Examination of Synovial Fluid	Delhi	C	380	Daily: 8.00 am to 5.00 pm and Same Day 8.00 pm	Same Day 8.00 pm	2ml of Synovial Fluid in Sterile leak proof container
R0041	Routine Examination of Urine	Delhi	A	120	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
R0042	RSV-IgG Antibody by EIA - Serum**	Delhi	C	2070	Thu: 9am and Same day 4pm	Same day 4pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0043	RSV-IgM Antibody by EIA - Serum**	Delhi	C	2015	Thu: 9am and Same day 4pm	Same day 4pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0044	Rubella Virus Avidity test by EIA - Serum **	Delhi	C	1310	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0045	Rubella Virus IgG and IgM Antibody by CLIA - Serum	Delhi	C	1255	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0047	Rubella Virus IgG Antibody by CLIA - Serum	Delhi	B	720	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0048	Rubella Virus IgM Antibody by CLIA - Serum	Delhi	B	835	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
R0049	Rubella Virus RNA Detection by PCR - Amniotic Fluid**	Delhi	C	3595	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
R0050	Rubella Virus RNA Detection by PCR - EDTA Blood**	Delhi	C	3815	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3 ml of Whole Blood in EDTA Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
R0051	Rubella Virus RNA Detection by PCR - CSF**	Delhi	C	3595	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
R0052	Rubella Virus RNA Detection by PCR - CVS**	Delhi	C	3595	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CVS in Sterile leak proof tube or container
R0053	Rubella Virus RNA Detection by PCR - Urine**	Delhi	C	3595	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	15ml of Spot Urine in Sterile leak proof container
R0055	RVVT-Russell Viper Venom Time	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 ml of citrated platelet poor plasma in frozen condition.
R0056	Retinitis Profile by Real Time PCR - Aqueous/Vitreous Fluid**	Delhi	D	10900	Daily: 9am and 6th day	6th day	3ml of Aqueous/ Vitreous Fluid in Sterile leak proof container
R0059	Retinol binding protein**	Delhi	R	2910	Daily : 11:30am	15th day : 6:00pm	3ml of serum
R0060	Ricketssia DNA Detection by Real Time PCR - Blood**	Delhi	D	5775	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
R0063	ROS1 Gene Rearrangement by FISH**	Delhi	D	12535	Daily: 9am and 15th day	15th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
R0066	Respiratory panel by FilmArray (Biofire) - Nasopharyngeal swab**	Delhi	E	18000	Daily: 9am and 2nd day	2nd day	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
R0067	RET Gene Rearrangement by FISH, Tissue**	Delhi	E	9450	Daily: 9am and 7th day	7th day	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
R0069	RNA Polymerase III Antibodies, IgG**	Delhi	C	3270	Tue : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
R0077	Allergy panel - Common Rhinitis/ Wheeze**	Delhi	D	7630	Daily : 11:30am	Next day : 5:00pm	All tests require serum (3ml) sample collected in fasting status

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.
R0080	Renal biopsy profile (LM, IF, EM)	Delhi	R	11960	Daily : 9:00am	20 day	1) Tissue in 10% NB formalin 2) Tissue in Michel Medium. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium. For Electron microscopy please send 3% glutaraldehyde
R0086	Rifampicin**	Delhi	D	6540	Daily : 11:30am	10th day : 6:00pm	2 ml K2-EDTA plasma
R1008	Anti Ribosome antibodies, serum**	Delhi	R	7280	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
R5588	Reassure BOH Mini**	Delhi	D	6430	Daily : 7:00am	3rd day : 6:00pm	5 ml serum, 3 ml citrate plasma
R5589	Reassure BOH Maxi**	Delhi	D	11990	Daily : 7:00pm	15th day : 6:00pm	5 ml serum, 4 ml Heparin whole Blood (Husband and wife), 3 ml citrate plasma
S0001	Spinocerebellar Ataxia PANEL (SCA1, 2, 3, 6, 7, 12 and 17)**	Delhi	E	12500	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0002	Spinocerebellar Ataxia (SCA1) DNA TEST**	Delhi	D	2945	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0003	Spinocerebellar Ataxia 2 (SCA2) DNA TEST**	Delhi	D	2945	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0004	SCA3 (Machado-Joseph Disease) DNA Test**	Delhi	D	2945	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0005	Spinocerebellar Ataxia 6 (SCA6) DNA TEST**	Delhi	D	2945	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0006	Spinocerebellar Ataxia TYPE 7 (SCA7) DNA TEST**	Delhi	D	2945	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0007	Spinocerebellar Ataxia Type 12 (SCA12) DNA Test**	Delhi	D	3050	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0008	Scl-70 Antibody Serum	Delhi	C	1525	Tue, Thu & Sat : 7:30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0009	Scleroderma Panel	Delhi	C	5450	Wed and Sat: 9am and Same day 4pm	Same day 4pm	5 ml of serum
S0010	Selenium, Blood**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0011	Selenium, Serum**	Delhi	D	3545	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0012	Selenium, Urine**	Delhi	D	3390	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0013	Selenium Urine 24H**	Delhi	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
S0014	Serine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
S0015	Serine Quantitative Urine 24H**	Delhi	D	6760	Daily : 11:30am	7th day : 6:00pm	10 ml of Spot urine
S0016	Serotonin5-Hydroxy Tryptamine Serum**	Delhi	D	3815	Wed : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0017	Serotonin5-Hydroxy Tryptamine,Urine**	Delhi	D	5180	Wed : 11:30am	Next day : 5:00pm	10 ml of 24 hrs urine (Preferred ) / Spot urine
S0018	SGOT AST Serum	Delhi	A	140	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0019	SGPT ALT Serum	Delhi	A	160	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0020	SHBG Sex hormone binding globulin Serum**	Delhi	C	2725	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0021	Sickle Cell Anemia Mutation Analysis**	Delhi	D	3490	Wed and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.
S0022	Sickling Test	Delhi	B	220	Daily : 9:00am to 9:00pm	after 6 hrs	3 ml EDTA whole blood
S0024	Silver ICPMS Urine**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0026	SIROLIMUS, BLOOD BY LC MSMS**	Delhi	C	5450	Tue & Fri: 11:30am	Next day : 5:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
S0027	Sjogrens Syndrome Profile	Delhi	D	2725	Wed and Sat: 7:30am and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0028	Anti-SLA/LP, IgG	Delhi	C	3050	Tues/fri 9am	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0029	SLE profile	Delhi	C	4905	Wed and Sat: 9am and Same day 5pm	Same day 5pm	3 ml of EDTA whole blood , 3 ml of serum
S0030	Sm Antibody Smith Antibody Serum	Delhi	C	1310	Tue, Thu & Sat : 7:30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0031	SMA 12+2	Delhi	D	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of flouride plasma , 3 ml of serum
S0032	Sodium ISE Serum	Delhi	A	190	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0033	Sodium Urine	Delhi	A	180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Spot Urine
S0034	Sodium Urine 24H	Delhi	A	285	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
S0035	Sodium Body Fluid	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
S0036	Soluble Transferrin Receptor Serum**	Delhi	C	1365	Daily: 9am to 9pm and 3rd day	3rd day	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0037	Specific gravity by Fully Automated Urine chemistry & Microscopy - Urine	Delhi	A	115	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
S0040	Sperm Antibody-Total ASAB serum**	Delhi	C	1255	Tue and Fri: 9am and Same day 6pm	Same day 6pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0041	Sphingomyelinase Niemann Pick Disease Blood**	Delhi	R	7800	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)
S0044	Spinal Muscular Atrophy Microdeletion By PCR SMN1 Gene Deletion**	Delhi	D	3595	Thu: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0045	Sry Deletion FISH**	Delhi	D	5775	Daily: 9am and 7th day	7th day	3 ml of Blood In Na-Heparin Vacutainer
S0046	SSA-Antibody Ro Serum	Delhi	C	1745	Tue, Thu & Sat : 7:30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0047	SSB-Antibody La Serum	Delhi	C	1745	Tue, Thu & Sat : 7:30am	Same day : 7:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							tests.
S0048	STD Profile -I**	Delhi	D	3200	Tue, Thu and Sat: 7:30am & 5th Day	5th Day	3 ml of serum
S0049	STD Profile -II**	Delhi	D	5000	Daily: 8pm and 5th day	5th day	4 ml Serum
S0050	STD Profile -III (HPV-DNA, Chyamydia Trachomatis DNA, HSV-DNA, HIV-1&2 RNA)**	Delhi	D	8720	Daily: 8pm and 5th day	5th day	6 ml of EDTA whole blood, 15ml Urine in sterile container. For HPV : Swab, Tissue for male and LBC, Swab, Tissue for female
S0051	Steroid analysis From medicine **	Delhi	R	11440	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm )
S0052	Stomach Marker Profile**	Delhi	D	3595	Daily: 7.30am and Next day 5pm	Next day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0053	Calculus (Stone) Analysis by automated FTIR (Gall bladder calculus)**	Delhi	D	1200	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0054	Calculus (Stone) Analysis by automated FTIR (Kidney (Renal) calculus)**	Delhi	D	1200	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0055	Calculus (Stone) Analysis by automated FTIR (Urine calculus)**	Delhi	D	1200	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0056	Stone screening profile**	Delhi	D	2180	Daily: 9am and 3rd day	3rd day	24 hours urine sample with appropriate preservative.
S0058	Streptococcus group B Antigen detection by Agglutination - CSF**	Delhi	C	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
S0059	Streptococcus group B Antigen detection by Agglutination - Serum**	Delhi	C	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0060	Streptococcus pneumoniae Antigen detection by Agglutination - CSF**	Delhi	C	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
S0061	Streptococcus pneumoniae Antigen detection by Agglutination - Serum**	Delhi	C	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0062	Streptococcus pneumoniae Antigen detection by Agglutination - Urine**	Delhi	C	1310	Daily: 9am and 3pm After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
S0063	Sucrose Lysis Test (PNH Screening tests) (S0063)**	Delhi	B	890	Daily: 9am and Next day 5pm	Next day 5pm	3 ml of EDTA Whole Blood And 3 ml Serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0066	Glucose Sugar - Urine	Delhi	A	90	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
S0067	Syphilis Antibodies Treponema by EIA - Serum**	Delhi	C	1525	Tue & Fri: 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0070	Scrub typhus profile Weil felix and scrub typhus-IgM by EIA - Serum**	Delhi	C	1200	Tue & Fri: 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0071	Scrub typhus IgM by EIA - Serum	Delhi	C	980	Tue, Thu & Sat: 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S0074	SMA Carrier Detection Genetic Disorders**	Delhi	R	9360	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
S0075	SCA17 PCR-Fragment analysis**	Delhi	D	3380	Mon and Wed: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.
S0077_Sperm-DFI	SPERM DNA FRAGMENTATION (DFI)	Delhi	D	5300	Daily : 11.30 am	3rd day 1 pm	2-3 ml of freshly collected Semen sample in a sterile leak proof container. If reaching the lab within 4hrs of collection, transported at ambient temperature.If more than 4 hrs - then transported in frozen condition.3 days abstinence is mandatory.
S0078	Calculus (Stone) Analysis by automated FTIR (other)**	Delhi	D	1310	Daily : 11:30am	Next day : 5:00pm	Collect sample in dry plain container, mention stone type and history
S0079	SYT gene rearrangement (Translocation: t(X;18) translocation) **	Delhi	R	5410	Daily : 11:30am	7th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
S0083	Campylobacter Culture and Identification by Vitek/ MALDITOF - Stool**	Delhi	C	870	Daily: 9am and 5th day	5th day	5gm of Stool specimen in Sterile leak proof container
S0084	SUCCINYLACETONE, BLOOD**	Delhi	R	4890	Daily : 11:30am	8th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.
S0085	Succinylacetone Urine**	Delhi	R	4890	Daily : 11:30am	7th day : 6:00pm	Spot Urine:10 ml of Spot urine required with clinical history and clinician number. Baby DOB, sample collection date and relevant clinical history mentioned .
S0096	STRONTIUM ICPMS Blood**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	3 ml EDTA Blood / Metal free EDTA Blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0097	Sexually Trmitted Infections (STI) Urethritis Extended Panel**	Delhi	D	7085	Wed: 9:00am	Next day : 5:00pm	Urethral discharge, Genital discharge, Blister fluid, Ulcer, Ulcer base, High Vaginal swab, Urethral Swab, Endocervical swab
S0103	Soft Tissue Sarcoma Panel**	Delhi	R	41600	Daily 7.30 am	10th days	Paraffin Block
S0547	sFlt-1 (Soluble fms-like tyrosine kinase-1) Serum**	Delhi	D	4140	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0548	PIGF (Placental Growth Factor) Serum**	Delhi	D	4140	Mon & Thu : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0549	sFlt-1/PIGF ratio serum**	Delhi	D	6320	Daily cut off 7:30 AM	same day 9:00 PM	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S0551	Sanger Sequencing / Additional family member screening**	Delhi	R	9360	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
S0552	Selenium, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
S0553	Selenium, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
S0554	Silver, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
S0555	Silver, Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S0556	Steroids test by MS method**	Delhi	R	11440	Daily : 11:30am	10th day : 6:00pm	Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days
S0558	SARS- CoV-2 (COVID 19) Detection by Real Time PCR - Nasopharangeal & Oropharangeal Swab	Delhi	O	300	Daily:8:00 am & 7:00 pm	After 6 hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S0559	SARS CoV2 Antigen Detection by Immunchromatography - Nasopharangeal Swab	Delhi	O	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S0563	SARS-CoV-2 (COVID 19) Detection (Qualitative) by Abott ID Rapid PCR	Delhi	O	800	00.00 to 24.00	24 hours	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S0565	Soluble CD25 ( IL 2 Receptor) **	Delhi	D	12720	Daily : 11:30am	5th day : 6:00pm	3 ml Serum
S1005	SCC-TA4 ANTIGEN - SERUM **	Delhi	R	9150	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
S1006	Schistosomiasis - confirmation by EIA - Serum **	Delhi	R	9880	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S1020	Strongyloidiasis serology, Serum by EIA - Serum **	Delhi	R	5930	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
S1038	Sickle Cell Anemia Mutation Prenatal Diagnosis**	Delhi	D	6540	Wed and Fri: 9am and 7th day	7th day	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
S1039	Spinal Muscular Atrophy (SMA ) Microdeletion**	Delhi	D	6540	Thu: 9am and 7th day	7th day	Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
S1039_c	Spinal Muscular Atrophy (SMA )-SMN1 Gene deletion**	Delhi	D	6540	Daily : 9:00am	7th day : 6:00pm	Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.
							Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition Duly signed consent

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G -FORM OF CONSENT (For invasive techniques) Mother 3-5 ml EDTA Blood sample mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
S1040	Stone screening profile-1**	Delhi	D	3815	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum and 20 ml of 24 Hr Urine sample. Appropriate preservative needed.
S1041	Systemic sclerosis Profile**	Delhi	D	5995	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
S8322	SARS-CoV-2 (COVID 19) Detection (Qualitative) by Rapid**	Delhi	E	2075	Daily : 9:00am	Same day : 5:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM)
S8399	Streptococcus Group A Antigen Detection	Delhi	L4	1200	Daily: 9am to 9pm	After 6 hrs	Throat Swab
S8514	Salivary Cortisol	Delhi	E	2940	Tuesday 9 am	next day 5 pm	4-5 ml saliva in sterile lolli sponge tube
T0004	t(1 19)by FISH E2A(ALL)**	Delhi	D	4250	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0005	t(1 19)By FISH E2A (ALL) Bone Marrow**	Delhi	D	4250	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0006	t(11;14) by FISH IGH/CCND1 (ALL, NHL) Bone Marrow**	Delhi	D	5125	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0007	t(11;14) by FISH IGH/CCND1 (ALL, NHL) Blood**	Delhi	D	5125	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0008	t(11q23) by FISH MLL gene rearrangement (ALL, AML) Blood**	Delhi	D	4250	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0009	t(11q23) by FISH MLL gene rearrangement (ALL, AML) Bone Marrow**	Delhi	D	4250	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0010	TEL/AML1(ALL) t(12 21) by FISH**	Delhi	D	4250	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0011	t(12 21) by FISH TEL/AML1 (ALL) Bone Marrow**	Delhi	D	4250	Daily: 9am and 5th day	5th day	2-3 ml Blood in Na-heparin vacutainer
T0012	PML Ra Ra t(15 17) (AML-M3) by FISH**	Delhi	D	4905	Daily: 9am and 3rd	3rd day	3 ml Blood in Na-heparin

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					day		vacutainer
T0013	t(15 17) by FISH PML Ra Ra (AML-M3) Bone Marrow**	Delhi	D	5015	Daily: 9am and 3rd day	3rd day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0014	PML Ra Ra (Quanti) by PCR BLOOD**	Delhi	D	5995	Daily: 9am and 7th day	7th day	3 ml of EDTA Whole Blood
T0015	PML Ra Ra (Quanti) by PCR BONE MARROW**	Delhi	D	5340	Daily: 9am and 7th day	7th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0016	PDGFR Alpha rearrangement t(4q12) (HES) by FISH**	Delhi	D	5340	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0017	t(4q12) by FISH PDGFR Alpha Rearrangement (HES) Bone Marrow**	Delhi	D	5340	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0018	PDGFR Beta rearrangement t(5q33) (HES) Blood by FISH**	Delhi	D	5340	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0019	PDGFR Beta rearrangement t(5q33) (HES) Bone marrow by FISH**	Delhi	D	5340	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0020	ETO/AML1 (AML-M2) t(8;21) by FISH**	Delhi	D	4250	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0021	t(8 21) by FISH ETO/AML1 (AML-M2) Bone Marrow**	Delhi	D	4905	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0024	Bcr-Abl (PHILADELPHIA) t(9 22) by FISH, BLOOD**	Delhi	D	4580	Daily: 9am and 3rd day	3rd day	3 ml Blood in Na-heparin vacutainer
T0025	Bcr-Abl (PHILADELPHIA) t(9 22) by FISH, Bone Marrow**	Delhi	D	4580	Daily: 9am and 3rd day	3rd day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0028	T3-Free Free Tri-Iodothyronine Serum	Delhi	B	305	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0029	T3-Total Tri Iodothyronine Serum	Delhi	B	220	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0030	T4-Free Free Thyroxine Serum	Delhi	B	300	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0031	T4-Total Thyroxine Serum	Delhi	B	200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0032	Tacrolimus By ELCIA Blood	Delhi	C	4200	Daily: 3pm and After	After 6 hrs	Blood to be collected in 3ml EDTA



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					6 hrs		vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
T0033	Tacrolimus By LCMS, Blood**	Delhi	C	3925	Tue, Fri: 7:30am and Next day 5pm	Next day 5pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
T0035	2-Tube Assay	Delhi	C	2800	Daily :3.30 pm	Next Day 7.30 p.m	5 ml of Lithium Heparin Blood
T0036	TCR-Alpha Beta**	Delhi	D	2505	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
T0037	TCR-Gamma Delta**	Delhi	D	2505	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
T0038	TDT (Nuclear)**	Delhi	D	2505	Daily : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							history and clinician number required.
T0039	Testicular Marker Profile	Delhi	D	1310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0040	Testosterone Bioavailable**	Delhi	C	2615	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0041	TestosteroneFreeSerum	Delhi	C	2000	Daily: 1pm	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0042	Testosterone Total Serum	Delhi	B	700	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0043	Testosterone Profile**	Delhi	C	3815	Tue, Thu & Sat: 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0044	Tetanus Toxoid-IgG Quantitative test by EIA - Serum**	Delhi	C	3270	Fri: 9am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0045	Thalassemia Studies	Delhi	C	1635	Daily :10.00 am	Same Day 7.00 pm	3 ml EDTA whole blood and serum sample
T0046	Thallium Blood**	Delhi	D	3325	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
T0047	Thallium Serum**	Delhi	D	3325	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
T0048	Thallium Urine Spot**	Delhi	D	3325	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf
T0049	Theophylline Serum**	Delhi	C	1080	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0050	Threonine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
T0051	Threonine Quantitative Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
T0052	Thrombin Time (TT)**	Delhi	B	835	Daily: 9am and 3pm and 9pm and After 4 hrs	After 4 hrs	1 ml of citrated platelet poor plasma in frozen condition.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0053	Thrombotic Risk DNA Panel (FV, FII, MTHFR)**	Delhi	D	11990	Wed and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
T0054	Thrombophilia Profile-Maxi**	Delhi	D	17500	Mon and Wed and Fri: 9am and Next day 5pm	Next day 5pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.
T0055	Thrombophilia Profile-Mini**	Delhi	D	12000	Mon: 7.30am and Next day 5pm	Next day 5pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.
T0056	Thrombotic Profile**	Delhi	D	15260	Mon and Thu: 7.30am and Next day 5pm	Next day 5pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.
T0057	Thyroglobulin Serum**	Delhi	C	1855	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0058	Thyroglobulin Antibody ATA CSF**	Delhi	C	1310	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
T0059	Thyroglobulin Antibody ATA Serum	Delhi	B	1390	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0060	Thyroid Antibodies-AtAb TPO and ATA,CSF**	Delhi	C	2290	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
T0061	Thyroid Antibodies-TPO and ATG,Serum	Delhi	C	2700	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0062	Thyroid Comprehensive Profile-1	Delhi	B	2885	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0063	Thyroid Comprehensive Profile-2	Delhi	B	1500	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0064	Thyroid Marker Profile**	Delhi	D	4350	Tue and Fri: 9am and Same day 5pm	Same day 5pm	5 ml of serum
T0065	Thyroid panel-1 (T3/T4/TSH)	Delhi	B	550	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0066	Thyroid panel - 2( FT3, FT4, TSH)	Delhi	B	850	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0067	Thyroid Panel-3 (Reflex)	Delhi	B	415	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0068	Thyroid Panel-4	Delhi	B	550	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0069	Thyroxine Binding Globulin (TBG) Biochemical Serum**	Delhi	C	5995	Daily : 11:30am	5th day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0070	TIBC, Serum	Delhi	B	445	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0071	TNF Alpha Tumour Necrosis Factor Serum**	Delhi	C	4580	Wed & Sat : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0072	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Amniotic Fluid**	Delhi	C	8610	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
T0073	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Blood**	Delhi	C	7085	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3 ml of Whole Blood in EDTA Vacutainer
T0074	TORCH by PCR **	Delhi	C	8610	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	Chorionic Villus Sample In Sterile saline container
T0075	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - CSF**	Delhi	C	8610	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
T0076	TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Urine**	Delhi	C	8610	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	15ml of Spot Urine in Sterile leak proof container
T0077	TORCH-10	Delhi	C	3270	Mon and Wed and Fri: 10am and After 8 hrs	After 8 hrs	5 ml of serum
T0078	TORCH-13**	Delhi	C	4035	1st and 3rd Mon: 9am	Same day 5pm	5 ml of serum
T0079	TORCH-4 IgG	Delhi	C	1580	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0080	Tacrolimus CYP3A5 genotyping**	Delhi	R	8320	Tue & Thu: 11:30am	7th day : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
T0081	TORCH-4 IgM	Delhi	C	1580	Mon and Wed and Fri: 10am and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0083	TORCH-5 IgG	Delhi	C	1745	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0084	TORCH-5 IgM	Delhi	C	1960	Mon and Wed and Fri: 10am and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0085	TORCH-8	Delhi	C	2945	Mon and Wed and Fri: 10am and After 8 hrs	After 8 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0086	Toxoplasma Avidity test by EIA- Serum**	Delhi	C	1310	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0087	Toxoplasma DNA Detection by PCR - Amniotic Fluid**	Delhi	C	3815	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
T0088	Toxoplasma DNA Detection by PCR - Blood**	Delhi	C	3815	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	3 ml of Whole Blood in EDTA Vacutainer
T0089	Toxoplasma DNA Detection by PCR - Chorionic Villus**	Delhi	C	3815	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CVS in Sterile leak proof tube or container
T0091	Toxoplasma DNA Detection by PCR - CSF**	Delhi	C	3815	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	2ml of CSF in Sterile leak proof tube or container
T0092	Toxoplasma DNA Detection by PCR - Urine**	Delhi	C	3815	Mon, Wed & Fri : 9:00am	Same day: 9:00pm	15ml of Spot Urine in Sterile leak proof container
T0094	Toxoplasma-IgG Antibody by CMIA - Serum	Delhi	B	665	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0095	Toxoplasma-IgG & IgM by CLIA - Serum	Delhi	B	1330	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0096	Toxoplasma-IgM Antibody by CMIA - Serum	Delhi	B	665	Daily: 8.00 am to 8.00 pm and Next day 2.00 pm	Next day 2.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0097	Treponema Pallidum Haemagglutination Assay by Agglutination - Serum	Delhi	B	775	Daily: 2.00 pm	Same day 8.00 pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0098	TPMT Enzyme ActivityThiopurine Methyl TransferasePlasma**	Delhi	D	4500	Wed and Sat: 9am and Same day 5pm	Same day 5pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
T0099	Thiopurine S-Methyltransferase (TPMT) Genotype**	Delhi	D	5885	Tue and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
T0100	TPO (Thyroid Peroxidase) Antibody(AMA) Microsomal Antibody CSF**	Delhi	C	1310	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).
T0101	TPO (Thyroid Peroxidase) Antibody (AMA) Microsomal Antibody Serum	Delhi	B	1400	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0102	TransferrinSerum**	Delhi	B	1330	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0104	TRH stimulation test For TSH, Serum	Delhi	C	1090	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum (0, 30, 60 min)
T0105	Triglycerides Urine	Delhi	A	310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Spot Urine
T0106	Triglycerides Serum	Delhi	A	260	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0107	Triglycerides Body Fluid	Delhi	A	310	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of Body Fluid
T0108	Tripeptidyl Peptidase 1 Blood**	Delhi	R	5825	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							of collection, Avoid collection on weekend & Holidays)
T0109	Trisomy 12 ( CLL ) by FISH**	Delhi	D	4250	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0110	Trisomy 12 by FISH CLL Bone Marrow**	Delhi	D	4250	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0111	Trisomy 8 by FISH AML, MDS Blood**	Delhi	D	4250	Daily: 9am and 5th day	5th day	3 ml Blood in Na-heparin vacutainer
T0112	Trisomy 8 by FISH AML, MDS Bone Marrow**	Delhi	D	4250	Daily: 9am and 5th day	5th day	2-3 ml Bone Marrow in Na-heparin vacutainer
T0113	Trisomy (Aneuploidy) for Chromosome 13 & 21 By FISH Amniotic Fluid**	Delhi	D	3815	Daily: 9am and 5th day	5th day	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
T0114	Trisomy (Aneuploidy) Chromosome 13 & 21 by FISH**	Delhi	D	3815	Daily: 9am and 5th day	5th day	3 ml of Blood In Na-Heparin Vacutainer
T0115	Trisomy (Aneuploidy) for Chromosome 13 & 21 By FISH Chorionic Villus**	Delhi	D	4795	Daily: 9am and 5th day	5th day	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).
T0116	Trisomy for Chromosome 13 & 21 By FISH Cord blood**	Delhi	D	4795	Daily: 9am and 5th day	5th day	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
T0118	Trisomy(Aneuploidy)Chromosome13,18,21, X,Y by FISH**	Delhi	D	10900	Daily: 9am and 5th day	5th day	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
T0119	Trisomy for Chromosome 13, 18, 21, X, Y By FISH Blood**	Delhi	D	8720	Daily: 9am and 5th day	5th day	3 ml of Blood In Na-Heparin Vacutainer
T0120	Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y By FISH Chorionic Villus**	Delhi	D	8720	Daily: 9am and 5th day	5th day	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).
T0121	Trisomy for Chromosome 13, 18, 21, X, Y By FISH Cord blood**	Delhi	D	8720	Daily: 9am and 5th day	5th day	3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
T0123	Trisomy (Aneuploidy) Chromosome 18, X,Y by FISH**	Delhi	D	5995	Daily: 9am and 5th day	5th day	20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube
T0124	Trisomy for Chromosome 18, X & Y By FISH Blood**	Delhi	D	5125	Daily: 9am and 5th day	5th day	3 ml of Blood In Na-Heparin Vacutainer
T0125	Trisomy (Aneuploidy) for Chromosome 18, X & Y By FISH Chorionic Villus**	Delhi	D	5125	Daily: 9am and 5th day	5th day	20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0126	Trisomy for Chromosome 18, X & Y By FISH Cord blood**	Delhi	D	5125	Daily: 9am and 5th day	5th day	Metropolis). 3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer
T0128	Troponin-I, Serum	Delhi	C	1200	Daily: 8.00 am to 8.00 pm and After 4 hrs	After 4 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0129	Troponin-T, Serum**	Delhi	C	1580	Daily: 9am to 9pm and After 4 hrs	After 4 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0130	TSH (Ultrasensitive) ECLIA Serum	Delhi	B	200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0131	TSH Receptor Antibody LATS, TSI - Serum**	Delhi	C	4300	Wed and Sat: 9am and Same day 5pm	Same day 5pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0132	TSH-Thyroid Stimulating Hormone Neonatal Screen Dried blood spot**	Delhi	B	500	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0133	tTG Antibody-IgA Tissue Transglutaminase,Celiac disease Serum	Delhi	C	1400	Daily : 11:30am	After 8hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0134	tTG Antibody-IgG Tissue Transglutaminase,Celiac disease Serum	Delhi	C	1310	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
T0135	Typhi Dot IgM antibody for Typhoid by Immunochromatography - Serum	Delhi	B	550	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0136	Typhoid DNA by Real Time PCR - Blood**	Delhi	C	7085	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
T0137	Typhoid DNA by Real Time PCR - CSF**	Delhi	C	5995	Daily : 10:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container
T0138	Typhoid Profile	Delhi	D	2095	Daily: 8.00 am to 8.00 pm	5th day	3 ml of EDTA whole blood, 3 ml of serum and 1 blood culture bottle
T0139	Tyrosine Quantitative Plasma**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.
T0140	Tyrosine Quantitative Urine**	Delhi	R	6450	Thu : 11:30am	Tue : 5:00pm	10 ml of Spot urine
T0141	Tzanck smear (Microscopic examination)	Delhi	B	445	Daily: 9 am(6)	2nd day	Air Dried Smears From Vesicular fluid
T0143	TBE-TICKBORNE ENCEPHALITIS Antibodies by EIA - Serum**	Delhi	D	7955	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0145	Trypanosoma Cruzi IgG by EIA - Serum**	Delhi	R	2185	Daily : 11:30am	20th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
T0158	t(12;16):FUS rearrangement **	Delhi	R	16640	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
T0160	t(X;18):SSX18 translocation **	Delhi	R	16640	Daily : 11:30am	12th day : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.
T0162	Tumor marker panel (270 genes), comprehensive, FFPE**	Delhi	D	47000	Daily: 9am and 4 weeks	4 weeks	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report. 4 ml of EDTA whole blood or collection in special tubes as per test. Sample to be shipped at Ambient temperature for local samples and refrigerated condition for outstation samples. do not freeze or keep EDTA blood samples in contact with ice packs. EDTA samples stable for 2 days at Ambient temperature and 5 days at Refrigerated condition
T0168	NextGen Tumor Mutation Burden**	Delhi	E	43000	Daily: 9am and 6 weeks	6 weeks	(FFPE block) Tumor containing tissue fixed in 20% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
T0169	Thallium, hair by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
T0170	Tin, EDTA Whole Blood**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0171	Tin, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
T0172	Tin, Spot Urine**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0173	TUNGSTEN, EDTA WHOLE BLOOD**	Delhi	R	2860	Daily : 11:30am	10th day :	Individual Metals and Minerals.pdf

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0174	Tungsten, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	6:00pm 10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
T0175	TUNGSTEN, SPOT URINE**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf
T0182	TB Check (MTB/RIF, AFB Culture, TB NGS ) - Pulmonary**	Delhi	D	10900	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	Pulmonary Smear positive samples or Culture positive specimen
T0184	TB Check (MTB/RIF, AFB Culture, TB NGS ) - Extra Pulmonary**	Delhi	D	10900	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
T0192	TB Spectrum (MTB/RIF, AFB Culture, 13 Drugs Panel, TB NGS) - Pulmonary**	Delhi	D	19075	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	Pulmonary Smear positive samples or Culture positive specimen
T0200	TRIO Clinical Exome sequencing - 26MB (80-100x) **	Delhi	E	58800	Daily: 9am and 6 weeks	6 weeks	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.
T0201	TB Spectrum (MTB/RIF, AFB Culture, 13 Drugs Panel, TB NGS) - Extra Pulmonary**	Delhi	D	19075	Daily: 9am to 9pm and Upto 6 weeks	Upto 6 weeks	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
T0502	TBC1D24-Gene Analysis**	Delhi	E	21000	Daily : 7:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0504	TRIO-Whole exome sequencing Sure SelectV5-45-50MB (80-100x)**	Delhi	E	58800	Daily : 7:30am	After 4 weeks : 6:00pm	<p>Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.</p> <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.</p>
T0505	TTN-Gene sequencing**	Delhi	E	19950	Daily : 7:30am	After 4 weeks : 6:00pm	<p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.</p>
T0507	Thrombophilia Super Maxi**	Delhi	D	22000	Mon : 9:00am	Wed : 7:00pm	2 ml of citrated platelet poor plasma in frozen condition ,3 ml serum and 3 ml of EDTA whole blood is required.
T0938	TPMT and NUDT15 gene analysis**	Delhi	R	15500	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood
T0987	Tricyclic antidepressants Drug(TCA) (Qualitative), Urine**	Delhi	D	525	Daily	AFTER 6 HOURS	10 ml of Spot urine
T0988	Taurine DBS**	Delhi	D	6760	Thu : 11:30am	Tue : 5:00pm	ried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
T0989	2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus(ADA)	Delhi	E	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	<p>48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to stop based on physician recommendations</p> <p>Glucose Screen in pregnancy. ADA recommends 2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus (GDM). Step 1: A 50 g glucose challenge test (GCT) is used for</p>

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
							screening without regard to the time of last meal or time of the day.Step 2: If 1 hour GCT value is more than 140 mg/dl, 100g Oral Glucose Tolerance Test (OGTT) is recommended and plasma glucose is estimated at 0, 1, 2 and 3 hours.G0027_50(post glucose 1 hr 50 gms ) and G0066 (GTT-Gestational 3 hrs 100 gms glucose). If Post Glucose 1hr 50 gms value Above 140 then reflex G0066 GTT-Gestational ,Three Hour(100 grams glucose) taken.
T1032	Tobramycin**	Delhi	R	6135	Daily : 11:30am	5th day : 6:00pm	3ml of Serum sample required to be shipped at 2-8C. Do not use gel tubes. Sample is stable for 1day, 7 days & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.
T1170	BCR-ABL IS (International Scale) Transcript fusion Quantification by Real Time PCR - Blood**	Delhi	D	6800	Daily: 9am and 6th day	6th day	3 ml of Whole Blood in EDTA Vacutainer
T1171	BCR-ABL IS (International Scale) Transcript fusion Quantification by Real Time PCR - Bone Marrow**	Delhi	D	7085	Daily: 9am and 6th day	6th day	3 ml of Bone Marrow in EDTA Vacutainer
T1911	Thyroid cancer mutation panel, FFPE Tissue**	Delhi	E	35000	Daily : 11:30am	After 4 weeks : 6:00pm	(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.
T5041	TruHealth Screen**	Delhi	W	499	Daily: 8.00 am to 8.00 pm	After 6 hrs	See Individual Test Details
T5585	TruHealth Youth**	Delhi	W	4000	Daily: 9am to 9pm	After 10 hrs	See Individual Test Details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					and After 10 hrs		
T5586	TruHealth Master**	Delhi	W	4500	Daily: 9am to 9pm and After 10 hrs	After 10 hrs	See Individual Test Details
T5587	TruHealth Senior**	Delhi	W	5000	Daily: 9am to 9pm and After 10 hrs	After 10 hrs	See Individual Test Details
T5588	TruHealth Women**	Delhi	W	5000	Daily: 9am to 9pm and After 10 hrs	After 10 hrs	See Individual Test Details
T5589	TruHealth Senior Women**	Delhi	W	5000	Daily: 9am to 9pm and After 10 hrs	After 10 hrs	See Individual Test Details
T5610	Tru Health Heart Advance**	Delhi	W	6000	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum
T5611	Tru Health Heart Basic**	Delhi	W	1500	Daily: 9am to 9pm and Next day 5pm	Next day 5pm	5 ml of serum,2 ml of flouride plasma
T5612	TruHealth Advance**	Delhi	W	2800	Daily: 9am to 9pm and After 10 hrs	After 10 hrs	See Individual Test Details
T5628	Tru Health Heart Pro**	Delhi	W	3500	Daily : 9:00am to 9:00pm	After 6 hrs	5 ml of serum
T5705	T5705 : TruHeart Gold**	Delhi	W	2499	Daily : 9:00am	Next day : 6:00pm	4 ml Serum
T5709	TB Viram screening**	Delhi	D	6660	Daily : 9:00am	After 6 weeks : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer. 2ml of Fluoride Plasma. 2ml of Pulmonary or Extra Pulmonary specimen in Sterile leak proof container. Also note, kindly refer to individual test for the sample guideline.
T5710	TB Viram susceptibility**	Delhi	D	20875	Daily : 9:00am	After 4 weeks : 6:00pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant
T8006	Tissue processing	Delhi	C	545	Daily: 9am and 2nd day	2nd day	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details
T8500	Transplant Panel for Viral Infection	Delhi	D	15000	Every Tuesday, Thursday and	Same day 11:00 PM	2ml EDTA Plasma or Serum

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
U0001	U1-SnRNP (68 KDa)Serum	Delhi	C	1960	Tue and Thu and Sat: 9.00am	Same day 7.00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U0002	UGT1A1 Gene Polymorphism (TA Repeat)**	Delhi	D	6430	Tue and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .
U0003	Urea, Serum	Delhi	A	100	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U0004	Urea Urine 24H	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
U0006	Urea Clearance Test Serum	Delhi	A	570	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of 24 Hrs Urine & 2 ml of serum
U0007	Uric Acid Serum	Delhi	A	150	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U0008	Uric Acid Spot urine	Delhi	A	315	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	10 ml of Spot urine
U0009	Uric Acid Urine 24H	Delhi	A	315	Daily: 8.00 am to	After 6 hrs	24 H urine: 24 hour Urine should be



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.
U0010	Urobilinogen Urine	Delhi	A	135	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
U0014	Urea Urine Spot	Delhi	A	800	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
U8003	Urine Sugar Fasting	Delhi	A	30	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
U8004	Urine sugar, 2 hrs post prandial	Delhi	A	30	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
U8004_PP	Urine sugar, post glucose	Delhi	A	30	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
U8005	Urine sugar, random	Delhi	A	70	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	15ml of Spot Urine in Sterile leak proof container
V0001	Valproic Acid Sodium Valporate Serum	Delhi	C	980	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of Serum (Mention Time of Drug)
V0002	Vancomycin Serum**	Delhi	R	6760	Daily : 11:30am	4th day :	3 ml of Serum (Mention Time of

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
V0003	VDRL RPR by Flocculation - Serum	Delhi	B	190	Daily: 8.00 am to 8.00 pm and After 6 hrs	6:00pm After 6 hrs	Drug) 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0004	VDRL by Flocculation - CSF**	Delhi	C	175	Daily: 9am and 12pm,4pm,8pm,After 6 hrs	After 6 hrs	2ml of CSF in Sterile leak proof tube or container
V0005	Voltage Gated Calcium Channel ( VGCC) Antibody**	Delhi	R	10400	Daily : 11:30am	After 4 weeks : 6:00pm	5 ml Serum
V0006	VGKC Antibody, CSF**	Delhi	D	9155	Mon & Thu : 11:30am	Same day : 9:00pm	2 ml of CSF in sterile screw capped container.
V0007	VGKC Antibody, Serum**	Delhi	D	9265	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0008	Vitamin A (Retinol), Serum**	Delhi	D	4580	Mon & Thu : 11:30am	Next day : 5:00pm	2 ml Serum Or EDTA Plasma In aluminium Foil
V0009	Vitamin B1 (Thiamine ), EDTA Whole blood by HPLC (V0009)**	Delhi	D	4360	Wed & Sat : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood covered In Aluminium Foil
V0010	Vitamin B12 Cyanocobalamin Serum	Delhi	B	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0011	Vitamin B12 Active Holo Transcobalamin Serum**	Delhi	C	1635	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0012	Vitamin B2 Riboflavin EDTA Whole Blood**	Delhi	D	3815	Wed : 11:30am	Next day : 5:00pm	3 ml of EDTA whole blood covered In Aluminium Foil
V0013	Vitamin B6 Pyridoxine EDTA Whole Blood**	Delhi	D	3600	Sat : 11:30am	Mon : 7:00pm	3 ml of EDTA whole blood covered In Aluminium Foil
V0014	Vitamin C, Serum/Heparin plasma by HPLC**	Delhi	D	4000	Tue & Fri : 11:30am	Next day : 5:00pm	2 ml Lithium heparin Plasma or serum In Fasting condition covered In Aluminium Foil
V0015	Vitamin D Total-25 Hydroxy Plasma/Serum	Delhi	B	1200	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	2 ml of serum / EDTA Plasma
V0016	Vitamin D plus profile	Delhi	A	1600	Daily: 8.00 am to 8.00 pm and After 6	After 6 hrs	2 ml Serum / Edta Plasma

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
V0017	Vitamin D-1,25-Dihydroxy Serum**	Delhi	C	3815	hrs Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0018	Vitamin E Tocopherol Serum**	Delhi	D	4500	Mon & Thu : 11:30am	Next day : 5:00pm	2 ml Serum Or EDTA Plasma In aluminium Foil
V0019	Vitamin profile**	Delhi	C	3270	Daily: 9am to 9pm and After 8 hrs	After 8 hrs	3 ml Serum and 3 ml of EDTA plasma
V0020_LC	Vanillyl Mandelic Acid (VMA), LC MSMS, 24hrs urine**	Delhi	C	3815	Mon and Thu: 1:00 pm and Next day 5:00 pm	Next day 5:00 pm	10 ml 24 Hrs Urine
V0021	VRE Screen Vancomycin Resistant Enterococci by Vitek/ MALDITOF - Perianal swab**	Delhi	C	980	Daily: 9am to 9pm and Upto 18 - 36 hrs	Upto 18 - 36 hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
V0022	Vw-Von Willebrand Antigen, Citrated plasma**	Delhi	D	10900	Mon : 9:00am	Same day : 8pm	1 ml of citrated platelet poor plasma in frozen condition.
V0023	VZV DNA Detection by Real Time PCR - Amniotic fluid**	Delhi	C	3270	Mon & Thurs : 9:00am	Next day : 5:00pm	10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container
V0024	VZV DNA Detection by Real Time PCR - Blood**	Delhi	C	3490	Mon & Thurs : 9:00am	Next day : 5:00pm	3 ml of Whole Blood in EDTA Vacutainer
V0025	VZV DNA Detection by Real Time PCR - CSF**	Delhi	C	3380	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container
V0026	VZV DNA Detection by Real Time PCR - CVS**	Delhi	C	3270	Mon & Thurs : 9:00am	Next day : 5:00pm	2ml of CVS in Sterile leak proof tube or container
V0027	VZV DNA Detection by Real Time PCR - Swab**	Delhi	C	3490	Mon & Thurs : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube
V0029	VZV IgG Antibody by CLIA - Serum**	Delhi	C	1745	Daily: 9am to 9pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0030	VZV IgM Antibody by CLIA - Serum**	Delhi	C	2180	Tue and Fri: 7am and Same day 5pm	Same day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0031	VDRL reflex Syphilis Total ABS - Serum**	Delhi	B	390	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
V0032	Voriconazole EDTA Plasma**	Delhi	D	5670	Tue & Fri : 11:30am	Next day : 5:00pm	3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
V0034	VGKC - CSF & Serum**	Delhi	E	13125	Mon & Thu : 11:30am	Same day : 9:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.2 ml of CSF in sterile screw capped container.
V0036	Vitamin B Complex profile**	Delhi	E	5500	Daily: 9am and 7th day	7th day	3 ml of serum and 3 ml of EDTA whole bloodIn aluminium Foil
V0037	Vitamin K1**	Delhi	R	4680	Daily : 11:30am	15th day : 6:00pm	5 ml serum without gel tube. Wrap in aluminium foil. Frozen.
V0038	VANADIUM ICPMS BLOOD**	Delhi	R	2860	Daily : 11:30am	10th day : 6:00pm	3 ml EDTA Blood / Metal free EDTA Blood
V0144	VITAMIN D GOLD(covers Vitamin D2 , vitamin D3 & D total)**	Delhi	D	2180	Daily : 11:30am	3rd day : 6:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0148	Vasculitis profile, Serum	Delhi	D	5450	Tue and Thu and Sat: 7:30am and Next day 4pm	Next day 4pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V0149	Vesicobullous Disorder profile**	Delhi	E	9450	Mon : 11:30am	Next day : 5:00pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
V7005	Vascular Endothelial Growth Factor (VEGF) serum**	Delhi	R	6500	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml Serum
V8123	Vitamin B3 (Niacin)	Delhi	D	3925	Daily 7.30 am	7th Days	4 ml Serum
V8124	Vitamin B7 (Biotin)	Delhi	D	3925	Daily 7.30 am	7th Days	4 ml Serum
V8125	Vitamin B5	Delhi	D	3925	Daily 7.30 am	7th Days	4 ml Serum
W0001	Warfarin Sensitivity CYP2C92,CYP2C93 &VKORC1 Mutation Blood**	Delhi	R	14975	Daily : 11:30am	10th day : 6:00pm	0
W0002	Water analysis Chemical**	Delhi	R	1455	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0003	Water Culture for coliforms Water	Delhi	C	820	Daily: 8.00 am to 8.00 pm and 3rd Day 6.00 pm	3rd Day 6.00 pm	50ml of Water in Sterile leak proof container
W0006	WBC:Total & Differential Counts, EDTA blood.	Delhi	A	180	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3 ml EDTA whole Blood
W0007	WBC:Total & Differential Counts, Body Fluid	Delhi	A	285	Daily: 8.00 am to	After 6 hrs	Body fluid to be send in sterile

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
					8.00 pm and After 6 hrs		EDTA container in refrigerated condition. Clinical history and clinician number required.Body fulids( CSF, Pleural, Peritoneal, Pericardial, synovial fluid)
W0009	WBC-Total Counts, Body Fluid.	Delhi	A	230	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fulids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid)
W0010	Weil Felix Test for Rickettsia by Agglutination - Serum**	Delhi	B	1000	Daily: 4pm and Next day 5pm	Next day 5pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0011	Widal Test for Typhoid by Agglutination - Serum	Delhi	B	260	Daily: 8.00 am to 8.00 pm and After 6 hrs	After 6 hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0013	WilsonS Disease Panel**	Delhi	D	4580	Mon and Thu: 9am and Same day 5pm	Same day 5pm	3 ml of EDTA whole blood, 2 ml of flouride plasma random, 3 ml of serum, 20 ml aliquot of 24 hrs urine (Volume reqd)
W0014	West nile virus IgG by EIA - Serum**	Delhi	D	3545	1st and 3rd Fri: 9am	4th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0015	West nile virus IgM by EIA - Serum**	Delhi	D	3545	1st and 3rd Fri: 9am	4th day	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
W0017	West nile virus DNA Detection by Real Time PCR - EDTA Blood **	Delhi	D	5450	Daily : 10:00am	After 24hrs	3 ml of Whole Blood in EDTA Vacutainer
W0018	Whole mitochondrial genome sequencing**	Delhi	R	14000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
W0019	WT1 MUTATION DETECTION**	Delhi	R	7850	Daily : 11:30am	12th Day : 6:00pm	4 ML EDTA whole blood

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
W0020	Whole Exome panel**	Delhi	R	25000	Daily : 11:30am	After 4 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
W0021	Whole genome sequencing Mean 30x**	Delhi	R	95550	Daily : 11:30am	After 6 weeks : 6:00pm	3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.
W0022	Whole Slide Imaging per slide**	Delhi	C	710	Daily : 9:00am	Next day : 6:00pm	Well mounted H &E stained Or IHC stained slide, Doctors TRF & E mail ID
W0023	Water chemistry panel - 3**	Delhi	R	4680	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0024	Water test profile, Routine**	Delhi	R	2600	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0025	Water test profile, Comprehensive**	Delhi	R	9360	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W0026	Water chemistry panel - 1**	Delhi	R	625	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.
W1802_F	Wellness packages (Body watch) by Appointment- Fitness check-Female Below 45 years**	Delhi	W	4500	Daily	After 2 Days	See Individual Test Details
W1802_M	Wellness packages (Body watch) by	Delhi	W	4500	Daily	After 2 Days	See Individual Test Details

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	Appointment- Fitness check-Male Below 45 years**						
W1803_F	Wellness packages (Body watch) by Appointment- Life style check -Female Below 45 years**	Delhi	W	8500	Daily	After 2 Days	See Individual Test Details
W1803_M	Wellness packages (Body watch) by Appointment- Life style check -Male Below 45 years**	Delhi	W	8500	Daily	After 2 Days	See Individual Test Details
W1804_F	Wellness packages (Body watch) by Appointment- Vitality check-Female Below 45 years**	Delhi	W	16500	Daily	After 2 Days	See Individual Test Details
W1804_M	Wellness packages (Body watch) by Appointment- Vitality check-Male Below 45 years**	Delhi	W	16500	Daily	After 3 Days	See Individual Test Details
W1805_F	Wellness packages (Body watch) by Appointment- Fitness check-Female Above 45 years**	Delhi	W	6500	Daily	After 4 Days	See Individual Test Details
W1805_M	Wellness packages (Body watch) by Appointment- Fitness check-Male Above 45 years**	Delhi	W	6500	Daily	After 4 Days	See Individual Test Details
W1806_F	Wellness packages (Body watch) by Appointment- Life style check-Female Above 45 years**	Delhi	W	12500	Daily	After 2 Days	See Individual Test Details
W1806_M	Wellness packages (Body watch) by Appointment- Life style check-Male Above 45 years**	Delhi	W	12500	Daily	After 4 Days	See Individual Test Details
W1807_F	Wellness packages (Body watch) by Appointment- Vitality check- Female Above 45 years**	Delhi	W	20500	Daily	After 4 Days	See Individual Test Details
W1807_M	Wellness packages (Body watch) by Appointment- Vitality check-Male Above 45 years**	Delhi	W	20500	Daily	After 4 Days	See Individual Test Details
X0001	X And Y (Sex Mismatch) by FISH**	Delhi	D	4470	Daily: 9am and 3rd day	3rd day	3 ml Blood in Na-heparin vacutainer
X0002	X And Y (Sex Mismatch) by FISH Bone Marrow Transplant Bone Marrow**	Delhi	D	4470	Daily: 9am and 3rd day	3rd day	2-3 ml Bone Marrow in Na-heparin vacutainer
X8011	XDR Rapid plus (For extra pulmonary	Delhi	D	6650	Daily: 5pm and 15th	15th day	Tissue, Lymph Node, Endometrium,

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
	samples)**				day		Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)
X8012	XDR Rapid plus (For pulmonary samples)**	Delhi	D	6650	Daily: 5pm and 15th day	15th day	2ml of Pulmonary specimen in Sterile leak proof container
Y0001	Y-Chromosome Microdeletion Analysis**	Delhi	D	7630	Tue and Fri: 9am and 7th day	7th day	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.
Y0002	Yersinia Enterocolitica Culture by Vitek/ MALDITOF - Stool**	Delhi	C	1635	Daily: 9am to 9pm and 3rd day	3rd day	5gm of Stool specimen in Sterile leak proof container
Y0005	Yo Antibody Neuronal antibody for Paraneoplastic syndromes Serum	Delhi	D	4905	Daily: 11:30am	Next day 8pm	3 ml of serum for single test and 5 ml serum for profiles and reflex tests.
Z0001	ZAP-70**	Delhi	D	5995	Daily : 11:30am	4th day : 6:00pm	3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.
Z0005	Zinc Urine**	Delhi	D	2945	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0006	Zinc, Blood**	Delhi	D	1855	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0007	Zinc, Serum**	Delhi	D	2200	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0009	Zinc Urine 24H**	Delhi	D	2180	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf
Z0011	Zika Virus RNA Detection by Real Time PCR - Serum**	Delhi	D	7085	Daily : 10:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer
Z0012	Zinc , Water tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline
Z0013	Zinc, Hair tests by ICPMS**	Delhi	R	1870	Daily : 11:30am	10th day : 6:00pm	1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending
Z0014	Zika Virus RNA Detection by Real Time PCR - Urine**	Delhi	D	7085	Daily : 10:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container
Z0015	Zinc Transporter 8 (ZnT8) Antibody**	Delhi	D	3270	Mon & Thu : 9:00 am	Next day : 5:00pm	3 ml Serum
Â I0390	IHC stain only HHV 8	Delhi	D	3500	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
Â I0392	IHC stain only MDM 2	Delhi	D	3500	Daily : 9:00am	3rd day	Single Paraffin block / section on charged slide
Â I0393	IHC single marker with reporting MDM2	Delhi	D	4500	Daily : 9:00am	4th day	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail