

## METROPOLISEDOS\_Kerala

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|---------------------|-------------------|--|
| #0002     | 1p/19q Deletion by FISH<br>Oligodendrogliomas Tissue | Kerala   | D        | 12650      | Daily : 9:00am      | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.   |
| #0003     | 3-Methyl Histidine Quantitative Urine                | Kerala   | D        | 6325       | Daily : 11:30am     | 7th day : 6:00pm  | 10 ml of Spot urine  |
| #0004     | 3-Methyl Histidine Quantitative Serum                | Kerala   | R        | 6385       | Daily : 11:30am     | 7th day : 6:00pm  | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| #0006     | 5-HIAA, Urine 24 hrs by column<br>chormatography     | Kerala   | D        | 3315       | Tue & Fri : 11:30am | Same day : 9:00pm | 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history. |
| #0007     | 5q del ( MDS ) by Fish                               | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| #0008     | 5q deletion/Monosomy 5 by FISH MDS<br>Bone Marrow    | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer  |
| #0011     | 7q deletion/Monosomy 7 by FISH,MDS                   | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| #0012     | 7q deletion/Monosomy 7 by FISH MDS                   | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
|           | Bone Marrow  |          |          |            |                     |                   | vacutainer  |
| #0013     | Williams Syndrome; Microdeletion of chromosome 7q11.23**         | Kerala   | R        | 10815      | Daily : 11:30am     | 12th day : 6:00pm | 3 ml of Blood In Na-Heparin Vacutainer  |
| #0014     | FGFR 1 gene rearrangement t(8p11.2), Blood**                     | Kerala   | E        | 4900       | Daily : 9:00am      | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| #0015     | FGFR 1 gene rearrangement t(8p11.2), Bone Marrow**               | Kerala   | E        | 4900       | Daily : 9:00am      | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| #0017     | 11q ( ATM ) by FISH  | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| #0018     | 11q deletion by FISH ATM (CLL) Bone Marrow                       | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| #0021     | 13q del by FISH  | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| #0022     | 13q deletion by FISH MM, CLL Bone Marrow                         | Kerala   | D        | 5000       | Daily : 9:00am      | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| #0023     | 14q32.3 by FISH IGH gene rearrangement (ALL, NHL) Blood**        | Kerala   | D        | 5610       | Daily : 9:00am      | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| #0024     | 14q32.3 by FISH, IGH gene rearrangement (ALL, NHL) Bone Marrow** | Kerala   | D        | 5610       | Daily : 9:00am      | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| #0025     | Prader-Willi/Angeman Syndrome (Microdeletion 15q9-13)**          | Kerala   | R        | 7105       | Daily : 11:30am     | 12th Day : 6:00pm | 3 ml of Blood In Na-Heparin Vacutainer  |
| #0026     | 17 OH Corticosteroids, Urine by Column Chromatography (#0026)    | Kerala   | D        | 4180       | Tue & Fri : 11:30am | Same day : 9:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| #0027     | 17-Hydroxy Progesterone Neonatal Screen<br>Dried blood spot | Kerala   | C        | 470        | Daily : 11:30am     | Next day : 5:00pm | to be conveyed to lab.<br>Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| #0028     | 17-Hydroxy-Progesterone by Serum                            | Kerala   | C        | 1715       | Daily: 9am to 9pm   | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| #0029     | 17 Ketosteroids,urine by Column Chromatography (#0029)      | Kerala   | C        | 3950       | Tue & Fri : 11:30am | Same day : 9:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample.   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon                 | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|----------------------------|--|
|           |  |          |          |            |                          |                            | Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| #0030     | Del 17p53 by FISH  | Kerala   | D        | 5000       | Daily : 9:00am           | 3rd day : 6:00pm           | 2-3 ml Bone Marrow in Na-heparin vacutainer  |
| #0031     | 17p deletion by FISH, p53 (MM, CLL) Blood                              | Kerala   | D        | 5000       | Daily : 9:00am           | 3rd day : 6:00pm           | 3 ml Blood in Na-heparin vacutainer  |
| #0034     | 20q deletion (MDS) by FISH, Blood FISH probe for chromossome 20q Blood | Kerala   | D        | 5000       | Daily : 9:00am           | 3rd day : 6:00pm           | 3 ml Blood in Na-heparin vacutainer  |
| #0035     | Del 20q (MDS) Blood / bone marrow                                      | Kerala   | D        | 5000       | Daily : 9:00am           | 3rd day : 6:00pm           | 2-3 ml Bone Marrow in Na-heparin vacutainer  |
| #0036     | DEL 22q ( Microdeletion digeorge syndrome) by FISH                     | Kerala   | D        | 5405       | Daily : 9:00am           | 7th day : 6:00pm           | 3 ml of Blood In Na-Heparin Vacutainer   |
| #1018     | 5 Nucleotidase activity , Serum**                                      | Kerala   | R        | 6180       | Daily : 11:30am          | After 4 weeks : 6:00pm     | 5 ml Serum   |
| A0001     | Abnormal Haemoglobin Studies, Hb Variants, EDTA Blood                  | Kerala   | C        | 1100       | Daily: 9am               | Next day 5pm               | 3 ml EDTA whole blood  |
| A0003     | Absolute Eosinophile Count   | Kerala   | A        | 210        | Daily: 9am to 9pm        | Absolute Eosinophile Count | 3 ml EDTA whole blood  |
| A0008     | Acetone Ketone by Fully Automated Urine chemistry & Microscopy - Urine | Kerala   | A        | 100        | Daily : 9:00am to 9:00pm | After 6 hrs                | 15ml of Spot Urine in Sterile leak proof container   |
| A0012     | AChR Antibodies Acetyl Choline Receptor Antibodies Serum               | Kerala   | C        | 4200       | Daily : 11:30am          | Next day : 7:00pm          | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0013     | Acid Phosphatase Total Serum   | Kerala   | A        | 445        | Daily: 9am to 9pm        | After 6 hrs                | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0014     | Acid Phosphatase Total and prostatic fraction Serum                    | Kerala   | C        | 600        | Daily: 9am to 9pm        | After 6 hrs                | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0015     | ACTH Stimulation Test - For 17 OH progesterone -Serum                  | Kerala   | C        | 3770       | Daily : 11:30am          | After 8hrs                 | 3 ml of serum (0 min, 30, 60 min)  |
| A0016     | ACTH Stimulation Test - For Aldosterone - Serum                        | Kerala   | C        | 5720       | Daily: 7.30am            | Next day 5pm               | 3 ml of serum (0 min, 30, 60 min)  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon       | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|------------------|---|
| A0017     | ACTH Stimulation Test - For Androstenedione - Serum | Kerala   | C        | 4680       | Daily: 7.30am            | After 8 hrs      | 3 ml of serum (0 min, 30, 60 min)   |
| A0018     | ACTH Stimulation Test - For Cortisol - Serum        | Kerala   | C        | 1820       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0 min, 30, 60 min)   |
| A0019     | ACTH Stimulation Test - For DHEAS-Serum             | Kerala   | C        | 2860       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0 min, 30, 60 min)   |
| A0020     | ACTH Adreno Corticotropic Hormone - Plasma          | Kerala   | C        | 1870       | Daily: 9am to 9pm        | After 6 hrs      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |
| A0021     | Actinomyces Culture by Vitek/MALDITOF - Sputum      | Kerala   | D        | 1325       | Daily : 9:00am to 9:00pm | 5th day : 5pm    | 2ml of Sputum in Sterile leak proof container   |
| A0022     | Actinomyces Culture by Vitek/MALDITOF - Tissue      | Kerala   | D        | 1325       | Daily : 9:00am to 9:00pm | 5th day : 5pm    | Tissue with Normal Saline in Sterile leak proof container   |
| A0023     | Actitest and Fibrotest                              | Kerala   | E        | 16500      | Daily: 7am               | 5th day          | 5 ml of serum   |
| A0024     | Acylcarnitine quantitative Neonatal**               | Kerala   | R        | 4635       | Daily : 11:30am          | 8th day : 6:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
|           |   |          |          |            |                          |                   | sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clincian required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations |
| A0025     | ADA - Adenosine Deaminase by Biochemical Method - Ascitic Fluid   | Kerala   | B        | 1070       | Daily : 9:00am to 9:00pm | After 6 hrs       | 3 ml of Fluid in Sterile leak proof container   |
| A0026     | ADA - Adenosine Deaminase by Biochemical Method - CSF             | Kerala   | B        | 1070       | Daily : 9:00am to 9:00pm | After 6 hrs       | 2 ml of CSF in Sterile leak proof tube or container   |
| A0027     | ADA (Adenosine Deaminase), Pericardial fluid                      | Kerala   | B        | 755        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3 ml of Fluid in Sterile leak proof container   |
| A0028     | ADA - Adenosine Deaminase by Biochemical Method- Peritoneal Fluid | Kerala   | B        | 865        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3 ml of Fluid in Sterile leak proof container   |
| A0029     | ADA - Adenosine Deaminase by Biochemical Method - PleuralFluid    | Kerala   | B        | 1070       | Daily : 9:00am to 9:00pm | After 6 hrs       | 3 ml of Fluid in Sterile leak proof container   |
| A0030     | ADA - Adenosine Deaminase by Biochemical Method - Pus             | Kerala   | B        | 865        | Daily : 9:00am to 9:00pm | After 6 hrs       | Sample in sterile container   |
| A0031     | ADA - Adenosine Deaminase by Biochemical Method - Serum           | Kerala   | B        | 865        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| A0032     | Adenovirus DNA Detection by PCR - Respiratory Fluid **            | Kerala   | D        | 4435       | Daily : 11:30am          | 10th day : 6:00pm | 3 ml of Fluid in Sterile leak proof container   |
| A0033     | Adenovirus DNA Detection by PCR - Oral swab**                     | Kerala   | D        | 4590       | Daily : 11:30am          | 10th day : 6:00pm | 1 Swab with Sufficient Material in Sterile Vacutainer   |
| A0034     | Adenovirus DNA Detection by PCR - Eye swab**                      | Kerala   | D        | 4435       | Daily : 11:30am          | 10th day : 6:00pm | 1 Swab with Sufficient Material in Sterile Vacutainer   |
| A0035     | Adenovirus DNA Detection by PCR - Nasal swab **                   | Kerala   | D        | 4590       | Daily : 11:30am          | 10th day : 6:00pm | 1 Swab with Sufficient Material in Sterile Vacutainer   |
| A0036     | Adenovirus IgG Antibody by EIA - Serum                            | Kerala   | D        | 1630       | Thurs : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| A0037     | Adenovirus IgM Antibody by EIA - Serum                            | Kerala   | D        | 1630       | Thurs : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or   |

| Test Code | Test Name                                    | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|-------------------|--|
|           |  |          |          |            |                          |                   | in Plain Sterile Vacutainer  |
| A0038     | ADH-Anti Diuretic Hormone Vasopressin Plasma | Kerala   | D        | 5510       | Mon : 11:30am            | Next day : 5:00pm | 3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.  |
| A0039     | Adiponectin ELISA Serum                      | Kerala   | D        | 3060       | Wed : 11:30am            | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0041     | Adrenaline (Epinephrine) Plasma              | Kerala   | D        | 3670       | Wed : 11:30am            | Next day : 5:00pm | Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.  |
| A0042     | Adrenaline (Epinephrine] HPLC,Urine24hrs     | Kerala   | D        | 3160       | Wed : 11:30am            | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history. |
| A0052     | AFB Rapid culture by Bactec Fx - Blood       | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks      | 3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin  |
| A0053     | AFB Rapid culture by MGIT - Body Fluid       | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks      | 2ml of Body Fluid in Sterile leak proof container  |
| A0054     | AFB Rapid culture by Bactec Fx - Bone Marrow | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks      | 3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin  |
| A0055     | AFB Rapid culture by MGIT - BAL & Other      | Kerala   | C        | 1310       | Daily : 9:00am to        | Upto 6 weeks      | 2ml of BAL / Other Respiratory   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon   | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|--------------|---|
|           | Respiratory samples   |          |          |            | 9:00pm                   |              | samples in Sterile leak proof container                         |
| A0056     | AFB Rapid culture by MGIT - CSF   | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | 2ml of CSF in Sterile leak proof tube or container              |
| A0057     | AFB Rapid culture by MGIT - Endometrium   | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | 2ml of Endometrium in Sterile leak proof container              |
| A0058     | AFB Rapid culture by MGIT - Other   | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | 2ml of Specimen in Sterile leak proof container                 |
| A0059     | AFB Rapid culture by MGIT - Pus, abscess and aspirates  | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | 2ml of Pus / Abscess / Aspirate in Sterile leak proof container |
| A0060     | AFB Rapid Culture by MGIT - Sputum  | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | 2ml of Sputum in Sterile leak proof container                   |
| A0061     | AFB Rapid culture by MGIT - Tissue/Biopsy   | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | Tissue with Normal Saline in Sterile leak proof container       |
| A0062     | AFB Rapid Culture by MGIT - Urine   | Kerala   | C        | 1310       | Daily : 9:00am to 9:00pm | Upto 6 weeks | 15ml of Spot Urine in Sterile leak proof container              |
| A0063     | MOTT Antibigram for Rapid Growers by Microbroth dilution - Pure Culture                       | Kerala   | D        | 8160       | Daily : 7:30am           | Upto 4 weeks | Isolated colony on culture plates                               |
| A0064     | MOTT Antibigram for Slow Growers by Microbroth dilution - Pure Culture                        | Kerala   | D        | 9180       | Daily : 7:30am           | Upto 4 weeks | Isolated colony on culture plates                               |
| A0065     | AFB (TB) - Antibigram for MTb complex - Amikacin Drug by MGIT - Pure Growth of MTB complex    | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant      |
| A0066     | AFB (TB) - Antibigram for MTb complex - Capreomycin Drug by MGIT - Pure Growth of MTB complex | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant      |
| A0067     | AFB (TB) - Antibigram for MTb complex - Clofazimine Drug by MGIT - Pure Growth of MTB complex | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant      |
| A0068     | AFB (TB) - Antibigram for MTb complex - Ethambutol Drug by MGIT - Pure Growth of MTB complex  | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant      |
| A0069     | AFB (TB) - Antibigram for MTb complex - Ethionamide Drug by MGIT - Pure Growth of MTB complex | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant      |
| A0070     | AFB (TB) - Antibigram for MTb complex - Isoniazid Drug by MGIT - Pure Growth of               | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant      |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule   | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------|-------------------|---|
| A0071     | MTB complex<br>AFB (TB) - Antibiogram for MTb complex - Kanamycin Drug by MGIT - Pure Growth of MTB complex                           | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0072     | AFB (TB) - Antibiogram for MTb complex - Levofloxacin Drug by MGIT - Pure Growth of MTB complex                                       | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0073     | AFB (TB) - Antibiogram for MTb complex - Moxifloxacin Drug by MGIT - Pure Growth of MTB complex                                       | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0074     | AFB (TB) - Antibiogram for MTb complex - Ofloxacin Drug by MGIT - Pure Growth of MTB complex  | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0075     | AFB (TB) - Antibiogram for MTb complex - PAS Drug by MGIT - Pure Growth of MTB complex  | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0076     | AFB (TB) - Antibiogram for MTb complex - Pyrazinamide Drug by MGIT - Pure Growth of MTB complex                                       | Kerala   | C        | 2705       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0077     | AFB (TB) - Antibiogram for MTb complex - Rifabutin Drug by MGIT - Pure Growth of MTB complex  | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0078     | AFB (TB) - Antibiogram for MTb complex - Rifampicin Drug by MGIT - Pure Growth of MTB complex   | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0079     | AFB (TB) - Antibiogram for MTb complex - Streptomycin Drug by MGIT - Pure Growth of MTB complex                                       | Kerala   | C        | 2495       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                    |
| A0080     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Other Sample Type | Kerala   | C        | 2340       | Daily : 7:30am | Next day : 5:00pm | 2ml of Sputum/ BAL/ Other respiratory samples in Sterile leak proof container |
| A0081     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Body Fluids       | Kerala   | C        | 2130       | Daily : 7:30am | Next day : 5:00pm | 2ml of Body Fluid in Sterile leak proof container                             |
| A0082     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by  | Kerala   | C        | 2130       | Daily : 7:30am | Next day : 5:00pm | 2ml of CSF in Sterile leak proof tube or container                            |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule   | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------|-------------------|---|
|           | Ultra CBNAAT (If - MTB Positive) - CSF  |          |          |            |                |                   |   |
| A0083     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Pus / Abscess / Aspirate      | Kerala   | C        | 2130       | Daily : 7:30am | Next day : 5:00pm | 2ml of Pus / Abscess / Aspirate in Sterile leak proof container   |
| A0084     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Semen                         | Kerala   | C        | 2130       | Daily : 7:30am | Next day : 5:00pm | 2ml of Specimen in Sterile leak proof container   |
| A0085     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Tissue / Biopsy / Lymph nodes | Kerala   | C        | 2290       | Daily : 7:30am | Next day : 5:00pm | Tissue/ Endometrium with Normal Saline/ Biopsy/ Lymph nodes in Sterile leak proof container   |
| A0086     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Urine                         | Kerala   | C        | 2130       | Daily : 7:30am | Next day : 5:00pm | 15ml of Spot Urine in Sterile leak proof container  |
| A0087     | AFB Drug susceptibility panel 1st and 2nd Line (10 drugs) by MGIT - Pure Culture  | Kerala   | D        | 9690       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0088     | AFB Drug susceptibility panel 1st Line (4 drugs) SIRE by MGIT - Pure Culture  | Kerala   | D        | 5100       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0089     | AFB Drug susceptibility panel 2nd Line (4 Drugs) KEPO by MGIT - Pure Culture  | Kerala   | D        | 5915       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0090     | AFB Drug susceptibility panel Additional drugs 4 Nos. MACC by MGIT - Pure Culture   | Kerala   | D        | 5710       | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0091     | AFB Drug susceptibility panel Comprehensive Panel 13 drugs by MGIT - Pure Culture   | Kerala   | D        | 13770      | Daily : 7:30am | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0092     | AFB Identification & Speciation MTB and MOTT by Hains Line Probe - Pure culture   | Kerala   | D        | 3570       | Tue : 7:30am   | Next day : 5pm    | Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.  |
| A0093     | AFB MDR Screen by Hains Line Probe Assay - Sputum, BAL, other respiratory samples   | Kerala   | D        | 1940       | Tue : 7:30am   | Next day : 5pm    | 2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container   |
| A0094     | AFB MDR Screen by Hains Line Probe Assay - Extra pulmonary samples  | Kerala   | D        | 1940       | Tue : 7:30am   | Next day : 5pm    | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, Synovial |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon  | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------------|-------------|--|
| A0102     | AFB-Smear examination by Fluorescent stain - Body fluid                     | Kerala   | C        | 440        | Daily : 9:00am & 3:00pm | After 6 hrs | fluid)<br>2ml of Body Fluid in Sterile leak proof container                      |
| A0103     | AFB-Smear examination by Fluorescent stain - BAL & Other Respiratory Sample | Kerala   | C        | 440        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of BAL / Other Respiratory samples in Sterile leak proof container           |
| A0104     | AFB-Smear examination by Fluorescent stain - Pus, abscess and aspirates     | Kerala   | C        | 440        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Pus / Abscess / Aspirate in Sterile leak proof container                  |
| A0105_1   | AFB-Smear examination by Fluorescent stain - Sputum (1 sample)              | Kerala   | C        | 440        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Sputum in Sterile leak proof container                                    |
| A0105_3   | AFB-Smear examination by Fluorescent stain - Sputum ( 3 sample )            | Kerala   | C        | 1250       | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Sputum in Sterile leak proof container                                    |
| A0106     | AFB-Smear examination by Fluorescent stain - Tissue and Biopsy              | Kerala   | C        | 440        | Daily : 9:00am & 3:00pm | After 6 hrs | Tissue with Normal Saline / Biopsy / Lymph nodes in Sterile leak proof container |
| A0107_1   | AFB-Smear examination by Fluorescent stain - Urine (1 sample)               | Kerala   | C        | 440        | Daily : 9:00am & 3:00pm | After 6 hrs | 15ml of Spot Urine in Sterile leak proof container                               |
| A0107_3   | AFB-Smear examination by Fluorescent stain - Urine ( 3 sample )             | Kerala   | C        | 1250       | Daily : 9:00am & 3:00pm | After 6 hrs | 15ml of Spot Urine in Sterile leak proof container                               |
| A0108     | AFB-Smear examination by ZN Stain - Body fluids                             | Kerala   | B        | 420        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Body Fluid in Sterile leak proof container                                |
| A0109     | AFB- Smear examination by ZN Stain - BAL & Other Respiratory samples        | Kerala   | B        | 420        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of BAL / Other Respiratory samples in Sterile leak proof container           |
| A0110     | AFB-Smear examination by ZN Stain - Pus, abscess and aspirates              | Kerala   | B        | 420        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Pus / Abscess / Aspirate in Sterile leak proof container                  |
| A0111_1   | AFB-Smear examination by ZN Stain - Sputum (1 sample)                       | Kerala   | B        | 420        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Sputum in Sterile leak proof container                                    |
| A0111_3   | AFB-Smear examination by ZN Stain - Sputum (3 samples)                      | Kerala   | B        | 865        | Daily : 9:00am & 3:00pm | After 6 hrs | 2ml of Sputum in Sterile leak proof container                                    |
| A0112     | AFB- Smear examination by ZN Stain - Tissue / Biopsy                        | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm | After 6 hrs | Tissue with Normal Saline in Sterile leak proof container                        |
| A0113_1   | AFB- Smear examination by ZN Stain - Spot Urine (Single Sample)             | Kerala   | B        | 420        | Daily : 9:00am & 3:00pm | After 6 hrs | 15ml of Spot Urine in Sterile leak proof container                               |
| A0113_3   | AFB-Smear examination by ZN Stain - Urine (3 samples)                       | Kerala   | B        | 865        | Daily : 9:00am & 3:00pm | After 6 hrs | 15ml of Spot Urine in Sterile leak proof container                               |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| A0114     | AFB Speciation (MOTT) Additional species by Hains Line Probe Assay - Pure culture               | Kerala   | C        | 4470       | Tue : 7:30am             | Next day : 5pm    | Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.  |
| A0115     | AFB XDR Screen by Hains Line Probe Assay - Sputum / BAL/ Other respiratory samples              | Kerala   | C        | 5875       | Tue : 7:30am             | Next day : 5pm    | 2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container   |
| A0116     | AFB XDR Screen by Hains Line Probe Assay - Extra pulmonary samples                              | Kerala   | C        | 5355       | Tue : 7:30am             | Next day : 5pm    | Extra - Pulmonary Smear positive samples or Culture positive specimen   |
| A0117     | AFB-Xpert panel (M.Tb Detection & Rifampicin resistance) by Genexpert - Pulmonary samples       | Kerala   | D        | 2300       | Daily : 7:30am           | Same day : 6:00pm | 2ml of Pulmonary specimen in Sterile leak proof container   |
| A0118     | AFB-Xpert panel (M.Tb Detection & Rifampicin resistance) by Genexpert - Extra pulmonary samples | Kerala   | D        | 2245       | Daily : 7:30am           | Same day : 6:00pm | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid) |
| A0119     | AFP-Alpha Feto Protein- CLIA- Serum   | Kerala   | B        | 950        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0120     | Alpha Fetoprotein - Amniotic Fluid (AFP-AF)   | Kerala   | C        | 1145       | Daily: 9am to 9pm        | After 6 hrs       | 2 ml Amniotic Fluid In Sterile container  |
| A0121     | AFP-Alpha Feto Protein -CLIA- CSF   | Kerala   | C        | 1040       | Daily: 9am to 9pm        | After 8 hrs       | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).   |
| A0122     | Albert stain by smear examination - Throat swab   | Kerala   | B        | 380        | Daily : 9:00am to 3:00pm | After 6 hrs       | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| A0123     | Albumin Qualitative - Urine   | Kerala   | A        | 80         | Daily : 9:00am to 9:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container  |
| A0124     | Albumin Quantitative Urine 24H  | Kerala   | B        | 625        | Daily: 9am to 9pm        | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with                          |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
|           |  |          |          |            |                     |                   | clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| A0125     | Albumin Serum  | Kerala   | A        | 250        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0126     | Albumin CSF  | Kerala   | C        | 1250       | Daily: 9am to 9pm   | After 8 hrs       | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).   |
| A0127     | Albumin/Creatinine Ratio, Urine                                      | Kerala   | A        | 400        | Daily: 9am to 9pm   | After 6 hrs       | 10 ml of Spot urine   |
| A0128     | Alcohol Ethanol Urine  | Kerala   | C        | 1350       | Daily: 9am to 9pm   | After 6 hrs       | 10 ml of Spot urine   |
| A0129     | Alcohol Ethanol Serum  | Kerala   | C        | 1040       | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0130     | Aldehyde Chopra Test for Kala Azar by Chemical Formal Test - Serum** | Kerala   | R        | 465        | Daily : 11:30am     | 3rd day : 6:00pm  | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| A0131     | Aldolase enzymatic Serum   | Kerala   | C        | 1030       | Mon and Thu: 7.30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0132     | Aldosterone 24H URINE  | Kerala   | C        | 2360       | Daily : 11:30am     | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and                     |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon           | Sample Guideline   |
|-----------|---|----------|----------|------------|---------------------|----------------------|--|
|           |   |          |          |            |                     |                      | include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.                               |
| A0133     | Aldosterone ELISA Serum                                 | Kerala   | C        | 2445       | Daily : 9:00am      | Same day after 8 hrs | 3 ml Serum (Mention The Position)  |
| A0134     | ALK1/EML4 ( LUNG CANCER ) by FISH                       | Kerala   | E        | 8500       | Daily : 9:00am      | 7th day : 6:00pm     | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| A0135     | Alkaline Phosphatase Serum                              | Kerala   | A        | 270        | Daily: 9am to 9pm   | After 6 hrs          | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0136     | Alkaline Phosphatase Isoenzymes Electrophoresis - Serum | Kerala   | D        | 5100       | Thu : 11:30am       | Next day : 5:00pm    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0137     | Alkaline Phosphatase with Bone Fraction Ostase Serum    | Kerala   | C        | 1870       | Mon & Thu : 11:30am | After 8hrs           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0138     | Allergen,Individual-AnimalCat DanderSerum               | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0140     | Allergen,Individual-AnimalCow DanderSerum               | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0141     | Allergen,Individual-AnimalDog DanderSerum               | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0143     | Allergen,Individual-Animal Guinea Pig Epithelium Serum  | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| A0145     | Allergen,Individual-AnimalHorse Dander Serum                          | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0152     | Allergen,Individual-DrugACTH  | Kerala   | C        | 1715       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0158     | Allergen,Individual-DrugCiprofloxacinantibiotic                       | Kerala   | C        | 1560       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0173     | Allergen, Individual-Drug Sulpha antibiotic                           | Kerala   | C        | 1560       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0175     | Allergen,Individual-DustDermatophagoides FarinaeHouse Dust Mite       | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0176     | Allergen,Individual-DustDermatophagoides PteronyssinusHouse Dust Mite | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0178     | Allergen,Individual-Dust House Dust - Hollistier                      | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0179     | Allergen,Individual-DustHouse Dust Greer Labs                         | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0180     | Allergen,Individual-FoodAlmondBadam (Amygdalus Communis)              | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0181     | Allergen,Individual-FoodAlpha - LactalbuminMilkMilk protein           | Kerala   | C        | 1455       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0182     | Allergen,Individual-FoodAppleSafarchand (Malus X Domestica)           | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0185     | Allergen,Individual-FoodBaingan                                       | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0186     | Allergen,Individual-FoodBakers YeastYeast ( Saccharomyces Cerevisiae) | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex        |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| A0187     | Allergen,Individual-FoodBananaKela (Musa Spp.)                      | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0189     | Allergen,Individual-Food Basil Ocimum basilicum                     | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0191     | Allergen,Individual-FoodBeefCow meat (Bos spp.)                     | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0192     | Allergen,Individual-FoodBeta - Lactoglobulin- MilkMilk protein      | Kerala   | C        | 1455       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0193     | Allergen,Individual-FoodBlack PepperPiper nigrum                    | Kerala   | C        | 1455       | Mon & Thu : 11:30am | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0194     | Allergen,Individual-FoodBlue MusselMytilus Edulis                   | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0195     | Allergen,Individual-FoodBrazil NutBertholletia excelsa              | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0198     | Allergen,Individual-FoodCabbageGobi (Brassica Oleraceavar.Capitata) | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0199     | Allergen,Individual-FoodCardamonElettaria cardamomum                | Kerala   | C        | 1455       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0201     | Allergen,Individual-FoodCasein( Milk Protein)Dahi                   | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0202     | Allergen,Individual-FoodCashew NutKaju ( Anacardium Occidentale)    | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0204     | Allergen,Individual-Food Celery Apium Graveolens                    | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| A0205     | Allergen,Individual-FoodCheese Cheddar                          | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0207     | Allergen,Individual-FoodChick PeaKabuli Chana (Cicer Arietinus) | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0208     | Allergen,Individual-FoodChicken MeatMurgi                       | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0209     | Allergen,Individual-FoodChilipepperCapsicum frutescens          | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0211     | Allergen,Individual-FoodClove(Syzygium aromaticum)              | Kerala   | C        | 1455       | Mon & Thu : 11:30am | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0212     | Allergen,Individual-FoodCocoaChocolate (Theobroma Cacao)        | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0213     | Allergen,Individual-FoodCoconutNarial (Cocos Nucifera)          | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0214     | Allergen,Individual-FoodCod FishMachhli (Gadus Morhua)          | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0215     | Allergen,Individual-FoodCoffee                                  | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0216     | Allergen,Individual-FoodCoriander                               | Kerala   | C        | 1455       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0217     | Allergen,Individual-FoodCorn / MaizeMakka (Zea Mays)            | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0218     | Allergen,Individual-FoodCow MilkDoodh                           | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0219     | Allergen,Individual-FoodCrabCancer pagurus                      | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex        |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------|---|
| A0224     | Allergen,Individual-FoodEgg WhiteAnda                           | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0225     | Allergen,Individual-FoodEgg YolkAnda                            | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0228     | Allergen,Individual-FoodGarlicLehsoon (Allium Sativum)          | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0230     | Allergen,Individual-FoodGluten                                  | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0234     | Allergen,Individual-FoodGreen Pea                               | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0236     | Allergen,Individual-FoodHazelnutCorylus avellana                | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0238     | Allergen,Individual-FoodKiwi FruitActinidia deliciosa           | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0242     | Allergen,Individual-FoodLemonNimbu (Citrus Limon)               | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0243     | Allergen,Individual-FoodLentilMasoor Dal (Lens Esculenta)       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0245     | Allergen,Individual-Food Lobster Homarus gammarus               | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0249     | Allergen,Individual-FoodMangoMangifera Indica                   | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0252     | Allergen,Individual-FoodMushroomchampignon / Agaricus hortensis | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------|---|
| A0253     | Allergen,Individual-FoodMustardSarson (Brassica / Sinapsis Spp.) | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0254     | Allergen,Individual-FoodMuttonOvis Spp.                          | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0256     | Allergen,Individual-FoodOliveOlea Europaea                       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0257     | Allergen,Individual-FoodOnionPiaz (Allium Cepa)                  | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0258     | Allergen,Individual-FoodOrangesantra (Citrus sinensis)           | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0260     | Allergen,Individual-FoodPapayaCarica Papaya                      | Kerala   | C        | 1560       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0261     | Allergen,Individual-FoodPapricaSimla Mirchi (Capsicum Annuum)    | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0263     | Allergen,Individual-FoodPeachPrunus persica                      | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0264     | Allergen,Individual-FoodPeanutMoongfali (Arachis Hypogaea)       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0265     | Allergen,Individual-FoodPearPyrus communis                       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0266     | Allergen,Individual-Food Pecan nut Carya illinoensis             | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0267     | Allergen,Individual-FoodPineappleAnanas                          | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0268     | Allergen,Individual-FoodPistachio                                | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex        |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------|---|
| A0269     | Allergen,Individual-FoodPlaiceFish (Pleuronectes platessa)        | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0272     | Allergen,Individual-FoodPorkPig meat                              | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0273     | Allergen,Individual-FoodPotatoAaloo (Solanum Tuberosum)           | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0277     | Allergen,Individual-FoodRiceChawal (Oryza Sativa)                 | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0278     | Allergen,Individual-FoodSalmonRawas fish (Salmo Salar)            | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0281     | Allergen,Individual-FoodShrimp / Prawns                           | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0282     | Allergen,Individual-FoodSoyabeanGlycine Max                       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0283     | Allergen,Individual-FoodSpinachPalak ( Spinachia Oleracea)        | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0284     | Allergen,Individual-FoodStrawberryFragaria vesca                  | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0289     | Allergen,Individual-FoodTomatoTamatar (Lycopersicon Lycopersicum) | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0290     | Allergen,Individual-FoodTunaFish (Pleuronectes platessa)          | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0292     | Allergen,Individual-FoodWalnutJuglans californica                 | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------|---|
| A0294     | Allergen,Individual-FoodWheatGehon (Triticum Aestivum)                   | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0295     | Allergen,Individual-FoodWhite BeanPhaseolus Vulgaris                     | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0298     | Allergen,Individual-Grass pollenBermuda GrassDurva (Cynodon Grass)       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0300     | Allergen,Individual-Grass pollen Cultivated RyeGrass Secale Cereale      | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0302     | Allergen,Individual-Grass pollenJohnson GrassJowar grass (Sorghum Grass) | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0304     | Allergen,Individual-Grass pollen Meadow Grass Poa Pratensis              | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0308     | Allergen,Individual-Grass pollenTimothy GrassGhass (Phleum Pratense)     | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0311     | Allergen,Individual-InsectCockroach GermanBlatella Germanica             | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0312     | Allergen,Individual-InsectHoney Bee VenomMadhu Makhhi (Apis Mellifera)   | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0315     | Allergen,Individual-Micro organismAlternaria Teniusfungus                | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0316     | Allergen,Individual-Micro organismAspergillus Fumigatusfungus            | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0317     | Allergen,Individual-Micro organismCandida Albicansfungus                 | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0318     | Allergen,Individual-Micro organismCladosporium Herbarumfungus            | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex        |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon       | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------|---|
| A0320     | Allergen, Individual - Insect Mosquito Machhar (Aedes Communis)                          | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0322     | Allergen, Individual-Micro organism Penicillium Notatum fungus (Penicillium chrysogenum) | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0338     | Allergen, Individual-Tree pollen Acacia Babool (Acacia Longifolia)                       | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0339     | Allergen, Individual-Tree pollen Alder Alnus Incana                                      | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0340     | Allergen, Individual-Tree pollen Birch Betula Verrucosa                                  | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0342     | Allergen, Individual-Tree pollen Eucalyptus Nilgiri (Safeda )                            | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0345     | Allergen, Individual-Tree pollen Mesquite Pahadi Keekar (Prosopis Juliflora)             | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0346     | Allergen, Individual-Tree pollen Mulberry Shahtoot (Morus alba)                          | Kerala   | C        | 1455       | Daily : 11:30am | 5th day : 6:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0347     | Allergen, Individual-Tree pollen Oak Quercus Alba  | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0348     | Allergen, Individual-Tree pollen White Pine Pinus strobus                                | Kerala   | C        | 1455       | Daily : 11:30am | 5th day : 6:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0349     | Allergen, Individual-Tree pollen Willow Salix Caprea                                     | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A0350     | Allergen, Individual-Weed pollen Cocklebur Xanthium commune                              | Kerala   | C        | 1455       | Daily : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
| A0351     | Allergen,Individual-Weed pollen Common Pigweed Kaantewali Chauli ( Amaranthus Retroflexus)           | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0352     | Allergen,Individual-Weed pollenCommon RagweedClose To Parthenium / Congress Grass (Ambrosia Elatior) | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0353     | Allergen,Individual-Weed pollenEnglish PlantainPlantago Lanceolata                                   | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0355     | Allergen,Individual-Weed pollenGoose FootChenopodium Album   | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0356     | Allergen,Individual-Weed pollenMugwortSita Bani (Artemisia Vulgaris / BanoBarna)                     | Kerala   | C        | 1455       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A0360     | Allergy - Fruit Panel  | Kerala   | D        | 6425       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0361     | Allergy Fx 5 Panel   | Kerala   | D        | 5000       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0362     | Allergy - Milk & Milk Product Panel  | Kerala   | D        | 4285       | Daily : 11:30am     | Next day : 6:00pm | 5 ml of serum   |
| A0363     | Allergy - Non-vegetarian Panel   | Kerala   | D        | 7295       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0364     | Allergy-Nuts Panel   | Kerala   | D        | 6365       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0367     | Allergy - Spices Panel   | Kerala   | D        | 5710       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0368     | Allergy - Vegetable-1 Panel  | Kerala   | D        | 6425       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0370     | Allergy - Vegetarian + Nonvegetarian Panel   | Kerala   | D        | 16500      | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0371     | Allergy panel-foodVegetarians Panel  | Kerala   | D        | 8000       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0372     | Allergy - Adult (Comprehensive) Panel  | Kerala   | D        | 18260      | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0373     | Allergy - Animal Panel   | Kerala   | D        | 4285       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0377     | Allergy - Drug Panel: ( Maxi )   | Kerala   | D        | 7200       | Tue & Fri : 11:30am | After 8hrs        | 5 ml of serum   |
| A0379     | Allergy - Dust Panel   | Kerala   | D        | 4080       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0382     | Allergy - Environmental Panel  | Kerala   | D        | 15910      | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0383     | Allergy - GIT Panel  | Kerala   | D        | 18515      | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0384     | Allergy-Grass Panel  | Kerala   | D        | 3570       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0389     | Allergy - Mold-2 Panel   | Kerala   | D        | 4590       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0395     | Allergy - Trees pollen Panel   | Kerala   | D        | 3875       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |
| A0396     | Allergy - Weeds pollen Panel   | Kerala   | D        | 4845       | Daily : 11:30am     | Next day : 5:00pm | 5 ml of serum   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| A0398     | IgETotal antibodySerum                                  | Kerala   | B        | 800        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0399     | Allergy Screening IgE With Phadiatop (Adult & >5y)      | Kerala   | D        | 1630       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0399_C   | Allergy Screening IgE With PhadiaTop (Child below 5 y)  | Kerala   | D        | 1600       | Daily : 11:30am     | After 8hrs        | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.   |
| A0400     | Allergy screeningPhadiatop-AdultFor > 5 years           | Kerala   | C        | 1360       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0401     | Phadiatop allergen screening - Infant (For Below 5 yrs) | Kerala   | C        | 1350       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0403     | Alpha 1 Acid Glycoprotein Serum                         | Kerala   | D        | 2395       | Mon and Thu: 7.30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0404     | Alpha 1 Antitrypsin Serum                               | Kerala   | C        | 2290       | Mon and Thu: 7.30am | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0405     | alpha 1 anti trypsin (Z, X & M mutations) by PCR**      | Kerala   | R        | 7210       | Daily: 7:30am       | 1 month           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| A0406     | Alpha 2 Macroglobulin Serum                             | Kerala   | D        | 3160       | Mon and Thu: 7.30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0407     | Alpha Fucosidase Blood                                  | Kerala   | R        | 7725       | Daily : 11:30am     | 10th day : 6:00pm | sample type - 5 ml Heparin Blood  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|------------------------|---|
| A0408     | Alpha Galactosidase Fabry Blood                          | Kerala   | R        | 6180       | Daily : 11:30am   | 10th day : 6:00pm      | ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)<br>sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)                             |
| A0409     | Alpha Glucosidase GSD II / pompe Blood                   | Kerala   | R        | 7930       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| A0410     | Alpha Iduronidase Hurler / MPS I Blood                   | Kerala   | R        | 6695       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| A0411     | Alpha Mannosidase Blood                                  | Kerala   | R        | 6180       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| A0412     | Alpha N-Acetyl Galactosaminidase Schindler disease Blood | Kerala   | R        | 6180       | Daily : 11:30am   | After 4 weeks : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| A0413     | Alpha Thalassemia by PCR                                 | Kerala   | D        | 5610       | Tue & Sat: 9:00am | 7th day : 6:00pm       | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory. |
| A0414     | Aluminium in serum                                       | Kerala   | C        | 2810       | Daily: 7:30am     | Next day 5:00pm        | HeavyMetalSamplingguidelines.pdf  |
| A0415     | Aluminium, Urine 24 Hrs                                  | Kerala   | C        | 2810       | Daily : 11:30am   | 3rd day : 6:00pm       | HeavyMetalSamplingguidelines.pdf  |
| A0416     | Aluminium spot urine                                     | Kerala   | C        | 2810       | Daily : 11:30am   | 3rd day : 6:00pm       | HeavyMetalSamplingguidelines.pdf  |
| A0417     | AMH Mullerian Inhibiting Substance Serum                 | Kerala   | B        | 2100       | Daily: 9am to 9pm | After 6 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0422     | Amino Acid Quantitative Analysis by LC                   | Kerala   | D        | 7395       | Thu : 11:30am     | Tue : 5:00pm           | 3 ml of EDTA plasma or heparin  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------|-------------------|--|
|           | MSMS Plasma   |          |          |            |                    |                   | plasma to be sent in aliquot tube at proper temperature.   |
| A0423     | Amino Acid Quantitative Urine                                     | Kerala   | D        | 7275       | Thu : 11:30am      | Tue : 5:00pm      | 10 ml of Spot urine  |
| A0424     | Amino Levulinic Acid (ALA) 24 H Urine                             | Kerala   | D        | 4180       | Thu : 11:30am      | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| A0425     | Amino Levulinic Acid (ALA) Urine Spot                             | Kerala   | D        | 4315       | Thu : 11:30am      | Next day : 5:00pm | 10 ml of Spot urine (Protect From Light)   |
| A0427     | Ammonia Biochemical Plasma  | Kerala   | B        | 1240       | Daily: 9am to 9pm  | After 3 hrs       | 2 ml of Heparinised Plasma   |
| A0428     | Amoebiasis Antibodies-IgG Antibody by IHA - Serum                 | Kerala   | C        | 1510       | Mon & Thu : 7:30am | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| A0429     | Amphetamine Quantitative Urine Spot                               | Kerala   | B        | 755        | Daily: 9am to 9pm  | After 6 hrs       | 5 ml of Spot Urine   |
| A0430     | Amphiphysin Antibody Neuronal Ag in Paraneoplastic Syndrome Serum | Kerala   | D        | 4795       | Daily: 11:30am     | Next day 8pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0431     | Amylase Enzymatic Ascitic Fluid                                   | Kerala   | B        | 540        | Daily: 9am to 9pm  | After 6 hrs       | 2 ml of Ascitic Fluid  |
| A0432     | Amylase Enzymatic Serum   | Kerala   | B        | 650        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0433_24  | Amylase enzymatic Urine Spot                                      | Kerala   | B        | 565        | Daily: 9am to 9pm  | After 6 hrs       | 10 ml of Spot urine  |
| A0433_24H | Amylase enzymatic Urine 24H                                       | Kerala   | B        | 565        | Daily: 9am to 9pm  | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------------|-------------------|---|
|           |  |          |          |            |                         |                   | without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| A0434     | Amyloid A Serum                                    | Kerala   | D        | 4130       | Tue : 11:30am           | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0435     | ANA Blot 18 Antigen, Serum                         | Kerala   | C        | 3600       | Daily:7.30 am           | Same day 8:00 PM  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0436     | ANA by ELISA Anti Nuclear Antibody Screening Serum | Kerala   | B        | 930        | M,W,F: 7:30am           | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0437     | Anti Nuclear Antibody by IFA                       | Kerala   | C        | 1100       | Daily : 11:30am         | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0438     | ANA Profile Serum                                  | Kerala   | D        | 5000       | Tue,Thur and Sat 7.30am | Same day : 7:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0440     | Anaemia Profile-Haemolytic Type                    | Kerala   | C        | 3825       | Daily: 9am to 9pm       | Next day 5pm      | 4 ml Heparin & EDTA Blood, 4ml Serum  |
| A0441     | Anaemia Profile-Maxi                               | Kerala   | C        | 8060       | Daily: 9am to 9pm       | Next day 5pm      | 4 ml Heparin & EDTA Blood, 4ml Serum  |
| A0442     | Anaemia Profile-Mini                               | Kerala   | C        | 1975       | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of EDTA whole blood, 5 ml of serum   |
| A0443     | Anaemia Profile-Nutritional                        | Kerala   | C        | 3900       | Daily: 9am to 9pm       | After 6 hrs       | 3ml EDTA blood & Serum  |
| A0444     | Anaemia Profile-Pernicious                         | Kerala   | C        | 3745       | Mon/Thurs - 7:30        | Next day 5:00 pm  | 3ml EDTA blood & Serum  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
| A0445     | Anti neutrophil cytoplasmic antibody (ANCA) Serum      | Kerala   | C        | 2600       | Daily: 7.30am<br>am | Next day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                   |
| A0446     | Androgen Profile                                       | Kerala   | C        | 4680       | Tue and Fri: 7am    | Next day 5pm      | 5 ml of serum   |
| A0447     | AndrostenedioneA4Serum                                 | Kerala   | C        | 2130       | Daily: 9am to 9pm   | Next day 5:00 pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                   |
| A0448     | ACE - Angiotensin Converting Enzyme Serum              | Kerala   | C        | 1560       | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                   |
| A0449     | ACE-Angiotensin Converting Enzyme, CSF                 | Kerala   | D        | 3265       | Daily : 11:30am     | 4th day : 6:00pm  | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). |
| A0450     | Antenatal Profile-II                                   | Kerala   | C        | 1665       | Daily: 9am to 9pm   | After 8 hrs       | 2 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine        |
| A0451     | Antenatal Profile - I                                  | Kerala   | C        | 3015       | Daily: 8pm          | 3rd day           | 2 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine        |
| A0453     | Anti - A Titre   | Kerala   | D        | 1580       | Daily : 11:30am     | After 8hrs        | 3 ml Serum  |
| A0454     | Anti - B Titre   | Kerala   | D        | 1580       | Daily : 11:30am     | After 8hrs        | 3 ml Serum  |
| A0455     | Anti DNase B enzymatic Seum                            | Kerala   | D        | 2120       | Daily: 7.30am       | 3rd day           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                   |
| A0458     | Anti Thrombin III Activity Functional, Citrated plasma | Kerala   | D        | 4455       | Mon and Thurs: 9am  | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.                                    |
| A0459     | Anti Thrombin III Antigen, Citrated plasma             | Kerala   | D        | 4895       | Mon and Thurs: 9am  | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.                                    |
| A0462     | Antimony ICPMS Urine Spot                              | Kerala   | R        | 2835       | Daily : 11:30am     | 10th day : 6:00pm | Individual Metals and Minerals.pdf  |
| A0463_N   | Phospholipid Profile - 3                               | Kerala   | D        | 8060       | Thursday 9.0 am     | Same day 7.0 pm   | 3 ml of Citrate plasma, 3 ml of serum   |
| A0464     | APA-IgG Phospholipid Antibody Serum                    | Kerala   | C        | 1135       | Daily: 7:30am       | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                   |
| A0465     | APA-IgM Phospholipid Antibody Serum                    | Kerala   | C        | 1135       | Tue,Thu, S: 7:30am  | Same day 5pm      | 3 ml of serum for single test and 5   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------|-------------------|--|
|           |  |          |          |            |                    |                   | ml serum for profiles and reflex tests.  |
| A0466     | APCR Activated Protein C Resistance Test, Citrated plasma    | Kerala   | D        | 4285       | Mon and Thurs: 9am | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.   |
| A0467     | Apolipoproteins A1 serum                                     | Kerala   | B        | 675        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0468     | Apolipoproteins B/A1   | Kerala   | C        | 1145       | Daily: 9am to 9pm  | After 4 hour      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0469     | Apolipoproteins B serum                                      | Kerala   | B        | 675        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0470     | Apolipoproteins Profile, Serum                               | Kerala   | C        | 1975       | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0471     | APTT Activated Partial Thromboplastin Time, Citrated plasma. | Kerala   | B        | 380        | Daily: 9am to 9pm  | After 6 hrs       | 1 ml of citrated platelet poor plasma in frozen condition.   |
| A0472     | Arginine Quantitative Plasma                                 | Kerala   | D        | 6325       | Thu : 11:30am      | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.                                      |
| A0473     | Arginine Quantitative Urine                                  | Kerala   | R        | 6385       | Daily : 11:30am    | 7th day : 6:00pm  | 10 ml of Spot urine  |
| A0474     | Arsenic  | Kerala   | D        | 3060       | Daily : 11:30am    | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| A0475     | Arsenic, Urine 24 Hrs  | Kerala   | D        | 2805       | Daily : 11:30am    | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| A0476     | Arsenic, Urine Spot  | Kerala   | D        | 2805       | Daily : 11:30am    | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| A0477     | Arthritis Profile  | Kerala   | C        | 3015       | Daily: 9am         | Next day 5pm      | 2 ml of EDTA whole blood, 3 ml of serum, 20 ml of spot urine   |
| A0478     | Aryl Sulphatase A metachromatic leucodystrophy Blood         | Kerala   | R        | 6180       | Daily : 11:30am    | 10th day : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays) |
| A0479     | Aryl Sulphatase B MPS VI Blood                               | Kerala   | R        | 9165       | Daily : 11:30am    | 10th day : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays) |
| A0480     | ASCA-IgA Saccharomyces Cerevisiae Serum                      | Kerala   | C        | 2185       | Tue,Fri: 7:30am    | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| A0481     | ASCA-IgG Saccharomyces Cerevisiae Serum               | Kerala   | C        | 2185       | Tue,Fri: 7:30am          | Same day 5pm      | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0482     | ASH /NASH / STEATO Profile                            | Kerala   | E        | 16000      | Daily: 9am               | 5th day           | 5 ml of serum and 2 ml of fluoride plasma . Fasting sample                              |
| A0483     | ASKA Skeletal (Striated) Muscle Antibody Serum        | Kerala   | D        | 3470       | Mon, Wed & Fri : 11:30am | Same day: 9:00pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| A0484     | ASMA Smooth Muscle Antibody Serum                     | Kerala   | C        | 2290       | Daily: 11:30am           | Next day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| A0485     | ASO titre Quantitative Serum                          | Kerala   | B        | 700        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| A0486     | Asparagine Quantitative Plasma                        | Kerala   | D        | 6325       | Thu : 11:30am            | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature. |
| A0487     | Asparagine Quantitative Urine                         | Kerala   | R        | 6385       | Thu : 11:30am            | Tue : 5:00pm      | 10 ml of Spot urine   |
| A0488     | Aspartic Acid Quantitative Plasma                     | Kerala   | D        | 6325       | Thu : 11:30am            | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature. |
| A0489     | Aspartic Acid Quantitative Urine                      | Kerala   | R        | 6385       | Thu : 11:30am            | Tue : 5:00pm      | 10 ml of Spot urine   |
| A0490     | Aspergillosis IgG antibodies by EIA - Serum           | Kerala   | C        | 2510       | Mon & Thu : 7:30am       | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer                           |
| A0491     | Aspergillosis IgM antibodies by EIA - Serum           | Kerala   | C        | 2550       | Mon & Thu : 7:30am       | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer                           |
| A0492     | Galactomannan, Aspergillus Antigen test by EIA -Serum | Kerala   | C        | 5720       | Wed & Sat : 11:30am      | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer                           |
| A0493     | Autoimmune Liver Disease Profile -1                   | Kerala   | D        | 5000       | Mon/Wed - 7:30 am        | Next day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| A0495     | Autoimmune Liver Disease Profile-3                    | Kerala   | D        | 4080       | Mon/Wed - 7:30 am        | Next day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| A0496     | Autoimmune Liver Disease Profile-4                    | Kerala   | D        | 5510       | Daily: 11:30am           | Next day 8pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex                    |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|------------------------|------------------------|---|
| A0497     | Autoimmune Encephalitis Panel   | Kerala   | E        | 22500      | Mon, Wed, Fri : 7:30am | Next Day : 7:00pm      | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0499     | Acid lipase disorder**  | Kerala   | R        | 7210       | Daily : 11:30am        | 4 weeks                | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| A0500     | ACTN3 GENOTYPING_A0500  | Kerala   | R        | 4120       | Thu : 11:30am          | 10th day : 6:00pm      | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| A0509     | AFB-Xpert panel by Genexpert-Combo - Extrapulmonary Samples               | Kerala   | D        | 3300       | Daily : 7:30am         | After 6 weeks : 6:00pm | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)   |
| A0510     | AFB-Xpert panel by Genexpert-Combo - Pulmonary Samples                    | Kerala   | D        | 3265       | Daily : 7:30am         | After 6 weeks : 6:00pm | 2ml of Pulmonary specimen in Sterile leak proof container   |
| A0512     | ANCA by IFA reflex MPO/PR3 Antibodies Serum                               | Kerala   | C        | 2600       | Daily : 11:30am        | Next day : 5:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0513     | Apolipoproteins E**   | Kerala   | R        | 4225       | Wed : 11:30am          | 4th day : 6:00pm       | 3 ml of serum   |
| A0514     | TruHeart Platinum   | Kerala   | W        | 5800       | Mon and Thu: 9am       | Same day 5pm           | 5 ml of serum   |
| A0519     | Allergen,Individual-Tree pollen Papdi Chibil / Elm_A0519                  | Kerala   | C        | 1455       | Daily : 11:30am        | After 8hrs             | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0520     | Allergen,Individual-Weed pollen SALTWORT ( Salsola kali / pestifer)_A0520 | Kerala   | C        | 1455       | Daily : 11:30am        | After 8hrs             | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
| A0522     | ALK (D5F3) reflex FISH  | Kerala   | D        | 6120       | Daily : 9:00am           | 7th day : 6:00pm  | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| A0525     | Allergen,Individual-Animal Pigeon Feathers, Serum_A0525   | Kerala   | C        | 1350       | Mon & Thu : 11:30am      | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0533     | ADA - Adenosine Deaminase by Biochemical Method - Synovial fluid  | Kerala   | B        | 865        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3 ml of Fluid in Sterile leak proof container  |
| A0536     | APA-IgA Phospholipid Antibody Serum   | Kerala   | C        | 1040       | Tue,Thu, S: 7:30am       | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| A0537     | Atherosclerosis Profile - 1   | Kerala   | D        | 5050       | Mon and Thu: 9am         | Same day 5pm      | 5 ml of serum  |
| A0538     | Atherosclerosis Profile - 3   | Kerala   | D        | 7090       | Mon and Thu: 9am         | Same day 5pm      | 5 ml of serum  |
| A0539     | Aldosterone/PRA Ratio   | Kerala   | D        | 7000       | Tue & Fri: 11:30am       | Next day : 5:00pm | 2 ml of EDTA Plasma and 2 ml Serum   |
| A0560     | Galactomannan, Aspergillus Antigen test by EIA - BAL Fluid  | Kerala   | C        | 5720       | Wed & Sat : 11:30am      | Next day : 5:00pm | 3 ml of Fluid in Sterile leak proof container  |
| A0563     | AFB (TB) - Antibiogram for MTb complex - Cycloserine Drug by Conventional LJ - Pure Growth of MTB complex | Kerala   | C        | 2495       | Daily : 7:30am           | Upto 4 weeks      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant   |
| A0564     | Albumin body fluid  | Kerala   | A        | 220        | Daily: 9am to 9pm        | After 6 hrs       | 2 ml body fluid  |
| A0567     | ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, Bone marrow                           | Kerala   | D        | 4690       | Daily : 7:30am           | 3rd day           | 2-3 ml Bone Marrow in Na-heparin vacutainer  |
| A0568     | ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, BLOOD                                 | Kerala   | D        | 4690       | Daily : 9:00am           | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| A0569     | ALK/NPM1: t(2;5) translocation Anaplastic Large cell lymphoma FISH, TISSUE                                | Kerala   | D        | 8160       | Daily 9:00am             | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| A0570     | ECP (Eosinophil cationic protein) Serum   | Kerala   | D        | 1530       | Mon,Thu: 9am             | Same day: 5pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex   |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------------|------------------------|---|
| A0580     | Allergy-GIT Pane I(Veg + Non Veg)  | Kerala   | D        | 25500      | Daily : 11:30am        | Next day : 5:00pm      | tests.<br>5 ml of serum   |
| A0584     | Allergy screening-Tryptase   | Kerala   | C        | 2080       | Mon,Thu: 9am           | Same day: 5pm          | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0585     | Anaemia Profile - Macrocytic   | Kerala   | C        | 1975       | Daily: 9am to 9pm      | After 8 hrs            | 3ml EDTA blood & Serum  |
| A0586     | Anaemia Profile - Microcytic Hypochromic   | Kerala   | C        | 1975       | Daily: 9am to 9pm      | After 8 hrs            | 3ml EDTA blood & Serum  |
| A0587     | Anaemia Workup Profile   | Kerala   | C        | 2185       | Daily: 9am to 9pm      | Next day 5pm           | 3ml EDTA blood & Serum  |
| A0588     | Aneuploidy-Sperm 13,18,21,X and Y by FISH  | Kerala   | D        | 4895       | Daily : 9:00am         | 7th day : 6:00pm       | CytogeneticsandFISH.pdf   |
| A0595     | Adrenoleukodystrophy (X-linked ALD) sequencing of ABCD1 gene**                               | Kerala   | R        | 19570      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.         |
| A0596     | Autoimmune encephalitis panel-CSF  | Kerala   | E        | 21000      | Mon, Wed, Fri : 7:30am | Next Day : 7:00pm      | 2 ml of CSF in sterile screw capped container.  |
| A0599     | APC gene analysis**  | Kerala   | R        | 17850      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| A0608     | AFB (TB) - Antibiogram for MTb complex - Linezolid Drug by MGIT - Pure Growth of MTB complex | Kerala   | C        | 2495       | Daily : 7:30am         | Upto 4 weeks           | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0613     | Alpha thalassemia gene analysis (HBA1 & HBA2)  | Kerala   | E        | 16000      | Tue & Fri : 9:00am     | 7th day : 6:00pm       | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7  |

| Test Code   | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon             | Sample Guideline  |
|-------------|--|----------|----------|------------|---------------------|------------------------|---|
|             |  |          |          |            |                     |                        | Days at 2 to 8 degree celsius .<br>Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.   |
| A0616       | Aldosterone/Direct Renin Ratio   | Kerala   | D        | 7090       | Daily: 7.30am       | Same day 5pm           | 2 ml of EDTA Plasma and 2 ml Serum  |
| A0617_CSF   | Autoimmune encephalitis panel-2  | Kerala   | E        | 32550      | Tue: 9am            | Next Day 7pm           | 2 ml of CSF in sterile screw capped container.  |
| A0617_serum | Autoimmune encephalitis panel-2  | Kerala   | E        | 32550      | Tue: 9am            | Next Day 7pm           | 3 ml of serum   |
| A0618       | APO E GENOTYPING**   | Kerala   | R        | 25750      | Daily : 11:30am     | 12th Day : 6:00pm      | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| A0623       | Alzheimer disease screening profile CSF                                | Kerala   | D        | 12750      | Tue : 11:30am       | Next day : 5:00pm      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).   |
| A0624       | Arsenic plasma   | Kerala   | D        | 2805       | Daily : 11:30am     | 3rd day : 6:00pm       | HeavyMetalSamplingguidelines.pdf  |
| A0625       | Serum Ascites Albumin Gradient (SAAG)                                  | Kerala   | D        | 510        | Daily: 9am to 9pm   | After 6 hrs            | Serum 1 ml, Fluid 1 ml  |
| A0626       | Allergy Screening  | Kerala   | D        | 5710       | Daily : 11:30am     | Next day : 5:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0629       | Aspergillus broncho pulmonary aspergillosis (ABPA)                     | Kerala   | D        | 2960       | Mon & Thu : 11:30am | Next day : 5:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A0630       | AFB Drug susceptibility - Flexi panel (4 drugs) by MGIT - Pure Culture | Kerala   | D        | 6120       | Daily : 9:00am      | After 4 weeks : 6:00pm | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A0632       | Asthma / Rhinitis Comprehensive  | Kerala   | D        | 11730      | Daily : 11:30am     | Next day : 5:00pm      | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|-------------------|--|
| A0633     | Allergy panel - Asthma / Rhinitis comprehensive with monitoring 4 | Kerala   | D        | 17390      | Daily : 11:30am | Next day : 5:00pm | for 7 days and at Ambient temperature for a day.<br>Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| A0635     | Allergy - Adult panel - 2   | Kerala   | D        | 5000       | Daily : 11:30am | Next day : 5:00pm | Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| A0636     | Allergy - Adult panel - 3   | Kerala   | D        | 7855       | Daily : 11:30am | Next day : 5:00pm | Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| A0638     | Aluminium, Hair tests by ICPMS**                                  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| A0639     | Aluminium, Water tests by ICPMS**                                 | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| A0640     | Amphetamines confirmation by LCMS, Spot Urine**                   | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|-------------------|---|
| A0641     | Antimony, Hair tests by ICPMS**  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| A0642     | Arsenic, Hair tests by ICPMS**   | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| A0643     | Arsenic, Water tests by ICPMS**  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| A0644     | Acute intermittent porphyria (HMBS)-Gene Analysis  | Kerala   | E        | 20000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| A0645     | Alkaptonuria (HGD)-Gene Analysis   | Kerala   | E        | 19000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| A0647     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Endometrium  | Kerala   | C        | 2130       | Daily : 7:30am  | Next day : 5pm    | Mycobacteriology.pdf  |
| A0648     | AFB-DNA (TB-PCR) Detection by Real Time PCR , Reflex to Rifampicin resistance by Ultra CBNAAT (If - MTB Positive) - Sputum / BAL | Kerala   | C        | 2130       | Daily : 7:30am  | Next day : 5pm    | Mycobacteriology.pdf  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon          | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|---------------------|--|
| A0649     | Mycobacterial culture identification by MALDI TOF- Pure Culture                                    | Kerala   | C        | 2290       | Tue : 7:30am             | Next day : 5pm      | Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.   |
| A0650     | SARS-CoV-2 Antibody, qualitative by CLIA - Serum   | Kerala   | C        | 730        | Daily : 9:00am to 9:00pm | Next day : 5pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| A0653     | ALPS Screen Panel by Flow cytometry**  | Kerala   | R        | 9375       | Daily : 11:30am          | 5th day : 6:00pm    | sample : 3 ml of EDTA Blood  |
| A0654     | SARS-CoV-2 (Spike) Antibody, Quantitative (Coviprotect) by CLIA - Serum                            | Kerala   | C        | 1250       | Daily : 9:00am to 9:00pm | Report after 24 hrs | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| A0656     | Aspergillus DNA Detection by Real Time PCR - Body fluids/CSF/EDTA Blood/Pure culture/Sputum/Tissue | Kerala   | D        | 6120       | Daily : 7:30am           | 3rd day : 6:00pm    | 3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container  |
| A0657     | Array Feto   | Kerala   | E        | 16800      | Daily : 9:00am           | 15th day : 6:00pm   | 1)Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. |
| A0658     | Amniochrome  | Kerala   | E        | 19000      | Daily : 9:00am           | 15th day : 6:00pm   | Amniotic fluid (20-30ml divided in 2 sterile falcon centrifuge tube) and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. (Completely filled Consent form G  |

| Test Code | Test Name                         | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline   |
|-----------|-----------------------------------|----------|----------|------------|-------------------|------------------------|--|
|           |                                   |          |          |            |                   |                        | with patient and doctor stamp and signature is mandatory as per PCPNDT Act)  |
| A0659     | Array Chrome                      | Kerala   | E        | 16000      | Daily : 9:00am    | 15th day : 6:00pm      | 3ml Peripheral Blood in EDTA Vacutainers   |
| A0660     | Anti complement Factor H          | Kerala   | R        | 5150       | Daily : 11:30am   | 6th day : 6:00pm       | 3 ml Serum   |
| A0661     | ADAMTS 13 Activity                | Kerala   | R        | 7600       | Daily : 11:30am   | 6th day : 6:00pm       | 3 ml Citrate Plasma ( Frozen mandatory)  |
| A0662     | ADAMTS 13 Autoantibody            | Kerala   | E        | 8000       | Daily : 11:30am   | 5th day : 6:00pm       | 3 ml Citrate Plasma ( Frozen mandatory)  |
| A0680     | ALLERGY COMPONENT TESTING (CRD)   | Kerala   | E        | 20000      | Daily:- 9.00 am   | Next day 5 pm          | Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and -20Â°C for long time.  |
| A1009     | Adrenal Gland Antibodies, Serum** | Kerala   | R        | 6180       | Daily : 11:30am   | After 4 weeks : 6:00pm | 5 ml Serum   |
| A1901     | Albumin, serum                    | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| A1902     | Canine - Alkaline Phosphatase     | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| A1903     | Canine - Amylase level            | Kerala   | A        | 525        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|------------------------|---|
|           |   |          |          |            |                   |                        | available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.   |
| A5583     | AMH Premium   | Kerala   | D        | 3000       | Daily: 9am to 9pm | After 6 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A5592     | AMH Supreme   | Kerala   | D        | 4385       | Daily: 9am to 9pm | Next day at 5pm        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| A5702     | Comprehensive Allergy Panel                                     | Kerala   | D        | 15300      | Daily: 9am        | Same day 8pm           | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |
| A5703     | Comprehensive Eczema panel                                      | Kerala   | D        | 11220      | Daily: 9am        | Same day 8pm           | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |
| A5704     | Common Food panel   | Kerala   | D        | 6120       | Daily: 9am        | Same day 8pm           | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |
| A8121     | Amylase Enzymatic,Pleural Fluid                                 | Kerala   | B        | 565        | Daily: 9am to 9pm | After 6 hrs            | 2 ml body fluid   |
| A8285     | AFB SUSCEPTIBILITY BEDAQILINE                                   | Kerala   | C        | 2495       | Daily : 9:00am    | After 4 weeks : 6:00pm | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A8455     | AFB DRUG SUSCEPTIBILITY PANEL 14 DRUGS                          | Kerala   | D        | 14280      | Daily: 7:30am     | Upto 4 weeks 5 PM      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| A8456     | AFB DRUG SUSCEPTIBILITY FIRST LINE PANEL (HREZ), 4 DRUG BY MGIT | Kerala   | D        | 5915       | Daily: 7:30am     | Upto 4 weeks 5 PM      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule         | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------------|-------------------|---|
| A8457     | AFB DRUG SUSCEPTIBILITY PANEL 11 DRUGS  | Kerala   | D        | 10660      | Daily: 7:30am        | Upto 4 weeks 5 PM | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                  |
| A8458     | AFB DRUG SUSCEPTIBILITY ORAL BEDAQUILINE PANEL, 8 DRUGS BY MGIT                 | Kerala   | D        | 8160       | Daily: 7:30am        | Upto 4 weeks 5 PM | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                  |
| A8459     | AFB DRUG SUSCEPTIBILITY ISONIAZID MONORESITANCE PANEL (LFxREZ), 4 DRUGS BY MGIT | Kerala   | D        | 5915       | Daily: 7:30am        | Upto 4 weeks 5 PM | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant                  |
| A8598     | Allergen,Individual-Drug CEPHALOSPORIN  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8599     | Allergen,Individual-Drug LIDOCAINE  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8600     | Allergen,Individual-Drug BENZOCAINE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8601     | Allergen,Individual-Drug MEPIVACAINE  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8602     | Allergen,Individual-Drug PRILOCAINE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8603     | Allergen,Individual-Drug PARACETAMOL  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8604     | Allergen,Individual-Drug PYRAZOLONE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8605     | Allergen,Individual-Drug PIROXYCAM  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8606     | Allergen,Individual-Drug DICLOFENAC   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8607     | Allergen,Individual-Drug IBUPROFEN  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |



| Test Code | Test Name                                | location | Category | Price(Rs.) | Testschedule         | Reportedon    | Sample Guideline  |
|-----------|--|----------|----------|------------|----------------------|---------------|---|
| A8608     | Allergen,Individual-Drug PENICILLOYL G   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8609     | Allergen,Individual-Drug PENICILLOYL V   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8610     | Allergen,Individual-Drug DOXYCYCLINE     | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8611     | Allergen,Individual-Drug CLOXACILLIN     | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8612     | Allergen,Individual-Drug NEOMYCIN        | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8613     | Allergen,Individual-Drug OXACILLIN       | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8614     | Allergen,Individual-Drug CHLORAMPHENICOL | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8615     | Allergen,Individual-Drug METRONIDAZOLE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8616     | Allergen,Individual-Drug AMPICILLIN      | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8617     | Allergen,Individual-Drug AMOXICILLIN     | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8618     | Allergen,Individual-Drug TETRACYCLINE    | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8619     | Allergen,Individual-Drug GENTAMYCIN      | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8620     | Allergen,Individual-Drug ERYTHROMYCIN    | Kerala   | D        | 1300       | Tue & Fri - 11:30 am | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex        |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon    | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|---------------|---|
| A8621     | Allergen,Individual-Drug STREPTOMYCIN   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| A8622     | Allergen,Individual-Drug TRIMETHOPRIM   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8623     | Allergen,Individual-Drug SULFAMETHOXAZOLE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8624     | Allergen,Individual-Drug INSULIN HUMAN  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8625     | Allergen,Individual-Drug CORTISONE  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8626     | Allergen,Individual-Drug PREDNISOLONE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8627     | Allergen,Individual-Drug THEOPHYLLINE   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8628     | Allergen,Individual-Drug AMBROXOL   | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8629     | Allergen,Individual-Drug PYRIDOXAMINE (VITAMIN B6)  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| A8630     | Allergen,Individual-Drug COBALAMIN (VITAMIN B12)  | Kerala   | D        | 1300       | Tue & Fri - 11:30 am     | next day 7 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.           |
| B0007     | Bacterial Meningitis Panel 5 antigen (Ecoli K1, H.influenza, Streptococcus pneumoniae, Neisseria meningitidis, Streptococcus agalactiae) by Latex agglutination - CSF | Kerala   | D        | 4490       | Daily : 9:00am to 3:00pm | After 6 hrs   | 2ml of CSF in Sterile leak proof tube or container                                    |
| B0008     | Bacterial Meningitis Panel 5 Full Panel by Latex agglutination - Serum  | Kerala   | D        | 5100       | Daily : 9:00am to 3:00pm | After 6 hrs   | 15ml of Spot Urine in Sterile leak proof container                                    |

| Test Code | Test Name                                   | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|------------------------|---|
| B0010     | Barbiturates Quantitative Urine Spot        | Kerala   | B        | 700        | Daily: 9am to 9pm | After 6 hrs            | 5 ml of Spot Urine  |
| B0013     | Bence Jones Proteins, Urine-Qualitative     | Kerala   | B        | 1175       | Daily: 7.30am     | Same day 5pm           | 10 ml of 24 hrs urine (Preferred ) / Spot urine   |
| B0015     | Benzodiazapine Diazepam Urine Spot          | Kerala   | B        | 735        | Daily: 9am to 9pm | After 6 hrs            | 5 ml of Spot Urine  |
| B0017     | Beta Galactocerebrosidase Krabbe Blood      | Kerala   | R        | 8445       | Daily : 11:30am   | After 4 weeks : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| B0018     | Beta Galactosidase GM 1 / MPS IV B Blood    | Kerala   | R        | 5770       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| B0019     | Beta Glucosidase Gaucher Blood              | Kerala   | R        | 5770       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| B0020     | Beta Hexosaminidase A GM2-1/ taysachs Blood | Kerala   | R        | 7725       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| B0021     | Beta Hexosaminidase T GM2-2/ Sandhoff Blood | Kerala   | R        | 7725       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| B0022     | Beta Mannosidase Blood                      | Kerala   | R        | 6180       | Daily : 11:30am   | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| B0023     | Beta Thallesemia Prenatal Diagnosis         | Kerala   | D        | 16830      | Daily : 9:00am    | 7th day : 6:00pm       | Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule                           | Reportedon       | Sample Guideline   |
|-----------|---|----------|----------|------------|--|------------------|--|
|           |   |          |          |            |  |                  | in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory. |
| B0025     | Beta-Thalassemia, Beta Globin (HBB) Gene Sequencing | Kerala   | D        | 8975       | Wed & Fri: 9:00am                      | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.  |
| B0026     | Beta-2-Crosslaps CTx-1 Plasma                       | Kerala   | C        | 1870       | Mon and Thu: 7.30am                    | Same day 5pm     | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| B0027     | Beta-2-Glycoprotein 1- IgA serum                    | Kerala   | C        | 1350       | Tue,Fri: 7:30am                        | Same day 5pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0028     | Beta-2-Glycoprotein 1 - IgG Antibody Serum          | Kerala   | C        | 1250       | Tuesday, Thursday and Saturday 7:30 am | same day 7pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0029     | Beta-2-Glycoprotein 1- IgM Antibody Serum           | Kerala   | C        | 1250       | Tuesday, Thursday and Saturday 7:30 am | Same day 7pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0030     | Beta-2-Microglobulin CSF                            | Kerala   | C        | 1770       | Daily: 9am to 9pm                      | After 8 hrs      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).  |

| Test Code | Test Name                               | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
| B0031     | Beta-2-Microglobulin Serum              | Kerala   | C        | 1715       | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0032     | Beta-2-Microglobulin Urine Spot         | Kerala   | C        | 1770       | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot urine  |
| B0033     | Bicarbonate biochemical Serum           | Kerala   | B        | 220        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0034     | Bile Acids-Total biochemical Serum      | Kerala   | C        | 2185       | Mon and Thu: 7.30am      | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0035     | Bile Salt & Pigments - Urine            | Kerala   | A        | 80         | Daily : 9:00am to 9:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container   |
| B0036     | Bilirubin Direct Serum                  | Kerala   | A        | 120        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0037     | Bilirubin Total Serum                   | Kerala   | A        | 140        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0038     | Bilirubin Total, Direct, Indirect Serum | Kerala   | A        | 170        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0039     | Biotinidase Neonatal Dried blood spot   | Kerala   | C        | 720        | Daily : 11:30am          | Next day : 5:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule          | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------------|-------------------|---|
|           |   |          |          |            |                       |                   | the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Spot Urine:10 ml of Spot urine required with clinical history and clinician number.Amino acid Plasma: 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clincian required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations |
| B0040     | Biotinidase Quantitative Plasma **                | Kerala   | R        | 5355       | Daily : 11:30am       | 10th day : 6:00pm | 4 ml of Heparin plasma  |
| B0044     | BK Polyoma DNA Detection by Real Time PCR - Urine | Kerala   | C        | 4900       | Mon, Thursday: 9:00am | Next day : 5:00pm | 15ml of Spot Urine in Sterile leak proof container  |
| B0045     | Bleeding & Clotting Time (BT,CT)                  | Kerala   | B        | 250        | Daily: 9am to 9pm     | After 6 hrs       | NA  |
| B0046     | Blood Group ABO & Rh Typing                       | Kerala   | B        | 150        | Daily: 9am and 5pm    | After 6 hrs       | 3 ml of EDTA whole blood and Serum sample required  |
| B0047     | Bombay Blood Group Evaluation                     | Kerala   | D        | 1020       | Daily : 11:30am       | 3rd day : 6:00pm  | 3 ml EDTA whole blood   |
| B0053     | BOH (Bad Obstetric History) Profile-Maxi          | Kerala   | C        | 15705      | Daily : 9:00am        | 15th day : 6:00pm | 3 ml EDTA whole blood, 5 ml of serum, 4 ml of heparin whole blood (husband and wife), 3 ml of citrate plasma  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|------------------------|-------------------|--|
| B0054     | BOH (Bad Obstetric History) Profile-Mini                       | Kerala   | C        | 5825       | Daily: 7.30am          | Next day 7pm      | 3 ml EDTA whole blood, 5 ml of serum, 3 ml of citrate plasma   |
| B0055     | Bone Marrow Aspiration for morphological examination           | Kerala   | C        | 1405       | Daily : 11:30am        | Next day : 5:00pm | 2 Stained,2 Unstained Fixed BM Smears and 2 Peripheral Smears Required.  |
| B0056     | Bone Profile   | Kerala   | C        | 1145       | Daily 9:00 am          | After 7 days      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0057     | Bordetella Pertussis IgG antibodies Quantitative by EIA -Serum | Kerala   | C        | 2860       | Fri : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| B0058     | BRAF V600 Mutation Analysis, Tissue                            | Kerala   | D        | 6120       | Mon, Wed & Fri: 9:00am | 5th day : 6:00pm  | Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report. |
| B0059     | BRAF V600E Mutation Analysis, Hairy Cell Leukemia              | Kerala   | D        | 5610       | Mon & Thu: 9:00am      | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.  |
| B0062     | Breast Marker Profile  | Kerala   | D        | 1960       | Daily: 8pm             | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0063     | Brucella Total antibodies by Tube Agglutination - Serum        | Kerala   | B        | 1080       | Daily : 7:30pm         | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| B0064     | Brucella IgG antibody by EIA - Serum                           | Kerala   | C        | 1455       | Wed & Sat : 9:00am     | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| B0065     | Brucella IgM antibody by EIA - Serum                           | Kerala   | C        | 1455       | Wed & Sat : 9:00am     | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| B0066     | Bullous Pemphigoid 180 Vesiculobullous disorders Serum         | Kerala   | D        | 4100       | Fri : 11:30am          | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|------------------------|--|
| B0067     | Bullous Pemphigoid 230 Vesiculobullous disorders Serum   | Kerala   | D        | 4100       | Fri : 11:30am     | Same day : 9:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0068     | BUN Urea Nitrogen Serum  | Kerala   | A        | 270        | Daily: 9am to 9pm | After 6 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| B0069     | BUN Urea Nitrogen Urine 24H  | Kerala   | A        | 280        | Daily: 9am to 9pm | After 6 hrs            | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| B0070     | BUN Urea Nitrogen Pericardial Fluid  | Kerala   | A        | 280        | Daily: 9am to 9pm | After 6 hrs            | 2 ml of Pericardial Fluid  |
| B0071     | BUN Urea Nitrogen Urine Spot   | Kerala   | A        | 280        | Daily: 9am to 9pm | After 6 hrs            | 10 ml of Spot urine  |
| B0074     | Bladder Cancer/Urothelial carcinoma Marker Profile (Aneuploidy for chromosomes 3, 7, 17, and loss of the 9p21 ** | Kerala   | R        | 14420      | Daily : 11:30am   | 10th day : 6:00pm      | 100 ml Early morning Urine   |
| B0075     | BRCA deletion/duplication analysis - EDTA Whole blood  | Kerala   | E        | 16540      | Daily : 11:30am   | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon       | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|------------------|---|
| B0076     | TARGETED MUTATION ANALYSIS (FAMILY MEMBERS)                   | Kerala   | E        | 5000       | Daily : 9:00am    | 7th day : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.   |
| B0077     | NextGen BRCA Comprehensive (NGS & MLPA), Blood                | Kerala   | E        | 30000      | Daily: 9 am       | 4 weeks          | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form   |
| B0078     | Urea Nitrogen Body Fluid                                      | Kerala   | A        | 280        | Daily: 9am to 9pm | After 6 hrs      | 2 ml body fluid   |
| B0080     | 16s rRNA Sequencing Bacterial Identification*                 | Kerala   | D        | 3060       | Daily : 9:00am    | 7th day : 6:00pm | Isolated colony on culture plates. Sample stable for 2 Days at 2 to 8 degree celsius.   |
| B0081     | Beta Thalassemia (Prenatal + Parental Testing ) - 30 Mutaions | Kerala   | D        | 18870      | Daily : 9:00am    | 7th day : 6:00pm | Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule              | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|---------------------------|-------------------|--|
|           |   |          |          |            |                           |                   | Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.  |
| B0083     | BCR-ABL Breakpoint Analysis Qualitative by Real Time PCR - Blood                                      | Kerala   | D        | 4590       | Tue & Fri : 9:00am        | 3rd Day : 6:00pm  | 3 ml of Whole Blood in EDTA Vacutainer   |
| B0084     | BCR-ABL Breakpoint Analysis Qualitative by Real Time PCR - Bone Marrow                                | Kerala   | D        | 4590       | Tue & Fri : 9:00am        | 3rd Day : 6:00pm  | 3 ml of Bone Marrow in EDTA Vacutainer   |
| B0090     | Beta-Trace protein(BTP) CSF leakage in body fluid   | Kerala   | D        | 5610       | Daily : 11:30am           | Next day : 5:00pm | 2 ml Nasal Fluid And 3 ml Serum.   |
| B0101     | BCL6 Gene rearrangement, FISH, Tissue   | Kerala   | E        | 8000       | Daily : 9:00am            | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| B0104     | (1-3)-?-D-Glucan Level by Protease Zymogen Colorimetry by Protease Zymogen Colorimetry - Serum        | Kerala   | D        | 7355       | Tue, Thurs & Sat : 9:00am | Same day : 7pm    | Collect sample in gel tube directly and send after centrifugation. Kindly do not open tube or separate serum from gel tube to another tube to avoid contamination. Aliquot sample will not accepted. Kindly send minimum 2 ml serum.                     |
| B0106     | NextGen BRCA Somatic, FFPE tissue   | Kerala   | E        | 22000      |                           | 25 Days           | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.  |
| B0108     | Pneumonia panel by FilmArray (Biofire)- Lower respiratory tract - Sputum/BAL/ Endotracheal secretions | Kerala   | E        | 26500      | Daily : 9:00am to 9:00pm  | After 10 hrs      | 2 ml of BAL/ Sputum/ Endotracheal secretions in Sterile leak proof container   |
| B0109     | Barbiturates confirmation by LCMS, Spot   | Kerala   | R        | 9270       | Daily : 11:30am           | 10th day : 6:00pm | 10ml of spot urine sample required   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|-------------------|--|
|           | Urine**   |          |          |            |                 |                   | to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.                                    |
| B0111     | Barium, Hair tests by ICPMS**                     | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| B0112     | Barium, Spot Urine**                              | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| B0113     | Barium, Water tests by ICPMS**                    | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| B0114     | Beryllium, EDTA Whole Blood**                     | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| B0115     | Benzodiazapine confirmation by LCMS, Spot Urine** | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| B0116     | Beryllium, Hair tests by ICPMS**                  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| B0117     | Beryllium, Spot Urine**                           | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| B0119     | Biotinidase deficiency (BTD)-Gene Analysis        | Kerala   | E        | 19000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|------------------------|---|
|           |   |          |          |            |                          |                        | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.   |
| B0120     | Bone Marrow-2 Comprehensive   | Kerala   | D        | 6630       |                          | 5th Day                | Bone marrow biopsy (in 10% Neutral buffered formalin) & aspirate (in EDTA) examination with special stain & IHC. Send PBS as well.  |
| B0121     | BK Polyoma DNA Detection by Real Time PCR - EDTA Blood  | Kerala   | C        | 4680       | Mon & Thurs : 9:00am     | Next day : 5:00pm      | 3 ml of Whole Blood in EDTA Vacutainer  |
| B0122     | Bismuth ICPMS , Blood   | Kerala   | R        | 2835       | Daily : 11:30am          | 10th day : 6:00pm      | 3 ml EDTA Blood / Metal free EDTA Blood   |
| B0125     | Bone Marrow Aspirate Iron stain   | Kerala   | C        | 470        | Daily : 11:30am          | Next day : 5:00pm      | 1 Stained, 2 Unstained air dried Bone marrow smears with good particles and 1 Peripheral smear required._x000D_ _x000D_   |
| B0126     | Biofire Blood Panel (BCID)  | Kerala   | D        | 17135      | Daily : 9:00am to 9:00pm | After 10 hrs           | Positive blood culture bottle   |
| B1008     | Beta Carotene**   | Kerala   | R        | 2985       | Mon : 11:30am            | 5th day : 6:00pm       | 3 ml of serum   |
| B1017     | Borreliosis-IgG Confirm serology by western blot - Serum **   | Kerala   | R        | 13185      | Daily : 11:30am          | After 4 weeks : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| B1029     | Bacterial Meningitis Panel 5 antigen (Ecoli K1, H.influenza, Streptococcus pneumoniae, Neisseria meningitidis, Streptococcus agalactiae) by Latex agglutination - Serum | Kerala   | D        | 4490       | Daily : 9:00am to 3:00pm | After 6 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| B1030     | Bone formation markers  | Kerala   | D        | 6375       | Mon & Thur 9 am          | Same day 5pm           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| B1031     | Bone Resorption Markers   | Kerala   | D        | 4335       | Daily: 9 am              | After 5 days           | 3 ml of serum and 20 ml of spot urine   |
| B1032     | NextGen BRCA Germline, Blood  | Kerala   | E        | 16000      | Daily : 9:00am           | 15th day : 6:00pm      | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form |

| Test Code | Test Name                         | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|-----------------------------------|----------|----------|------------|-------------------|---------------------|--|
| B1901     | Canine - BCP (Biochemistry Panel) | Kerala   | D        | 3160       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B1902     | Bicarbonate, serum by PEPC method | Kerala   | B        | 650        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B1903     | CANINE-Bile Acids-Total           | Kerala   | C        | 1770       | Wed: 9am          | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B1904     | Bilirubin Direct, Serum           | Kerala   | A        | 200        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B1905     | Bilirubin Total, Serum            | Kerala   | A        | 200        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon          | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|---------------------|--|
| B1906     | Canine - Bilirubin Total, Direct, Indirect, Serum                  | Kerala   | D        | 285        | Daily: 9am to 9pm        | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B1907     | Bone Marrow Aspiration Slides for review                           | Kerala   | C        | 1350       | Daily: 9am to 9pm        | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B1908     | Canine - BUN-Blood Urea Nitrogen                                   | Kerala   | A        | 245        | Daily: 9am to 9pm        | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| B8001     | Bacteriological Examination of Air by Vitek/ MALDITOF - Blood Agar | Kerala   | B        | 540        | Daily : 9:00am to 9:00pm | 3rd day : 5pm       | Blood agar plate , Kindly mention time of plate exposure.  |
| B8046     | BK Polyoma DNA Viral load by Real Time PCR - Urine                 | Kerala   | C        | 6340       | Mon, Thursday: 9:00am    | Next day : 5:00pm   | 15ml of Spot Urine in Sterile leak proof container   |
| B8047     | BK Polyoma DNA Viral load by Real Time PCR - EDTA Blood            | Kerala   | C        | 6450       | Mon, Thursday: 9:00am    | Next day : 5:00pm   | 3 ml of Whole Blood in EDTA Vacutainer   |
| B8596     | Bone & Joint Infection panel (JI) by FilmArray                     | Kerala   | E        | 24000      | Daily : 9:00am to 9:00pm | After 10hrs         | 3ml of Synovial fluid in sterila container   |
| C0001     | C1 Esterase Inhibitor Serum  | Kerala   | D        | 3520       | Mon and Thu: 7.30am      | Same day 5pm        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0003     | C3 - Complement-3 Serum  | Kerala   | C        | 1000       | Daily: 9am to 9pm        | After 6 hrs         | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0004     | C4 - Complement-4 Serum  | Kerala   | C        | 885        | Daily: 9am to 9pm        | After 6 hrs         | 3 ml of serum for single test and 5  |

| Test Code | Test Name                                  | location | Category | Price(Rs.) | Testschedule        | Reportedon       | Sample Guideline   |
|-----------|--|----------|----------|------------|---------------------|------------------|--|
| C0005     | CA-125 Serum                               | Kerala   | B        | 1300       | Daily: 9am to 9pm   | After 8 hrs      | ml serum for profiles and reflex tests.  |
| C0006     | CA-15.3 Serum                              | Kerala   | B        | 1620       | Daily: 9am to 9pm   | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0007     | CA-19.9 Serum                              | Kerala   | B        | 1600       | Daily: 9am to 9pm   | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0009     | CA-72.4 Serum                              | Kerala   | C        | 1915       | Tue & Fri : 11:30am | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0010     | Cadmium Blood                              | Kerala   | D        | 2805       | Daily : 11:30am     | 3rd day : 6:00pm | HeavyMetalSamplingguidelines.pdf   |
| C0011     | Cadmium Urine 24H**                        | Kerala   | D        | 2805       | Daily : 11:30am     | 3rd day : 6:00pm | HeavyMetalSamplingguidelines.pdf   |
| C0013     | CAH Panel - Congenital Adrenal Hyperplasia | Kerala   | C        | 6500       | Daily: 9am          | Next day 5pm     | 5ml of serum   |
| C0014     | Calcitonin Thyrocalcitonin Serum           | Kerala   | C        | 2340       | Daily: 9am to 9pm   | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0015     | Calcium Urine 24H                          | Kerala   | A        | 280        | Daily: 9am to 9pm   | After 6 hrs      | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon                             | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|--|--|
| C0016     | Calcium Ionised Serum   | Kerala   | C        | 675        | Daily: 9am to 9pm        | After 6 hrs                            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0017     | Calcium Total Serum   | Kerala   | A        | 170        | Daily: 9am to 9pm        | After 6 hrs                            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0018     | Calcium Profile Serum   | Kerala   | C        | 570        | Daily: 9am to 9pm        | After 6 hrs                            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0019_24  | Calcium/Creatinine Ratio (24 hrs)                               | Kerala   | A        | 470        | Daily: 9am to 9pm        | Calcium/Creatinine Ratio (24 hrs)      | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| C0019_SP  | Calcium/Creatinine Ratio (Spot sample)                          | Kerala   | A        | 470        | Daily: 9am to 9pm        | Calcium/Creatinine Ratio (Spot sample) | 10 ml of Spot urine  |
| C0020     | Campylobacter antigen detection by Immunochromatography - Stool | Kerala   | C        | 1510       | Daily : 9:00am to 3:00pm | After 6 hrs                            | 5gm of Stool specimen in Sterile leak proof container  |
| C0021     | Cancer Detection Profile, Female                                | Kerala   | D        | 9435       | Daily: 9am to 9pm        | 5th day                                | 3 ml of EDTA whole blood, 5 ml of serum, 1 thin prep container   |
| C0022     | Cancer Detection Profile, Male                                  | Kerala   | D        | 7800       | Daily: 9am to 9pm        | After 8 hrs                            | 3 ml of EDTA whole blood, 5 ml of serum  |
| C0028     | Candida Albicans Ab by Indirect Haemagglutination - Serum**     | Kerala   | R        | 11330      | Daily : 11:30am          | After 4 weeks : 6:00pm                 | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0029     | Cannabis Marijuana, THC Urine Spot                              | Kerala   | B        | 755        | Daily: 9am to 9pm        | After 6 hrs                            | 5 ml of Spot Urine   |



| Test Code | Test Name                                   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| C0031     | Calprotectin Stool                          | Kerala   | C        | 3200       | Daily: 7.30am       | Same day 5pm      | 100 gms of stool in leak proof container. History of medicines, morning sample preferred.   |
| C0032     | Carbamazepine Tegretol Serum                | Kerala   | C        | 935        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0033     | Cardiac Injury Profile-Maxi                 | Kerala   | D        | 4795       | Daily: 9am to 9pm   | After 6 hrs       | 5 ml of serum   |
| C0034     | Cardiac Injury Profile-Mini                 | Kerala   | D        | 1430       | Daily: 9am to 9pm   | After 6 hrs       | 5 ml of serum   |
| C0035     | Cardiac Risk Profile                        | Kerala   | D        | 4385       | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum and 3 ml of citrate plasma  |
| C0036     | Cardiac Screen                              | Kerala   | C        | 1455       | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine   |
| C0037     | Cardiolipin Antibody ACL-IgA antibody Serum | Kerala   | C        | 730        | Tue & Fri : 11:30am | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0038     | Cardiolipin Antibody ACL-IgG antibody Serum | Kerala   | C        | 1030       | Daily: 7.30am       | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0039     | Cardiolipin Antibody ACL-IgM antibody Serum | Kerala   | C        | 1030       | Daily: 7.30am       | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0042     | Catecholamines in Plasma                    | Kerala   | D        | 6730       | Wed : 11:30am       | Next day : 7:00pm | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |
| C0043     | Catecholamines in urine                     | Kerala   | D        | 4845       | Wed : 11:30am       | Next day : 7:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|-------------------|---|
|           |  |          |          |            |                   |                   | adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.  |
| C0044     | CBC Haemogram  | Kerala   | A        | 300        | Daily: 9am to 9pm | After 6 hrs       | 3 ml EDTA whole blood   |
| C0045     | inv (16) CBF Beta Translocation by fish                    | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| C0046     | CBF Beta Inversion (16) by FISH AML-M4E0 Bone Marrow       | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| C0047     | Cyclic Citrullinated Peptide Antibody (CCP Antibody) Serum | Kerala   | C        | 1700       | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0048     | CD2 by Flow cytometry Blood**                              | Kerala   | C        | 2390       | Daily: 9am        | Next day 5pm      | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0049     | CD 3   | Kerala   | C        | 2390       | Daily : 11:30am   | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0050     | CD 3/CD 4/CD 8   | Kerala   | C        | 1975       | Daily: 9am        | Same day 5pm      | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0051     | CD 3/CD 4/CD 8/CD 45                                       | Kerala   | C        | 1975       | Daily: 9am        | Same day 5pm      | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical  |

| Test Code | Test Name                                  | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|-------------------|--|
| C0052     | CD4 / CD 8 BY FLOW CYTOMETRY, BODY FLUID** | Kerala   | R        | 4325       | Daily : 11:30am | 5th day : 6:00pm  | history and clinician number required.<br>5ml BAL fluids to be send in Sterile container. Clinical history and clinician number required. (Sample require as soon as possible after collection, Avoid weekend and Holiday) |
| C0053     | CD 4 counts                                | Kerala   | C        | 1300       | Daily: 9am      | Same day 5pm      | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.                          |
| C0054     | CD 4/CD 8                                  | Kerala   | C        | 2290       | Daily: 9am      | Same day 5pm      | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.                          |
| C0055     | CD 5                                       | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.                          |
| C0056     | CD 7                                       | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.                          |
| C0057     | CD 8                                       | Kerala   | C        | 2080       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient   |

| Test Code | Test Name | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|-----------|----------|----------|------------|-----------------|-------------------|---|
| C0058     | CD 10     | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | condition(preferably). Clinical history and clinician number required.<br>3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0059     | CD13      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0060     | CD14      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0061     | CD15      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0062     | CD16/56   | Kerala   | C        | 4680       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0063     | CD19      | Kerala   | C        | 2860       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at  |

| Test Code | Test Name | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|-----------|----------|----------|------------|-----------------|-------------------|---|
| C0064     | CD20      | Kerala   | C        | 2495       | Daily : 11:30am | Next day : 5:00pm | Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.<br>3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0065     | CD22      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0066     | CD23      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0067     | CD25      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0068     | CD33      | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |

| Test Code | Test Name       | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|-----------------|----------|----------|------------|-----------------|-------------------|---|
| C0069     | CD34 Stem Cells | Kerala   | C        | 5720       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0070     | CD34            | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0071     | CD38            | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0074     | CD45            | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0075     | CD79A           | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| C0076     | CD103           | Kerala   | C        | 2390       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------|-------------------|--|
|           |   |          |          |            |                    |                   | history and clinician number required.   |
| C0077     | CEA Carcino Embryonic Antigen Body Fluid                        | Kerala   | B        | 1080       | Daily: 9am to 9pm  | After 8 hrs       | 2 ml of Body Fluid   |
| C0078     | CEA Carcino Embryonic Antigen Serum                             | Kerala   | B        | 950        | Daily: 9am to 9pm  | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0079     | Celiac Disease Profile  | Kerala   | D        | 5305       | Mon and Thu: 9am   | Same day 7pm      | 5 ml of serum  |
| C0080     | Body fluids Cell Count  | Kerala   | A        | 310        | Daily: 9am to 9pm  | After 6 hrs       | Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fulids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid) |
| C0081     | Centromere Antibody Serum                                       | Kerala   | C        | 1665       | W,S: 7:30am        | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0082     | Ceruloplasmin (Copper Oxidase)Serum                             | Kerala   | C        | 1300       | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0083     | Cervical Screening-1 (Conventional PAP & HPV-DNA) - Smear & LBC | Kerala   | D        | 2960       | Daily : 9:00am     | 5th day : 6:00pm  | Smear & Thin Prep LBC Container  |
| C0084     | Cervical Screening-2 (PAP Smear and HPV-DNA ) - LBC             | Kerala   | D        | 3365       | Daily : 9:00am     | 5th day : 6:00pm  | 10 ml LBC Container  |
| C0086     | CH-50 Complement, total Serum                                   | Kerala   | C        | 4055       | Fri : 11:30am      | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0087     | Chikungunya RNA Detection by Real Time PCR - EDTA Plasma        | Kerala   | C        | 4680       | Daily : 10:00am    | After 24hrs       | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |
| C0088     | Chikungunya IgM antibody by Immunochromatography - Serum        | Kerala   | B        | 1240       | Daily : 9:00am     | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0090     | Chitotriosidase storage disorder Plasma                         | Kerala   | R        | 4120       | Daily : 11:30am    | 10th day : 6:00pm | 6 ml Heparin Plasma  |
| C0091     | Chlamydia Trachomatis DNA Detection by Real Time PCR - Eye Swab | Kerala   | D        | 3775       | Wed & Sat : 9:00am | Next day : 5:00pm | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube  |
| C0092     | Chlamydia Trachomatis DNA Detection by Real Time PCR - Fluid    | Kerala   | D        | 3775       | Wed & Sat : 9:00am | Next day : 5:00pm | 2ml of Body Fluid in Sterile leak proof container  |
| C0093     | Chlamydia Trachomatis DNA Detection by                          | Kerala   | D        | 3775       | Wed & Sat : 9:00am | Next day : 5:00pm | 15ml of Spot Urine in Sterile leak   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------------|-------------------|--|
|           | Real Time PCR - Urine   |          |          |            |                         |                   | proof container  |
| C0094     | Chlamydia Trachomatis DNA Detection by Real Time PCR - Vaginal Swab | Kerala   | D        | 3775       | Wed & Sat : 9:00am      | Next day : 5:00pm | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube  |
| C0096     | Chlamydia Pneumoniae IgG Antibody - Serum                           | Kerala   | C        | 2330       | Thu : 11:30am           | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0097     | Chlamydia PneumoniaeIgM Antibody - Serum                            | Kerala   | C        | 2330       | Thu : 11:30am           | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0098     | Chlamydia Trachomatis IgA Antibody by EIA - Serum                   | Kerala   | C        | 1060       | Mon, Wed & Fri : 7:00am | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0099     | Chlamydia Trachomatis IgG Antibody by EIA - Serum                   | Kerala   | C        | 1060       | Mon, Wed & Fri : 7:00am | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0100     | Chlamydia Trachomatis IgM Antibody by EIA - Serum                   | Kerala   | C        | 1300       | Mon, Wed & Fri : 7:00am | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0101     | Chloride ( Cl ) Serum   | Kerala   | A        | 220        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0102     | Chlorides Urine 24H   | Kerala   | A        | 280        | Daily: 9am to 9pm       | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| C0103     | Chlorides Urine Spot  | Kerala   | A        | 280        | Daily: 9am to 9pm       | After 6 hrs       | 10 ml of Spot urine  |
| C0104     | Chlorides Body Fluid  | Kerala   | A        | 280        | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Body Fluid   |
| C0105     | Cholesterol-Total Body Fluid  | Kerala   | A        | 280        | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Body Fluid   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule           | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|------------------------|-------------------|--|
| C0106     | Cholesterol-Total Serum                                   | Kerala   | A        | 130        | Daily: 9am to 9pm      | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0107     | Chromium, Blood   | Kerala   | D        | 3225       | Daily : 11:30am        | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| C0108     | Chromium, Urine 24 Hrs                                    | Kerala   | D        | 2805       | Daily : 11:30am        | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| C0109     | ChromiumGraphite Furnace AASUrine Spot                    | Kerala   | D        | 2805       | Daily : 11:30am        | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| C0110     | Chromogranin - A, Plasma                                  | Kerala   | D        | 7200       | Wed & Sat : 11:30am    | Same day : 9:00pm | 3 ml of EDTA plasma to be sent in aliquot tube at proper temperature.  |
| C0113     | Chromosomal Anaylsis (Fanconis Anemia)**                  | Kerala   | R        | 9025       | Daily : 11:30am        | 20th day : 6:00pm | Clinical history and TRF mandatory. Blood : 5 ml Heparine Whole Blood, Sample sent as soon as possible after collection  |
| C0115     | Chylomicron Qualitative Urine                             | Kerala   | B        | 540        | Daily: 7.30am          | Next day 5pm      | 10 ml of Spot urine  |
| C0117     | Citrate, Urine 24 H Spectrophotometry                     | Kerala   | C        | 1225       | Daily : 11:30am        | 5th day : 6:00pm  | 10 mL aliquot of 24-hour Urine. Collect urine with 25 mL 50% concentrated HCl to maintain pH below 3. Record 24-hour urine volume on test request form and urine vial. Ship refrigerated or frozen.                    |
| C0118     | Citrulline Quantitative Serum                             | Kerala   | D        | 6325       | Thu : 11:30am          | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| C0119     | Citrulline Quantitative Urine                             | Kerala   | R        | 6385       | Thu : 11:30am          | Tue : 5:00pm      | 10 ml of Spot urine  |
| C0121     | C-Kit (GIST) - Exon 9, 11, 13 and 17 by PCR - FFPE Tissue | Kerala   | D        | 11220      | Mon, Wed & Fri: 9:00am | 10th day : 6:00pm | Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours Clinical history with Histopathology report.                                |
| C0122     | C-Kit - Exon 8 and 17 by PCR - Bone Marrow                | Kerala   | D        | 5610       | Mon & Wed: 9:00am      | 7th day : 6:00pm  | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory. |
| C0123     | C-Kit - Exon 8 and 17 by PCR - Blood                      | Kerala   | D        | 5610       | Mon & Wed:             | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule               | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|----------------------------|-------------------|--|
|           |  |          |          |            | 9:00am                     |                   | required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| C0124     | CK-MB Serum  | Kerala   | B        | 755        | Daily: 9am to 9pm          | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0128     | Clostridium Difficile GDH Reflex Toxin A/B by CLIA - Stool                             | Kerala   | C        | 2495       | Daily : 9:00am             | Same day : 5pm    | Category R: Referred ( Please enquire before sending sample), Category I: International ( Please enquire before sending sample)  |
| C0130     | Clotting Time (CT)   | Kerala   | A        | 145        | Daily: 9am to 9pm          | After 6 hrs       | NA   |
| C0131     | Clozapine Serum  | Kerala   | D        | 3980       | Wed : 11:30am              | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0132     | CMV Avidity test by EIA - Serum  | Kerala   | C        | 1350       | Mon & Thu : 11:30am        | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0133     | CMV DNA Detection by Real Time PCR - Amniotic Fluid                                    | Kerala   | C        | 4990       | Mon, Wed & Fri : 9:00am    | Same day: 9:00pm  | 10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container  |
| C0134     | CMV DNA Detection by Real Time PCR - CSF   | Kerala   | C        | 4990       | Mon, Wed & Fri : 9:00am    | Same day: 9:00pm  | 2ml of CSF in Sterile leak proof tube or container   |
| C0135     | CMV DNA Detection by Real Time PCR - EDTA Plasma                                       | Kerala   | C        | 4680       | Mon, Wed & Fri : 9:00am    | Same day : 9:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |
| C0136     | CMV DNA Detection by Real Time PCR - BAL or Saliva                                     | Kerala   | C        | 4990       | Mon, Wed & Fri : 9:00am    | Same day: 9:00pm  | 2ml of BAL/ Saliva in Sterile Leak proof container   |
| C0137     | CMV DNA Detection by Real Time PCR - Urine   | Kerala   | C        | 4990       | Mon, Wed & Fri : 9:00am    | Same day : 9:00pm | 15ml of Spot Urine in Sterile leak proof container   |
| C0138     | CMV Combo (CMV Viral load and GCV resistance) by PCR & Sequencing - EDTA Whole Blood** | Kerala   | R        | 11330      | Tue : 11:30am              | 12th day : 6:00pm | 3 ml of EDTA Whole Blood in EDTA Vacutainer  |
| C0139     | CMV IgG & IgM Antibody by CLIA - Serum   | Kerala   | B        | 1295       | Daily : 9:00am to 9:00pm   | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0141     | CMV IgG Antibody by CLIA - Serum   | Kerala   | B        | 650        | DAILY : 9:00 AM to 9:00 PM | After 8Hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon                  | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-----------------------------|--|
| C0142     | CMV IgM Antibody by CLIA - Serum                              | Kerala   | B        | 650        | Daily : 9:00am to 9:00pm | After 8 hrs                 | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0143     | CMV DNA Viral load by Real Time PCR - EDTA Plasma             | Kerala   | C        | 8200       | Mon, Wed & Fri : 9:00am  | Same day : 9:00pm           | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |
| C0144     | CMV by CISH - FFPE  | Kerala   | D        | 2755       | Daily : 7:30pm           | Same day : 5pm              | Tissue In 10% Formalin Or Block / FFPE .   |
| C0145     | Cobalt Blood  | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0145_CS  | Cobalt Serum  | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0146     | Cobalt Urine 24H**  | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0147     | Cobalt Urine Spot   | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0148     | Cocaine Benzoylcegonine Urine Spot                            | Kerala   | B        | 755        | Daily: 9am to 9pm        | After 6 hrs                 | 5 ml of Spot Urine   |
| C0149     | Cold AgglutininSerum  | Kerala   | B        | 650        | Daily : 11:30am          | Next day : 5:00pm           | 3 ml of Serum  |
| C0150     | Cancer marker profile.  | Kerala   | D        | 5305       | Wed and Sat: 9am         | next day 5.0 pm             | 3 ml of Serum and 3 ml of EDTA plasma  |
| C0151     | Coombs Test-Direct ,Direct Antiglobulin Test (DAT)-EDTA Blood | Kerala   | C        | 720        | Daily: 9am and 5pm       | After 6 hrs                 | 3 ml EDTA whole blood  |
| C0152     | Coombs Test-Indirect, Indirect Antiglobulin Test (IAT)-Serum  | Kerala   | C        | 830        | Daily: 9am and 5pm       | After 6 hrs                 | 3 ml Serum sample  |
| C0154     | Copper ,24 hr Urine   | Kerala   | D        | 2300       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0155     | Copper, Urine Spot  | Kerala   | D        | 2140       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0156     | Copper Serum  | Kerala   | D        | 2245       | Daily : 11:30am          | 3rd day : 6:00pm            | HeavyMetalSamplingguidelines.pdf   |
| C0157     | Cortisol Serum_8.00 AM  | Kerala   | B        | 650        | Daily: 9am to 9pm        | After 6 hrs                 | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0157_4PM | Cortisol Serum_04.00 PM                                       | Kerala   | B        | 675        | Daily: 9am to 9pm        | Cortisol CLIA Serum_04.00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0157_R   | Cortisol Serum_Random   | Kerala   | B        | 800        | Daily: 9am to 9pm        | Cortisol CLIA Serum_Random  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0158     | Cortisol - Free Urine 24H                                     | Kerala   | B        | 970        | Daily: 9am to 9pm        | After 8 hrs                 | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|-------------------|---|
|           |   |          |          |            |                   |                   | clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| C0159     | Coxiella Burnetti IgG antibody by EIA - Serum | Kerala   | D        | 1990       | Thu : 11:30am     | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| C0160     | Coxiella Burnetti IgM antibody by EIA - Serum | Kerala   | D        | 1990       | Thu : 11:30am     | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| C0161     | Coxsackie IgG Antibody by EIA - Serum         | Kerala   | C        | 2030       | Wed : 7:30am      | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| C0162     | Coxsackie IgM Antibody by EIA - Serum         | Kerala   | E        | 2030       | Wed : 7:30am      | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| C0163     | C-Peptide, Fasting, Serum                     | Kerala   | C        | 1100       | Daily: 9am to 9pm | After 6 hrs       | 2 ml of Serum In Fasting  |
| C0163_PP  | C-Peptide Post prandial, Serum                | Kerala   | C        | 1415       | Daily: 9am to 9pm | After 6 hrs       | 2 ml of Serum In Fasting  |
| C0163_R   | C-Peptide, Random, Serum                      | Kerala   | C        | 1415       | Daily: 9am to 9pm | After 6 hrs       | 2 ml of Serum In Fasting  |
| C0164     | CPK Isoenzymes Serum                          | Kerala   | D        | 7650       | Fri : 11:30am     | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0165     | CPK Total Serum                               | Kerala   | A        | 430        | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0166     | Creatinine Clearance test 24H Urine           | Kerala   | B        | 380        | Daily: 9am to 9pm | After 6 hrs       | 3 ml Serum And 24 Hrs Urine . No Preservative   |
| C0167     | Creatinine Quantitative Urine 24H             | Kerala   | A        | 280        | Daily: 9am to 9pm | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule                   | Reportedon         | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------------|--------------------|--|
|           |  |          |          |            |                                |                    | volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| C0168     | Creatinine Body Fluid  | Kerala   | A        | 280        | Daily: 9am to 9pm              | After 6 hrs        | 2 ml of Body Fluid   |
| C0169     | Creatinine Serum   | Kerala   | A        | 150        | Daily: 9am to 9pm              | After 6 hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0170     | CRP, C - Reactive Protein Serum  | Kerala   | B        | 400        | Daily: 9am to 9pm              | After 6 hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0171     | Cryoglobulins Serum  | Kerala   | C        | 1145       | Daily : 11:30am                | Next day : 5:00pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| C0172     | Cryptococcus Antigen detection by Agglutination - CSF                    | Kerala   | C        | 2550       | Daily : 9:00am,1:00pm & 6:00pm | After 6 hrs        | 2ml of CSF in Sterile leak proof tube or container   |
| C0173     | Cryptococcus Antigen detection by Agglutination - Serum                  | Kerala   | C        | 2340       | Daily : 9:00am,1:00pm & 6:00pm | After 6 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| C0179     | Cryptosporidium by smear examination - Stool                             | Kerala   | C        | 570        | Daily : 9:00am to 3:00pm       | After 6 hrs        | 5gm of Stool specimen in Sterile leak proof container  |
| C0180     | Cryptosporidium Parvum Antigen Detection by Immunochromatography - Stool | Kerala   | C        | 1455       | Daily : 9:00am                 | Same day : 5pm     | 5gm of Stool specimen in Sterile leak proof container  |
| C0181     | CSF Index (CSF and serum)  | Kerala   | D        | 2785       | Daily: 9am to 9pm              | After 8 hrs        | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.   |
| C0182     | Culture & Sensitivity, Aerobic bacteria - Blood single bottle            | Kerala   | C        | 935        | Daily : 9:00am to 9:00pm       | After 5 days : 5pm | 3ml of Blood in MycoF/Lytic Bactec Bottle or Sodium Heparin  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon         | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|--------------------|---|
| C0183     | Culture & Sensitivity, Aerobic bacteria - Blood Two bottle set                  | Kerala   | C        | 2910       | Daily : 9:00am to 9:00pm | After 5 days : 5pm | 3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin             |
| C0184     | Culture & Sensitivity, Aerobic bacteria - Blood 1 Aerobic 1 Anaerobic           | Kerala   | C        | 1665       | Daily : 9:00am to 9:00pm | After 5 days : 5pm | 3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin             |
| C0185     | Culture & Sensitivity, Aerobic bacteria - Body Fluids                           | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of Body Fluid in Sterile leak proof container                       |
| C0186     | Culture & Sensitivity, Aerobic bacteria - Bone Marrow                           | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | After 5 days : 5pm | 3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin       |
| C0187     | Culture & Sensitivity, Aerobic bacteria - Central Line Catheter Tip             | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | 5th day : 5pm      | Central Line Catheter Tip in sterile container                          |
| C0188     | Culture & Sensitivity, Aerobic bacteria - Clot                                  | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | After 5 days : 5pm | 3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin             |
| C0189     | Culture & Sensitivity, Aerobic bacteria - CSF                                   | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of CSF in Sterile leak proof tube or container                      |
| C0190     | Culture & Sensitivity, Aerobic bacteria - Ear Samples                           | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | Ear specimens in Sterile leak proof container                           |
| C0191     | Culture & Sensitivity, Aerobic bacteria - Eye Samples                           | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | Eye specimens in Sterile leak proof container                           |
| C0192     | Culture & Sensitivity, Aerobic bacteria - Other samples                         | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of Specimen in Sterile leak proof container                         |
| C0192_C   | Culture and Identification, Aerobic bacteria - Other Samples                    | Kerala   | C        | 1300       | Daily : 9:00am to 9:00pm | 3rd day : 5pm      | Pure culture isolate is required  |
| C0193     | Culture & Sensitivity, Aerobic bacteria - Pus                                   | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of PUS in Sterile leak proof container                              |
| C0194     | Culture & Sensitivity, Aerobic bacteria - Respiratory Samples BAL,ET Secretions | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of BAL / Other Respiratory samples in Sterile leak proof container  |
| C0195     | Culture & Sensitivity, Aerobic bacteria - Semen                                 | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of Semen in Sterile leak proof container                            |
| C0196     | Culture & Sensitivity, Aerobic bacteria - Sputum                                | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of Sputum in Sterile leak proof container                           |
| C0197     | Culture & Sensitivity, Aerobic bacteria - Stool                                 | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 5gm of Stool specimen in Sterile leak proof container                   |
| C0198     | Culture & Sensitivity, Aerobic bacteria - Throat Swab                           | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon         | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|--------------------|---|
| C0199     | Culture & Sensitivity, Aerobic bacteria - Throat Swab For C.Diphtheriae        | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| C0200     | Culture & Sensitivity, Aerobic bacteria - Tissue/Biopsy                        | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | Tissue with Normal Saline in Sterile leak proof container   |
| C0201     | Culture & Sensitivity, Aerobic bacteria - Urethral Discharge                   | Kerala   | C        | 1090       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 2ml of Urethral Discharge in Sterile leak proof container   |
| C0202     | Culture & Sensitivity, Aerobic bacteria - Urine                                | Kerala   | C        | 550        | Daily : 9:00am to 9:00pm | Upto 72 hours      | 15ml of Spot Urine in Sterile leak proof container  |
| C0203     | Culture & Sensitivity, Aerobic bacteria - Vaginal Sample Includes Gr B Strepto | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | Upto 72 hours      | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| C0204     | Culture and Identification, Anaerobic bacteria - Blood Single bottle           | Kerala   | C        | 1560       | Daily : 9:00am to 9:00pm | After 5 days : 5pm | 3ml of Blood in MycoF/lytic Bacter Bottle or Sodium Heparin   |
| C0205     | Culture and Identification, Anaerobic bacteria - High Vagina Discharge         | Kerala   | C        | 1455       | Daily : 9:00am to 9:00pm | 5th day : 5pm      | 2ml of Vaginal Discharge in Sterile leak proof container  |
| C0206     | Culture and Identification, Anaerobic bacteria - Pus                           | Kerala   | C        | 1455       | Daily : 9:00am to 9:00pm | 5th day : 5pm      | 2ml of PUS in Sterile leak proof container  |
| C0207     | Culture and Identification, Anaerobic bacteria (C.Difficile) - Stool           | Kerala   | C        | 1455       | Daily : 9:00am to 9:00pm | 5th day : 5pm      | 5gm of Stool specimen in Sterile leak proof container   |
| C0208     | Culture and Identification, Anaerobic bacteria - Tissue/Biopsy                 | Kerala   | C        | 1455       | Daily : 9:00am to 9:00pm | 5th day : 5pm      | Tissue with Normal Saline in Sterile leak proof container   |
| C0209     | Cyclospora by smear examination - Stool  | Kerala   | C        | 570        | Daily : 9:00am to 3:00pm | After 6 hrs        | 5gm of Stool specimen in Sterile leak proof container   |
| C0210     | Cyclosporine-By LCMS, Blood  | Kerala   | C        | 3330       | Daily : 7:30am           | Same day : 8:00pm  | Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| C0212     | Cyfra (Ca) 21-1, Serum   | Kerala   | D        | 3470       | Tue & Fri : 11:30am      | After 8hrs         | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon       | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|------------------|---|
| C0213     | CYP2C19 Genotyping                                    | Kerala   | D        | 7040       | Tue & Fri : 9:00am       | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .  |
| C0214     | Cystatin C, Serum                                     | Kerala   | C        | 1560       | Daily: 9am to 9pm        | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0218     | Cystic Fibrosis (CF) Delta F508 Mutation Analysis     | Kerala   | E        | 4300       | Tue & Thu: 9:00am        | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.   |
| C0219     | Cystic Fibrosis IRT (Neonatal screen)Dried blood spot | Kerala   | C        | 470        | Monday to Friday: 9.00am | Next day 5pm     | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| C0220     | Cysticercus (Taenia Solium) IgG Antibody              | Kerala   | C        | 1770       | Tue & Fri : 7:30am       | Same day : 5pm   | 2 ml of CSF in sterile screw capped   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon     | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------|----------------|---|
|           | by EIA - CSF  |          |          |            |                    |                | container.  |
| C0221     | Cysticercus (Taenia Solium) IgG Antibody by EIA - Serum | Kerala   | C        | 1640       | Tue & Fri : 7:30am | Same day : 5pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| C0222     | Cystine Quantitative Plasma                             | Kerala   | D        | 6325       | Thu : 11:30am      | Tue : 5:00pm   | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |
| C0223     | Cystine Quantitative Spot Urine                         | Kerala   | R        | 6385       | Thu : 11:30am      | Tue : 5:00pm   | 10 ml of Spot urine   |
| C0224     | Cytochemistry Panel                                     | Kerala   | C        | 2290       | Daily: 9am         | 5th day        | Direct smears & 3 ml of EDTA blood  |
| C0226     | Ascitic Fluid by Conventional method                    | Kerala   | C        | 935        |                    | 2nd day        | More than 1 ML fluid in plain leak proof container along with relevant clinical details   |
| C0227     | Bronchoalveolar Lavage (BAL) by LBC                     | Kerala   | C        | 1315       |                    | 2nd day        | Broncheoalveolar lavage in a plain leak proof container along with bronchoscopy findings & relevant clinical/radiological details |
| C0228     | CSF by Cytocentrifuge                                   | Kerala   | C        | 935        |                    | 2nd day        | More than 0.5 ML fluid in plain leak proof container along with relevant clinical details & CT/MRI reports                        |
| C0229     | Drain Fluid by Conventional method                      | Kerala   | C        | 935        |                    | 2nd day        | More than 1 ML fluid in plain leak proof container along with relevant clinical details   |
| C0230     | Nipple Discharge by Conventional method                 | Kerala   | C        | 935        |                    | 3rd day        | Prefixed smears along with relevant clinical & radiological details   |
| C0233     | Other Fluids by Conventional method                     | Kerala   | C        | 1090       |                    | 2nd day        | More than 1 ML fluid in plain leak proof container along with relevant clinical details   |
| C0234     | Pericardial Fluid by Conventional method                | Kerala   | C        | 935        |                    | 2nd day        | More than 1 ML fluid in plain leak proof container along with relevant clinical details   |
| C0235     | Peritoneal washings by Conventional method              | Kerala   | C        | 935        |                    | 2nd day        | More than 1 ML fluid in plain leak proof container along with relevant clinical details   |
| C0236     | Pleural Fluid by Conventional method                    | Kerala   | C        | 1145       |                    | 2nd day        | More than 1 ML fluid in plain leak proof container along with relevant clinical details   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule          | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------------|-------------------|--|
| C0238     | Sputum by Conventional method                             | Kerala   | C        | 935        |                       | 2nd day           | Sputum in a plain leak proof container along with relevant clinical/radiological details   |
| C0239     | Synovial Fluid by Conventional method                     | Kerala   | C        | 935        |                       | 2nd day           | 0.5 ml Synovial fluid in a plain container   |
| C0241     | Urine by Liquid based cytology                            | Kerala   | C        | 1145       |                       | 2nd day           | More than 1 MI Urine in a leak proof plain container along with relevant clinical & radiological details   |
| C0242     | Cytology Reflex to cell block and relevant IHC Body fluid | Kerala   | C        | 4160       |                       | 5th day           | More than 1 ML fluid in plain leak proof container along with relevant clinical details  |
| C0244     | Carbohydrate-Deficient Transferrin (CDT) **               | Kerala   | R        | 4120       | Mon & Thur : 07:30 AM | Same day 5 PM     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment. |
| C0246     | Chromosomal Array CNV+SNP Array Blood                     | Kerala   | E        | 16000      | Daily : 9:00am        | 15th day : 6:00pm | 3 ml of EDTA Whole Blood   |
| C0247     | Chromosomal Array CNV+SNP Array POC                       | Kerala   | E        | 16800      | Daily: 9am            | 15th Day          | 1)Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of                                    |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------|-------------------|---|
|           |  |          |          |            |                    |                   | gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin   |
| C0248     | Clostridium Difficile DNA Detection by Real Time PCR - Stool               | Kerala   | C        | 3430       | Wed & Sat : 7:30am | Next day : 5:00pm | 5gm of Stool specimen in Sterile leak proof container   |
| C0249     | Connexin (26 mutations)_C0249  | Kerala   | R        | 6695       | Wed : 11:30am      | 10th day : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0250     | Copper reflex Ceruloplasmin, Serum   | Kerala   | D        | 2805       | Daily : 11:30am    | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| C0251     | Calreticulin (CALR) Exon 9 Mutation Analysis, Blood                        | Kerala   | D        | 6425       | Wed & Sat : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.   |
| C0252     | Calreticulin (CALR) Exon 9 Mutation Analysis, Bone marrow                  | Kerala   | D        | 6425       | Wed & Sat : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.   |
| C0253     | Chromium, Serum  | Kerala   | R        | 2835       | Daily : 11:30am    | 12th Day : 6:00pm | BD RED TOP VACCUTAINER, CENTRIFUGE, SEPARATE SERUM in red top   |
| C0255     | Creatinine Urine Spot  | Kerala   | A        | 280        | Daily: 9am to 9pm  | After 6 hrs       | 10 ml of Spot urine   |
| C0256     | CPEO (Chronic Progressive External Ophthalmoplegia) Mitochondrial diseases | Kerala   | R        | 7415       | Daily : 11:30am    | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|------------------------|---|
|           |  |          |          |            |                   |                        | for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| C0260     | NextGen Cancer Hotspot 50 Gene Panel                                   | Kerala   | E        | 28000      | Daily : 11:30am   | After 4 weeks : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.   |
| C0264     | CD64, Blood by Flow Cytometry  | Kerala   | C        | 2390       | Daily : 11:30am   | Next day : 5:00pm      | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| C0265     | CEBPA MUTATION ANALYSIS  | Kerala   | E        | 6000       | Mon & Wed: 9:00am | 7th day : 6:00pm       | 3-5 ml of EDTA whole blood or 3 ml EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.                |
| C0267     | Cervical Screening-3 (PAP Smear, HPV-DNA and reflex CINtec PLUS) - LBC | Kerala   | D        | 5610       | Daily : 9:00am    | 7th day : 6:00pm       | 10 ml LBC Container   |
| C0269     | Cancer marker profile (Brain and Pituitary)                            | Kerala   | D        | 3520       | Tue and Fri: 9am  | After 8 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0272     | Cancer marker profile (Gall Bladder)                                   | Kerala   | D        | 1630       | Daily: 9am to 9pm | After 8 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| C0273     | Cancer marker profile Liver-2  | Kerala   | D        | 5865       | Wed and Sat: 9am  | next day 5.0 pm        | 3 ml of Serum and 3 ml of EDTA plasma   |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------------|-------------------|---|
| C0275     | Cancer marker profile (Neuroendocrine tumors)  | Kerala   | D        | 6325       | Wed/Sat- 7:30 am        | Next day 5:00 pm  | 3 ml of Serum and 3 ml of EDTA plasma   |
| C0276     | Cancer marker profile-Ovarian-Comprehensive    | Kerala   | D        | 2295       | Daily: 9am to 9pm       | After 8 hrs       | 5 ml of serum   |
| C0277     | Cancer marker profile - Thyroid-DTC            | Kerala   | D        | 2245       | Daily: 9am to 9pm       | After 8 hrs       | 5 ml of serum   |
| C0279     | Cytology CINtec plus                           | Kerala   | D        | 3980       |                         | 4th Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| C0281     | cMYC Gene rearrangement, FISH, BONE MARROW     | Kerala   | D        | 4080       | Daily : 9:00am          | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| C0282     | CMYC Gene rearrangement, FISH, BLOOD           | Kerala   | D        | 4080       | Daily : 9:00am          | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| C0283     | cMYC Gene rearrangement Tissue / FFPE          | Kerala   | D        | 8160       | Daily : 9:00am          | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.  |
| C0284     | Coeliac disease profile-1                      | Kerala   | D        | 2650       | Mon and Thu: 9am        | Same day 7pm      | 5 ml of serum   |
| C0285     | Coeliac disease profile-2 Comprehensive        | Kerala   | D        | 10100      | Mon and Thu: 9am        | 3rd day           | 5 ml of serum and 4ml EDTA / ACD blood  |
| C0286     | Catechol-O-Methyltransferase (COMT) Genotyping | Kerala   | E        | 6000       | Daily : 9:00am          | 7th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0289     | CMV DNA Detection by Real Time PCR - Tissue    | Kerala   | C        | 4990       | Mon, Wed & Fri : 9:00am | Same day : 9:00pm | Tissue with Normal Saline in Sterile leak proof container   |
| C0290     | Chloride, CSF                                  | Kerala   | A        | 280        | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of CSF in leakproof container  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------------|------------------------|---|
|           |   |          |          |            |                         |                        | (folin vu conical tube is recommended to prevent leakage).  |
| C0292     | CMV DNA Viral load by Real Time PCR - BAL or Saliva           | Kerala   | C        | 7695       | Mon, Wed & Fri : 9:00am | Same day: 9:00pm       | 2ml of BAL/ Saliva in Sterile Leak proof container  |
| C0297     | C3 Nephritic Factor   | Kerala   | R        | 5150       | Daily : 11:30am         | 8th day : 6:00pm       | 3 ml Serum  |
| C0302     | Cryofibrinogen  | Kerala   | D        | 920        | Daily : 11:30am         | 4th day : 6:00pm       | Collect Blood In Pre-warmed Red Plain Top & Citrate Tube And Pre-warmed Syringe.  |
| C0306     | CHIMERISM, PRE-TRANSPLANT (STR ANALYSIS - DONOR & RECIPIENT)* | Kerala   | E        | 9900       | Daily : 9:00am          | 7th day : 6:00pm       | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis - Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship   |
| C0307     | CHIMERISM (Post transplant) *                                 | Kerala   | E        | 9900       | Daily : 9:00am          | 7th day : 6:00pm       | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship   |
| C0311     | Cardiomyopathy gene panel**                                   | Kerala   | R        | 20600      | Daily : 11:30am         | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| C0318     | Chylomicron Qualitative Body fluid                            | Kerala   | B        | 635        | Daily: 9am to 9pm       | After 8 hrs            | 2 ml body fluid   |
| C0319     | Clinical Exome Panel**  | Kerala   | R        | 22050      | Daily : 11:30am         | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature   |

| Test Code   | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon                          | Sample Guideline  |
|-------------|---|----------|----------|------------|-------------------------|-------------------------------------|---|
|             |   |          |          |            |                         |                                     | for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.                     |
| C0323       | Cell free DNA for EGFR*   | Kerala   | E        | 16000      | Daily : 9:00am          | 7th day : 6:00pm                    | 10-15 ml of blood in streck tube required. Sample stable for 3-7 Days at Ambient Temperature. For streck tubes, enquire before sending the sample. Clinical history with Histopathology report.   |
| C0326       | Carba R (Carbapenem Resistance) by GeneXpert - Culure Plate / Anal Swab | Kerala   | D        | 9180       | Daily : 9:00am & 3:00pm | After 6hrs                          | Culure Plate / Anal Swab with Sufficient Material in Sterile Falcon Tube  |
| C0332       | Cortisol/Creatinine ratio in urine                                      | Kerala   | B        | 1190       | Daily: 9am to 9pm       | After 6 hrs                         | 10 ml of Spot urine   |
| C0337_Adult | Creatinine, advanced (Above18 years) - spot urine                       | Kerala   | A        | 290        | Daily: 9am to 9pm       | Creatinine, advanced(Above18 years) | 10 ml of Spot urine   |
| C0338       | Haemogram, advanced   | Kerala   | A        | 330        | Daily: 9am to 9pm       | After 6 hrs                         | 3 ml of EDTA whole blood sample   |
| C0340       | Chromosomal Array CGH - Prenatal*                                       | Kerala   | E        | 16000      | Daily : 9:00am          | 15th day : 6:00pm                   | Amniotic fluid (20-30ml divided in 2 sterile falcon centrifuge tube) and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies. (Completely filled Consent form G with patient and doctor stamp and signature is mandatory as per PCPNDT Act) |
| C0342       | Allergy panel - Child panel   | Kerala   | D        | 12595      | Daily : 11:30am         | Next day : 5:00pm                   | Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.   |
| C0343       | Clustered AchR and MuSK and LRP4  | Kerala   | R        | 15450      | Daily : 11:30am         | After 4 weeks :                     | 5 ml Serum  |

| Test Code | Test Name                                  | location | Category | Price(Rs.) | Testschedule    | Reportedon                          | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|-------------------------------------|--|
| C0347     | Antibodies**<br>CSF ACPII**                | Kerala   | R        | 27810      | Daily : 11:30am | 6:00pm<br>After 4 weeks :<br>6:00pm | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment. |
| C0348     | Chromosomal Array CGH-Cancer               | Kerala   | E        | 25000      | Daily : 9:00am  | After 4 Weeks :<br>6:00pm           | 3 ml of EDTA whole blood and 3 ml of Bone marrow   |
| C0349     | Cadmium, Hair tests by ICPMS**             | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm                   | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| C0350     | Cadmium, Water tests by ICPMS**            | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm                   | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| C0351     | Chromium , Hair tests by ICPMS**           | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm                   | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| C0352     | Chromium, Water tests by ICPMS**           | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm                   | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| C0353     | Cobalt , Hair tests by ICPMS**             | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm                   | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| C0354     | Cocaine confirmation by LCMS, Spot Urine** | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm                   | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|-------------------|---|
|           |  |          |          |            |                 |                   | at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.  |
| C0356     | Copper, Hair tests by ICPMS**  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| C0357     | Copper, Water tests by ICPMS**   | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| C0360     | CLL prognostication/risk stratification gene panel**- EDTA Whole Blood | Kerala   | E        | 17000      | Daily : 11:30am | 20th day : 6:00pm | 4 ml EDTA Whole blood/bone marrow aspirate  |
| C0361     | Carrier ?screening - Gold (500 genes)                                  | Kerala   | E        | 41000      | Daily: 7:30am   | 5 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0362     | Carrier ?screening - Platinum (2000 genes)                             | Kerala   | E        | 67000      | Daily: 7:30am   | 6 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0363     | Carrier ?screening - Silver (100 genes)                                | Kerala   | E        | 35100      | Daily: 7:30am   | 5 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule     | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------|-------------------|---|
|           |  |          |          |            |                  |                   | Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.  |
| C0364     | Congenital adrenal hyperplasia due to HSD3B2-Gene Analysis | Kerala   | E        | 20000      | Daily: 7:30am    | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0365     | Congenital cataract-Gene Panel                             | Kerala   | E        | 20000      | Daily: 7:30am    | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0366     | Congenital hepatic fibrosis-Gene Panel                     | Kerala   | E        | 20000      | Daily: 7:30am    | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| C0368     | Chromosomal Array CGH-High resolution                      | Kerala   | R        | 25750      | Daily : 11:30am  | 20th day : 6:00pm | 3 ml of EDTA Whole Blood  |
| C0369     | Chikungunya RNA Detection by Real Time PCR - Serum         | Kerala   | C        | 4680       | Daily : 10:00am  | 24 Hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| C0370     | CMV DNA Viral load by Real Time PCR -                      | Kerala   | C        | 7695       | Mon, Wed & Fri : | Same day : 9:00pm | 2ml of CSF in Sterile leak proof  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|------------------------|---|
|           | CSF  |          |          |            | 9:00am                   |                        | tube or container   |
| C0371     | CMV DNA Viral load by Real Time PCR - Urine                                  | Kerala   | C        | 7695       | Mon, Wed & Fri : 9:00am  | Same day : 9:00pm      | 15ml of Spot Urine in Sterile leak proof container                                |
| C0372     | CT - NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Panel - Genital Swab | Kerala   | D        | 5100       | Wed & Sat : 9:00am       | Next day : 5:00pm      | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube           |
| C0373     | CT - NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Panel - Urine spot   | Kerala   | D        | 5100       | Wed & Sat : 9:00am       | Next day : 5:00pm      | 15ml of Spot Urine in Sterile leak proof container                                |
| C0374     | Covid Monitor Initial  | Kerala   | C        | 6030       | Daily : 9:00am           | Same day 5pm           | 2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma                   |
| C0375     | Covid Monitor Maintenance.   | Kerala   | C        | 4055       | Daily : 9:00am           | Same day 5pm           | 2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma                   |
| C0376     | Covid Monitor Recovery.  | Kerala   | C        | 2910       | Daily: 9am to 9 pm       | Report after 24 hours  | 2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma                   |
| C0377     | Cardiac Screen-1   | Kerala   | C        | 6240       | Mon and Thu: 9am         | Same day 5pm           | 5 ml of serum   |
| C0378     | Conventional Karyotyping for CLL (B-Cell Stimulation)**                      | Kerala   | R        | 12360      | Daily : 11:30am          | 20th day : 6:00pm      | 10 ml Heparin Blood   |
| C0379     | CoviRisk TBNK by Flow Cytometry - Blood                                      | Kerala   | D        | 4590       | Daily : 9:00am to 9:00pm | After 6 hrs            | 3 ml of EDTA Whole Blood  |
| C0381     | Covid Associated Biomarker Profile   | Kerala   | C        | 4680       | 9 am to 9 pm             | Report after 24 hrs    | 2 ml of EDTA whole blood, 3 ml of serum ,3 ml of citrate plasma                   |
| C0393     | Colorectal cancer - Theranostic Panel (Hot Spot) panel                       | Kerala   | E        | 32000      | Daily 7.30 am            | 4 Weeks                | Paraffin Block with Histopath report Mandatory                                    |
| C0394     | Cytology - Brush Cytology by conventional method                             | Kerala   | C        | 2600       | Daily : 9:00am           | 3rd day                | Unstained slides, Complete clinical & radiology details, clinician contact number |
| C1001     | C1q antibodies test, Serum   | Kerala   | R        | 6695       | Daily : 11:30am          | After 4 weeks : 6:00pm | 5 ml Serum  |
| C1014     | Carnitine free and total plasma**  | Kerala   | R        | 12875      | Daily : 11:30am          | 10th day : 6:00pm      | 3 ml Heparin Plasma   |
| C1802     | Colour Doppler - Carotid   | Kerala   | O        | 1695       |                          |                        |   |
| C1803     | Colour Doppler - Limb (Arterial and Venous)                                  | Kerala   | O        | 2260       |                          |                        |   |
| C1804     | Colour Doppler - Limbs - both (Arterial and Venous)                          | Kerala   | O        | 4520       |                          |                        |   |
| C1805     | Colour Doppler - Obstetric   | Kerala   | O        | 1130       |                          |                        |   |

| Test Code | Test Name                      | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|--------------------------------|----------|----------|------------|-------------------|---------------------|--|
| C1806     | Colour Doppler - Pelvis        | Kerala   | O        | 1130       |                   |                     |  |
| C1807     | Colour Doppler - Portal System | Kerala   | O        | 1130       |                   |                     |  |
| C1808     | Colour Doppler - Renal         | Kerala   | O        | 1500       |                   |                     |  |
| C1809     | Colour Doppler - Scrotal       | Kerala   | O        | 1130       |                   |                     |  |
| C1818     | Cephalogram                    | Kerala   | O        | 565        |                   |                     |  |
| C1901     | Canine - Calcium               | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1902     | Canine - CBC Haemogram         | Kerala   | A        | 345        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1903     | CBF (Complete Body Function)   | Kerala   | C        | 3330       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1904     | Canine - Chlorides             | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1905     | Canine - Cholesterol-Total     | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|---------------------|--|
|           |  |          |          |            |                   |                     | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1906     | Canine - Combo Profile   | Kerala   | C        | 3745       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1907     | CANINE-Cortisol  | Kerala   | C        | 650        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1908     | CANINE-CPK-Creatinine Phospho Kinase                               | Kerala   | A        | 390        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1909     | Canine - Creatinine  | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1910     | CANINE-Culture & Sensitivity, Aerobic bacteria Blood single bottle | Kerala   | C        | 830        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|---------------------|---|
| C1911     | CANINE-Culture & Sensitivity, Aerobic bacteria Body Fluids Specify type | Kerala   | C        | 805        | Daily: 9am to 9pm | Report after 24 hrs | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.<br>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1912     | CSF   | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1913     | Eye Samples   | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1914     | nasal swab  | Kerala   | C        | 1050       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1915     | CANINE-Culture & Sensitivity, Aerobic bacteria Pus                      | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------|---------------------|--|
|           |   |          |          |            |                   |                     | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1916     | Semen   | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1917     | CANINE-Culture & Sensitivity, Aerobic bacteria Sputum | Kerala   | C        | 805        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1918     | CANINE-Culture & Sensitivity, Aerobic bacteria Stool  | Kerala   | C        | 805        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1919     | Throat Swab   | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1920     | Tissue/Biopsy   | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|---------------------|---|
| C1921     | Urethral Discharge                                   | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.<br>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1922     | CANINE-Culture & Sensitivity, Aerobic bacteria Urine | Kerala   | C        | 830        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1923     | Vaginal Sample                                       | Kerala   | C        | 1090       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1924     | Second opinion services, Slides                      | Kerala   | C        | 1040       | Daily : 9:00am    | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1925     | Ascitic Fluid  | Kerala   | C        | 935        | Daily : 9:00am    | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated  |



| Test Code | Test Name             | location | Category | Price(Rs.) | Testschedule   | Reportedon          | Sample Guideline   |
|-----------|-----------------------|----------|----------|------------|----------------|---------------------|--|
|           |                       |          |          |            |                |                     | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1926     | CSF                   | Kerala   | C        | 935        | Daily : 9:00am | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1927     | Drain Fluid           | Kerala   | C        | 935        | Daily : 9:00am | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1928     | Other Fluids          | Kerala   | C        | 1040       | Daily : 9:00am | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1929     | Other Fluids/Scraping | Kerala   | C        | 935        | Daily : 9:00am | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1930     | Pericardial Fluid     | Kerala   | C        | 935        | Daily : 9:00am | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name                | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|--------------------------|----------|----------|------------|-------------------|---------------------|---|
| C1931     | Peritoneal washings      | Kerala   | C        | 935        | Daily : 9:00am    | Report after 48 hrs | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.<br>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| C1932     | Pleural Fluid            | Kerala   | C        | 935        | Daily : 9:00am    | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1933     | Sputum                   | Kerala   | C        | 935        | Daily : 9:00am    | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1934     | Synovial Fluid           | Kerala   | C        | 935        | Daily : 9:00am    | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| C1936     | Metanephrine, Urine spot | Kerala   | C        | 2860       | Daily: 9am to 9pm | Report after 5 days | Spot Urine : 10 ml of Spot sample in Leakproof container. Do not  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule               | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|----------------------------|-------------------|---|
|           |  |          |          |            |                            |                   | consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.                 |
| C5054     | Cadmium / Creatinine ratio   | Kerala   | D        | 2805       | Daily : 11:30am            | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| C5516     | CBC+MP   | Kerala   | B        | 465        | Daily: 9am to 9pm          | After 6 hrs       | 3 ml EDTA whole blood   |
| C5523     | CBC, MP, ESR Panel   | Kerala   | B        | 515        | Daily: 9am to 9pm          | After 6 hrs       | 3 ml EDTA whole blood   |
| C5631     | COVIPROTECT Plus   | Kerala   | C        | 2495       | Mon, Wed, Fri 1:00 PM      | Next Day 5:00 PM  | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |
| C5643     | Comprehensive metabolic panel  | Kerala   | D        | 4785       | Daily: 9am to 9pm          | After 6hrs        | 3 ml of EDTA whole blood, 2 ml of Flouride plasma, 4 ml of serum, 20 ml of spot urine   |
| C8103     | Cytopathology-Expert opinion   | Kerala   | C        | 2600       |                            | 7th day           | Stained/unstained slides with original cytopathology report & relevant clinical & radiological details  |
| C8369     | COVID VARIANT SCREENING  | Kerala   | D        | 765        | 24hr registration          | After 24hrs       | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)   |
| C8551     | COMPREHENSIVE OPHTHALMIC GENETIC DISORDER PANEL                      | Kerala   | R        | 20600      | Daily 7.30 am              | 4 Weeks           | 3 ml of EDTA whole blood  |
| C8606     | Critical care antibiotics for drug resistant Gram negative bacteria. | Kerala   | D        | 1200       | Daily : 9:00am to 9:00pm   | 4th day : 6:00pm  | Pure culture isolate is required  |
| C8623     | Celiac Disease Profile - 1   | Kerala   | C        | 2100       | Mon & Thu : 7:30am         | Same day : 5:00pm | 5 ml of serum   |
| D0001_DCP | DCP- Decarboxy Prothrombin PIVKA II, Serum                           | Kerala   | D        | 3500       | Mon, Wed, Fri : 7:30am     | Same day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| D0002     | D-Dimer Quant, plasma  | Kerala   | C        | 1100       | Daily: 9am and 3pm and 9pm | After 6 hrs       | 1 ml of citrated platelet poor plasma in frozen condition.  |
| D0003     | Dengue IgG Antibody by CLIA - Serum                                  | Kerala   | C        | 950        | Daily : 6:30pm             | After 6 hrs       | 3ml of Serum in Gel Vacutainer or   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| D0004     | Dengue IgM Antibody by CLIA - Serum   | Kerala   | C        | 950        | Daily : 6:30pm      | After 6 hrs       | in Plain Sterile Vacutainer<br>3ml of Serum in Gel Vacutainer or<br>in Plain Sterile Vacutainer               |
| D0005     | Dengue NS1 antigen Detection by EIA - Serum   | Kerala   | C        | 950        | Daily : 6:30pm      | After 6 hrs       | 3ml of Serum in Gel Vacutainer or<br>in Plain Sterile Vacutainer  |
| D0006     | Dengue Profile-1 (Dengue-IgG, IgM, NS1, Platelet count) by EIA - Serum & EDTA blood       | Kerala   | C        | 2200       | Daily : 6:30pm      | After 8 hrs       | 3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of EDTA Whole Blood in EDTA Vacutainer |
| D0006_2   | Dengue Profile-2 (Dengue-IgG, IgM, NS1, Platelet count & IPF) by EIA - Serum & EDTA blood | Kerala   | C        | 2080       | Daily : 6:30pm      | After 8 hrs       | 3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of EDTA Whole Blood in EDTA Vacutainer |
| D0007     | Dengue RNA Detection by Real Time PCR - CSF   | Kerala   | C        | 3850       | Daily : 10:00am     | After 24hrs       | 2ml of CSF in Sterile leak proof tube or container  |
| D0008     | Dengue RNA Detection by Real Time PCR - EDTA Plasma                                       | Kerala   | C        | 3850       | Daily : 10:00am     | After 24hrs       | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| D0009     | Desmoglein I Antibody Vesiculobullous disorders Serum                                     | Kerala   | D        | 3000       | Mon & Thu : 11:30am | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                   |
| D0010     | Desmoglein III Antibody Vesiculobullous disorders Serum                                   | Kerala   | D        | 3000       | Mon & Thu : 11:30am | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                   |
| D0011     | Dexamethasone Suppression test-High dose for ACTH, Plasma                                 | Kerala   | C        | 2550       | Daily: 9am to 9pm   | Same day 5pm      | 3 ml of EDTA Plasma each  |
| D0012     | Dexamethasone Suppression test for Cortisol-High dose, Serum                              | Kerala   | C        | 1350       | Daily: 9am to 9pm   | Same day 5pm      | 3 ml Serum each   |
| D0013     | Dexamethasone Suppression test-Low dose for ACTH, Serum                                   | Kerala   | C        | 2550       | Daily: 9am to 9pm   | Same day 5pm      | 3 ml of EDTA Plasma each  |
| D0014     | Dexamethasone Suppression test for Cortisol-Low dose, Serum                               | Kerala   | C        | 1350       | Daily: 9am to 9pm   | Same day 5pm      | 3 ml Serum each   |
| D0015     | Dexamethasone Suppression test Overnight suppression For ACTH, Plasma                     | Kerala   | C        | 2550       | Daily: 9am to 9pm   | Same day 5pm      | 3 ml of EDTA Plasma each  |
| D0016     | Dexamethasone Suppression test Overnight suppression For Cortisol, Serum                  | Kerala   | C        | 1350       | Daily: 9am to 9pm   | Same day 5pm      | 3 ml Serum each   |
| D0017     | DHEA- Dehydroepiandrostedione Serum   | Kerala   | C        | 2965       | Tue,Fri: 7:30am     | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------|-------------------|---|
| D0018     | DHEAS- Dehydroepiandrostedione Sulphate Serum               | Kerala   | B        | 1250       | Daily: 9am to 9pm  | After 6 hrs       | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| D0019     | DHT- Dihydrotestosterone Serum                              | Kerala   | C        | 3000       | M,W,F: 7:30am      | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| D0020     | Diabetes Profile, Mini                                      | Kerala   | E        | 925        | Daily: 8pm         | After 8 hrs       | 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine   |
| D0021     | Diabetes Profile,Maxi                                       | Kerala   | E        | 2850       | Wed: 7.30am        | Same day 5pm      | 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma (F, PP), 10 ml of spot urine   |
| D0022     | Dialysis Panel  | Kerala   | C        | 4160       | Daily: 9am to 9pm  | After 8 hrs       | 3ml EDTA blood, fluoroide plasma & Serum  |
| D0023     | DIC (Coagulation) Profile                                   | Kerala   | C        | 2910       | Daily: 9am to 9pm  | After 8 hrs       | 3 ml of EDTA whole blood and 1 ml of citrated platelet poor plasma  |
| D0024     | Digoxin Lanoxin Serum                                       | Kerala   | C        | 990        | Daily: 9am to 9pm  | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| D0025     | Diphtheria IgG antibodies by EIA - Serum                    | Kerala   | D        | 2550       | Fri : 11:30am      | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| D0026     | DMD/BMD (18 Exons) for Males Only                           | Kerala   | D        | 6020       | Tue & Fri : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| D0027     | DMD/BMD-79 exons Deletion/Duplication Analysis MLPA - Blood | Kerala   | D        | 15900      | Tue & Fri : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| D0028     | DMD-Test Duchenne Muscular Dystrophy Amniotic Fluid*        | Kerala   | D        | 17340      | Daily : 9:00am     | 7th day : 6:00pm  | Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon       | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------|--|
|           |   |          |          |            |                 |                  | stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.   |
| D0028_c   | DMD/ BMD-79 exons Deletion/ Duplication Analysis (Dystrophin gene - Xp21) | Kerala   | D        | 17340      | Daily : 9:00am  | 7th day : 6:00pm | Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory. |
| D0030     | DNA (Double Strand) Antibody By IFA - Reflex end point titre Serum        | Kerala   | C        | 1820       | Tue,Fri: 7:30am | Same day 5pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| D0032     | DNA (Double Strand) Antibody NcX DNA                                      | Kerala   | C        | 830        | Daily: 7.30am   | Same day 5pm     | 3 ml of serum for single test and 5  |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|-------------------|---|
|           | Serum   |          |          |            |                 |                   | ml serum for profiles and reflex tests.   |
| D0033     | DNA IsolationBlood                            | Kerala   | C        | 1145       | Daily : 9:00am  | Next day : 5:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.   |
| D0034     | DNA Paternity 16 markers *                    | Kerala   | E        | 10000      | Daily : 9:00am  | 10th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed Paternity Consent form and documents mandatory. Photo Identity proof of father and child 2 Passport size photograph attached to consent form, Birth certificate of child In case of alleged father mother declaration required.  |
| D0036     | DNPH (Dinitro Phenyl hydralazine) test, urine | Kerala   | B        | 380        | Daily : 11:30am | After 6hrs        | 10 ml of Spot urine   |
| D0037     | Dopamine ELISA Plasma                         | Kerala   | D        | 2550       | Wed : 11:30am   | Next day : 7:00pm | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |
| D0038     | Dopamine, HPLC, 24 hrs urine                  | Kerala   | D        | 3570       | Wed : 11:30am   | Next day : 7:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. |

| Test Code    | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|--------------|---|----------|----------|------------|--------------------------|-------------------|--|
|              |   |          |          |            |                          |                   | Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| D0039        | Maternal screen-1st Trimester Dual Marker test serum  | Kerala   | C        | 2600       | Daily 07:30 am           | same day 09:00 pm | 3 ml of Serum  |
| D0039_reflex | Pregascreen Dual (First trimester test-VII, serum Dual Marker test reflex Confirmation Either NIPT or Karyotyping/FISH of CVS)                      | Kerala   | D        | 2600       | Daily 07:30 am           | same day 09:00 pm | 3 ml of serum, If screen is positive reflex confirmation Either NIPT or Karyotyping and FISH of amniotic fluid   |
| D0040        | Maternal screen-2nd Trimester- Quadruple Marker test, Serum   | Kerala   | C        | 3300       | Daily 07:30 am           | same day 09:00 pm | 3 ml of Serum  |
| D0040_reflex | Pregascreen Quadruple (Second trimester test-IV, serum Quadruple marker test reflex confirmation Either NIPT or Karyotyping/FISH of amniotic fluid) | Kerala   | C        | 4000       | Daily 07:30 am           | same day 09:00 pm | 3 ml of serum, If screen is positive reflex confirmation Either NIPT or Karyotyping and FISH of amniotic fluid   |
| D0041        | Maternal screen (Triple test) 2nd trimester   | Kerala   | C        | 3070       | Daily: 9am to 9pm        | Next day at 6pm   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| D0042        | DPD-Deoxy pyridinoline (Pyrilinks D)Urine   | Kerala   | C        | 1820       | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot Urine (Protect From Light)   |
| D0043        | Dihydropyrimidine Dehydrogenase (DPD) Gene Mutation Analysis  | Kerala   | D        | 7140       | Tue & Fri : 9:00am       | 5th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius.  |
| D0044        | DPT Antibodies by EIA - Serum   | Kerala   | D        | 6630       | Fri : 11:30am            | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| D0045        | Drugs Of Abuse Panel-5 Drug Panel, Urine  | Kerala   | C        | 2340       | Daily: 9am to 9pm        | After 8 hrs       | 10 ml of Spot urine  |
| D0046        | Drugs Of Abuse Panel-6 Drug Panel, Urine  | Kerala   | C        | 3070       | Daily: 9am to 9pm        | After 8 hrs       | 10 ml of Spot urine  |
| D0047        | Drugs Of Abuse Panel - 9 Drug, Urine  | Kerala   | C        | 4370       | Daily: 9am to 9pm        | After 8 hrs       | 10 ml of Spot urine  |
| D0048        | DVT-Deep Vein Thrombosis Panel  | Kerala   | D        | 12240      | Mon and Thurs: 9am       | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.   |
| D0049        | Dysmorphic RBC detection - Spot Urine   | Kerala   | B        | 160        | Daily : 9:00am to 9:00pm | After 4 hrs       | 15ml of Spot Urine in Sterile leak proof container   |
| D0050        | D3 Hydroxybutarate (Ranbut), Serum  | Kerala   | C        | 935        | Daily: 9am to 9pm        | After 8 hrs       | 3ml of serum   |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon                | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|---------------------------|---|
| D0053     | Drugs Of Abuse Panel-12 Drug Panel, Urine                  | Kerala   | C        | 6345       | Daily: 9am to 9pm        | After 10 hrs              | 10 ml of Spot urine   |
| D0054     | DRPLA Gene Analysis  | Kerala   | E        | 6220       | Mon & Wed:<br>9:00am     | 7th day : 6:00pm          | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.   |
| D0059     | Diabetes Complications assessment                          | Kerala   | E        | 2850       | Mon and Thu: 9am         | Same day 5pm              | 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma (F, PP), 10 ml of spot urine   |
| D0060     | Diabetes Risk Assessment Profile                           | Kerala   | E        | 2900       | Wed: 9am                 | Next day 5pm              | 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma  |
| D0061     | Diabetes type I profile                                    | Kerala   | E        | 11000      | Monday & Thursday<br>9am | Next day 5pm              | 5 ml of serum   |
| D0125     | Dystonia gene panel  | Kerala   | R        | 20000      | Daily : 11:30am          | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| D0127     | DFS-70 Antibody  | Kerala   | C        | 2185       | Wed : 11:30am            | Same day : 9:00pm         | 2 ml serum required   |
| D0128     | Deafness panel   | Kerala   | R        | 20600      | Daily : 11:30am          | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| D0129     | DLBCL (Diffuse large B-cell lymphoma)<br>FISH PANEL Tissue | Kerala   | E        | 13500      | Daily : 9:00am           | 7th day : 6:00pm          | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.   |
| D0130     | 11 Deoxycorticosterone**                              | Kerala   | R        | 15450      | Daily : 11:30am | After 4 weeks : 6:00pm | 5 ml Serum  |
| D0140     | Deletion/ Duplication Analysis                        | Kerala   | R        | 10920      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| D0141     | Dengue RNA Detection by Real Time PCR - Serum         | Kerala   | C        | 3850       | Daily : 10:00am | 24 Hrs                 | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| D1802     | Digital X- Ray- Ankle - AP / Lateral view             | Kerala   | O        | 250        |                 |                        |   |
| D1803     | Digital X- Ray- Cervical Spine - Ap / Lateral         | Kerala   | O        | 300        |                 |                        |   |
| D1804     | Digital X- Ray- Chest - Decubits                      | Kerala   | O        | 450        |                 |                        |   |
| D1805     | Digital X- Ray- Chest - Lateral                       | Kerala   | O        | 450        |                 |                        |   |
| D1809     | Digital X- Ray- Elbow joint - AP view                 | Kerala   | O        | 450        |                 |                        |   |
| D1810     | Digital X- Ray- Femur bone - AP / Lateral             | Kerala   | O        | 905        |                 |                        |   |
| D1812     | Digital X- Ray- Foot - AP / Oblique                   | Kerala   | O        | 250        |                 |                        |   |
| D1814     | Digital X- Ray- Knee - Both Skyline View              | Kerala   | O        | 250        |                 |                        |   |
| D1816     | Digital X- Ray- Knee - joint AP / Lat                 | Kerala   | O        | 850        |                 |                        |   |
| D1817     | Digital X- Ray- Knee Joints (both) - AP/ Lateral view | Kerala   | O        | 450        |                 |                        |   |
| D1818     | Digital X- Ray- KUB                                   | Kerala   | O        | 450        |                 |                        |   |
| D1819     | Digital X- Ray- L S Spine - AP / Lat                  | Kerala   | O        | 350        |                 |                        |   |
| D1820     | Digital X- Ray- L S spine - AP / Lat / Coned down     | Kerala   | O        | 1355       |                 |                        |   |
| D1821     | Digital X- Ray- L S Spine - Lateral                   | Kerala   | O        | 450        |                 |                        |   |
| D1822     | Digital X- Ray- L S spine both - oblique              | Kerala   | O        | 905        |                 |                        |   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|---------------------|---|
| D1823     | Digital X- Ray- Mastoids Schuller s View  | Kerala   | O        | 450        |                   |                     |   |
| D1824     | Digital X- Ray- Nasal Bone  | Kerala   | O        | 905        |                   |                     |   |
| D1825     | Digital X- Ray- Pelvis with both hip  | Kerala   | O        | 450        |                   |                     |   |
| D1827     | Digital X- Ray- PNS Caldwell  | Kerala   | O        | 450        |                   |                     |   |
| D1829     | Digital X- Ray- Sacro coccyx Lat  | Kerala   | O        | 450        |                   |                     |   |
| D1830     | Digital X- Ray- Sacro iliac joint AP  | Kerala   | O        | 450        |                   |                     |   |
| D1831     | Digital X- Ray- Shoulder Joint AP /Lat  | Kerala   | O        | 905        |                   |                     |   |
| D1832     | Digital X- Ray- Skull Lat   | Kerala   | O        | 450        |                   |                     |   |
| D1833     | Digital X- Ray- Skull AP view   | Kerala   | O        | 450        |                   |                     |   |
| D1834     | Digital X- Ray- Tibia / Fibula AP / Lat   | Kerala   | O        | 905        |                   |                     |   |
| D1835     | Digital X- Ray- Wrist / Hand AP   | Kerala   | O        | 250        |                   |                     |   |
| D1836     | Digital X- Ray- Wrist joint AP / Lat  | Kerala   | O        | 905        |                   |                     |   |
| D1854     | Digital X- Ray - Right Mastoid  | Kerala   | O        | 450        |                   |                     |   |
| D1901     | DIC (Coagulation) Profile   | Kerala   | C        | 2290       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| D5612     | PKG D5612 (Diabetes Platinum)   | Kerala   | E        | 3400       | Daily             | Next day 5.00 pm    | 4 ml Serum ,3 ml EDTA,3 ml Flouride.1Urine container  |
| D5613     | D5613 (Diabetes Gold)   | Kerala   | E        | 1400       | Daily             | Next day 5.00 pm    | 4 ml Serum ,3 ml EDTA,3 ml Flouride.1Urine container  |
| D8252     | Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, CVS - Prenatal | Kerala   | E        | 15500      | Daily : 9:00am    | 15th day : 6:00pm   | â€¢ Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referred condition â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule   | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|----------------|-------------------|--|
| D8254     | Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, Amniotic Fluid-Prenatal             | Kerala   | E        | 15500      | Daily : 9:00am | 15th day : 6:00pm | <p>Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .</p> <p>Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition</p> <p>3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p>   |
| D8259     | Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, Amniotic Fluid - Prenatal | Kerala   | E        | 18000      | Daily : 9:00am | 15th day : 6:00pm | <p>Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition</p> <p>3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius</p>  |
| D8263     | Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, POC - Prenatal            | Kerala   | E        | 18000      | Daily : 9:00am | 15th day : 6:00pm | <p>POC - 1)Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD &gt;20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile</p> |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
|           |   |          |          |            |                          |                   | container. if possible in 20ml normal saline with 2-3 drops of gentamycin & 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius   |
| D8264     | Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR, Karyotyping and Chromosomal Array CGH, Amniotic Fluid & " Prenatal | Kerala   | E        | 19000      | Daily : 9:00am           | 15th day : 6:00pm | & Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition & 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius |
| D8266     | ALLERGY DRUG PANEL - (COMPREHENSIVE - 35 DRUG)  | Kerala   | E        | 16500      | Tue & Fri - 11:30 am     | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| D8267     | ALLERGY DRUG PANEL -(ANTIBIOTICS - 19 DRUG)   | Kerala   | E        | 10900      | Tue & Fri - 11:30 am     | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| D8268     | ALLERGY DRUG PANEL - (ANESTHETIC - 4 DRUG)  | Kerala   | E        | 4600       | Tue & Fri - 11:30 am     | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| D8269     | ALLERGY DRUG PANEL-( PAIN KILLER - 5 DRUG)  | Kerala   | E        | 6100       | Tue & Fri - 11:30 am     | next day 7 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| DL001     | Amphetamine, Qualitative  | Kerala   | B        | 450        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine  |
| DL002     | Barbiturates, Qualitative   | Kerala   | B        | 750        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine  |
| DL003     | Benzodiazepine Diazepam   | Kerala   | B        | 630        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine  |
| DL005     | Cannabis Marijuana, THC, Qualitative  | Kerala   | B        | 630        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
| DL006     | Cocaine Benzoylcegonine, Qualitative                                     | Kerala   | B        | 630        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine   |
| DL015     | Methadone Dolophine, Qualitative   | Kerala   | B        | 450        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine   |
| DL016     | Opiates Morphine, Qualitative, Urine Spot                                | Kerala   | B        | 750        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine   |
| DL017     | PCP Phencyclidine Phosphate, Qualitative, Urine Spot_DL017               | Kerala   | B        | 450        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine   |
| E0001     | E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - CSF   | Kerala   | C        | 1250       | Daily : 9:00am to 3:00pm | After 6 hrs       | 2ml of CSF in Sterile leak proof tube or container                          |
| E0002     | E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - Serum | Kerala   | C        | 1250       | Daily : 9:00am to 3:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| E0003     | E Coli K1 / N. Meningitidis B Antigen detection by Agglutination - Urine | Kerala   | C        | 1250       | Daily : 9:00am to 3:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container                          |
| E0004     | E2 Estradiol Serum   | Kerala   | B        | 750        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| E0005     | E3, unconjugated Estriol Serum   | Kerala   | C        | 1195       | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| E0006     | EBV DNA Detection by Real Time PCR - EDTA Blood                          | Kerala   | D        | 4080       | Mon, Thursday: 9:00am    | Next day : 5:00pm | 3 ml of Whole Blood in EDTA Vacutainer                                      |
| E0007     | EBV DNA Detection by Real Time PCR - CSF                                 | Kerala   | D        | 4080       | Mon, Thursday: 9:00am    | Next day : 5:00pm | 2ml of CSF in Sterile leak proof tube or container                          |
| E0008     | EBV DNA Detection by Real Time PCR - Tissue                              | Kerala   | D        | 4080       | Mon, Thursday: 9:00am    | Next day : 5:00pm | Tissue with Normal Saline in Sterile leak proof container                   |
| E0009     | EBV EA IgG Antibody by CLIA - Serum                                      | Kerala   | C        | 2140       | Mon : 9:00am             | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| E0010     | EBV NA IgG Antibody by CLIA - Serum                                      | Kerala   | C        | 2080       | Mon : 9:00am             | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| E0011     | EBV VCA IgG Antibody by CLIA - Serum                                     | Kerala   | C        | 2070       | Mon : 9:00am             | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| E0012     | EBV NA IgM Antibody by EIA - Serum                                       | Kerala   | C        | 2185       | Tuesday/Friday 9 am      | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| E0013     | EBV VCA IgM Antibody by CLIA - Serum                                     | Kerala   | C        | 1965       | Daily : 11:30am          | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|---------------------|-------------------|--|
| E0014     | EBV encoded RNA (EBER) by CISH - FFPE         | Kerala   | D        | 3265       | Daily : 7:30pm      | Same day : 5pm    | Tissue In 10% Formalin Or Block / FFPE .   |
| E0016     | Echinococcus IgG Antibody by EIA - Serum      | Kerala   | C        | 1770       | Tue & Fri: 11:30am  | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| E0021     | Electrolytes Serum                            | Kerala   | B        | 480        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| E0022     | Electrolytes Urine 24H                        | Kerala   | B        | 650        | Daily: 9am to 9pm   | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| E0023     | Electrolytes Urine Spot                       | Kerala   | B        | 650        | Daily: 9am to 9pm   | After 6 hrs       | 10 ml of Spot urine  |
| E0024     | Electrolytes Dialysis Fluid                   | Kerala   | B        | 715        | Daily: 9am to 9pm   | After 6 hrs       | 2 ml of Dialysis Fluid   |
| E0027     | Endomysial Antibody IgA antibody Serum        | Kerala   | C        | 2445       | Mon & Thu : 11:30am | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| E0028     | Endomysial Antibody IgG antibody Serum        | Kerala   | C        | 3120       | Mon & Thu : 11:30am | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| E0030     | Enteroviruses RNA Detection by PCR - CSF**    | Kerala   | R        | 5975       | Daily : 11:30am     | 5th day : 6:00pm  | 2 ml of CSF in Sterile leak proof tube or container  |
| E0031     | Enteroviruses RNA Detection by PCR - Plasma** | Kerala   | R        | 6085       | Daily : 11:30am     | 7th day : 6:00pm  | 3 ml of EDTA Plasma in Sterile Plain Vacutainer  |
| E0032     | Eosinophil Detection, URINE                   | Kerala   | B        | 355        | Daily: 9am to 9pm   | After 8 hrs       | 5 ml urine sample  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|------------------------|------------------------|---|
| E0033     | Eosinophil detection (SPUTUM)   | Kerala   | B        | 355        | Daily: 9am to 9pm      | After 8 hrs            | Sputum In Sterile Container   |
| E0035     | Erythropoietin Serum  | Kerala   | C        | 2495       | Daily: 9am to 9pm      | After 6 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| E0038     | ESR Automated Blood   | Kerala   | A        | 80         | Daily: 9am to 9pm      | After 6 hrs            | 3 ml EDTA Whole Blood   |
| E0039     | Everolimus, Blood by LCMS method  | Kerala   | D        | 7650       | Daily: 7.30am          | Same Day 7.30pm        | Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| E0042     | Estrone, Serum  | Kerala   | R        | 7210       | Daily : 11:30am        | After 4 weeks : 6:00pm | 5 ml Serum  |
| E0043     | EGFR MUTATION DETECTION (EXONS 18, 19, 20, 21)  | Kerala   | D        | 8160       | Mon, Wed & Fri: 9:00am | 5th day : 6:00pm       | Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.   |
| E0045     | EWS gene rearrangement (:Translocation t(11;22) /t(21;22) translocation/ rearrangement ** | Kerala   | R        | 8035       | Daily : 11:30am        | 12th day : 6:00pm      | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.  |
| E0051     | EBV DNA Viral load by Real Time PCR - EDTA Blood  | Kerala   | D        | 6425       | Mon, Thursday: 9:00am  | Next day : 5:00pm      | 3 ml of Whole Blood in EDTA Vacutainer  |
| E0053     | Extended RAS Test (KRAS, BRAF, NRAS, PIK3CA) - FFPE Tissue                                | Kerala   | D        | 15300      | Mon, Wed & Fri: 9:00am | 10th day : 6:00pm      | Tumor containing FFPE block. Tumor containing tissue fixed in 10% neutral buffered formalin with  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| E0055     | Epileptic encephalopathy gene panel**               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| E0056     | EGFR T790M Mutation (Acquired EGFR TKI Resistance)* | Kerala   | E        | 8000       | Daily : 9:00am  | 7th day : 6:00pm       | Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.   |
| E0057     | EXPANDED LUNG CANCER PANEL BY FISH                  | Kerala   | E        | 24000      | Daily : 9:00am  | 7th day : 6:00pm       | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.   |
| E0064     | Allergy panel -Common Eczema                        | Kerala   | D        | 7395       | Daily : 11:30am | Next day : 5:00pm      | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| E0065     | Allergy panel - Eczema Comprehensive Veg            | Kerala   | D        | 16830      | Daily : 11:30am | Next day : 5:00pm      | Require serum (5ml) sample   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule         | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|----------------------|-------------------|--|
|           |   |          |          |            |                      |                   | collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.   |
| E0066     | Allergy panel - Eczema Comprehensive Veg + non Veg      | Kerala   | D        | 20755      | Daily : 11:30am      | Next day : 5:00pm | Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| E0068     | ERA-Endometrium Receptivity Assay, Endometrial biopsy** | Kerala   | R        | 43260      | Daily : 11:30am      | 15th Day          | CytogeneticsandFISH.pdf  |
| E0069     | EWSR1-FLI1 **   | Kerala   | R        | 12360      | Daily : 11:30am      | 15th day : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| E0070     | EWSR1(22q12)/NTRK3 (15q25) translocation **             | Kerala   | R        | 12360      | Daily : 11:30am      | 12th day : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| E0071     | EBV DNA Viral load by Real Time PCR - CSF               | Kerala   | D        | 6425       | Mon & Thurs : 9:00am | Next day : 5:00pm | 2ml of CSF in Sterile leak proof tube or container   |
| E0072     | EBV DNA Viral load by Real Time PCR - Tissue            | Kerala   | D        | 6425       | Mon & Thurs : 9:00am | Next day : 5:00pm | Tissue with Normal Saline in Sterile leak proof container  |
| E0075     | Endometritis Panel                                      | Kerala   | D        | 7345       | Wed : 9:00am         | Next day : 5:00pm | Genital discharge, Ulcer, Ulcer base, High Vaginal swab, Endocervical swab, Endometrial Pus, Endometrial Fluid,  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon          | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|---------------------|--|
|           |   |          |          |            |                          |                     | Endomterial Tissue.  |
| E1019     | E Histolytica Antigen Detection by Immunochromatography -Stool **                 | Kerala   | R        | 2935       | Daily : 11:30am          | 3rd day : 6:00pm    | 1gm of Stool specimen in Sterile leak proof container  |
| E1020     | Entamoeba histolytica detection by Wet Mount - Stool                              | Kerala   | B        | 380        | Daily : 9:00am to 3:00pm | After 6 hrs         | 5gm of Stool specimen in Sterile leak proof container  |
| E1021     | Kidney Biopsy by Electron Microscopy  | Kerala   | R        | 9785       |                          | 15 day              | Biopsy in 3% Gluteraldehyde along with histopathology report & relevent clinical details   |
| E1902     | E2 estradiol, Serum   | Kerala   | B        | 700        | Daily: 9am to 9pm        | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| E1903     | ESR Automated, EDTA whole blood   | Kerala   | A        | 110        | Daily: 9am to 9pm        | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| E8141     | Endometrial Cancer panel by NGS   | Kerala   | R        | 45000      | Daily 7.30 am            | 4 Weeks             | Paraffin Block   |
| F0002     | Factor V Leiden-Mutant Detection (G1691A Mutation) by Real Time PCR - Blood       | Kerala   | D        | 5800       | Wed & Sat : 9:00am       | Next day : 5:00pm   | 3 ml of EDTA Whole Blood in EDTA Vacutainer  |
| F0003     | Factor V Level  | Kerala   | D        | 5610       | Fourth Mon: 9am          | Next day 5pm        | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0004     | Factor VII Activity Proconvertin Citrated plasma                                  | Kerala   | R        | 4015       | Daily : 11:30am          | 10th day : 6:00pm   | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0005     | Factor VIII Activity Anti Haemophilia factor A, Citrated plasma                   | Kerala   | D        | 2395       | Mon: 9am                 | Next day 5pm        | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0006     | Factor IX Activity Anti Haemophilic factor B (Christmas Disease), Citrated plasma | Kerala   | D        | 1940       | Mon : 9:00am             | Same day : 8pm      | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0007     | Factor X Activity Stuart Power Citrated plasma                                    | Kerala   | R        | 4840       | Daily : 11:30am          | 10th day : 6:00pm   | 1 ml of citrated platelet poor plasma in frozen condition.   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule                | Reportedon   | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------------------|--|--|
| F0008     | Anti Factor X A Assay**                                    | Kerala   | R        | 5460       | Daily : 11:30am             | 4th day : 6:00pm   | Sample 3 ml Citrate Plasma Frozen with medication history.   |
| F0009     | Factor XI Activity Rosenthal Citrated plasma               | Kerala   | R        | 3915       | Daily : 11:30am             | 10th day : 6:00pm  | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0010     | Factor XII Activity Hageman Citrated plasma                | Kerala   | R        | 3995       | Daily : 11:30am             | 5th day : 6:00pm   | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0011     | Factor XIII Activity, Citrated plasma                      | Kerala   | R        | 2655       | Daily : 11:30am             | Next day : 5:00pm  | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0012     | Fatty Acids With Very Long Chains C22 To C26 Plasma**      | Kerala   | R        | 15450      | Daily : 11:30am             | After 4 weeks : 6:00pm   | 3 ml of EDTA Plasma Or Heparin plasma  |
| F0014     | FDP DR 70  | Kerala   | R        | 3710       | Daily : 11:30am             | 7th day : 6:00pm   | 3 ml of Serum and 3 ml of citrate plasma   |
| F0015     | FDP Fibrin degradation products Reflex to end point titre. | Kerala   | C        | 1250       | Daily: 9am and 3pm and 9pm  | After 6 hrs  | 1 ml of citrated platelet poor plasma in frozen condition.   |
| F0016     | Febrile by Agglutination - Serum                           | Kerala   | B        | 1480       | Daily : 7:30pm              | Next day : 5pm   | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| F0017     | Ferric Chloride, Urine                                     | Kerala   | C        | 360        | Daily : 11:30am             | Next day : 5:00pm  | 10 ml of Spot urine  |
| F0018     | Ferritin Serum   | Kerala   | B        | 700        | Daily: 9am to 9pm           | After 6 hrs  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                |
| F0019     | Fertility Endocrine Panel-Female                           | Kerala   | B        | 2105       | Daily: 9am to 9pm           | After 8 hrs  | 5 ml of serum  |
| F0020     | Fertility Endocrine Panel-Male                             | Kerala   | B        | 2860       | Tue and Thu and Sat: 7:30am | After 8 hrs  | 5 ml of serum  |
| F0021     | Fever Profile (Maxi)                                       | Kerala   | C        | 2705       | Daily: 9am to 9pm           | Same Day   | 1.4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine   |
| F0022     | Fever Profile (Mini)                                       | Kerala   | C        | 830        | Daily: 9am to 9pm           | Report Same Day:<br>1. Complete Blood Count(CBC Haemogram) 2. ESR - Erythrocyte Sedimentation Rate 3. Malaria Parasite Detection 4. Routine Examination Urine<br>4 ml of EDTA whole blood 3 ml | 4ml of serum 3 ml of EDTA whole blood 20 ml of spot urine Collect blood 2-3 ml in Bactec FX aerobic bottle |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon   | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|--|---|
|           |  |          |          |            |                          | of serum 10 ml of spot urine<br>F5604<br>Fever Profile (Super Maxi)<br>Kerala<br>C<br>4365<br>Daily : 9:00am<br>Report Same Day:<br>1. Complete Blood Count(CBC Haemogram) 2. Routine Examination Urine<br>3. CRP - C Reactive Protein 4. Malaria Parasite Detection<br>5. SGPT 6. Typhi Dot IgM 7. Dengue |   |
| F0023     | Fibrinogen Plasma (F0023)                                      | Kerala   | C        | 1090       | Daily: 9am to 9pm        | After 6 hrs  | 1 ml of citrated platelet poor plasma in frozen condition.  |
| F0028     | Fibromax Fibrosis, Activity, STEATO, ASH and NASH of Liver.    | Kerala   | E        | 13900      | Daily: 9am to 9pm        | 5th day  | 5 ml of serum and 2 ml of fluoride plasma . Fasting sample  |
| F0029     | Filaria Antibody detection by Immunochromatography - Serum     | Kerala   | C        | 1040       | Daily : 9:00am to 9:00pm | After 6 hrs  | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| F0030     | Filaria Antigen detection by Immunochromatography - EDTA blood | Kerala   | C        | 1040       | Daily : 9:00am to 9:00pm | After 6 hrs  | 3 ml of EDTA Whole Blood in EDTA Vacutainer   |
| F0031     | Filaria Profile  | Kerala   | B        | 1295       | Daily: 9am and 3pm       | After 6 hrs  | 3 ml EDTA whole blood and serum sample  |
| F0032     | FLT-3 (AML) by PCR ITD, D835 - Blood                           | Kerala   | D        | 5610       | Mon & Wed: 9:00am        | 7th day : 6:00pm   | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| F0033     | FLT-3 (AML) by PCR ITD, D835 - Bone Marrow                     | Kerala   | D        | 5610       | Mon & Wed: 9:00am        | 7th day : 6:00pm   | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days   |

| Test Code | Test Name                           | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline  |
|-----------|-------------------------------------|----------|----------|------------|--------------------|-------------------|---|
|           |                                     |          |          |            |                    |                   | at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.   |
| F0034     | FMC 7 by Flow cytometry             | Kerala   | D        | 2345       | Daily : 11:30am    | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.         |
| F0039     | By Conventional method              | Kerala   | C        | 1240       |                    | 3rd day           | Prefixed smears along with air dry smears, relevant clinical & radiological details mandatory   |
| F0040     | By LBC                              | Kerala   | C        | 1455       |                    | 3rd day           | More than 1 MI fluid in a leak proof plain container along with relevant clinical & radiological details  |
| F0043     | Procedure charge                    | Kerala   | C        | 520        |                    |                   | NA  |
| F0046     | Folic Acid Serum                    | Kerala   | C        | 1350       |                    |                   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| F0048     | Food intolerance Test               | Kerala   | D        | 12000      | Daily : 11:30am    | 3rd day : 6:00pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| F0050     | Fragile X (FMR1)CGG Repeat Analysis | Kerala   | D        | 7040       | Tue & Fri : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| F0051     | Friedreich Ataxia Mutation Analysis | Kerala   | D        | 6450       | Mon & Wed: 9:00am  | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon     | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|----------------|---|
| F0052     | Free Androgen Index FAI  | Kerala   | D        | 3265       | Daily: 9am to 9pm        | After 8 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0053     | Free Beta HCG Serum  | Kerala   | C        | 1455       | Daily: 9am to 9pm        | After 6 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0054     | Free Kappa Freelite chains Serum   | Kerala   | D        | 2650       | Daily: 9am to 9pm        | After 6 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0055     | Free Lambda Freelite chains Serum  | Kerala   | D        | 2650       | Daily: 9am to 9pm        | After 6 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0056     | Fructosamine Serum   | Kerala   | C        | 1135       | Mon and Thu: 7.30am      | Same day 5pm   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0057     | Fructose biochemical by Biochemical - Semen                                  | Kerala   | B        | 215        | Daily : 9:00am to 9:00pm | After 4 hrs    | 2ml of Semen in Sterile leak proof container                                |
| F0058     | FSH-Follicle Stimulating Hormone ECLIA Serum                                 | Kerala   | B        | 530        | Daily: 9am to 9pm        | After 6 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0059     | FSH-LH-Prolactin Serum   | Kerala   | C        | 1500       | Daily: 9am to 9pm        | After 8 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0060     | FSH-LH-Prolactin-Testosterone  | Kerala   | C        | 2000       | Daily: 9am to 9pm        | After 8 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0061     | FSH-LH-Prolactin-TSH   | Kerala   | C        | 1820       | Daily: 9am to 9pm        | After 8 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0062     | FSH-LH-Testosterone  | Kerala   | C        | 1560       | Daily: 9am to 9pm        | After 6 hrs    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| F0065     | Fungal Antibiogram (Yeast) MIC Panel - Pure culture                          | Kerala   | C        | 2600       | Daily : 9:00am to 9:00pm | 5th day : 5pm  | Pure culture Growth on Agar slant/ Plate                                    |
| F0066     | Fungal Identification - Pure culture   | Kerala   | C        | 2080       | Daily : 9:00am           | 10th day : 6pm | Pure culture on SDA plate/ slant  |
| F0067     | Fungal stain by KOH & Calcofluor White stain - BAL, ET Secretion Respiratory | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 2ml of BAL / Other Respiratory samples in Sterile leak proof                |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon     | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|----------------|--|
|           | Sample   |          |          |            |                          |                | container  |
| F0068     | Fungal stain by KOH & Calcofluor White stain- Specify type Body fluid                            | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 3ml of Fluid in Sterile leak proof container   |
| F0069     | Fungal stain by KOH & Calcofluor White stain - CSF   | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 2ml of CSF in Sterile leak proof tube or container   |
| F0070     | Fungal stain by KOH & Calcofluor White stain - Ear Sample  | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | Ear specimens should be collected by a medical specialist, an experienced technologist or nurse. Aspirate discharge and collect in a sterile container or collect with a sterile swab. Transport at the earliest. Amies transport medium can be used for transportation. |
| F0071     | Fungal stain by KOH & Calcofluor White stain- Eye Sample   | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | Eye specimens in Sterile leak proof container  |
| F0072     | Fungal stain by KOH & Calcofluor White stain - Hair  | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | Hair sample in Sterile leak proof container  |
| F0073     | Fungal stain by KOH & Calcofluor White stain- Nail   | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | Nail sample in Sterile leak proof container  |
| F0074     | Fungal stain by KOH & Calcofluor White stain- Other samples                                      | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.  |
| F0075     | Fungal stain by KOH & Calcofluor White stain- Pus  | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 2ml of PUS in Sterile leak proof container   |
| F0076     | Fungal stain by KOH & Calcofluor White stain- Skin   | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | Skin sample in Sterile leak proof container  |
| F0077     | Fungal stain by KOH & Calcofluor White stain- Sputum   | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 2ml of Sputum in Sterile leak proof container  |
| F0078     | Fungal stain by KOH & Calcofluor White stain- Tissue   | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | Tissue with Normal Saline in Sterile leak proof container  |
| F0079     | Fungal stain by KOH & Calcofluor White stain- Urine  | Kerala   | B        | 540        | Daily : 9:00am & 3:00pm  | After 6 hrs    | 15ml of Spot Urine in Sterile leak proof container   |
| F0080     | Fungal culture and identification by MALDITOF (Vitek MS) - BAL, E.T Secretion Respiratory Sample | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm | 2ml of BAL / Other Respiratory samples in Sterile leak proof container   |
| F0081     | Fungal culture and identification by MALDITOF (Vitek MS) - Blood                                 | Kerala   | C        | 2600       | Daily : 9:00am to 9:00pm | 10th day : 6pm | 3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon                  | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-----------------------------|---|
| F0082     | Fungal culture and identification by MALDITOF (Vitek MS) - Body Fluid   | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 2ml of Body Fluid in Sterile leak proof container                       |
| F0083     | Fungal culture and identification by MALDITOF (Vitek MS) - Bone Marrow  | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin       |
| F0084     | Fungal culture and identification by MALDITOF (Vitek MS) - CSF          | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 2ml of CSF in Sterile leak proof tube or container                      |
| F0085     | Fungal culture and identification by MALDITOF (Vitek MS) - Ear Sample   | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | Ear specimens in Sterile leak proof container                           |
| F0086     | Fungal culture and identification by MALDITOF (Vitek MS) - Eye Sample   | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | Eye specimens in Sterile leak proof container                           |
| F0087     | Fungal culture and identification by MALDITOF (Vitek MS) - Hair         | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | Hair sample in Sterile leak proof container                             |
| F0088     | Fungal culture and identification by MALDITOF (Vitek MS) - Nail         | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | Nail sample in Sterile leak proof container                             |
| F0089     | Fungal culture and identification by MALDITOF (Vitek MS) - Other Sample | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container. |
| F0090     | Fungal culture and identification by MALDITOF (Vitek MS) - Pus          | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 2ml of PUS in Sterile leak proof container                              |
| F0091     | Fungal culture and identification by MALDITOF (Vitek MS) - Skin         | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | Skin sample in Sterile leak proof container                             |
| F0092     | Fungal culture and identification by MALDITOF (Vitek MS) - Sputum       | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 2ml of Sputum in Sterile leak proof container                           |
| F0093     | Fungal culture and identification by MALDITOF (Vitek MS) - Stool        | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 5gm of Stool specimen in Sterile leak proof container                   |
| F0094     | Fungal culture and identification by MALDITOF (Vitek MS) - Tissue       | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | Tissue with Normal Saline in Sterile leak proof container               |
| F0095     | Fungal culture and identification by MALDITOF (Vitek MS) - Urine        | Kerala   | C        | 1195       | Daily : 9:00am to 9:00pm | 21st day : 5pm              | 15ml of Spot Urine in Sterile leak proof container                      |
| F0099     | Fever Profile Detection by Real Time Multiplex PCR - EDTA Blood         | Kerala   | D        | 5610       | Daily : 10:00am          | After 24hrs                 | 3 ml of Whole Blood in EDTA Vacutainer                                  |
| F0103     | FIP1L1-PDGFR A GENE REARRANGEMENT **                                    | Kerala   | R        | 11330      | Tue : 11:30am            | 12th day : 6:00pm           | 4 ML EDTA whole blood / Bone marrow                                     |
| F0105     | Flu Profile-1 Detection by Real Time PCR - Nasopharangeal Swab          | Kerala   | D        | 6630       | Daily : 7:00am & 3:00pm  | Same Day : 3:00pm & 11:00pm | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)         |
| F0106     | Fibroblast Growth Factor 23, Plasma                                     | Kerala   | D        | 10600      | Wed 12:00 pm             | same day 08:00              | 3 ml of EDTA plasma to be sent in                                       |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule                | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------------------|-------------------|--|
| F0107     | Flow for Lymphoma/ CLPD / lymphoma MRD**   | Kerala   | R        | 14935      | Monday to Thursday 09.00 am | pm<br>3rd day     | aliquot tube at proper temperature.<br>3 ml of EDTA Bone Marrow  |
| F0109     | Flow for B ALL MRD**   | Kerala   | R        | 14935      | Monday to Thursday 09.00 am | 5th day           | 3 ml of EDTA Bone Marrow   |
| F0110     | Flow for T ALL MRD**   | Kerala   | R        | 19055      | Monday to Thursday 09.00 am | 6th day           | 3 ml of EDTA Bone Marrow   |
| F0112     | Food Intolerance (Vegetarian panel)  | Kerala   | D        | 9999       | Daily : 11:30am             | 3rd day : 6:00pm  | Require serum (5ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| F0115     | First trimester test-V, Serum Quad Test Free beta HCG, PAPPa, AFP and PLGF                                   | Kerala   | D        | 5000       | Daily cut off 7:30 AM       | same day 9:00 PM  | 3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements . |
| F0116     | First trimester test-VI, serum Penta Screen Free beta HCG, PAPPa, AFP, Inhibin A, PLGF and NT 10 to 13.6 TBA | Kerala   | R        | 6180       | Daily : 11:30am             | 10th day : 6:00pm | 3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon                  | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|-----------------------------|--|
|           |  |          |          |            |                          |                             | findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements   |
| F0117     | Fragile X mutation analysis+Chromosomal Array profile  | Kerala   | E        | 21000      | Tue & Fri : 9:00am       | 7th day : 6:00pm            | 3 ml of Blood In Na-Heparin +3 ml of EDTA Vacutainer   |
| F0118     | FOX01 (13q14) translocation **   | Kerala   | R        | 16480      | Daily : 11:30am          | 12th Day : 6:00pm           | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| F0119     | COVI-INFLUENZA VIRUS PANEL BY REAL TIME PCR (Inf A, Inf B, H1N1(Swine Flu), H3N2, RSV, Covid-19) | Kerala   | D        | 5610       | Daily : 7:00am & 3:00pm  | Same Day : 3:00pm & 11:00pm | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)  |
| F0120     | Mould/Filamentous fungi by microbroth dilution - Agar plate or slant                             | Kerala   | C        | 10815      | Daily : 9:00am to 9:00pm | 15th day : 5pm              | Pure culture Growth of Filamentous fungi on Agar slant/ Plate.   |
| F0122     | Factor VIII inhibitor assay**  | Kerala   | D        | 6630       | Daily : 11:30am          | 3rd day : 6:00pm            | 3 ml Citrate Plasma ( Fasting & Frozen mandatory)  |
| F0126     | Foundation one CDX   | Kerala   | R        | 303850     | Daily 7.30 am            | 5 weeks                     | Paraffin Block (Carcinoma)   |
| F1003     | Free Fatty Acid (Non-Esterified)   | Kerala   | D        | 12750      | Daily 7.30 am            | 10th Days                   | 3 ml Serum   |
| F1901     | Second opinion services, Slides  | Kerala   | C        | 1040       | Daily : 9:00am           | Report after 48 hrs         | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.               |
| F1902     | Lymphnode  | Kerala   | C        | 1145       | Daily : 9:00am           | Report after 48 hrs         | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other   |

| Test Code | Test Name                         | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|-----------------------------------|----------|----------|------------|-------------------|---------------------|--|
|           |                                   |          |          |            |                   |                     | animal. Please correlate clinically and to be interpreted by the clinician.  |
| F1903     | CANINE-FNAC-Others, conventional  | Kerala   | C        | 990        | Daily: 9am        | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| F1904     | CANINE-FNAC-Thyroid, conventional | Kerala   | C        | 990        | Daily: 9am        | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| F1905     | Procedure Charges by appointment  | Kerala   | C        | 1040       | Daily : 9:00am    | Report after 48 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| F1906     | Fungal stain                      | Kerala   | C        | 520        | Daily : 9:00am    | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| F5605     | Fatty Liver                       | Kerala   | D        | 5880       | Daily: 9am to 9pm | After 6hrs          | 3 ml of EDTA whole blood, 2 ml of Flouride plasma, 3 ml of serum   |
| F5606     | Fever Profile (Super Mini)        | Kerala   | C        | 2030       | Daily : 9:00am    | Same Day            | 4 ml of EDTA whole blood 3 ml of serum 10 ml of spot urine   |

| Test Code | Test Name                                   | location | Category | Price(Rs.) | Testschedule        | Reportedon         | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|--------------------|---|
| F8194     | Foundation one Heme**                       | Kerala   | R        | 365650     | Daily 7.30 am       | 5 weeks            | Paraffin Block (Sarcoma)  |
| F8215     | FIT-Fecal Immunochemical Test, quantitative | Kerala   | D        | 4200       | Daily : 9:00AM      | Same day : 7:00 PM | 100 gmsof stool is required   |
| G0001     | G6PD Neonatal Screen Dried blood spot       | Kerala   | C        | 470        | Daily : 11:30am     | Next day : 5:00pm  | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| G0002     | G6PD Qualitative Blood                      | Kerala   | B        | 920        | Daily: 9am to 3pm   | After 8 hrs        | 3 ml EDTA Whole Blood   |
| G0003     | G6PD Quantitative Reflex Qualitative        | Kerala   | C        | 1195       | Daily: 9am to 9pm   | After 8 hrs        | 3 ml EDTA Whole Blood   |
| G0004     | GAD Total Antibody Type I Diabetes Serum    | Kerala   | D        | 6500       | Tue,Thu & Sat: 1 pm | Same day 7pm       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0005     | Galactose 6 Sulphate Sulphatase Blood       | Kerala   | R        | 6695       | Daily : 11:30am     | 10th day : 6:00pm  | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| G0006     | Galactose Classical Transferase Blood**     | Kerala   | R        | 2440       | Daily : 11:30am     | 8th day : 6:00pm   | 6 ml Sodium heparin whole blood required as soon as possible after  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|-------------------|---|
|           |  |          |          |            |                   |                   | collection  |
| G0008     | Galactose screening,Blood **                     | Kerala   | R        | 990        | Daily : 11:30am   | 7th day : 6:00pm  | 4 ml of Blood In Sodium Heparin   |
| G0011     | Galactose-Total Neonatal Screen Dried blood spot | Kerala   | C        | 470        | Daily : 11:30am   | Next day : 5:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| G0012     | Ganglioside IgG Antibody,serum                   | Kerala   | D        | 4180       | Tue : 11:30am     | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0013     | Ganglioside IgM Antibody,serum                   | Kerala   | D        | 4285       | Tue : 11:30am     | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0016     | Gastrin Serum                                    | Kerala   | C        | 1550       | Daily: 9am to 9pm | After 6 hrs       | 2 ml of Serum.Fasting Required  |
| G0017     | GBM-Antibody Glomerular Basement Membrane serum  | Kerala   | C        | 2030       | Wed,Sat : 7:30am  | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0018     | Genetic Hair Loss Test Alopecia Blood            | Kerala   | E        | 4500       | Daily : 7:30am    | 15th day : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------------|-------------------|---|
|           |   |          |          |            |                         |                   | for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0019_A   | GFR With Creatinine (Adult - Above 18 Years) Serum        | Kerala   | B        | 400        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0019_C   | GFR With Creatinine (Upto 18 Years) Serum                 | Kerala   | B        | 345        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0020     | GGTP Gamma GT Serum                                       | Kerala   | A        | 375        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0021     | Giardia Antigen detection by Immunochromatography - Stool | Kerala   | B        | 1240       | Daily : 9:00am & 3:00pm | After 6 hrs       | 5gm of Stool specimen in Sterile leak proof container   |
| G0022     | Gliadin-IgA Antibodies De-amidated (DGP)Serum             | Kerala   | C        | 2140       | Mon and Thu: 7.30am     | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0023     | Gliadin-IgG Antibodies De-amidated (DGP)Serum             | Kerala   | C        | 1975       | Mon and Thu: 7.30am     | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0024     | Glucagon Stimulation Test - For C-peptide, Serum          | Kerala   | D        | 3570       | Daily: 9am to 9pm       | After 8 hrs       | 3 ml of serum (0min, 5, 10, 15 min)   |
| G0025     | Glucosamine N Acetyl Transferase Blood                    | Kerala   | R        | 7725       | Daily : 11:30am         | 10th day : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| G0026     | Glucose Urine spot  | Kerala   | A        | 140        | Daily: 9am to 9pm       | After 6 hrs       | 10 ml of Spot urine   |
| G0027     | Fasting Glucose, plasma                                   | Kerala   | A        | 45         | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Fluoride Plasma   |
| G0027_100 | Glucose Post glucose (100 GMS) Plasma                     | Kerala   | A        | 45         | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Fluoride Plasma   |
| G0027_120 | GLUCOSE 120 MIN   | Kerala   | A        | 45         | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Fluoride Plasma   |
| G0027_180 | GLUCOSE 180 MIN   | Kerala   | A        | 45         | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Fluoride Plasma   |
| G0027_240 | GLUCOSE 240 MIN   | Kerala   | A        | 45         | Daily: 9am to 9pm       | After 6 hrs       | 2 ml of Fluoride Plasma   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon         | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|--------------------|---|
| G0027_300 | GLUCOSE 300 MIN  | Kerala   | A        | 45         | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Fluoride Plasma   |
| G0027_50  | Glucose Post glucose (50 GMS) Plasma                     | Kerala   | A        | 45         | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Fluoride Plasma   |
| G0027_60  | GLUCOSE 60 MIN   | Kerala   | A        | 45         | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Fluoride Plasma   |
| G0027_75  | Glucose plasma(75 GMS)                                   | Kerala   | A        | 45         | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Fluoride Plasma   |
| G0027_P   | Glucose post prandial plasma                             | Kerala   | A        | 45         | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Fluoride Plasma   |
| G0027_R   | Random, Glucose  | Kerala   | A        | 45         | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Fluoride Plasma   |
| G0028     | Glucose CSF  | Kerala   | A        | 140        | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Body Fluid  |
| G0028_B   | Glucose Body Fluid                                       | Kerala   | A        | 140        | Daily: 9am to 9pm | Glucose Body Fluid | 2 ml of Body Fluid  |
| G0028_S   | Glucose Synovial Fluid                                   | Kerala   | A        | 140        | Daily: 9am to 9pm | After 6 hrs        | 2 ml of Body Fluid  |
| G0029     | Glucose Tolerance Test 2 hours 3 sample                  | Kerala   | B        | 355        | Daily: 9am to 9pm | After 6 hrs        | 0 min, 60 , 120 min -2ml Fluoride plasma  |
| G0030     | Glucose Tolerance Test 2.5 hours 5 samples               | Kerala   | B        | 325        | Daily: 9am to 9pm | After 6 hrs        | 0 min, 30, 60, 120, 150 min - 2ml Fluoride plasma   |
| G0031     | Glucose Tolerance Test 5 hours 8 samples                 | Kerala   | B        | 380        | Daily: 9am to 9pm | After 6 hrs        | 0 min, 30, 60, 90, 120, 180, 240, 300 min - 2ml Fluoride plasma                               |
| G0032     | Glucose Tolerance Test 3 samples for glucose and insulin | Kerala   | C        | 2080       | Daily: 9am to 9pm | After 6 hrs        | 0 min, 60 , 120 min -2ml Fluoride plasma and 3ml serum  |
| G0033     | Glutamic Acid Quantitative Urine 24H**                   | Kerala   | R        | 6385       | Thu : 11:30am     | Tue : 5:00pm       | 10 ml of Spot urine   |
| G0034     | Glutamic Acid Quantitative Plasma*                       | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm       | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.       |
| G0035     | Glutamine Quantitative Plasma                            | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm       | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.       |
| G0036     | Glutamine Quantitative Urine 24H**                       | Kerala   | R        | 6385       | Daily : 11:30am   | 7th day : 6:00pm   | 10 ml of Spot urine   |
| G0037     | Glycine Quantitative CSF                                 | Kerala   | D        | 6325       | Daily : 11:30am   | 7th day : 6:00pm   | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). |
| G0038     | Glycine Quantitative Urine 24H**                         | Kerala   | R        | 6385       | Daily : 11:30am   | 7th day : 6:00pm   | 10 ml of Spot urine   |
| G0039     | Glycine Quantitative Plasma*                             | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm       | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.       |
| G0041     | Glycophorin-A  | Kerala   | D        | 2345       | Daily: 9am        | Next day 5pm       | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon       | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|------------------|---|
|           |  |          |          |            |                          |                  | to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| G0042     | GNRH (LHRH) Stimulation Test For FSH and LH                    | Kerala   | B        | 3890       | Daily: 9am to 9pm        | Next day 5pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                         |
| G0044     | Goodpasture`s Syndrome Panel                                   | Kerala   | D        | 3315       | Fri 7:30 am              | Next day 5 pm    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                         |
| G0045     | Gram stain For Neisseria sp by Microscopy - Urethral discharge | Kerala   | B        | 325        | Daily : 9:00am to 3:00pm | After 6 hrs      | 2 ml of Urethral Discharge in Sterile leak proof container  |
| G0046     | Gram stain Nugent s score by Microscopy -- Vaginal discharge   | Kerala   | B        | 430        | Daily : 9:00am to 3:00pm | After 6 hrs      | Discharge on sterile swab in Amies transport medium   |
| G0047     | Gram stain by Microscopy - Other samples                       | Kerala   | B        | 390        | Daily : 9:00am to 3:00pm | After 6 hrs      | 2 ml of Specimen in Sterile leak proof container  |
| G0048     | Growth Disorder Panel  | Kerala   | D        | 5510       | Daily: 9am to 9pm        | After 8 hrs      | 5 ml of serum   |
| G0049     | Growth Hormone HGH Serum                                       | Kerala   | C        | 990        | Daily: 9am to 9pm        | After 6 hrs      | 2 ml of Serum In Fasting And Resting  |
| G0050     | Growth Hormone Stimulation Test-Arginine, Serum                | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 6 hrs      | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0051     | Growth Hormone Stimulation Test - Clonidine, Serum             | Kerala   | D        | 3365       | Daily: 9am to 9pm        | 2nd day          | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0052     | Growth Hormone Stimulation Test-Exercise, Serum                | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0053     | Growth Hormone Stimulation Test - GHRH, Serum                  | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0054     | Growth Hormone Stimulation Test-Insulin                        | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0055     | Growth hormone stimulation test for L Dopa, Serum              | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0056     | Growth Hormone Suppression Test-Glucose, Serum                 | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 8 hrs      | 3 ml of serum (0min, 30, 60, 90, 120 min)   |
| G0058     | Anti GAD-65 Paraneoplastic Syndrome Serum                      | Kerala   | D        | 6600       | Wed: 1:00pm              | Next day 5:00 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                         |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|-------------------|--|
| G0059     | GFR With Cystatin C Serum                          | Kerala   | C        | 1250       | Daily : 11:30am   | After 6hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| G0059_A   | GFR With Cystatin C Serum (Adult - Above 18 Years) | Kerala   | C        | 1250       | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| G0059_C   | GFR With Cystatin C Serum (Upto 18 Years)          | Kerala   | C        | 1250       | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| G0061     | Glycosaminoglycan,Urine                            | Kerala   | R        | 3195       | Daily : 11:30am   | 15th day : 6:00pm | 20 ml Spot Urine Sample In Leak Proof Container  |
| G0065     | GTT-Gestational ,Two Hour(75 grams glucose)        | Kerala   | B        | 290        | Daily: 9am to 9pm | After 6 hrs       | 2 ml of Fluoride Plasma Each   |
| G0066     | GTT-Gestational ,Three Hour(100 grams glucose)     | Kerala   | B        | 390        | Daily: 9am to 9pm | After 6 hrs       | 2 ml of Fluoride Plasma Each   |
| G0073     | G6pd Gene Mutation**                               | Kerala   | R        | 4530       | Tue : 11:30am     | 12th day : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. |
| G0074     | GALACTOSEMIA GENE MUTATION**                       | Kerala   | R        | 8755       | Tue : 11:30am     | 12th day : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|------------------------|---|
| G0075     | Gardenella Vaginalis - Vaginal Discharge/ cervical secretions**      | Kerala   | R        | 1340       | Daily : 9:00am to 9:00pm | 7th day : 6pm          | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.<br>Collect vaginal discharge on a sterile cotton swab and place in into Amies transport medium with aseptic precautions. 2. Make vaginal discharge smears on clean glass slide for Gram staining. |
| G0078     | Councelling Genetics   | Kerala   | E        | 1200       | Daily : 9:00am           | Next day : 5:00pm      | Prior Appointment   |
| G0079     | GIST PDGFRA gene mutation**  | Kerala   | R        | 10300      | Thu & Sat: 11:30am       | 15th day : 6:00pm      | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.   |
| G0080     | Glucose Tolerance Test 2 hours 2 samples                             | Kerala   | B        | 130        | Daily: 9am to 9pm        | After 6 hrs            | 0 min, 120 min -2ml Fluoride plasma   |
| G0082     | GLIOMA PANEL (1P/19Q, IDH1/2,MGMT)**                                 | Kerala   | D        | 25500      |                          | 7th Day                | (FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf   |
| G0083     | Gene analysis Alpha-1 antitrypsin deficiency - SERPINA1**            | Kerala   | R        | 21630      | Daily : 11:30am          | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0087     | Gene analysis Achondroplasia FGFR3 G380R common mutation screening** | Kerala   | R        | 20600      | Daily : 11:30am          | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
|           |  |          |          |            |                 |                        | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.  |
| G0088     | Agammaglobulinemia (BTK)-Gene analysis, EDTA Blood | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. Amniotic Fluid or Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition. |
| G0089     | Gene analysis Alexander disease (GFAP)**           | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.   |
| G0091     | Alstrom syndrome (ALMS1) gene analysis             | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for   |

| Test Code | Test Name                                       | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| G0092     | Androgen receptor (AR)-Gene Analysis            | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0093     | Gene analysis Ataxia-telangiectasia (ATM)**     | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0094     | Gene analysis ATRX**                            | Kerala   | E        | 19000      | Daily: 9am      | 4 weeks                | 3 ml EDTA Whole Blood  |
| G0095     | Brown Vialetto-Van Laere syndrome-Gene Analysis | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0096     | C8orf37 gene-Gene Analysis                      | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0097     | Canavan disease (ASPA)-Gene Analysis          | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0098     | Cantu syndrome (ABCC9) gene-Gene Analysis     | Kerala   | R        | 22660      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0099     | Carney complex (PRKAR1A)-Gene Analysis        | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0100     | Chediak-Higashi syndrome (LYST)-Gene Analysis | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0101     | Cohen s syndrome (VPS13B)-Gene Analysis                               | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0102     | Congenital adrenal hyperplasia CYP21A2(21-0H)**                       | Kerala   | R        | 12360      | Daily : 11:30am | After 6 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.         |
| G0103     | Gene analysis Congenital adrenal hyperplasia CYP21A2 (21-0H) by NGS** | Kerala   | R        | 21630      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0104     | Gene analysis Cystic fibrosis (CFTR)-Whole gene**                     | Kerala   | R        | 19260      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0105     | Gene analysis Cystic megalencephaly (MLC1)**      | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0106     | Gene analysis DOCK8 (Hyper IgE Syndrome) gene**   | Kerala   | R        | 17850      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0108     | Dravet syndrome (SCN1A) gene panel,NGS**          | Kerala   | R        | 20000      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0109     | Gene analysis duchenne muscular dystrophy (DMD)** | Kerala   | R        | 17000      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0110     | Fabry disease (GLA)-Gene Analysis                   | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0111     | Factor VII deficiency-Gene analysis, EDTA Blood     | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.                                 |
| G0112     | Fanconi bickel syndrome (SLC2A2)-Gene Analysis      | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0113     | Gene analysis(Farber lipogranulomatosis - ASAH1 -** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
|           |  |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0114     | Fraser syndrome genes-Gene Analysis  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0115     | Fucosidosis - Lysosomal storage disorder- Gene Analysis                    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0116     | Galactosialidosis-Gene Analysis  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0117     | GLB1 (GM1 gangliosidosis; mucopolysaccharidosis type IVB ) gene analysis** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0118     | Gene analysis GLUT1 deficiency (SLC2A1)**     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0119     | Haemophilia A-Gene analysis, EDTA Blood       | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.                                 |
| G0120     | Gene analysis Haemophilia B (F9)**            | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.                                 |
| G0121     | Hereditary fructose intolerance-Gene Analysis | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
|           |  |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0122     | Hyperargininemia (ARG1)-Gene Analysis                      | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0123     | Krabbe disease (GALC)-Gene Analysis                        | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0124     | Lysosomal acid lipase deficiency (LIPA gene)-Gene Analysis | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0126     | McArdle disease (PYGM)-Gene Analysis                       | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at   |

| Test Code | Test Name                                       | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0127     | Menkes disease (ATP7A)-Gene Analysis            | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0128     | Mondini defect (SLC26A4)-Gene Analysis          | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0129     | Gene analysis MYD88 gene L265P mutation**       | Kerala   | R        | 18540      | Daily : 11:30am | 12th Day : 6:00pm      | 3 ml EDTA Whole Blood   |
| G0130     | Neurofibromatosis type 1 (NF1) Gene Analysis ** | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0131     | Gene analysis Neurofibromatosis type 2 (NF2)**  | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated  |

| Test Code | Test Name                                    | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
| G0132     | NOTCH3 (CADASIL) gene analysis -NGS**        | Kerala   | R        | 20000      | Daily : 11:30am | After 4 weeks : 6:00pm | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0133     | Pallister Hall syndrome (GLI3)-Gene Analysis | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0134     | Phenylketonuria (PAH)-Gene Analysis          | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0135     | PMP22 Gene analysis**                        | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
| G0136     | Polycystic Liver Disease-Gene Analysis                    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0137     | Gene analysis Pompe Disease (GAA)**                       | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0138     | PTEN-Gene Analysis  | Kerala   | R        | 18540      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.   |
| G0139     | Pulmonary alveolar microlithiasis (SLC34A2)-Gene Analysis | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon                | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|---------------------------|--|
| G0142     | Gene analysis RB1*                                       | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks :<br>6:00pm | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br><br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.    |
| G0143     | Gene analysis RBC membrane disorders and Enzymopathies** | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks :<br>6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. |
| G0144     | Sialidosis-Gene Analysis                                 | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
|           |  |          |          |            |                 |                        | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0145     | Sjogren-Larsson syndrome (ALDH3A2)-Gene Analysis                     | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0147     | Gene analysis Smith-Lemli-Opitz syndrome (DHCR7)**                   | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0149     | Tay-Sachs disease (HEXA)-Gene Analysis                               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0150     | Thrombotic Thrombocytopenic Purpura (TTP) - ADAMTS13 gene analysis** | Kerala   | R        | 18900      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen   |

| Test Code | Test Name                   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|-----------------------------|----------|----------|------------|-----------------|------------------------|---|
|           |                             |          |          |            |                 |                        | condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.  |
| G0151     | TSC1-Gene Analysis          | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0152     | Gene analysis TSC1 & TSC2** | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0153     | TSC2-Gene Analysis          | Kerala   | R        | 17510      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0154     | Tyrosinemia-Gene Analysis   | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
|           |  |          |          |            |                 |                        | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0155     | Gene analysis Von Hippel-Lindau syndrome (VHL)**         | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. |
| G0156     | Gene analysis Von Willebrand disease** (VWF)             | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. |
| G0157     | WAS (Wiskott Aldrich Syndrome)-Gene analysis, EDTA Blood | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. |
| G0158     | Wilson disease (ATP7B) gene analysis,NGS**               | Kerala   | R        | 20000      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for   |

| Test Code | Test Name                             | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---------------------------------------|----------|----------|------------|-----------------|------------------------|---|
|           |                                       |          |          |            |                 |                        | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0159     | Xanthinuria (XDH)-Gene Analysis       | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0162     | 4H syndrome-Gene Panel                | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0163     | Aicardi-Goutieres syndrome-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0164     | Alagille syndrome-Gene Panel          | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon                | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|---------------------------|--|
| G0165     | Alport syndrome-Gene Panel                                   | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :<br>6:00pm | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br><br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0166     | Gene Panel Aplastic anaemia**                                | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks :<br>6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. |
| G0167     | Arthrogryposis & congenital myasthenic syndrome Gene Panel** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,  |

| Test Code | Test Name                            | location | Category | Price(Rs.) | Testschedule    | Reportedon                | Sample Guideline   |
|-----------|--------------------------------------|----------|----------|------------|-----------------|---------------------------|--|
| G0168     | Bardet-Biedl syndrome-Gene Panel     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :<br>6:00pm | Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0169     | Gene Panel Bartter syndrome**        | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.                                  |
| G0170     | Benign infantile epilepsy-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.                                  |
| G0171     | Cardiac channelopathy-Gene Panel     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| G0173     | Gene Panel Charcot-Marie-Tooth and sensory neuropathies** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0174     | Ciliopathy-Gene Panel                                     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.                                  |
| G0175     | Citrullinemia-Gene Panel                                  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.                                  |
| G0176     | Cockayne syndrome-Gene Panel                              | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,  |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0177     | Congenital afibrinogenemia-Gene Panel          | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0178     | Congenital dyserythropoietic anemia gene panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. |
| G0180     | Congenital hypopituitarism-Gene Panel          | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0181     | Gene Panel Congenital neutropenia              | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks :        | Clinical history and TRF mandatory.  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
|           |  |          |          |            |                 | 6:00pm                 | Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. |
| G0182     | Congenital stationary night blindness-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0183     | Gene Panel Connective tissue disorder**          | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0184     | Corneal dystrophy-Gene Panel                     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.   |

| Test Code | Test Name                             | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---------------------------------------|----------|----------|------------|-----------------|------------------------|---|
|           |                                       |          |          |            |                 |                        | Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0185     | Cornelia de Lange Syndrome-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0186     | Craniosynostosis-Gene Panel           | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0187     | Cutis-laxa-Gene Panel                 | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0188     | Diamond blackfan anemia-Gene Panel    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.  |

| Test Code | Test Name                                    | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
|           |  |          |          |            |                 |                        | Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0189     | Gene Panel Dyskeratosis congenita**          | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0190     | Gene Panel Early-onset juvenile parkinsonism | Kerala   | R        | 22250      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0191     | Ectodermal dysplasia-Gene Panel              | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0192     | Gene Panel Ehler Danlos syndrome**           | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0193     | Epidermolysis bullosa-Gene Panel                        | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0194     | Gene Panel Episodic ataxia**                            | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0195     | Familial female mental retardation/ epilepsy-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0196     | Gene panel Familial hemiplegic migraine**               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.  |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|------------------------|---|
|           |   |          |          |            |                 |                        | Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.  |
| G0197     | Gene Panel Fanconi anemia**               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. Amniotic Fluid or Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Refrigerated condition. |
| G0198     | Fatty acid oxidation disorders-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.   |
| G0199     | Glycine encephalopathy-Gene Panel         | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0200     | Gene Panel Glycogen storage disorder**                 | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0201     | Glycosylation (CDG) disorders-Gene Panel               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0202     | Gene Panel Haemophilia (F8 & F9)Gene Panel, EDTA Blood | Kerala   | R        | 19950      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.  |
| G0203     | Gene Panel Hemophagocytic lymphohistiocytosis (HLH)**  | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0204     | Hereditary elliptocytosis-Gene Panel, EDTA Blood | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p> <p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p> |
| G0205     | Hereditary multiple exostoses Panel-Gene Panel   | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>   |
| G0206     | Hereditary pancreatitis gene panel**             | Kerala   | R        | 20000      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>3 ml of EDTA whole blood required to be send at Ambient temperature</p>   |

| Test Code | Test Name                                       | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| G0207     | Hereditary Spherocytosis-Gene Panel, EDTA Blood | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p> |
| G0208     | Gene Panel Homocystinuria**                     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>   |
| G0209     | Gene Panel Hypercholesterolemia**               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at</p>   |



| Test Code | Test Name                           | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|-------------------------------------|----------|----------|------------|-----------------|------------------------|--|
| G0210     | Hyperekplexia-Gene Panel            | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0211     | Hypomyelination syndrome-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0212     | Ichthyosis-Gene Panel               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0213     | Gene panel Joubert syndrome**       | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0214     | Kallmann syndrome-Gene Panel                               | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0215     | Leber congenital amaurosis-Gene Panel                      | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0216     | Gene Panel Leigh syndrome & mitochondrial encephalopathy** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0217     | Gene Panel Leukodystrophy**                                | Kerala   | R        | 20000      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| G0218     | Lissencephaly-Gene Panel, EDTA Blood      | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0219     | Maple syrup urine disease-Gene Panel      | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0220     | Meckel Gruber syndrome-Gene Panel         | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0221     | Gene Panel Methylmalonic aciduria (MMA)** | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name                                  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0222     | Microcephaly-Gene Panel                    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0223     | Microphthalmia and anophthalmia-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0224     | Gene Panel Mucopolysaccharidosis**         | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0225     | Myotonia congenita-Gene Panel              | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| G0226     | Gene Panel Neuronal ceroid lipofuscinosis | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0227     | Neuronal migration disorder-Gene Panel    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0228     | Niemann-Pick disease gene panel**         | Kerala   | R        | 19570      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0229     | Non-immune hydrops-Gene Panel             | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name                          | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|------------------------------------|----------|----------|------------|-----------------|------------------------|--|
| G0230     | Gene Panel Noonan syndrome**       | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0231     | Oculocutaneous albinism-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0232     | Optic atrophy-Gene Panel           | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0233     | Organic acidemia-Gene Panel        | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|-----------------|------------------------|--|
| G0234     | Gene Panel Osteogenesis imperfecta**                                    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0235     | Osteopetrosis-Gene Panel  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0236     | Pachydermoperiostosis & primary hypertrophic osteoarthopathy-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0237     | Pantothenate kinase-associated neurodegeneration-Gene Panel             | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |

| Test Code | Test Name                              | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0238     | Peroxisomal disorder-Gene Panel        | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0240     | Gene Panel Polycystic kidney disease** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0241     | Pontocerebellar hypoplasia-Gene Panel  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0242     | Gene Panel Primary hyperoxaluria**     | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| G0243     | Gene Panel (Primary immunodeficiency)**                  | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p> <p>Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.</p> |
| G0244     | Progressive familial intrahepatic cholestasis-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.</p>   |
| G0245     | Progressive myoclonic epilepsy-Gene Panel                | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | <p>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with</p>  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------------|---|
| G0246     | Rasopathy-Gene Panel                                 | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0247     | Retinal Degeneration-Gene Panel                      | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0249     | Seckel syndrome-Gene Panel                           | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0250     | Gene Panel Severe combined immunodeficiency (SCID)** | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated  |

| Test Code | Test Name                                    | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
|           |  |          |          |            |                 |                        | condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.  |
| G0251     | Sideroblastic anaemia-Gene Panel, EDTA Blood | Kerala   | R        | 21000      | Daily : 11:30am | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition. |
| G0252     | Gene Panel Skeletal dysplasia**              | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0253     | Sotos syndrome-Gene Panel                    | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated   |

| Test Code | Test Name                        | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|----------------------------------|----------|----------|------------|-----------------|------------------------|---|
| G0254     | Gene Panel Urea cycle defects**  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| G0255     | Usher syndrome-Gene Panel        | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0256     | Waardenburg syndrome-Gene Panel  | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.   |
| G0257     | Xeroderma pigmentosum-Gene Panel | Kerala   | R        | 20600      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| G0323     | BTP-Beta Trace Protein GFR*   | Kerala   | D        | 3365       | Daily: 9am to 9pm        | After 8 hrs       | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| G0324     | Gastrointestinal panel by FilmArray (Biofire) - Stool                   | Kerala   | E        | 17500      | Daily : 9:00am to 9:00pm | After 10 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| G0333     | Klippel-Feil syndrome-Gene panel  | Kerala   | E        | 20000      | Daily: 7:30am            | 4 weeks           | 5gm of Stool specimen in Sterile leak proof container   |
| G0334     | Nephrotic syndrome-Gene Panel   | Kerala   | R        | 20000      | Daily: 7:30am            | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0335     | Genotypic phenotypic correlation / case review by International experts | Kerala   | R        | 5150       | Daily : 11:30am          | Next day : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0336     | Glioma Panel-1  | Kerala   | D        | 18870      |                          | 7 days            | Prior Appointment   |
|           |   |          |          |            |                          |                   | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number.   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|-------------------|---|
| G0337     | Gene panel ALL risk stratification - T-ALL**              | Kerala   | E        | 17000      | Daily : 11:30am | 20th day : 6:00pm | FFPE block to be shipped at Ambient temperature.<br>4 ml EDTA Whole blood/bone marrow aspirate  |
| G0338     | Neurodegeneration with brain iron accumulation-Gene Panel | Kerala   | E        | 20000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0339     | FKTN-Gene Sequencing                                      | Kerala   | E        | 19000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0340     | Gaucher disease (GBA)-Gene Analysis                       | Kerala   | E        | 19000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0341     | FISH-MDM2 (12q15) GENE AMPLIFICATION**                    | Kerala   | E        | 9700       | Daily : 11:30am | 15th day : 6:00pm | Formalin fixed paraffin embedded tissue block. Ship at room temperature. Tissue block must contain at least 10% tumor tissue. Histopath report with History mandatory.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|------------------------|---|
| G0344     | Clinical exome & whole mitochondrial genome sequencing | Kerala   | E        | 26000      | Daily: 7:30am     | 4 weeks                | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0345     | Giant axonal neuropathy-1 (GAN)-Gene analysis          | Kerala   | E        | 19000      | Daily: 7:30am     | 4 weeks                | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| G0348     | Bone marrow failure syndrome gene panel**              | Kerala   | R        | 21000      | Daily : 11:30am   | After 4 weeks : 6:00pm | 4 ml EDTA Whole Blood   |
| G0349     | GI mapping biopsies (Upto 5 containers)                | Kerala   | C        | 4680       |                   | 5 days                 | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| G1901     | CANINE-Gamma GT (GGTP)                                 | Kerala   | A        | 300        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| G1903     | Canine - Glucose fasting                               | Kerala   | A        | 100        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon                  | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-----------------------------|---|
|           |  |          |          |            |                          |                             | and to be interpreted by the clinician.   |
| G8175     | Germline HRR gene panel  | Kerala   | R        | 23690      | Daily 7.30 am            | 25TH Days                   | 3 ml of EDTA whole blood  |
| H0001     | H1N1 (Swine Flu) RNA Detection by Real Time PCR - Swab                     | Kerala   | C        | 4680       | Daily : 7:00am & 3:00pm  | Same Day : 3:00pm & 11:00pm | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| H0002     | Hemochromatosis (HFE) Mutations Analysis (C282Y, H63D)                     | Kerala   | D        | 7140       | Tue & Thu: 9:00am        | 7th day : 6:00pm            | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.   |
| H0003     | Haemoglobin-Free biochemical Plasma  | Kerala   | R        | 1135       | Daily : 11:30am          | 5th day : 6:00pm            | 2 ml of Citrated Plasma   |
| H0004     | Haemoglobin, free, urine   | Kerala   | C        | 155        | Daily : 11:30am          | Same day : 9:00pm           | 10 ml of Spot urine   |
| H0005     | Haemophilia Profile  | Kerala   | D        | 4105       | Mon: 9am                 | Next day 5pm                | 1 ml of citrated platelet poor plasma in frozen condition.  |
| H0007     | Haemophilus Influenza B Antigen Antigen detection by Agglutination - CSF   | Kerala   | D        | 1325       | Daily : 9:00am to 3:00pm | After 6 hrs                 | 2ml of CSF in Sterile leak proof tube or container  |
| H0008     | Haemophilus Influenza B Antigen Antigen detection by Agglutination - Serum | Kerala   | D        | 1325       | Daily : 9:00am to 3:00pm | After 6 hrs                 | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0009     | Haemophilus Influenza B Antigen Antigen detection by Agglutination - Urine | Kerala   | D        | 1325       | Daily : 9:00am to 3:00pm | After 6 hrs                 | 15ml of Spot Urine in Sterile leak proof container  |
| H0011     | Hanging Drop preparation for V Cholerae by Microscopy - Stool              | Kerala   | B        | 430        | Daily : 9:00am to 3:00pm | After 6 hrs                 | 5gm of Stool specimen in Sterile leak proof container   |
| H0013     | Haptoglobin genotype by PCR**  | Kerala   | R        | 3935       | Wed & Sat : 11:30am      | 8th day : 6:00pm            | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| H0014     | Haptoglobin Serum  | Kerala   | C        | 2340       | Daily: 9am to 9pm        | After 6 hrs                 | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| H0015     | HAV-IgG Antibody by CLIA - Serum   | Kerala   | B        | 1405       | Daily : 9:00am to        | After 6 hrs                 | 3ml of Serum in Gel Vacutainer or   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule               | Reportedon         | Sample Guideline   |
|-----------|---|----------|----------|------------|----------------------------|--------------------|--|
| H0016     | HAV-IgM Antibody by CLIA - Serum  | Kerala   | B        | 1295       | Daily : 9:00am to 9:00pm   | After 6 hrs        | in Plain Sterile Vacutainer<br>3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer                   |
| H0017     | HAV-RNA Detection by PCR - EDTA Blood   | Kerala   | D        | 5000       | Daily : 7:30am             | 7th day : 6pm      | 3 ml of Whole Blood in EDTA Vacutainer   |
| H0018     | HbA1C- Glycated Haemoglobin, by HPLC method                                     | Kerala   | B        | 490        | Daily: 9am and 3pm and 9pm | After 6 hrs        | 3 ml EDTA whole blood  |
| H0026     | Anti HBcAg total by CLIA - Serum  | Kerala   | B        | 1240       | Daily : 9:00am to 9:00pm   | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0027     | Anti HBcAg-IgM by CLIA - Serum  | Kerala   | B        | 1295       | Daily : 9:00am to 9:00pm   | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0028     | Anti HBeAg by CLIA - Serum  | Kerala   | B        | 1190       | Daily : 9:00am to 9:00pm   | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0029     | Anti HbsAg Antibody by CLIA - Serum   | Kerala   | B        | 1110       | Daily : 9:00am to 9:00pm   | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0030     | HBV DNA Detection by Taqman RT PCR - Serum or Plasma                            | Kerala   | C        | 4210       | Daily : 07:30am            | Same day : 11:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer |
| H0031     | HBV DNA Detection by PCR - Amniotic fluid**                                     | Kerala   | D        | 4130       | Daily : 11:30am            | 7th day : 6:00pm   | 10 ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container                                   |
| H0032     | HBV DNA Detection by PCR - Ascitic fluid**                                      | Kerala   | D        | 4130       | Daily : 11:30am            | 7th day : 6:00pm   | 3 ml of Fluid in Sterile leak proof container  |
| H0033     | HBV DNA Detection by PCR - CSF**  | Kerala   | D        | 4130       | Daily : 11:30am            | 7th day : 6:00pm   | 3 ml of Body Fluid in Sterile leak proof container   |
| H0034     | HBV DNA Detection by PCR - Liver tissue**                                       | Kerala   | D        | 4130       | Daily : 11:30am            | 7th day : 6:00pm   | Tissue with Normal Saline in Sterile leak proof container  |
| H0035     | HBV DNA Genotype & Drug Resistance by PCR & Sanger Sequencing - Serum or Plasma | Kerala   | D        | 8160       | Mon : 9:00am               | Wed : 6:00pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer |
| H0037     | HBeAg by CLIA - Serum   | Kerala   | B        | 1135       | Daily : 9:00am to 9:00pm   | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0038     | HBsAg-Confirmation by CLIA - Serum  | Kerala   | C        | 1015       | Daily : 9:00am to 9:00pm   | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon         | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|--------------------|--|
| H0039     | HBsAg-Quantitative by CLIA - Serum                    | Kerala   | C        | 1250       | Daily : 9:00am to 9:00pm | After 10 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0040     | HBsAg-Screening by CLIA - Serum                       | Kerala   | B        | 650        | Daily : 9:00am to 9:00pm | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0041     | HBV DNA Viral load by Taqman RT PCR - Serum or Plasma | Kerala   | C        | 6000       | Daily : 7:30am           | Same day : 11:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer   |
| H0042     | HBV YMDD mutation by PCR & Sanger Sequencing - Serum  | Kerala   | D        | 4285       | Mon : 9:00am             | Wed : 6:00pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0043     | HCG Beta Subunit, Serum                               | Kerala   | B        | 650        | Daily: 9am to 9pm        | After 6 hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| H0044     | HCG Beta Subunit Urine 24H                            | Kerala   | B        | 865        | Daily: 9am to 9pm        | After 8 hrs        | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| H0045     | HCG Beta Subunit Urine Spot                           | Kerala   | B        | 260        | Daily: 9am to 9pm        | After 8 hrs        | 10 ml of Spot urine  |
| H0045_U   | PREGNANCY test by Immunochromatography - Urine        | Kerala   | B        | 160        | Daily : 9:00am to 9:00pm | After 4 hrs        | 15ml of Spot Urine in Sterile leak proof container   |
| H0046     | HCG Beta Subunit, CSF                                 | Kerala   | B        | 865        | Daily: 9am to 9pm        | After 8 hrs        | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).  |
| H0047     | HCG Stimulation Test for DHT                          | Kerala   | D        | 3670       | Daily: 7.30am            | Same day 5pm       | 3 ml of serum for single test and 5 ml serum for profiles and reflex   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon         | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|--------------------|--|
|           |  |          |          |            |                          |                    | tests.   |
| H0048     | HCG stimulation test for FSH and LH  | Kerala   | B        | 1730       | Daily: 9am to 9pm        | After 8 hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| H0049     | HCG Stimulation test for Testosterone  | Kerala   | B        | 1080       | Daily: 9am to 9pm        | After 8 hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| H0050     | HCV Genofibro (Fibromax by CLIA , Genotyping and IL28B by PCR & Sequencing - Serum   | Kerala   | C        | 24960      | Daily : 9:00am           | 10th day : 6pm     | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0051     | HCV RNA Combo 1 (SGPT, Anti HCV by EIA, HCV-RNA Detection & Quantification by RT-PCR, HCV-Genotyping by Sanger Sequencing) - Serum | Kerala   | C        | 10400      | Daily : 9:00am           | 4th day : 6:00pm   | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer |
| H0052     | HCV Genotyping by PCR & Sanger Sequencing - Serum or Plasma  | Kerala   | D        | 7140       | Tue & Fri : 9:00am       | Next day : 5:00pm  | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer |
| H0053     | HCV-IgM Antibody by EIA - Serum  | Kerala   | C        | 1640       | Mon & Thu : 9:00am       | Same day : 5pm     | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0054     | HCV RNA Detection by Taqman RT PCR - Serum or Plasma   | Kerala   | C        | 4845       | Daily : 07:30am          | Same day : 11:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer |
| H0055     | HCV-total Antibody by CLIA - Serum   | Kerala   | B        | 1100       | Daily : 9:00am to 9:00pm | After 8 hrs        | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0056     | HCV RNA Viral load by Taqman RT PCR - Serum or Plasma  | Kerala   | C        | 7000       | Daily : 07:30am          | Same day : 11:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer |
| H0057     | HDL Cholesterol Direct serum   | Kerala   | A        | 280        | Daily: 9am to 9pm        | After 6 hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| H0058     | HDV-IgM Antibody by EIA - Serum  | Kerala   | D        | 4895       | Daily : 9:00am           | 7th day : 6pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0059     | HDV-RNA Detection by PCR - EDTA Plasma**   | Kerala   | D        | 5610       | Daily : 7:30am           | 10th day : 6pm     | 3 ml of EDTA Plasma in Sterile Plain Vacutainer  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|------------------------|--|
| H0060     | HDV-total Antibody by EIA - Serum                                     | Kerala   | C        | 1975       | Mon & Thu : 9:00am       | Same day : 5pm         | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0061     | HE4 with ROMA index   | Kerala   | C        | 2705       | Daily:7:30 am            | Same day 8:00 PM       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| H0062     | Heinz BodiesBlood   | Kerala   | B        | 240        | Daily : 11:30am          | After 8hrs             | 3 ml EDTA Whole Blood  |
| H0063     | Helicobacter Pylori Antigen detection by Immunochromatography - Stool | Kerala   | C        | 1560       | Daily : 9:00am to 3:00pm | After 8 hrs            | 5gm of Stool specimen in Sterile leak proof container  |
| H0064     | Helicobacter Pylori Culture by Vitek/ MALDITOF - Tissue               | Kerala   | C        | 1250       | Daily : 9:00am to 9:00pm | 15th day : 5pm         | Tissue with Normal Saline in Sterile leak proof container  |
| H0065     | Helicobacter Pylori IgA antibodies by EIA - Serum                     | Kerala   | C        | 2340       | Mon & Thu : 11:30am      | Next day : 5:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0066     | Helicobacter Pylori IgG antibodies by CLIA - Serum                    | Kerala   | C        | 2340       | Daily : 9:00am           | After 8 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0067     | Helicobacter Pylori IgM antibodies by EIA - Serum                     | Kerala   | C        | 2445       | Mon & Thu : 11:30am      | Next day : 5:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0069     | Hemoglobin  | Kerala   | A        | 100        | Daily: 9am to 9pm        | After 6 hrs            | 3 ml EDTA Whole Blood  |
| H0070     | Hemosiderin, LBC  | Kerala   | C        | 1560       |                          | 2nd day                | More than 1 MI fluid in a leak proof plain container along with relvent clinical & radiological details                      |
| H0071     | Heparan Sulphate Sulphamidase Sanfillipo / MPS III A Blood**          | Kerala   | R        | 10300      | Daily : 11:30am          | After 4 weeks : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays) |
| H0072     | HBV Immunity Profile by CLIA - Serum                                  | Kerala   | C        | 2290       | Daily : 9:00am to 9:00pm | After 8 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0073     | HBV Profile by CLIA - Serum   | Kerala   | C        | 4680       | Daily : 9:00am to 9:00pm | After 8 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0074     | Hepatitis Marker Profile - Acute by CLIA - Serum                      | Kerala   | C        | 3690       | Mon, Wed & Fri : 7:00am  | After 8 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0075     | Hepatitis Profile, Comprehensive by CLIA - Serum                      | Kerala   | C        | 6915       | Mon & Thu : 9:00am       | After 8 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0076     | Hepatitis - Atypical Virus Profile by CLIA - Serum                    | Kerala   | D        | 4335       | Daily : 7:30am           | 6th day : 7pm          | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0077     | Hepcidin Serum  | Kerala   | D        | 1835       | Tue : 11:30am            | Next day : 5:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------|-------------------|--|
| H0078     | Her-2/Neu(C-Er-B2)(ERBB2)by FISH                                      | Kerala   | D        | 12025      | Daily : 9:00am     | 7th day : 6:00pm  | tests.<br>(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| H0079     | HEV IgG Antibody by EIA - Serum                                       | Kerala   | B        | 1730       | Mon & Thu : 9:00am | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0080     | HEV IgM Antibody by EIA - Serum                                       | Kerala   | B        | 1405       | Daily : 7:30am     | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0081     | HGV-RNA Detection by PCR - EDTA plasma**                              | Kerala   | R        | 5355       | Daily : 11:30am    | 15th day : 6:00pm | 3 ml of EDTA Plasma in Sterile Plain Vacutainer  |
| H0082     | Hirsutism Profile-1   | Kerala   | C        | 3430       | Tue and Fri: 7am   | Same day 7pm      | 5 ml of serum  |
| H0083     | Hirsutism Profile-2   | Kerala   | C        | 5510       | Tue and Fri: 7am   | Same day 7pm      | 5 ml of serum  |
| H0084     | Hirsutism Profile-3   | Kerala   | C        | 7800       | Tue and Fri: 7am   | Same day 7pm      | 5 ml of serum  |
| H0085     | Histamine EIA Plasma  | Kerala   | R        | 7000       | Daily : 11:30am    | 20th day : 6:00pm | 3 ml of EDTA plasma  |
| H0086     | Histidine Quantitative Serum  | Kerala   | R        | 6385       | Daily : 11:30am    | 7th day : 6:00pm  | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| H0087     | Histidine Quantitative Urine 24H**                                    | Kerala   | R        | 6385       | Daily : 11:30am    | 7th day : 6:00pm  | 10 ml of Spot urine  |
| H0088     | Histochemistry (special stain with reporting) Alcian Blue Tissue/FFPE | Kerala   | C        | 1350       |                    | 3rd Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| H0089     | Histochemistry (special stain with reporting) Bleach Tissue/FFPE      | Kerala   | C        | 1350       |                    | 3rd Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| H0090     | Histochemistry (special stain with reporting) Congo Red Tissue/FFPE   | Kerala   | C        | 1350       |                    | 3rd Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| H0091     | Histochemistry (special stain with reporting) Fite Farraco Tissue/FFPE                             | Kerala   | C        | 1350       |              | 3rd Day    | detail<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0092     | Histochemistry (special stain with reporting) Fontana Masson Silver Tissue/FFPE                    | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| H0093     | Histochemistry (special stain with reporting) Giemsa Tissue/FFPE                                   | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| H0094     | Histochemistry (special stain with reporting) Gomori Silver Methanamine (GMS) Tissue/FFPE          | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| H0095     | Histochemistry (special stain with reporting) Hale S Colloidal Iron Tissue/FFPE                    | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| H0096     | Histochemistry (special stain with reporting) Histochemistry Unspecified Special stain Tissue/FFPE | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| H0097     | Histochemistry (special stain with reporting) Masson Trichrome Tissue/FFPE                         | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| H0098     | Histochemistry (special stain with reporting) Mucicarmine Tissue/FFPE                              | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
|           |  |          |          |            |              |            | all relevant clinical and radiological detail  |
| H0099     | Histochemistry (special stain with reporting) Orcein Tissue/FFPE                           | Kerala   | C        | 1350       |              |            | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0100     | Histochemistry (special stain with reporting) PAS with and/or Without Diastase Tissue/FFPE | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0101     | Histochemistry (special stain with reporting) PASM Stain Tissue/FFPE                       | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0102     | Histochemistry (special stain with reporting) Prussian Blue Tissue/FFPE                    | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0103     | Histochemistry (special stain with reporting) PTAH Tissue/FFPE                             | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0104     | Histochemistry (special stain with reporting) Reticulin Tissue/FFPE                        | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0105     | Histochemistry (special stain with reporting) Van Gieson Tissue/FFPE                       | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0106     | Histochemistry (special stain with reporting) Verhoeff S Vangieson Tissue/                 | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|------------|--|
|           | FFPE  |          |          |            |              |            | original Histopathology report and all relevant clinical and radiological detail   |
| H0107     | Histochemistry (special stain with reporting) Von Kossa Stain Tissue/FFPE             | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0108     | Histochemistry (special stain with reporting) ZN Tissue/FFPE                          | Kerala   | C        | 1350       |              | 3rd Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0109     | Histochemistry (Special Stain Only) Alcian Blue Stain Tissue/FFPE                     | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0110     | Histochemistry (Special Stain Only) Bleach Stain Tissue/FFPE                          | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0111     | Histochemistry (Special Stain Only) Congo Red Stain Tissue/FFPE                       | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0112     | Histochemistry (Special Stain Only) Fite Farraco Stain Tissue/FFPE                    | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0113     | Histochemistry (Special Stain Only) Fontana Masson Silver Method Tissue/FFPE          | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0114     | Histochemistry (Special Stain Only) Giemsa Stain Tissue/FFPE                          | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0115     | Histochemistry (Special Stain Only) Gomori Silver Methanamine Stain (GMS) Tissue/FFPE | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0116     | Histochemistry (Special Stain Only) Hale S Colloidal Iron Stain Tissue/FFPE           | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0117     | Histochemistry (Special Stain Only) Masson Trichrome Stain Tissue/FFPE                | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0118     | Histochemistry (Special Stain Only) Mucicarmine Stain Tissue/FFPE                     | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| H0120     | Histochemistry (Special Stain Only) PAS With and/or Without Diastase Stain Tissue/    | Kerala   | C        | 730        |              | 3rd Day    | Single Paraffin block / section on charged slide   |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon    | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|---------------|--|
|           | FFPE   |          |          |            |                   |               |  |
| H0121     | Histochemistry (Special Stain Only) PASM Stain Tissue/FFPE                     | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0122     | Histochemistry (Special Stain Only) Prussian Blue Stain Tissue/FFPE            | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0123     | Histochemistry (Special Stain Only) PTAH Stain Tissue/FFPE                     | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0124     | Histochemistry (Special Stain Only) Reticulin Stain Tissue/FFPE                | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0125     | Histochemistry (Special Stain Only) Unspecified Special Stain Tissue/FFPE      | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0126     | Histochemistry (Special Stain Only) Van Gieson Stain Tissue/FFPE               | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0127     | Histochemistry (Special Stain Only) Verhoeff S Vangieson Stain Tissue/FFPE     | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0128     | Histochemistry (Special Stain Only) Von Kossa Stain Tissue/FFPE                | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0129     | Histochemistry (Special Stain Only) ZN Stain Tissue/FFPE                       | Kerala   | C        | 730        |                   | 3rd Day       | Single Paraffin block / section on charged slide   |
| H0130     | Histology Frozen Section (Intra Operative) day frozen 8am to 8pm, working days | Kerala   | D        | 9485       | Daily: 9am to 5pm | After 6 hours | Fresh tissue to be sent along with relevant clinical & radiological details  |
| H0131     | Second opinion   | Kerala   | D        | 2550       |                   | 3rd Day       | Paraffin blocks ( Formalin fixed paraffin embedded)/ Stained unstained slides Please attach original Histopathology report and all relevant clinical and radiological detail |
| H0132     | Histone Antibody Serum   | Kerala   | C        | 1745       | W,S: 7:30am       | Same day 5pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| H0133     | Histopathological examination of-Amputation of Limb                            | Kerala   | C        | 7800       |                   | 5th Day       | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details                                    |
| H0135     | Histopathological examination of-Appendix                                      | Kerala   | C        | 1640       |                   | 3rd Day       | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|-------------------|--|
| H0136     | Histopathological examination of-Bone Marrow Trepphine biopsy                          | Kerala   | C        | 4680       |              | 5th Day           | proof container along with relevant clinical & radiological details<br>Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0137     | Histopathological examination of-Bone Specimen   | Kerala   | C        | 4680       |              | 7th Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0138     | Histopathological examination of-Brain Tissue  | Kerala   | C        | 4680       |              | 5th Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0139     | Histopathological examination of-Breast Lump   | Kerala   | C        | 2080       |              | 4th Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0141     | Histopathological examination of- Breast MRM / Breast conservative surgery reflex FISH | Kerala   | D        | 7650       |              | 7th day for histo | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0142     | Histopathological examination of-Buccal Mucosal Biopsy                                 | Kerala   | C        | 1640       |              | 3rd Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0143     | Histopathological examination of- Cervix Biopsy  | Kerala   | C        | 1560       |              | 3rd Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0144     | Histopathological examination of- Cervix Cone Biopsy                                   | Kerala   | C        | 3850       |              | 6th Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0145     | Histopathological examination of- Colectomy / APR                                      | Kerala   | C        | 7800       |              | 7th day for histo | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|------------|--|
| H0147     | Histopathological examination of-<br>Commando With RND/MND                                  | Kerala   | C        | 6240       |              | 6th Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0148     | Histopathological examination of -<br>Endobronchial biopsy                                  | Kerala   | C        | 1560       |              | 3rd Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0149     | Histopathological examination of-<br>Endometrium (D&C Material)                             | Kerala   | C        | 1145       |              | 3rd Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0150     | Histopathological examination of- Eye ball<br>Specimen                                      | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0151     | Histopathological examination of -<br>Fistulectomy / Sinus tract includes special<br>stains | Kerala   | C        | 1560       |              | 3rd Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0152     | Histopathological examination of- Gall<br>Bladder   | Kerala   | C        | 1640       |              | 3rd Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0153     | Histopathological examination of-<br>Gastrectomy  | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0154     | Histopathological examination of- GI<br>Endoscopic Biopsy / Colonic Biopsy                  | Kerala   | C        | 1640       |              | 4th day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0157     | Histopathological examination of-Hepatic<br>Resection                                       | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant<br>clinical & radiological details |
| H0158     | Histopathological examination of-<br>Hirschsprungs Disease                                  | Kerala   | C        | 7280       |              | 5th Day    | Tissue to be sent in adequate 10%<br>Neutral Buffered Formalin in a Leak<br>proof container along with relevant                                    |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------|------------|---|
|           |   |          |          |            |              |            | clinical & radiological details   |
| H0159     | Histopathological examination of -Kidney Biopsy             | Kerala   | C        | 1610       |              | 4th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0161     | Histopathological examination of-Liver Biopsy               | Kerala   | C        | 4680       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0162     | Histopathological examination of-Lung (Lobectomy)           | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0163     | Histopathological examination of-Lymph Node                 | Kerala   | C        | 1560       |              | 4th day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0164     | Histopathological examination of-Mediastinal Mass           | Kerala   | C        | 4680       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0165     | Histopathological examination of-Muscle Biopsy              | Kerala   | C        | 1870       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0166     | Histopathological examination of-Nasal Polyp                | Kerala   | C        | 1560       |              | 3rd Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0167     | Histopathological examination of-Nephrectomy (Non Tumorous) | Kerala   | C        | 2600       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0168     | Histopathological examination of-Oesophagectomy             | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0169     | Histopathological examination of-                           | Kerala   | C        | 1870       |              | 4th Day    | Tissue to be sent in adequate 10%   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------|------------|---|
|           | Orchidectomy  |          |          |            |              |            | Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details                                   |
| H0170     | Histopathological examination of-Ovarian Mass (Large)           | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0171     | Histopathological examination of-Ovarian Mass (Small To Medium) | Kerala   | C        | 1870       |              | 4th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0172     | Histopathological examination of-Penis                          | Kerala   | C        | 3120       |              | 4th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0173     | Histopathological examination of-Prostate Chips (Tur-P)         | Kerala   | C        | 2185       |              | 4th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0174     | Histopathological examination of-Prostate Trucut Needle Biopsy  | Kerala   | C        | 4680       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0175     | Histopathological examination of-Radical Cystectomy             | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0177     | Histopathological examination of-Radical Nephrectomy            | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0178     | Histopathological examination of-Radical Prostatectomy          | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0179     | Histopathological examination of-Sebaceous cyst                 | Kerala   | C        | 1560       |              | 3rd Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------|------------|---|
| H0180     | Histopathological examination of-Skin Biopsy  | Kerala   | C        | 1560       |              | 4th day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0182     | Histopathological examination of-Small Intestinal Resection                                 | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0183     | Histopathological examination of-Soft Tissue Tumor  | Kerala   | C        | 7800       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0184     | Histopathological examination of-Spleen   | Kerala   | C        | 2080       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0185     | Histopathological examination of-Synovial Biopsy  | Kerala   | C        | 1560       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0186     | Histopathological examination of-Thyroidectomy  | Kerala   | C        | 3015       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0187     | Histopathological examination of- Trucut Biopsy (CT/USG Guided) Special stains & Reflex IHC | Kerala   | C        | 4680       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0188     | Histopathological examination of-TUR Urinary Bladder  | Kerala   | C        | 2080       |              | 4th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0189     | Histopathological examination of-Unspecified specimen-Large                                 | Kerala   | C        | 2000       |              | 5th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0190     | Histopathological examination of-Unspecified specimen-Large & Complex                       | Kerala   | C        | 8010       |              | 6th Day    | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------------|--|
| H0191     | Histopathological examination of-Unspecified specimen-Medium                                       | Kerala   | C        | 1200       |                 | 4th Day                | clinical & radiological details<br>Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0192     | Histopathological examination of-Unspecified specimen-Small  | Kerala   | C        | 850        |                 | 3rd Day                | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details                                    |
| H0193     | Histopathological examination of-Uterus With/Without Adnexae                                       | Kerala   | C        | 2185       |                 | 5th Day                | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details                                    |
| H0194     | Histopathological examination of-Werthiems Hysterectomy  | Kerala   | C        | 7800       |                 | 5th Day                | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details                                    |
| H0195     | Histopathological examination of-Whipples Resection  | Kerala   | C        | 7800       |                 | 5th Day                | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details                                    |
| H0198     | HIT Antibody Heparin Induced Thrombocytopenia / PF4 Serum**  | Kerala   | R        | 7500       | Daily : 11:30am | 4th day : 6:00pm       | 2ml serum required   |
| H0201     | HIV-1 Proviral DNA Detection by RT PCR - EDTA Blood  | Kerala   | C        | 4055       | Daily : 07:30am | Same day : 11:00pm     | 3 ml of Whole Blood in EDTA Vacutainer   |
| H0202     | HIV-1 RNA Detection by Taqman RT PCR - EDTA Plasma   | Kerala   | C        | 3640       | Daily : 07:30am | Same day : 11:00pm     | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |
| H0205     | HIV-1&2 Western blot by EIA - Serum  | Kerala   | C        | 2910       | Daily : 7:00am  | Same day : 5pm         | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0206     | HIV-1 RNA Combo 1 - EDTA Blood & Plasma  | Kerala   | C        | 7490       | Daily : 7:30am  | Next day : 5:00pm      | 3 ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| H0207     | HIV1/2 - Human Immunodeficiency Virus - confirmatory serology by immuno-transfer technique - serum | Kerala   | R        | 10815      | Daily : 11:30am | After 4 weeks : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0208     | HIV-2 RNA Detectionby Real Time PCR - EDTA Plasma  | Kerala   | C        | 4110       | Daily : 7:30am  | 3rd day : 6:00pm       | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule   | Reportedon       | Sample Guideline   |
|-----------|---|----------|----------|------------|----------------|------------------|--|
| H0209     | HIV-2 RNA Quantitative Viral load by Real Time PCR - EDTA Plasma        | Kerala   | C        | 6240       | Daily : 7:30am | 3rd day : 6:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |
| H0210     | HIV-2 RNA Combo by Flow Cytometry & Real Time PCR - EDTA Blood & Plasma | Kerala   | C        | 7800       | Daily : 7:30am | 3rd day : 6:00pm | 3 ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer                        |
| H0211     | HIV-DUO by CLIA - Serum   | Kerala   | B        | 600        | Daily : 7:30am | Same day : 5pm   | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| H0212     | HIV Early Detection Profile-1 - EDTA Plasma & Serum                     | Kerala   | C        | 4680       | Daily : 7:30am | 3rd day : 5pm    | 3ml of EDTA Plasma in Sterile Plain Vacutainer & 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer |
| H0213     | HIV Early Detection Profile-2 - EDTA Blood & Serum                      | Kerala   | C        | 4680       | Daily : 7:30am | 3rd day : 5pm    | 3 ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3 ml of Whole Blood in EDTA Vacutainer       |
| H0214     | Donor Specific Antibody (DSA)   | Kerala   | D        | 11015      | Daily: 9am     | Same day 6pm     | Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA whole blood, Donor: 20 ml Heparin/ACD/EDTA Blood                 |
| H0215     | HLA Typing A Locus  | Kerala   | D        | 9080       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0216     | HLA typing A,B,C,DR,DQ loci (ClassI & Class II)                         | Kerala   | D        | 20300      | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0217     | HLA Typing A,B,C Locus (ClassI)   | Kerala   | D        | 13260      | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0218     | HLA Typing B Locus  | Kerala   | D        | 9080       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0221     | HLA Typing B5 Locus   | Kerala   | D        | 9080       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0222     | HLA Typing B51 Locus  | Kerala   | D        | 9080       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0224     | HLA Typing C Locus  | Kerala   | D        | 9080       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0225     | HLA Typing DQ Locus   | Kerala   | D        | 6020       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0226     | HLA Typing DR Locus   | Kerala   | D        | 6020       | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0227     | HLA Typing DR & DQ Loci (ClassII)                                       | Kerala   | D        | 10710      | Daily: 9am     | Same day 6pm     | 6 ml EDTA/ACD Blood  |
| H0233     | Single Antigen Bead Assay (Class I & Class II)*                         | Kerala   | E        | 40000      | Daily: 9am     | Same day 6pm     | Recipient: 5 ml serum  |
| H0234     | Auto Antibody Detection Test*   | Kerala   | D        | 1325       | Daily: 9am     | Same day 6pm     | Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA Blood  |
| H0235     | HLA (Lymphocyte) Cross Match Total (T+B) cells*                         | Kerala   | D        | 2550       | Daily: 9am     | Same day 6pm     | Recipient: 5 ml serum + 6 ml Heparin/ACD/EDTA Blood, Donor: 6  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule           | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|------------------------|-------------------|---|
| H0249     | HLA-B*5701 Associated HCP5 rs2395029 Genotyping for Abacavir Hypersensitivity   | Kerala   | D        | 3265       | Tue & Thu: 9:00am      | 7th day : 6:00pm  | ml Heparin/ACD/EDTA Blood<br>3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . |
| H0250     | HLA B27 (Human Leucocyte Antigen B27)   | Kerala   | C        | 3200       | Daily: 9am             | Next day 5pm      | 3 ml of EDTA whole blood  |
| H0252     | HLA-B*27 PCR  | Kerala   | C        | 3735       | Mon, Wed & Fri: 9:00am | Next day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .                              |
| H0253     | HOMA Index Insulin Resistance Test  | Kerala   | C        | 1300       | Daily: 9am to 9pm      | Next day 5pm      | 3 ml of serum and 2 ml of fluoride plasma. Fasting sample.  |
| H0254     | Homocysteine Serum  | Kerala   | C        | 1350       | Daily: 9am to 9pm      | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| H0256     | Homogentisic Acid (ALKAPTANURIA)  | Kerala   | C        | 915        | Daily : 11:30am        | Same day : 9:00pm | 10 ml of Spot urine   |
| H0258     | HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - Vaginal swab    | Kerala   | C        | 2910       | Mon & Thurs : 9:00am   | 3rd day : 6:00pm  | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| H0259     | HPV-DNA Detectionby PCR and Typing PCR & Sanger Sequencing - Cervical scrapping | Kerala   | C        | 2910       | Mon & Thurs : 9:00am   | 3rd day : 6:00pm  | Thin Prep Container   |
| H0260     | HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - Tissue          | Kerala   | C        | 2910       | Mon & Thurs : 9:00am   | 3rd day : 6:00pm  | Tissue with Normal Saline in Sterile leak proof container   |
| H0261     | HPV-DNA Detectionby PCR and Typing by PCR & Sanger Sequencing - LBC             | Kerala   | C        | 3110       | Mon & Thurs : 9:00am   | 3rd day : 6:00pm  | Thin Prep Container   |
| H0264     | HRT Profile   | Kerala   | C        | 1275       | Daily: 9am to 9pm      | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| H0265     | HsCRP -High Sensitivity CRPSerum  | Kerala   | B        | 900        | Mon: 7.30am            | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| H0266     | HSV-1 IgG and IgM Antibody by EIA - Serum                                       | Kerala   | B        | 1295       | Daily : 7:30am         | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0268     | HSV-1 IgG Antibody by EIA - Serum   | Kerala   | B        | 715        | Daily : 7:30am         | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0269     | HSV-1 IgM Antibody by EIA - Serum   | Kerala   | B        | 715        | Daily : 7:30am         | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| H0270     | HSV 1&2 DNA Detection by Real Time PCR - Blister fluid  | Kerala   | C        | 4370       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 3ml of Fluid in Sterile leak proof container  |
| H0271     | HSV 1&2 DNA Detection by Real Time PCR - CSF            | Kerala   | C        | 4575       | Mon, Wed & Fri : 9:00am  | Same day : 9:00pm | 2ml of CSF in Sterile leak proof tube or container  |
| H0272     | HSV 1&2 DNA Detection by Real Time PCR - Serum          | Kerala   | C        | 4370       | Mon, Wed & Fri : 9:00am  | Same day : 9:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0273     | HSV 1&2 DNA Detection by Real Time PCR - Swab           | Kerala   | C        | 4370       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| H0274     | HSV 1&2 IgG and IgM Antibody by EIA - Serum             | Kerala   | B        | 1460       | Daily : 7:30am           | 5th day : 5pm     | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0276     | HSV 1+2 IgG Antibody by CLIA - Serum                    | Kerala   | B        | 650        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0277     | HSV 1&2 IgG Antibody by western blot - Serum            | Kerala   | D        | 2245       | Daily: 11:30am           | Next day 8pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0278     | HSV 1+2 IgM Antibody by CLIA - Serum                    | Kerala   | B        | 650        | Daily : 7:30am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0279     | HSV 1&2 IgM Antibody by western blot - Serum            | Kerala   | D        | 2245       | Daily: 11:30am           | Next day 8pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0280     | HSV-2 IgG and IgM Antibody by EIA - Serum               | Kerala   | B        | 1295       | Daily : 7:30am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0282     | HSV-2 IgG Antibody by EIA - Serum                       | Kerala   | B        | 715        | Daily : 7:30am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0283     | HSV-2 IgM Antibody by EIA - Serum                       | Kerala   | B        | 715        | Daily : 7:30am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0284     | HTLV 1 And 2 Virus Total Antibody by CLIA - Serum       | Kerala   | D        | 5000       | Mon : 11:30am            | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0285     | Hu AntibodyNeuronal ag in Paraneoplastic syndromesSerum | Kerala   | D        | 4590       | Daily: 11:30am           | Next day 8pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| H0286     | Huntington Disease Mutation Analysis                    | Kerala   | D        | 5630       | Mon & Wed: 9:00am        | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
| H0287     | Hydatid Cyst Detection by Microscopy - Fluid   | Kerala   | C        | 800        | Daily : 9:00am to 3:00pm | After 6 hrs       | 3ml of Fluid in Sterile leak proof container  |
| H0288     | Hypertension Profile-Routine   | Kerala   | C        | 1870       | Daily: 9am to 9pm        | After 8 hrs       | 3 ml of EDTA whole blood, 3 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine   |
| H0289     | Heart failure profile- maxi  | Kerala   | D        | 5000       | Mon: 7am                 | 4th day           | 5 ml of serum   |
| H0295     | Extra slide set Histopathology cases   | Kerala   | C        | 520        |                          | 4th day           | Stained slide set is issued   |
| H0300     | HBV mutation Profile by PCR & Sanger Sequencing - Serum**                                  | Kerala   | R        | 11330      | Daily : 11:30am          | 10th day : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0301     | HBV precore mutations by PCR & Sanger Sequencing - Serum**                                 | Kerala   | R        | 5665       | Wed : 11:30am            | 10th day : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0302     | HCV Reflex Profile - Serum   | Kerala   | B        | 1510       | Tue & Fri : 9:00am       | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0304     | Histopathological examination of - Fallopian tube  | Kerala   | C        | 1560       |                          | 3rd Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0306     | Histopathological examination of-Placenta  | Kerala   | C        | 2080       |                          | 5th Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0307     | Histopathological examination of- Testicular biopsy  | Kerala   | C        | 1560       |                          | 4th day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details |
| H0308     | Single Antigen Bead Assay (Class I)*   | Kerala   | E        | 20000      | Daily: 9am               | Same day 6pm      | Recipient: 5 ml serum   |
| H0309     | Single Antigen Bead Assay (Class II)*  | Kerala   | E        | 20000      | Daily: 9am               | Same day 6pm      | Recipient: 5 ml serum   |
| H0310     | Homocysteine reflex B12-folate Serum   | Kerala   | C        | 1770       | Daily: 9am to 9pm        | Next day 1pm      | 4ml of Serum  |
| H0311     | HIV-1 RNA Drug Resistance for integrase inhibitor by PCR & Sanger Sequencing - EDTA Plasma | Kerala   | D        | 5100       | 1st & 3rd Mon : 9:00am   | 15th day : 6:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| H0312     | HIV-1 RNA Coreceptor Tropism (Genotype) by PCR & Sanger Sequencing - EDTA Plasma           | Kerala   | D        | 6730       | 1st & 3rd Mon : 9:00am   | 15th day : 6:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| H0313     | HBV Basal Core Promoter mutation by PCR & Sanger Sequencing - Serum**                      | Kerala   | R        | 5665       | Wed : 11:30am            | 8th day : 6:00pm  | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|------------------------|------------------------|--|
| H0314     | Homovanillic acid urine   | Kerala   | R        | 6180       | Daily : 11:30am        | 12th Day : 6:00pm      | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 30 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| H0316     | HIV-1 RNA Drug Resistance-Extended by PCR & Sanger Sequencing - EDTA Plasma | Kerala   | D        | 18870      | 1st & 3rd Mon : 9:00am | 15th day : 6:00pm      | 3ml of EDTA Plasma in Sterile Plain Vacutainer   |
| H0317     | HPFH (Hereditary persistence of fetal haemoglobin) 5 deletion**             | Kerala   | R        | 13390      | Daily : 11:30am        | After 4 weeks : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or referigerated condition based on sample stability. Amniotic Fluidor Chorionic villus sample: 10 ml of Amniotic Fluid or CVS sample in sterile container or Folin wu tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition.                                     |
| H0318     | HNPCC/ Lynch Syndrome Panel   | Kerala   | R        | 18000      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated   |

| Test Code | Test Name                            | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-----------|--------------------------------------|----------|----------|------------|-----------------|------------------------|--|
|           |                                      |          |          |            |                 |                        | condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| H0320     | Breast Carcinoma Profile I           | Kerala   | D        | 9180       | Daily : 9:00am  | 10th day               | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0321     | Breast carcinoma Profile II          | Kerala   | D        | 11220      | Daily : 9:00am  | 10th day               | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0322     | Lung Carcinoma (NSCLC) Profile       | Kerala   | D        | 11730      | Daily : 9:00am  | After 2 weeks : 6:00pm | (FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf                        |
| H0323     | Colorectal Carcinoma Profile         | Kerala   | D        | 6630       | Daily : 9:00am  | 10th day               | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details  |
| H0324     | Head and neck cancer (HNSCC profile) | Kerala   | D        | 6630       |                 | 5th Day                | HistologyandIHC.pdf  |
| H0326     | Heavy Metals profile-1, Hair**       | Kerala   | R        | 5665       | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| H0327     | Heavy Metals profile-2, Hair**       | Kerala   | R        | 11845      | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| H0328     | Heavy Metals profile-3, Hair**       | Kerala   | R        | 18025      | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|------------------------|---|
| H0329     | Heavy metals for ayurvedic tablets test                                | Kerala   | R        | 5665       | Daily : 11:30am          | 10th day : 6:00pm      | Medicine sample (10 grm ), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days   |
| H0357     | Histopathological examination of- GI Endoscopic Biopsy with reflex IHC | Kerala   | D        | 4590       | Daily : 9:00am           | 4th day                | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0793     | H3 Viral marker Profile by CLIA - Serum                                | Kerala   | C        | 2650       | Daily : 9:00am to 9:00pm | After 6 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| H0794     | Heavy and Trace Metals profile-1                                       | Kerala   | D        | 10800      | Daily : 11:30am          | 3rd day : 6:00pm       | HeavyMetalSamplingguidelines.pdf  |
| H0795     | Heavy and Trace Metals profile-2                                       | Kerala   | D        | 5865       | Daily : 11:30am          | 3rd day : 6:00pm       | HeavyMetalSamplingguidelines.pdf  |
| H0796     | CELL BLOCK   | Kerala   | C        | 4160       |                          | 5th Day                | HistologyandIHC.pdf   |
| H0797     | HIV-1 RNA Viral load by Taqman RT PCR - EDTA Plasma                    | Kerala   | C        | 5000       | Daily : 07:30am          | Same day : 11:00pm     | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| H0798     | HIV-1 RNA Quantitative Viral load by Taqman RT PCR - CSF               | Kerala   | C        | 6220       | Daily : 07:30am          | Same day : 11:00pm     | 2ml of CSF in Sterile leak proof tube or container  |
| H0799     | Panel Reactive Antibody (PRA) Identification by Luminex* (ClassI)      | Kerala   | D        | 9690       | Daily: 9am               | Same day 6pm           | Recipient: 5 ml serum   |
| H0800     | Panel Reactive Antibody (PRA)Identification by Luminex* (ClassII)      | Kerala   | D        | 9690       | Daily: 9am               | Same day 6pm           | Recipient: 5 ml serum   |
| H0801     | Panel Reactive Antibody (PRA) Screening by Luminex (ClassI & Class II) | Kerala   | D        | 6020       | Daily: 9am               | Same day 6pm           | Recipient: 5 ml serum   |
| H0808     | HEV RNA Detection by Real Time PCR - EDTA Blood                        | Kerala   | D        | 5100       | Daily : 9:00am           | 5th day : 6:00pm       | 3 ml of Whole Blood in EDTA Vacutainer  |
| H0810     | Hereditary Cancer panel **   | Kerala   | R        | 18000      | Daily : 11:30am          | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule         | Reportedon       | Sample Guideline  |
|-----------|--|----------|----------|------------|----------------------|------------------|---|
| H0813     | HLA typing A,B (ClassI) and DR loci (Class II)   | Kerala   | D        | 13770      | Daily: 9am           | Same day 6pm     | 6 ml EDTA/ACD Blood   |
| H0824     | Any specimen with reflex IHC   | Kerala   | C        | 7800       |                      | 5th Day          | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0825     | Histopathological examination of-Nasopharyngeal Biopsy   | Kerala   | D        | 4590       |                      | 5th Day          | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0826     | Histopathological examination of-Salivary Gland  | Kerala   | C        | 3745       |                      | 5th Day          | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0827     | Histopathological examination of-Laryngeal Biopsy  | Kerala   | C        | 2290       |                      | 5th Day          | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0828     | Histopathological examination of-Nasal Polyp with Reflex IHC   | Kerala   | D        | 2245       |                      | 5th Day          | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0829     | Rush Biopsy service  | Kerala   | D        | 3060       |                      | 5th Day          | NA  |
| H0841     | HPV-DNA Detection by Hybrid Capture reflex Typing by PCR & Sanger Sequencing - LBC or Cervical sampler | Kerala   | C        | 3110       | Mon & Thurs : 9:00am | 3rd Day : 6:00pm | Thin Prep Container/ Digene Sampler   |
| H0849     | High Resolution HLA Typing (A, B, C, DR, DQ, DP) - Solid Organ Transplant                              | Kerala   | E        | 14980      | Mon & Thur : 9.00 am | 7 Days           | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| H0850     | High Resolution HLA Typing (A, B, C, DR, DQ, DP) - BMT/ Stem cell Transplant                           | Kerala   | E        | 14980      | Mon & Thur : 9.00 am | 7 Days           | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF            |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------|-------------------|---|
| H0856     | Sub speciality expert opinion  | Kerala   | D        | 9995       |                    | 7th day           | mandatory.<br>Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container Or paraffin blocks along with relevant clinical & radiological details  |
| H0860     | Histology - Frozen Section (Intra Operative) Night frozen 8 pm to 8 am, week off & public holidays | Kerala   | D        | 16320      | Daily : 9:00am     |                   | Fresh tissue to be sent along with relevant clinical & radiological details   |
| H0861     | HLA-B* 1502 for carbamazepine toxicity**   | Kerala   | D        | 8670       | Daily: 7:30am      | 15 days           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| H0862     | HLA - T and B Cell Flow Cytometry Cross Match (FCXM)   | Kerala   | D        | 7100       | Daily : 11:30am    | 3rd day : 6:00pm  | Recipient: 5 ml serum, Donor: 15 ml Heparin   |
| H0863     | High Resolution HLA Typing B**   | Kerala   | R        | 6075       | Tue & Fri: 11:30am | 10th day : 6:00pm | 6 ml EDTA Blood   |
| H0864     | HCG as Tumour Marker, Serum  | Kerala   | C        | 830        | Daily: 9am to 9pm  | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| H0865     | High Resolution HLA Typing DQB1**  | Kerala   | R        | 6075       | Tue & Fri: 11:30am | 10th day : 6:00pm | 6 ml EDTA Blood   |
| H0866     | Pre Transplant Workup panel  | Kerala   | D        | 35700      | Daily: 9am         | Same day 6pm      | Recipient : 3 tubes EDTA/ ACD blood & 1 Gel tube, Donor-6 tubes EDTA/ACD Blood  |
| H0867     | PRA Identification Class I and Class II*   | Kerala   | D        | 18360      | Daily: 9am         | Same day 6pm      | Recipient: 5 ml serum   |
| H0868     | Histopathological examination of- Eyelid Biopsy  | Kerala   | C        | 1560       |                    | 4th Day           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0869     | HBV DNA Combo RT-PCR & Sanger Sequencing - Serum or Plasma   | Kerala   | C        | 14040      | Mon : 9:00am       | Wed : 6:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------------|------------------------|---|
| H0870     | HCV RNA Combo 2 by RT-PCR & Sanger Sequencing - Serum or Plasma    | Kerala   | C        | 9360       | Tue & Fri : 9:00am     | Next day : 5:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3 ml of EDTA Plasma in Plain Sterile Vacutainer  |
| H0871     | HIV-1 RNA Combo 2 by PCR & Sanger Sequencing - EDTA Plasma         | Kerala   | D        | 21420      | 1st & 3rd Mon : 9:00am | 15th day : 6:00pm      | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| H0872     | Anti HMGCR antibodies - serum                                      | Kerala   | R        | 12000      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml Serum  |
| H0874     | NextGen HRR Gene Panel   | Kerala   | E        | 25300      | Daily : 11:30am        | After 4 weeks : 6:00pm | FFPE block with a minimum of 10% (as assessed by the pathologist) of tumor cells should be present  |
| H0876     | Hydroxychloroquine (HCQ)   | Kerala   | D        | 1325       | Tue & Fri: 11:30am     | Next day : 5:00pm      | 3 ml EDTA Whole Blood   |
| H0877     | Histopathology for fungal infection                                | Kerala   | C        | 1560       |                        | 4 days                 | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |
| H0879     | Hemophagocytic lymphohistiocytosis (T-cell Activation HLH Panel)** | Kerala   | R        | 9785       | Daily : 11:30am        | 7th day : 6:00pm       | Sample required: EDTA Blood 3ml   |
| H1030     | HEREDITARY SPASTIC PARAPLEGIA GENE PANEL                           | Kerala   | R        | 20000      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| H1901     | CANINE-Histo-Large specimen (unspecified) More than 5 cm           | Kerala   | C        | 2600       | Daily: 9am             | Report after 8 days    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| H1902     | Second opinion service, Sldies and blocks                          | Kerala   | C        | 2600       | Daily : 9:00am         | Report after 8 days    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|------------------------|--|
|           |   |          |          |            |                          |                        | range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.   |
| H1903     | CANINE-Histo-Medium specimen (unspecified) 2 to 5 cm  | Kerala   | C        | 1145       | Daily: 9am               | Report after 8 days    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| H5671     | Hepatitis B Monitoring profile  | Kerala   | D        | 9925       | Daily : 7:30am           | Next day 5pm           | 3ml of serum, 3 ml of EDTA Plasma in Plain Sterile Vacutainer  |
| H5682     | Tru Heart Basic H5682   | Kerala   | W        | 1399       | Daily                    | Next day 5.00 pm       | 4 ml Serum   |
| H5692     | Hrd track stand-alone test**  | Kerala   | R        | 133900     | Daily : 11:30am          | After 4 weeks : 6:00pm | FFPE blocks with 20% tumor content and HP report.  |
| H8335     | [Combo] Haemophilia A (F8) gene analysis (along with analysis of the F8-intron 22 inversion** | Kerala   | R        | 24720      | Daily : 11:30am          | After 4 weeks : 6:00pm | 4 ml EDTA Whole Blood  |
| H8395     | Hypersensitive pneumonitis panel-Extended   | Kerala   | E        | 10500      | Mon, Wed & Fri : 11:30am | Next day : 5:00pm      | 3ml serum sample required  |
| I0001     | IA2 Insulin Autoantibodies serum  | Kerala   | D        | 2755       | Mon & Thu 9 am           | Next day 5 pm          | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| I0002     | IBD Profile   | Kerala   | C        | 5615       | Fri: 7am                 | Next day 5pm           | 3 ml of serum, 100 gms of stool in sterile container   |
| I0004     | Iduronate 2 Sulphate Sulphatase Hunter/ MPS II Blood  | Kerala   | R        | 10195      | Daily : 11:30am          | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)   |
| I0005     | IgA CSF   | Kerala   | C        | 1455       | Daily: 9am to 9pm        | 6th day                | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).  |
| I0006     | IgA Serum   | Kerala   | C        | 810        | Daily: 9am to 9pm        | After 6 hrs            | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name                     | location | Category | Price(Rs.) | Testschedule      | Reportedon       | Sample Guideline  |
|-----------|-------------------------------|----------|----------|------------|-------------------|------------------|---|
| I0007     | IgD by Flow cytometry Blood*  | Kerala   | D        | 3265       | Daily : 11:30am   | Next day 5pm     | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| I0008     | IGF BP3 Serum                 | Kerala   | C        | 3850       | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| I0009     | IGF-1 Somatomedin C Serum     | Kerala   | C        | 4200       | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| I0010     | IgG by Flow cytometry Blood** | Kerala   | R        | 3040       | Daily : 11:30am   | 4th day : 6:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| I0011     | IgG Total antibody CSF        | Kerala   | C        | 1455       | Daily: 9am to 9pm | After 8 hrs      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).   |
| I0012     | IgG Total antibody Serum      | Kerala   | C        | 810        | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| I0013     | IgG4 Sub Class Serum          | Kerala   | D        | 6500       | Daily: 9am to 9pm | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| I0014     | IgM by Flow cytometry Blood** | Kerala   | R        | 3090       | Daily : 11:30am   | 4th day : 6:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| I0015     | IgM total CSF                 | Kerala   | C        | 1455       | Daily: 7.30am     | 4th day          | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon  | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|-------------|--|
| I0016     | IgM total Serum  | Kerala   | C        | 625        | Daily: 9am to 9pm | After 6 hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| I0017     | IHC Panels with reporting- Bone Marrow                       | Kerala   | C        | 8840       |                   | 5th Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0018     | IHC Panels with reporting-Brain Tumor                        | Kerala   | C        | 8840       |                   | 5th Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0019     | IHC Panels with reporting Breast IV Comprehensive diagnosis  | Kerala   | D        | 8670       |                   | 5th Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0020     | IHC panel-Breast-I, tissue                                   | Kerala   | C        | 3950       |                   | 3rd Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0021     | IHC Panels with reporting Breast-II ER, PR, c-erb-B2         | Kerala   | C        | 4990       |                   | 3rd Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0022     | IHC Panels with reporting Breast-III ER, PR, c-erb-B2, Ki 67 | Kerala   | C        | 6450       |                   | 5th Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0023     | IHC Panels with reporting - Cervical Cancer                  | Kerala   | C        | 8840       |                   | 5th Day     | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0025     | IHC Panels with reporting - GastroIntestinal                 | Kerala   | C        | 8840       |                   | 5th Day     | Paraffin blocks ( Formalin fixed   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
|           | neoplasm   |          |          |            |              |            | paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                                  |
| I0026     | IHC Panels with reporting - Liver Neoplasm   | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0027     | IHC Panels with reporting - Lung Neoplasm  | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0028     | IHC Panels with reporting - Lymph node   | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0032     | IHC Panels with reporting Ovarian Neoplasm   | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0033     | IHC Panels with reporting Pancreatic Neoplasm                                      | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0034     | IHC Panels with reporting Peritoneal Adenocarcinoma Vs Mesothelioma                | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0035     | IHC Panels with reporting Pituitary Marker Profile - ACTH, LH, FSH, TSH, PROLACTIN | Kerala   | C        | 14040      |              | 7th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0037     | IHC Panels with reporting - Round Cell Tumor(Adult/Pediatric)  | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0038     | IHC Panels with reporting - Carcinoma of unknown primary (CUP) | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0039     | IHC Panels with reporting - Salivary Gland Neoplasm            | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0040     | IHC Panels with reporting - Soft Tissue Tumor                  | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0041     | IHC Panels with reporting - Testicular Neoplasm                | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0042     | IHC Panels with reporting - Thyroid Neoplasm                   | Kerala   | C        | 8840       |              | 5th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0043     | IHC Panels with reporting - 34 Beta E12 (HMWCK)                | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0046     | IHC single marker with reporting Alpha Feto Protein            | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0048     | IHC single marker with reporting Bcl-2 Oncoprotein | Kerala   | D        | 2245       |              | 4th Day    | detail<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0049     | IHC single marker with reporting Bcl-6 Oncoprotein | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0050     | IHC single marker with reporting Beta Catenin      | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0051     | IHC single marker with reporting Beta HCG          | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0053     | IHC single marker with reporting C4D               | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0054     | IHC single marker with reporting CA 125            | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0055     | IHC single marker with reporting CA-19.9 **        | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0056     | IHC single marker with reporting Calcitonin        | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|------------|--|
|           |   |          |          |            |              |            | all relevant clinical and radiological detail  |
| I0057     | IHC single marker with reporting Calponin                 | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0058     | IHC single marker with reporting Carletinin               | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0061     | IHC multiplex marker with reporting CD 20 + CD 3 Cocktail | Kerala   | D        | 3060       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0062     | IHC single marker with reporting CD10                     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0063     | IHC single marker with reporting CD117                    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0064     | IHC single marker with reporting CD138                    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0065     | IHC single marker with reporting CD15                     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0066     | IHC single marker with reporting CD1a                     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach  |



| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|------------|--|
|           |   |          |          |            |              |            | original Histopathology report and all relevant clinical and radiological detail   |
| I0067     | IHC single marker with reporting CD20     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0068     | IHC single marker with reporting CD21     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0070     | IHC single marker with reporting CD23     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0071     | IHC single marker with reporting CD3      | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0072     | IHC single marker with reporting CD30     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0073     | IHC single marker with reporting CD31     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0074     | IHC single marker with reporting CD34     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0075     | IHC multiplex marker with reporting CD4 + | Kerala   | D        | 3060       |              | 4th Day    | Paraffin blocks ( Formalin fixed   |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|------------|--|
|           | CD8 Cocktail                              |          |          |            |              |            | paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                                  |
| I0076     | IHC single marker with reporting CD43     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0077     | IHC single marker with reporting CD45 LCA | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0078     | IHC single marker with reporting CD5      | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0079     | IHC single marker with reporting CD56     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0080     | IHC single marker with reporting CD57     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0081     | IHC single marker with reporting CD68     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0082     | IHC single marker with reporting CD79a    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0083     | IHC single marker with reporting CD99 Mic2                               | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0084     | IHC single marker with reporting CDX2                                    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0085     | IHC single marker with reporting CEA                                     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0086     | IHC-CERB2 (Her 2/neu)-IHC single marker, tissue                          | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0087     | IHC single marker with reporting C-erb-B2 for Gastric carcinoma Her2 Neu | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0088     | IHC single marker with reporting Chromogranin A                          | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0089     | IHC single marker with reporting CK10                                    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0090     | IHC single marker with reporting CK19                                    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0091     | IHC single marker with reporting CK20                                | Kerala   | D        | 2245       |              | 4th Day    | detail<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0092     | IHC single marker with reporting CK5/6                               | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0093     | IHC single marker with reporting CK7                                 | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0094     | IHC single marker with reporting CK8                                 | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0095     | IHC single marker with reporting p16INK4a                            | Kerala   | D        | 4590       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0096     | IHC single marker with reporting Cyclin D1                           | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0097     | IHC single marker with reporting Desmin                              | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0098     | IHC multiplex marker with reporting Desmoglein 3 + Napsin A Cocktail | Kerala   | D        | 3060       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------|------------|---|
| I0099     | IHC single marker with reporting DOG-1                           | Kerala   | D        | 2245       |              | 4th Day    | all relevant clinical and radiological detail<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0100     | IHC single marker with reporting E Cadherin                      | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0101     | IHC single marker with reporting EGFR                            | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0102     | IHC single marker with reporting EMA Epithelial Membrane Antigen | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0103     | IHC-Estrogen Receptor (ER)-single marker, tissue                 | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0104     | IHC single marker with reporting Factor VIII                     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0106     | IHC single marker with reporting GCDFP15                         | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0107     | IHC single marker with reporting GFAP                            | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach   |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule   | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|----------------|------------|--|
| I0108     | IHC single marker with reporting Glypican-3    | Kerala   | D        | 2245       |                | 4th Day    | original Histopathology report and all relevant clinical and radiological detail<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0110     | IHC single marker with reporting H.Pylori      | Kerala   | D        | 2245       |                | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0113     | IHC single marker with reporting Hep-Par 1     | Kerala   | D        | 2245       |                | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0114     | IHC single marker with reporting HMB45         | Kerala   | D        | 2245       |                | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0115     | IHC single marker with reporting HPV           | Kerala   | D        | 2450       | Daily : 9:00am | 4th day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0119     | IHC single marker with reporting Inhibin Alpha | Kerala   | D        | 2245       |                | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0120     | IHC single marker with reporting Insulin       | Kerala   | D        | 2245       |                | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0121     | IHC multiplex marker with reporting Kappa      | Kerala   | D        | 3060       |                | 4th Day    | Paraffin blocks ( Formalin fixed   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
|           | + Lambda Cocktail                                    |          |          |            |              |            | paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                                  |
| I0122     | IHC single marker with reporting Ki 67               | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0126     | IHC single marker with reporting Lysoyme             | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0127     | IHC single marker with reporting Melan A             | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0128     | IHC single marker with reporting Mesothelin          | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0129     | IHC single marker with reporting MOC 31              | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0130     | IHC single marker with reporting MPO Myeloperoxidase | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0131     | IHC single marker with reporting Mum1 Protein        | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0132     | IHC single marker with reporting My F4 Myogenin              | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0133     | IHC single marker with reporting Myoglobin                   | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0134     | IHC single marker with reporting NSE Neuron Specific Enolase | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0135     | IHC single marker with reporting Oct.2                       | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0137     | IHC single marker with reporting p53                         | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0138     | IHC single marker with reporting p63                         | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0139     | IHC single marker with reporting Pan CK AE1/AE3              | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0140     | IHC single marker with reporting Pax 5                       | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0141     | IHC single marker with reporting Pax 8                                     | Kerala   | D        | 2245       |              | 4th Day    | detail<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0142     | IHC multiplex marker with reporting PIN 4 Cocktail Ck5 + Ck14 +P63 + P504S | Kerala   | D        | 3060       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0143     | IHC single marker with reporting PLAP Placental Alkaline Phosphatase       | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0144     | IHC-Progesterone Receptor (PR)single marker,tissue                         | Kerala   | D        | 1530       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0146     | IHC single marker with reporting Prostatic Acid Phosphatase                | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0147     | IHC single marker with reporting PSA Prostate Specific Antigen             | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0148     | IHC single marker with reporting S100 Protein                              | Kerala   | D        | 2450       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail           |
| I0149     | IHC single marker with reporting Smooth Muscle Actin                       | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|------------|--|
|           |   |          |          |            |              |            | all relevant clinical and radiological detail  |
| I0150     | IHC single marker with reporting Synaptophysin            | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0151     | IHC single marker with reporting TdT                      | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0152     | IHC single marker with reporting Thyroglobulin            | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0154     | IHC single marker with reporting TTF1                     | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0155     | IHC single marker with reporting Vimentin                 | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0156     | IHC single marker with reporting WT1 Wilm S Tumor Protein | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0157     | IHC stain only 34 Beta E12                                | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| I0158     | IHC stain only ALK1                                       | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| I0159     | IHC stain only Alpha Feto Protein                         | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide   |

| Test Code | Test Name                        | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline                                 |
|-----------|----------------------------------|----------|----------|------------|--------------|------------|--|
| I0160     | IHC stain only Bcl-2 Oncoprotein | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0161     | IHC stain only Bcl-6 Oncoprotein | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0162     | IHC stain only Beta Catenin      | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0163     | IHC stain only Beta HCG          | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0164     | IHC stain only CA125             | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0165     | IHC stain only Calcitonin        | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0166     | IHC stain only Calponin          | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0167     | IHC stain only Calretinin        | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0170     | IHC stain only CD10              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0171     | IHC stain only CD117             | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0172     | IHC stain only CD138             | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0173     | IHC stain only CD15              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0174     | IHC stain only CD1a              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0175     | IHC stain only CD20              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0176     | IHC stain only CD21              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0178     | IHC stain only CD23              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0179     | IHC stain only CD3               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0180     | IHC stain only CD30              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |

| Test Code | Test Name                         | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline                                 |
|-----------|-----------------------------------|----------|----------|------------|--------------|------------|--|
| I0181     | IHC stain only CD31               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0182     | IHC stain only CD34               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0184     | IHC stain only CD43               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0185     | IHC stain only CD45 LCA           | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0186     | IHC stain only CD5                | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0187     | IHC stain only CD79a              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0188     | IHC stain only CD99 Mic2          | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0189     | IHC stain only CDX2               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0190     | IHC stain only CEA                | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0191     | IHC stain only c-erb-B2 Her 2 Neu | Kerala   | D        | 1530       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0192     | IHC stain only Chromogranin A     | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0194     | IHC stain only CK 19              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0195     | IHC stain only CK 20              | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0196     | IHC stain only CK 5/6             | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0197     | IHC stain only CK 7               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0198     | IHC stain only CK8                | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0200     | IHC stain only Cyclin D1          | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0201     | IHC stain only Desmin             | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline                                 |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0202     | IHC stain only DOG-1                           | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0203     | IHC stain only E Cadherin                      | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0204     | IHC stain only EGFR                            | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0205     | IHC stain only EMA Epithelial Membrane Antigen | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0206     | IHC stain only ER Estrogen Receptor            | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0207     | IHC stain only Factor VIII                     | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0208     | IHC stain only GCDPF15                         | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0209     | IHC stain only GFAP                            | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0210     | IHC stain only Glypican-3                      | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0211     | IHC stain only H.Pylori                        | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0212     | IHC stain only Hep-Par 1                       | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0213     | IHC stain only HMB45                           | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0215     | IHC stain only Inhibin Alpha                   | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0216     | IHC stain only Insulin                         | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0217     | IHC stain only Ki 67                           | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0218     | IHC stain only Melan A                         | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0219     | IHC stain only Mesothelin                      | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0220     | IHC stain only MOC 31                          | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline                                 |
|-----------|--|----------|----------|------------|--------------|------------|--|
| I0221     | IHC stain only MPO Myeloperoxidase                               | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0222     | IHC stain only Multiplex CD 20 + CD3 Cocktail                    | Kerala   | D        | 2040       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0223     | IHC stain only Multiplex CD4 + CD8                               | Kerala   | D        | 2040       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0224     | IHC stain only Multiplex Desmoglein 3 + Napsin A                 | Kerala   | D        | 2040       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0225     | IHC stain only Multiplex Kappa + Lambda                          | Kerala   | D        | 2040       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0226     | IHC stain only Multiplex Pin-4 Cocktail Ck5 + Ck14 + P63 + P504S | Kerala   | D        | 2040       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0227     | IHC stain only Mum1 Protein                                      | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0228     | IHC stain only My F4 (Myogenin)                                  | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0230     | IHC stain only NSE Neuron Specific Enolase                       | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0231     | IHC stain only OCT.2   | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0233     | IHC stain only p53   | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0234     | IHC stain only p63   | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0235     | IHC stain only Pan CK AE1/AE3                                    | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0236     | IHC stain only Pax 5   | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0237     | IHC stain only Pax 8   | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0238     | IHC stain only PLAP  | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0239     | IHC stain only PR Progesterone Receptor                          | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |
| I0240     | IHC stain only Prostatic Acid Phosphatase                        | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------------|-------------------|---|
| I0241     | IHC stain only PSA Prostate Specific Antigen                  | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0242     | IHC stain only S100 Protein                                   | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0243     | IHC stain only Single Marker (Any other)                      | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0244     | IHC stain only SMA Smooth Muscle Actin                        | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0245     | IHC stain only Synaptophysin                                  | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0246     | IHC stain only TdT  | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0247     | IHC stain only Thyroglobulin                                  | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0248     | IHC stain only TTF1   | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0249     | IHC stain only Vimentin                                       | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0250     | IHC stain only WT1 Wilm S Tumor Protein                       | Kerala   | D        | 1225       |                         | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0251     | IHC Comprehensive panel for diagnosis                         | Kerala   | C        | 8500       |                         | 5th Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0258     | IL28 B SNP Genotyping by PCR & Sanger Sequencing - EDTA Blood | Kerala   | D        | 5100       | Daily : 9:00am          | 10th day : 6:00pm | 3 ml of Whole Blood in EDTA Vacutainer  |
| I0259     | Immune Status Panel   | Kerala   | C        | 6345       | Daily: 9am              | After 8 hrs       | 5 ml of serum   |
| I0260     | Immunofixation Qualitative Serum                              | Kerala   | C        | 5825       | Tue, Thu & Sat: 11:30am | Next day : 5:00pm | 4 ml of Serum   |
| I0261     | Immunofixation Qualitative Urine Profile                      | Kerala   | C        | 6655       | Thu : 11:30am           | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine |

| Test Code | Test Name                                       | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
|           |   |          |          |            |                          |                   | volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| I0262     | Immunofixation- Quantitative Serum              | Kerala   | C        | 8000       | Tue, Thu & Sat: 11:30am  | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| I0263     | Immunofixation-Quantitative Urine               | Kerala   | C        | 8320       | Mon : 11:30am            | Next day : 5:00pm | 10 ml 24 Hrs Urine (Preferred) OR Spot urine   |
| I0264     | Immunoglobulin Profile IgG, IgM and IgA,CSF     | Kerala   | C        | 3745       | Daily: 7.30am            | Next day 5pm      | 2 ml of CSF in leakproof container (foolin vu conical tube is recommended to prevent leakage).   |
| I0265     | Immunoglobulin Profile IgG, IgM and IgA, Serum  | Kerala   | C        | 2030       | Daily: 9am to 9pm        | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| I0266     | Impotence Profile                               | Kerala   | C        | 3430       | Daily: 9am to 9pm        | After 8 hrs       | 5 ml of serum  |
| I0267     | India Ink Preparation by Microscopy - CSF       | Kerala   | B        | 380        | Daily : 9:00am to 3:00pm | After 6 hrs       | 2ml of CSF in Sterile leak proof tube or container   |
| I0268     | Infectious Mononucleosis Profile by IFA - Serum | Kerala   | C        | 5355       | Mon & Thu : 7:30am       | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| I0269     | Infertility Profile , Female                    | Kerala   | C        | 6550       | Daily: 9am               | 5th day           | 3 ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine  |
| I0270     | Infertility Profile, Male                       | Kerala   | C        | 5460       | Daily: 9am               | 5th day           | 3 ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine, Semen sample  |
| I0273     | Inhibin A Serum                                 | Kerala   | C        | 1250       | Daily: 9am to 9pm        | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| I0274     | Inhibin B Serum                                 | Kerala   | C        | 2390       | Mon & Thu : 11:30am      | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex   |



| Test Code | Test Name                                   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| I0275     | Insulin (Fasting) Serum                     | Kerala   | B        | 1000       | Daily: 9am to 9pm        | After 6 hrs       | tests.<br>2 ml of Serum Collected In Fasting.   |
| I0275_PG  | Insulin, Post Glucose Serum                 | Kerala   | B        | 650        | Daily: 9am to 9pm        | After 6 hrs       | 2 ml of serum collected 2 hours post Glucose Monohydrate 82.5 gm                        |
| I0275_PP  | Insulin, Post Prandial Serum                | Kerala   | B        | 1080       | Daily: 9am to 9pm        | After 6 hrs       | 2 ml of serum collected 2 hours post lunch  |
| I0275_R   | Insulin (Random) Serum                      | Kerala   | B        | 1070       | Daily: 9am to 9pm        | After 6 hrs       | 2 ml of serum   |
| I0276     | Insulin Antibody Type I & II diabetes serum | Kerala   | D        | 2500       | Monday & Thursday 9am    | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| I0277     | Insulin Suppression Test - C-peptide Serum  | Kerala   | C        | 7175       | Daily: 9am to 9pm        | After 8 hrs       | 3 ml of Serum (basal, 10,20,30,40,50,60 Minutes )                                       |
| I0279     | Interleukin -6 CLIA Plasma                  | Kerala   | C        | 3330       | Daily 9 am - 9 pm        | After 6 hrs       | 3 ml of EDTA plasma to be send in aliquot tube at proper temperature.                   |
| I0281     | Intrinsic Factor Antibody by IFA Serum      | Kerala   | C        | 2705       | Mon & Thu : 11:30am      | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| I0282     | Iron biochemical Serum                      | Kerala   | B        | 530        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| I0284     | Iron Urine 24H**                            | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| I0285     | Iron Serum                                  | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| I0286     | Iron Studies, Serum                         | Kerala   | B        | 800        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| I0287     | Islet Cell Antibody ICA-512 serum           | Kerala   | D        | 2140       | Mon & Thu : 11:30am      | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| I0288     | Isoleucine Quantitative Plasma              | Kerala   | D        | 6325       | Thu : 11:30am            | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature. |
| I0289     | Isoleucine Quantitative Urine 24H**         | Kerala   | R        | 6385       | Daily : 11:30am          | 7th day : 6:00pm  | 10 ml of Spot urine   |
| I0290     | Isospora by smear examination - Stool       | Kerala   | B        | 595        | Daily : 9:00am to 3:00pm | After 6 hrs       | 5gm of Stool specimen in Sterile leak proof container                                   |
| I0291     | IHC single marker with reporting            | Kerala   | D        | 2245       |                          | 5th Day           | Paraffin blocks ( Formalin fixed  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|-------------------|--|
|           | Unspecified stain  |          |          |            |                   |                   | paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0292     | Reticulocyte count profile   | Kerala   | B        | 465        | Daily: 9am to 9pm | After 6 hrs       | 3 ml EDTA Whole Blood  |
| I0293     | IHC stain only CD 56_I0293   | Kerala   | D        | 1225       |                   | 3rd Day           | Single Paraffin block / section on charged slide   |
| I0294     | IHC stain only CD 57_I0294   | Kerala   | D        | 1225       |                   | 3rd Day           | Single Paraffin block / section on charged slide   |
| I0295     | IHC stain only CD68_I0295  | Kerala   | D        | 1225       |                   | 3rd Day           | Single Paraffin block / section on charged slide   |
| I0296     | IHC stain only Lysozyme_I0296                                      | Kerala   | D        | 1225       |                   | 3rd Day           | Single Paraffin block / section on charged slide   |
| I0297     | IHC p16INK4a stain only  | Kerala   | D        | 2960       |                   | 3rd Day           | Single Paraffin block / section on charged slide   |
| I0300     | IgVH GENE MUTATION**_I0300   | Kerala   | R        | 9415       | Wed : 11:30am     | 10th day : 6:00pm | 3 ml of EDTA whole blood   |
| I0301     | BCR ABL1 Mutation Analysis   | Kerala   | E        | 9800       | Daily : 9:00am    | 8th day : 6:00pm  | 5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.             |
| I0305     | IGH/CCND1:t(11;14) translocation Mantle Cell Lymphoma FISH, TISSUE | Kerala   | D        | 8160       | Daily : 9:00am    | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| I0312     | IGH gene rearrangement Translocations involving 14q32 locus        | Kerala   | D        | 8160       | Daily : 9:00am    | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon       | Sample Guideline   |
|-----------|--|----------|----------|------------|------------------------|------------------|--|
|           |  |          |          |            |                        |                  | FFPE block to be shipped at Ambient temperature.   |
| I0315     | IDH1 and IDH2 gene mutation - FFPE Tissue                              | Kerala   | E        | 7000       | Mon, Wed & Fri: 9:00am | 5th day : 6:00pm | Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report. |
| I0316     | IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BONE MARROW | Kerala   | D        | 4590       | Daily : 9:00am         | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer  |
| I0317     | IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BLOOD       | Kerala   | D        | 4590       | Daily : 9:00am         | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer  |
| I0318     | IGH/BCL2 fusion  | Kerala   | D        | 8160       | Daily : 9:00am         | 7th day : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.                             |
| I0319     | IHC single marker with reporting p40                                   | Kerala   | D        | 2245       |                        | 4th Day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0320     | IHC single marker with reporting Uroplakin II                          | Kerala   | D        | 2245       |                        | 4th Day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0321     | IHC stain only p40   | Kerala   | D        | 1225       |                        | 3rd Day          | Single Paraffin block / section on charged slide   |
| I0322     | IHC stain only Uroplakin II  | Kerala   | D        | 1225       |                        | 3rd Day          | Single Paraffin block / section on charged slide   |
| I0323     | Immature Platelet fraction (IPF) Count                                 | Kerala   | B        | 565        | Daily: 9am to 9pm      | After 6 hrs      | 3 ml EDTA whole Blood with direct smear  |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule   | Reportedon           | Sample Guideline   |
|-----------|---|----------|----------|------------|----------------|----------------------|--|
| I0324     | Influenza A virus IgG Antibody by EIA - Serum | Kerala   | C        | 1870       | Thurs : 9:00am | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| I0325     | Influenza A virus IgM Antibody by EIA - Serum | Kerala   | C        | 1870       | Thurs : 9:00am | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| I0326     | Influenza B virus IgG Antibody by EIA - Serum | Kerala   | C        | 1870       | Thurs : 9:00am | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| I0327     | Influenza B virus IgM Antibody by EIA - Serum | Kerala   | C        | 1870       | Thurs : 9:00am | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| I0331     | ICG Clearance Test Serum                      | Kerala   | D        | 5610       | Daily          | Same Day after 6 hrs | 5 ml Serum Sample(Sample should be collected in plain red vaccutainer)<br>1. 4 red top vaccutainers-5 ml of blood in each tube)<br>2. 1 red top vaccutainer-2 ml of blood)<br>3. 1 red top vaccutainer-2 ml of blood)<br>4. 1 red top vaccutainer-2 ml of blood)<br>5. 1 red top vaccutainer-2 ml of blood)<br>6. 1 red top vaccutainer-2 ml of blood)<br>7. 1 red top vaccutainer-2 ml of blood)<br>8. 1 red top vaccutainer-2 ml of blood)<br>Sample should reach within 2 hrs of collection at 2-8<br>9. 1 red top vaccutainer-2 ml of blood)<br>10. 1 red top vaccutainer-2 ml of blood)<br>11. 1 red top vaccutainer-2 ml of blood)<br>12. 1 red top vaccutainer-2 ml of blood)<br>13. 1 red top vaccutainer-2 ml of blood)<br>14. 1 red top vaccutainer-2 ml of blood)<br>15. 1 red top vaccutainer-2 ml of blood)<br>16. 1 red top vaccutainer-2 ml of blood)<br>17. 1 red top vaccutainer-2 ml of blood)<br>18. 1 red top vaccutainer-2 ml of blood)<br>19. 1 red top vaccutainer-2 ml of blood)<br>20. 1 red top vaccutainer-2 ml of blood)<br>Sample tubes to be wrapped in aluminium foil to avoid exposure to light. Left over dye solution to be sent across to the lab along with the samples. |
| I0332     | IHC Androgen Receptor with interpretation     | Kerala   | D        | 2550       |                | 6th Day              | Paraffin blocks ( Formalin fixed   |

| Test Code | Test Name                             | location | Category | Price(Rs.) | Testschedule | Reportedon | Sample Guideline   |
|-----------|---------------------------------------|----------|----------|------------|--------------|------------|--|
| I0337     | PDL1 (SP263) by IHC - Ventana         | Kerala   | D        | 8160       |              | 8th Day    | paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                                  |
| I0338     | IMMUNOHISTOCHEMISTRY C-MYC ANTIBODY   | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0339     | IMMUNOHISTOCHEMISTRY EBV              | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0342     | IHC single marker with reporting TFE3 | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0347     | IHC stain only C-myc antibody         | Kerala   | D        | 1225       |              | 4th Day    | Single Paraffin block / section on charged slide   |
| I0348     | IHC stain only EBV                    | Kerala   | D        | 1225       |              | 3rd Day    | Single Paraffin block / section on charged slide   |
| I0350     | IHC stain only CD7                    | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0352     | IHC stain only IgG4                   | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0353     | IHC stain only GATA3                  | Kerala   | D        | 2245       |              | 4th Day    | Paraffin blocks ( Formalin fixed   |

| Test Code | Test Name                             | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---------------------------------------|----------|----------|------------|--------------------------|-------------------|---|
|           |                                       |          |          |            |                          |                   | paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0354     | IHC stain only H caldesmon            | Kerala   | D        | 2245       |                          | 4th Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0355     | IHC stain only ERG                    | Kerala   | D        | 2245       |                          | 4th Day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0363     | IHC stain only Androgen Receptor      | Kerala   | D        | 1530       |                          | 3rd Day           | Single Paraffin block / section on charged slide  |
| I0366     | Hypersensitive pneumonitis panel      | Kerala   | D        | 7200       | Mon, Wed & Fri : 11:30am | Next day : 5:00pm | 3ml serum sample required   |
| I0366_1   | Penicillium Chrysogenum(Specific IgG) | Kerala   | C        | 1770       | Mon & Thu : 11:30am      | Next day : 6:00pm | Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |
| I0366_2   | Cladosporium herbarum (Specific IgG)  | Kerala   | C        | 1770       | Mon & Thu : 11:30am      | Next day : 6:00pm | Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |
| I0366_3   | Aspergillus fumigatus(Specific IgG)   | Kerala   | C        | 1770       | Mon & Thu : 11:30am      | Next day : 5:00pm | Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule              | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------------|-------------------|---|
| I0366_4   | Mucor Racemosus(Specific IgG)  | Kerala   | C        | 1770       | Mon & Thu :<br>11:30am    | Next day : 6:00pm | Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.               |
| I0366_5   | Alternaria alternata(Specific IgG)                                   | Kerala   | C        | 1770       | Mon & Thu :<br>11:30am    | Next day : 6:00pm | Require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.               |
| I0368     | IGRAS (QFT Plus) by ELISA - Lithium Heparin Blood                    | Kerala   | D        | 3365       | Mon, Wed, Fri :<br>7:30am | Next day : 5pm    | 5 ml of Lithium Heparin Blood   |
| I0371     | Iron, Hair tests by ICPMS**  | Kerala   | R        | 1855       | Daily : 11:30am           | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| I0372     | IDH1 and IDH2 gene mutation, AML, Blood                              | Kerala   | E        | 6500       | Tue & Fri : 9:00am        | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| I0372_BM  | IDH1 and IDH2 gene mutation, AML, Bone Marrow                        | Kerala   | E        | 6500       | Tue & Fri : 9:00am        | 7th day : 6:00pm  | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| I0373     | IGRAS (Quantiferon TB Gold) - 3tube by ELISA - Lithium Heparin Blood | Kerala   | C        | 3120       | Mon, Wed, Fri :<br>7:30am | Next day : 5pm    | 5 ml of Lithium Heparin Blood   |
| I0378     | Immunofluorescence Analysis in Michels Medium (Kidney / Skin Biopsy) | Kerala   | D        | 3570       |                           | 7 days            | Biopsy to be sent in Michelâ€™s Medium in a Leak proof container along with relevant clinical &   |

| Test Code | Test Name                               | location | Category | Price(Rs.) | Testschedule   | Reportedon       | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------|------------------|---|
| I0380     | Isavuconazole **                        | Kerala   | R        | 6180       | Daily : 7:30am | 7th day : 6:00pm | radiological details<br>3 ml of EDTA Plasma.Please indicate history of the drug dose taken, time of sample collection and clinical History along with the sample. |
| I0384     | IHC stain only ATRX                     | Kerala   | D        | 3570       | Daily : 9:00am | 3rd day          | Single Paraffin block / section on charged slide  |
| I0385     | IHC single marker with reporting ATRX   | Kerala   | D        | 4590       | Daily : 9:00am | 4th day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                |
| I0386     | IHC stain only IDH 1                    | Kerala   | D        | 3570       | Daily : 9:00am | 3rd day          | Single Paraffin block / section on charged slide  |
| I0387     | IHC single marker with reporting IDH 1  | Kerala   | D        | 4590       | Daily : 9:00am | 4th day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                |
| I0388     | IHC stain only SOX 10                   | Kerala   | D        | 3570       | Daily : 9:00am | 3rd day          | Single Paraffin block / section on charged slide  |
| I0389     | IHC single marker with reporting SOX 10 | Kerala   | D        | 4590       | Daily : 9:00am | 4th day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                |
| I0391     | IHC single marker with reporting HHV 8  | Kerala   | D        | 4590       | Daily : 9:00am | 4th day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail                |
| I0394     | IHC stain only SV 40                    | Kerala   | D        | 3570       | Daily : 9:00am | 3rd day          | Single Paraffin block / section on charged slide  |
| I0395     | IHC single marker with reporting SV 40  | Kerala   | D        | 4590       | Daily : 9:00am | 4th day          | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological                       |



| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------|-------------------|--|
| I0397     | IGLON5 ANTIBODY Serum                     | Kerala   | D        | 12240      | Tue & Fri: 11:30am | Next day : 6:00pm | 3 ml Serum   |
| I0399     | IHC stain only PLA 2 R1                   | Kerala   | D        | 3570       | Daily : 9:00am     | 3rd day           | Single Paraffin block / section on charged slide   |
| I0400     | IHC single marker with reporting PLA 2 R1 | Kerala   | D        | 4590       | Daily : 9:00am     | 4th day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0401     | IHC stain only STAT 6                     | Kerala   | D        | 2550       | Daily : 9:00am     | 3rd day           | Single Paraffin block / section on charged slide   |
| I0402     | IHC single marker with reporting STAT 6   | Kerala   | D        | 3060       | Daily : 9:00am     | 4th day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0403     | IHC stain only INI 1                      | Kerala   | D        | 3570       | Daily : 9:00am     | 3rd day           | Single Paraffin block / section on charged slide   |
| I0404     | IHC single marker with reporting INI 1    | Kerala   | D        | 4590       | Daily : 9:00am     | 4th day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0405     | IHC stain only Sall 4                     | Kerala   | D        | 3570       | Daily : 9:00am     | 3rd day           | Single Paraffin block / section on charged slide   |
| I0406     | IHC single marker with reporting Sall 4   | Kerala   | D        | 4590       | Daily : 9:00am     | 4th day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0407     | IHC stain only NKX 3.1                    | Kerala   | D        | 3570       | Daily : 9:00am     | 3rd day           | Single Paraffin block / section on charged slide   |
| I0408     | IHC single marker with reporting NKX 3.1  | Kerala   | D        | 4590       | Daily : 9:00am     | 4th day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail |
| I0409     | IHC stain only CD 4                       | Kerala   | D        | 2040       | Daily : 9:00am     | 3rd day           | Single Paraffin block / section on   |

| Test Code | Test Name                                    | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|------------------------|--|
| I0410     | IHC single marker with reporting CD 4        | Kerala   | D        | 3060       | Daily : 9:00am    | 4th day                | charged slide<br>Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |
| I0411     | IHC stain only CD 8                          | Kerala   | D        | 2040       | Daily : 9:00am    | 3rd day                | Single Paraffin block / section on charged slide   |
| I0412     | IHC single marker with reporting CD 8        | Kerala   | D        | 3060       | Daily : 9:00am    | 4th day                | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I0413     | IHC single marker with reporting CMV         | Kerala   | D        | 2245       | Daily : 9:00am    | 7th day                | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail   |
| I1005     | IgG Subclass 1(IgG1) serum by Nephelometry** | Kerala   | R        | 5150       | Daily : 11:30am   | After 4 weeks : 6:00pm | 5 ml Serum (Age & gender manadatory)   |
| I1006     | IgG Subclass 2(IgG2) serum by Nephelometry** | Kerala   | R        | 5150       | Daily : 11:30am   | After 4 weeks : 6:00pm | 5 ml Serum (Age & gender manadatory)   |
| I1007     | IgG Subclass 3(IgG3) serum by Nephelometry** | Kerala   | R        | 5150       | Daily : 11:30am   | After 4 weeks : 6:00pm | 5 ml Serum (Age & gender manadatory)   |
| I1025     | IODINE, Serum by ICP-MS method**             | Kerala   | R        | 9515       | Daily : 11:30am   | After 4 weeks : 6:00pm | 3 ml Serum   |
| I1026     | IODINE, Urine by ICP-MS method**             | Kerala   | R        | 9270       | Daily : 11:30am   | After 4 weeks : 6:00pm | Individual Metals and Minerals.pdf   |
| I1901     | Impression Smears                            | Kerala   | D        | 1100       | Daily : 9:00am    | Report after 48 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| I1902     | Insulin, Serum by CMIA                       | Kerala   | B        | 920        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule            | Reportedon                  | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------------|-----------------------------|--|
|           |  |          |          |            |                         |                             | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| I5073     | Isoniazid**  | Kerala   | R        | 7210       | Daily 7.30 am           | 10 days                     | 2 ml Na-Heparin Plasma   |
| I5649     | FLU-XPRT VIRAL PANEL   | Kerala   | D        | 4590       | Daily : 7:00am & 3:00pm | Same Day : 3:00pm & 11:00pm | Swab with Sufficient Material in Viral Transport Medium (VTM)  |
| I8151     | Immunofixation image   | Kerala   | C        | 520        | Tue, Thu & Sat: 11:30am | Next day : 5:00pm           | Pre-requisite: Kindly mention the VID for gel electrophoresis test asked.  |
| I8155     | PD-L1 Dako 22C3 IHC  | Kerala   | D        | 14455      | Daily 7.30 am           | 10th days                   | Paraffin Block   |
| I8335     | ILD Complete   | Kerala   | D        | 17850      | Tue , Fri: 9am          | Next day 5:00 pm            | 5 ML OF SERUM  |
| I8336     | ILD Screen   | Kerala   | D        | 7140       | Mon,Thu: 9am            | Next day 5:00 pm            | 3 ml EDTA WHOLE BLOOD,5 ML OF SERUM,   |
| I8337     | ILD Autoimmune Maxi  | Kerala   | D        | 13770      | Tue , Fri: 9am          | Next day 5:00 pm            | 5 ML OF SERUM  |
| I8338     | ILD Autoimmune Profile Mini                                  | Kerala   | D        | 7650       | Tue , Fri: 9am          | Next day 5:00 pm            | 5 ML OF SERUM  |
| J0001     | JAK-2 Mutation (CMPD) Exon 12 Mutation Bone Marrow           | Kerala   | D        | 6630       | Wed & Sat : 9:00am      | 7th day : 6:00pm            | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory. |
| J0002     | JAK-2 Mutation (CMPD) (V617F) by Real Time PCR - Bone Marrow | Kerala   | D        | 6630       | Tue & Fri : 9:00am      | Next day : 7:00pm           | 3 ml of Bone Marrow in EDTA Vacutainer   |
| J0003     | JAK-2 Mutation (CMPD) Exon 12 Mutation Blood                 | Kerala   | D        | 6630       | Wed & Sat : 9:00am      | 7th day : 6:00pm            | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription referring clinicians contact number and TRF mandatory. |
| J0004     | JAK-2 Mutation (CMPD) (V617F) by Real Time PCR - Blood       | Kerala   | D        | 6800       | Tue & Fri : 9:00am      | Next day : 7:00pm           | 3 ml of Whole Blood in EDTA Vacutainer   |
| J0005     | JC-BK Virus DNA Detection by Real Time                       | Kerala   | D        | 6100       | Mon & Thurs :           | Next day : 5:00pm           | 2ml of CSF in Sterile leak proof   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule         | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------------|-------------------|---|
|           | PCR - CSF   |          |          |            | 9:00am               |                   | tube or container   |
| J0006     | JC-BK Virus DNA Detection by Real Time PCR - EDTA Plasma  | Kerala   | D        | 5815       | Mon & Thurs : 9:00am | Next day : 5:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| J0007     | JC-BK Virus DNA Detection by Real Time PCR - Urine  | Kerala   | D        | 5815       | Mon & Thurs : 9:00am | Next day : 5:00pm | 15ml of Spot Urine in Sterile leak proof container  |
| J0008     | JEV RNA Detection by Real Time PCR - EDTA Blood   | Kerala   | D        | 4030       | Fri : 7:30am         | Next day : 5:00pm | 3 ml of Whole Blood in EDTA Vacutainer  |
| J0009     | JEV RNA Detection by Real Time PCR - CSF  | Kerala   | D        | 4030       | Fri : 7:30am         | Next day : 5:00pm | 2ml of CSF in Sterile leak proof tube or container  |
| J0010     | JEV RNA Detection by Real Time PCR - EDTA Plasma  | Kerala   | D        | 4030       | Fri : 7:30am         | Next day : 5:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| J0011     | JEV RNA Detection by Real Time PCR - Serum  | Kerala   | D        | 4030       | Fri : 7:30am         | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| J0012     | Jo-1 Antibody Serum   | Kerala   | C        | 1665       | Wed and Sat 9:00 am  | Same day 5:00 pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| J0013     | JC DNA Detection by Real Time PCR - CSF   | Kerala   | D        | 5395       | Mon & Thurs : 9:00am | Next day : 5:00pm | 2ml of CSF in Sterile leak proof tube or container  |
| J0014     | JC DNA Detection by Real Time PCR - EDTA Plasma   | Kerala   | D        | 4690       | Mon & Thurs : 9:00am | Next day : 5:00pm | 3ml of EDTA Plasma in Sterile Plain Vacutainer  |
| J0015     | JC DNA Detection by Real Time PCR - Urine   | Kerala   | D        | 4690       | Mon & Thurs : 9:00am | Next day : 5:00pm | 15ml of Spot Urine in Sterile leak proof container  |
| J0016     | JAK2 V617 Mutation, with Reflex to Jak2 Ex- 12, CALR Ex-9 Mutation and MPL W515, S505 Mutation              | Kerala   | D        | 12650      | Wed & Sat : 9:00am   | 10th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| J0017     | JAK2 V617 Mutation, with Reflex to Jak2 Ex- 12, CALR Ex-9 Mutation and MPL W515, S505 Mutation, Bone Marrow | Kerala   | D        | 12650      | Wed & Sat : 9:00am   | 10th day : 6:00pm | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| J0020     | JC DNA Detection by Real Time PCR -   | Kerala   | D        | 4690       | Mon & Thurs :        | Next day : 5:00pm | 3 ml of Whole Blood in EDTA   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule         | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|----------------------|-------------------|--|
|           | EDTA Blood   |          |          |            | 9:00am               |                   | Vacutainer   |
| J0021     | JC-BK Virus DNA Detection by Real Time PCR - EDTA Blood              | Kerala   | D        | 5815       | Mon & Thurs : 9:00am | Next day : 5:00pm | 3 ml of Whole Blood in EDTA Vacutainer   |
| K0001     | Kappa And Lambda-Freelite, Urine                                     | Kerala   | D        | 5100       | Daily: 9am to 9pm    |                   | 10 ml of 24 hrs urine (Preferred ) / Spot urine  |
| K0002     | Kappa And Lambda-Freelite, Serum                                     | Kerala   | D        | 5500       | Daily: 9am to 9pm    |                   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| K0003     | Kappa Light Chains by Flow cytometry                                 | Kerala   | D        | 3060       | Daily : 11:30am      | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.  |
| K0004     | Kappa Light Chains-Total Urine 24H                                   | Kerala   | D        | 3570       | Daily: 9am to 9pm    |                   | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| K0005     | FISH for Aneuploidy in POC - Chromosomes - 13,16,18, 21, 22, X and Y | Kerala   | D        | 9180       | Daily : 9:00am       | 6th day : 6:00pm  | POC in sterile container with normal saline with few drops of antibiotic. In case of expected delay store at 4 degrees. Never add formalin or freeze. Note: Whole Fetus is not accepted.   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------------|------------------------|---|
| K0006     | Karyotyping reflex FISH-13,18,21,X,Y AmnioticFluid     | Kerala   | D        | 11035      | Daily : 9:00am         | 15th day : 6:00pm      | 20 ml of Amniotic Fluid In sterile centrifuge Falcon 15 ml tubes.   |
| K0007     | Karyotyping reflex FISH(13,18,21,X,Y)Chorion Villi     | Kerala   | D        | 10100      | Daily : 9:00am         | 15th day : 6:00pm      | 20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis).  |
| K0010     | FISH for Aneuploidy in POC - Chromosomes 13,18,21, X,Y | Kerala   | D        | 8160       | Daily : 9:00am         | 6th day : 6:00pm       | POC in sterile container with normal saline with few drops of antibiotic. In case of expected delay store at 4 degrees. Never add formalin or freeze.Note: Whole Fetus is not accepted.   |
| K0012     | Karyotyping by G-Banding Peripheral Blood              | Kerala   | D        | 5500       | Daily : 9:00am         | 12th day : 6:00pm      | 3 ml of Blood In Na-Heparin Vacutainer  |
| K0014     | Karyotyping by G-Banding Bone marrow                   | Kerala   | D        | 4080       | Daily : 9:00am         | 10th day : 6:00pm      | 2-3 ml Bone Marrow/3 ml Blood in Na-heparin vacutainer  |
| K0017     | Karyotyping by high resolution banding (HRB) Blood     | Kerala   | D        | 5750       | Daily : 9:00am         | 12th day : 6:00pm      | 3 ml of Blood In Na-Heparin Vacutainer  |
| K0018     | Kaolin Clotting Time                                   | Kerala   | B        | 1350       | Daily: 9am             | After 8 hrs            | 1 ml of citrated platelet poor plasma in frozen condition.  |
| K0019     | KRAS-Exon 2 and 3 Mutation Analysis - FFPE Tissue      | Kerala   | D        | 7650       | Mon, Wed & Fri: 9:00am | 5th day : 6:00pm       | Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.  |
| K0021     | Kennedy disease (CAG repeats) by PCR                   | Kerala   | R        | 7315       | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|---------------------|--|
| K0022     | Karyotyping from cell pellet /slides                                   | Kerala   | D        | 1530       | Daily : 9:00am    | 10th day : 6:00pm   | Cell pellet / Slides   |
| K0023     | Kala azar  | Kerala   | R        | 1915       | Daily : 11:30am   | 5th day : 6:00pm    | 3ml of serum   |
| K0026     | Karyotyping G Banding and FISH (Chr 13,18, 21, X and Y),Amniotic Fluid | Kerala   | D        | 15810      | Daily : 9:00am    | 15th day : 6:00pm   | 20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube  |
| K0030     | Karyotyping by G-Banding for neonates                                  | Kerala   | D        | 4590       | Daily : 9:00am    | 7th day : 6:00pm    | 3 ml of Blood In Na-Heparin Vacutainer   |
| K0031     | Karyotyping by G-Banding for 50 metaphase cells                        | Kerala   | D        | 4590       | Daily : 9:00am    | 12th day : 6:00pm   | 3 ml of Blood In Na-Heparin Vacutainer   |
| K0033     | Karyotyping by G-Banding reflex FISH                                   | Kerala   | D        | 10100      | Daily : 9:00am    | 15th day : 6:00pm   | 3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer   |
| K1901     | Canine - Kidney panel  | Kerala   | D        | 1070       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| K8112     | Kidney biopsy for Medical Renal Disease                                | Kerala   | D        | 5100       | Daily : 9:00am    | 7th day             | 1) Tissue in 10% NB formalin for histopathology 2) Tissue in Michel Medium for Immunofluorescence. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium.                               |
| K8113     | Kidney biopsy for Transplant Pathology                                 | Kerala   | D        | 10100      | Daily : 9:00am    | 14th day            | 1) Tissue in 10% NB formalin for histopathology 2) Tissue in Michel Medium for Immunofluorescence. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium.                               |
| L0001     | Lactate CSF  | Kerala   | C        | 1090       | Daily: 9am to 9pm | After 6 hrs         | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).  |
| L0002     | Lactate Biochemical Plasma   | Kerala   | C        | 1350       | Daily: 9am to 9pm | After 6 hrs         | 2 ml of Fluoride Plasma Labile Analyte   |
| L0003     | Lactose Tolerance Test 5 Samples for                                   | Kerala   | C        | 625        | Daily: 9am to 9pm |                     | 2 ml of flouride plasma (5Samples)   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|-------------------|--|
| L0004     | Glucose, Plasma<br>Lambda Light Chains by Flow cytometry | Kerala   | D        | 3060       | Daily : 11:30am | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.  |
| L0005     | Lambda Light Chains-Total Urine                          | Kerala   | D        | 3570       | Daily: 7.30am   | Same day 5pm      | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| L0006     | Lamotrigine Level Plasma**                               | Kerala   | D        | 4180       | Tue : 11:30am   | Next day : 5:00pm | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| L0007     | LAP Score  | Kerala   | B        | 1370       | Daily : 11:30am | 3rd day : 6:00pm  | 5 Peripheral Blood Smears and EDTA Blood. Clinical history and clinician no is mandatory   |
| L0008     | Liver cytosolic antigen type-1(LC-1)Antibody, Serum      | Kerala   | C        | 2910       | Daily: 11:30am  | Next day 8pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| L0009     | LD (Leigh`s Disease),Blood **                            | Kerala   | R        | 14935      | Daily : 11:30am | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at  |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
|           |  |          |          |            |                          |                   | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| L0010     | LD bodies Leishmania Dodovani bodies by Microscopy - Blood       | Kerala   | B        | 1025       | Daily : 11:30am          | Next day : 5:00pm | 3 ml of EDTA Bone Marrow in EDTA Vacutainer   |
| L0011     | LD bodies Leishmania Dodovani bodies by Microscopy - Bone Marrow | Kerala   | C        | 990        | Daily : 11:30am          | Next day : 5:00pm | 3 ml of EDTA Whole Blood in EDTA Vacutainer   |
| L0012     | LDH Lactate Dehydrogenase Serum                                  | Kerala   | A        | 500        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0013     | LDH Lactate Dehydrogenase Ascitic Fluid                          | Kerala   | A        | 500        | Daily: 9am to 9pm        | After 6 hrs       | 2 ml of Ascitic Fluid   |
| L0014     | LDH Lactate Dehydrogenase Peritoneal Fluid                       | Kerala   | A        | 500        | Daily: 9am to 9pm        | After 6 hrs       | 2 ml of Peritoneal Fluid  |
| L0015     | LDH Lactate Dehydrogenase Pleural Fluid                          | Kerala   | A        | 500        | Daily: 9am to 9pm        | After 6 hrs       | 2 ml of Pleural Fluid   |
| L0016     | LDH- Isoenzyme by Elctrophoresis Serum                           | Kerala   | D        | 4690       | Wed : 11:30am            | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0017     | LDL Cholesterol -Direct serum                                    | Kerala   | A        | 280        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0019     | Lead, Blood  | Kerala   | C        | 2235       | Daily:7:30 am            | Same day 8:00 PM  | HeavyMetalSamplingguidelines.pdf  |
| L0020     | Lead, Urine 24 Hrs   | Kerala   | C        | 2235       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| L0021     | Lead,Urine Spot  | Kerala   | C        | 1975       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| L0022     | Legionella Culture by Vitek/ MALDITOF - Sputum / BAL**           | Kerala   | R        | 1235       | Daily: 9am to 9pm        | 15th day : 5pm    | 2 ml of Sputum in Sterile leak proof container  |
| L0026     | Legionella Pneumophila Antigen detection Urine                   | Kerala   | C        | 3070       | Daily : 9:00am to 3:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container  |
| L0027     | Legionella Pneumophila IgG antibodies by EIA - Serum             | Kerala   | C        | 2860       | Mon & Thurs : 9:00am     | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| L0028     | Legionella Pneumophila IgM antibodies by EIA - Serum             | Kerala   | C        | 2860       | Mon & Thurs : 9:00am     | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| L0029     | Leishmania Antibody-IgG Antibody for Kala Azar by EIA - Serum    | Kerala   | C        | 1935       | Tuesday/Friday 9 am      | Same day 5pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| L0034     | Leptin Human Serum   | Kerala   | D        | 4285       | Tue : 11:30am            | Next day : 5:00pm | 3 ml of serum for single test and 5   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
|           |  |          |          |            |                          |                   | ml serum for profiles and reflex tests.   |
| L0035     | Leptospira Detection by smear examination - Blood  | Kerala   | B        | 650        | Daily : 9:00am to 3:00pm | After 6 hrs       | 3 ml of Whole Blood in EDTA Vacutainer  |
| L0036     | Leptospira Detection by smear examination - CSF  | Kerala   | B        | 755        | Daily : 9:00am to 3:00pm | After 6 hrs       | 2ml of CSF in Sterile leak proof tube or container  |
| L0037     | Leptospira Detection by smear examination - Urine  | Kerala   | B        | 755        | Daily : 9:00am to 3:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container  |
| L0038     | Leptospira DNA Detection by Real Time PCR - Blood  | Kerala   | D        | 2245       | Daily : 10:00am          | After 24hrs       | 3 ml of Whole Blood in EDTA Vacutainer  |
| L0039     | LeptospiraDNA Detection by Real Time PCR - Urine   | Kerala   | D        | 2245       | Daily : 10:00am          | After 24hrs       | 15ml of Spot Urine in Sterile leak proof container  |
| L0040     | Leptospira IgG antibodies by EIA - Serum   | Kerala   | C        | 1350       | Daily : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| L0041     | Leptospira IgM antibodies by EIA - Serum   | Kerala   | C        | 1350       | Daily : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| L0042     | Leptospira Profile   | Kerala   | C        | 2520       | Daily : 11:30am          | same day 11:00 pm | 3 ml of Whole Blood in EDTA Vacutainer, 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer |
| L0043     | Leucine Quantitative Plasma  | Kerala   | D        | 6325       | Thu : 11:30am            | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.               |
| L0044     | Leucine Quantitative Urine 24H**   | Kerala   | R        | 6385       | Daily : 11:30am          | 7th day : 6:00pm  | 10 ml of Spot urine   |
| L0046     | Leukemia panel by FISH - ALL   | Kerala   | D        | 13260      | Daily : 9:00am           | 5th day : 6:00pm  | 3 ml Bone Marrow in Na-heparin vacutainer   |
| L0047     | Leukemia panel by FISH - AML   | Kerala   | D        | 15300      | Daily : 9:00am           | 5th day : 6:00pm  | 3 ml Bone Marrow in Na-heparin vacutainer   |
| L0051     | Leukemia panel by FISH - CLL   | Kerala   | D        | 14280      | Daily : 9:00am           | 5th day : 6:00pm  | 3 ml Bone Marrow in Na-heparin vacutainer   |
| L0052     | Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Bone Marrow/Leukemic Blood | Kerala   | D        | 12240      | Daily : 9:00am           | 5th day : 6:00pm  | 3 ml Bone Marrow in Na-heparin vacutainer   |
| L0053     | Myelodysplastic Syndrome (MDS) Panel by FISH, Bone marrow  | Kerala   | D        | 9180       | Daily : 9:00am           | 5th day : 6:00pm  | 3 ml Bone Marrow in Na-heparin vacutainer   |
| L0054     | Comprehensive Multiple Myeloma Panel by  | Kerala   | D        | 16320      | Daily : 9:00am           | 7th day : 6:00pm  | 3 ml of Heparin Bone Marrow   |

| Test Code   | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline  |
|-------------|--|----------|----------|------------|-------------------|-------------------|---|
|             | FISH   |          |          |            |                   |                   |   |
| L0055       | Leukemia -Acute Leukemia Panel, Blood                              | Kerala   | D        | 11220      | Daily : 11:30am   | Next day : 5:00pm | 3 ml of EDTA or heparin blood and Direct smears required  |
| L0056       | Leukemia - Acute Leukemia Panel, Bone Marrow                       | Kerala   | D        | 10710      | Daily : 11:30am   | Next day : 5:00pm | 3 ml of EDTA and heparin bone marrow. Direct smears required  |
| L0057       | Leukemia - Chronic Lymphoproliferative Disorder Panel, Blood       | Kerala   | D        | 14075      | Daily : 11:30am   | Next day : 5:00pm | 3 ml of EDTA or heparin blood and Direct smears required  |
| L0058       | Leukemia - Chronic Lymphoproliferative Disorder Panel, Bone Marrow | Kerala   | D        | 14075      | Daily : 11:30am   | Next day : 5:00pm | 3 ml of EDTA or heparin bone marrow and Direct smears required  |
| L0065       | Myeloma panel by flowcytometry, Bone marrow**                      | Kerala   | D        | 9385       | Daily : 11:30am   | 5th day : 6:00pm  | 3 ml of EDTA or heparin bone marrow and Direct smears required  |
| L0066       | LH-Luteinizing Hormone ECLIA Serum                                 | Kerala   | B        | 500        | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0067       | LHON (Leber's hereditary optic neuropathy) by PCR**                | Kerala   | R        | 16480      | Daily : 11:30am   | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| L0068       | Lipase Serum   | Kerala   | B        | 700        | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0068_Fluid | Fluid Lipase   | Kerala   | B        | 715        | Daily: 9am to 9pm | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0069       | Lipase Urine   | Kerala   | B        | 715        | Daily: 9am to 9pm | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliqout to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample  |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule      | Reportedon                     | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|--------------------------------|---|
|           |  |          |          |            |                   |                                | for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| L0070     | Lipid Profile - Maxi                           | Kerala   | C        | 1500       | Daily: 9am to 9pm | After 6 hrs                    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0071     | Lipid Profile-Mini                             | Kerala   | B        | 500        | Daily: 9am to 9pm | After 6 hrs                    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0071_NF  | Lipid profile 2 (Non- fasting)                 | Kerala   | B        | 485        | Daily: 9am to 9pm | Lipid profile 2 (Non- fasting) | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0072     | Lipid ScreenCholesterol and TriglyceridesSerum | Kerala   | B        | 485        | Daily: 9am to 9pm | After 6 hrs                    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0072_NF  | Lipid profile 3 (Non- fasting)                 | Kerala   | B        | 485        | Daily: 9am to 9pm | Lipid profile 3 (Non- fasting) | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0073     | Total Lipids, serum                            | Kerala   | A        | 420        | Daily: 7.30am     | Same day 5pm                   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0076     | Lipoprotein Electrophoresis, Serum             | Kerala   | C        | 2810       | Thu : 11:30am     | Next day : 5:00pm              | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0077     | Lithium Serum                                  | Kerala   | C        | 675        | Daily: 9am to 9pm | After 6 hrs                    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| L0079     | Liver Function Test-1(Maxi)                    | Kerala   | B        | 1600       | Daily: 9am to 9pm | After 6 hrs                    | 5 ml of serum and 3 ml of citrate plasma  |
| L0080     | Liver Function Test-2(Mini)                    | Kerala   | B        | 600        | Daily: 9am to 9pm | After 6 hrs                    | 5 ml of serum   |
| L0081     | Liver Onco Marker Profile                      | Kerala   | D        | 1530       | Daily: 9am to 9pm | After 8 hrs                    | 5 ml of serum   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| L0082     | Liver Function Test-3 (LIVER SCREEN)                                | Kerala   | B        | 650        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| L0083     | LKM1 by IFA Liver Kidney Microsomes Reflex to end point titre Serum | Kerala   | C        | 2080       | Daily : 11:30am     | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| L0084     | Lp(a)Lipoprotein(a) serum   | Kerala   | C        | 1300       | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| L0085     | Lung Marker Profile   | Kerala   | D        | 7295       | Wed/Sat- 7:30 am    | Next day 5:00 pm  | 3 ml of Serum and 3 ml of EDTA plasma   |
| L0086     | Lupus Anticoagulants (LAC) profile                                  | Kerala   | D        | 2040       | Daily: 9am and 5pm  | After 6 hrs       | 1 ml of citrated platelet poor plasma in frozen condition.                              |
| L0087     | LymeBorrelia Burgdorferi IgG antibodies by EIA - Serum              | Kerala   | C        | 1925       | Sat : 11:30am       | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer                           |
| L0089     | LymeBorrelia Burgdorferi IgM antibodies by EIA - Serum              | Kerala   | C        | 1770       | Sat : 11:30am       | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer                           |
| L0091     | Lysine Quantitative Plasma  | Kerala   | D        | 6325       | Thu : 11:30am       | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature. |
| L0092     | Lysine Quantitative Urine   | Kerala   | R        | 6385       | Thu : 11:30am       | Tue : 5:00pm      | 10 ml of Spot urine   |
| L0097     | Leukemia Characterisation Panel for CLPD, Blood                     | Kerala   | D        | 20195      | Daily : 11:30am     | 7th day : 6:00pm  | 3 ml of EDTA and heparin blood. Direct smears required                                  |
| L0098     | Leukemia Characterisation Panel for CLPD , Bone Marrow              | Kerala   | D        | 20195      | Daily : 11:30am     | 7th day : 6:00pm  | 3 ml of EDTA and heparin bone marrow and Direct smears required                         |
| L0099     | Leukemia Comprehensive workup panel- Acute Leukemia, Blood          | Kerala   | D        | 25500      | Daily : 11:30am     | 12th day : 6:00pm | 3 ml of EDTA and heparin blood. Direct smears required                                  |
| L0100     | Leukemia Comprehensive workup panel- Acute Leukemia, Bone Marrow    | Kerala   | D        | 25500      | Daily : 11:30am     | 12th day : 6:00pm | 3 ml of EDTA and heparin bone marrow. Direct smears required                            |
| L0101     | Leukemia CMPD Panel: JAK2 by PCR and BCR-ABL by FISH,Blood          | Kerala   | D        | 8975       | Daily : 9:00am      | 5th day : 6:00pm  | 3 ml of EDTA and Na-heparin blood and Direct smears required                            |
| L0102     | Leukemia CMPD Panel: JAK2 by PCR and BCR-ABL by FISH, Bone Marrow   | Kerala   | D        | 8975       | Daily : 9:00am      | 5th day : 6:00pm  | 3 ml of EDTA Bone Marrow  |
| L0103     | Lp- PLA2 (PLAC)Cardiac risk marker serum                            | Kerala   | D        | 2550       | Mon and Thu: 7.30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|-------------------|--|
| L0105     | Leukemia panel by FISH - ALL, Leukemic Blood   | Kerala   | D        | 13260      | Daily : 9:00am    | 5th day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| L0106     | Leukemia AML panel by FISH, Leukemic Blood   | Kerala   | D        | 15300      | Daily : 9:00am    | 5th day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| L0107     | Leukemia panel by FISH - CLL, Leukemic Blood   | Kerala   | D        | 14280      | Daily : 9:00am    | 5th day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| L0108     | Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Leukemic Blood | Kerala   | D        | 12240      | Daily : 9:00am    | 5th day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| L0109     | Myelodysplastic Syndrome (MDS) Panel by FISH   | Kerala   | D        | 9180       | Daily : 9:00am    | 5th day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| L0111     | Lymphocyte subset panel with NK cells  | Kerala   | D        | 7040       | Daily : 11:30am   | Next day : 5:00pm | 6 ml EDTA whole Blood  |
| L0112     | LDH Lactate Dehydrogenase CSF  | Kerala   | A        | 500        | Daily: 9am to 9pm | After 6 hrs       | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).  |
| L0113     | Lyme-Borrelia Burgdorferi IgM by EIA - CSF   | Kerala   | C        | 4990       | Sat : 11:30am     | Next day : 5:00pm | 2 ml of CSF in Sterile leak proof tube or container  |
| L0114     | Lyme-Borrelia Burgdorferi IgG by EIA - CSF   | Kerala   | C        | 4990       | Sat : 11:30am     | Next day : 5:00pm | 2 ml of CSF in Sterile leak proof tube or container  |
| L0117     | Leukemia translocation Panel (ALL)* - t(1;19), t(4;11), t(9;22), t(12;21)                  | Kerala   | D        | 7650       | Daily : 9:00am    | 7th day : 6:00pm  | 5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours. |
| L0118     | Leukemia translocation Panel (AML)* - t(8;21), t(15;17), Inv(16)                           | Kerala   | D        | 7650       | Daily : 9:00am    | 7th day : 6:00pm  | 5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours. |
| L0120     | LDH  | Kerala   | A        | 400        | Daily             | After 6 hrs       | Please contact lab before sending samples. Kits used are validated for Human samples. Reference  |

| Test Code   | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline   |
|-------------|---|----------|----------|------------|-------------------|-------------------|--|
|             |   |          |          |            |                   |                   | range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.   |
| L0123       | LDH Body fluid  | Kerala   | A        | 390        | Daily: 9am to 9pm | After 6 hrs       | 2 ml body fluid  |
| L0133       | LUNG CANCER TARGETED THERAPY PANEL (EGFR+ALK+ROS1)  | Kerala   | E        | 19750      | Daily : 9:00am    | 7th day : 6:00pm  | (FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf  |
| L0134       | Lung Panel by NGS [EGFR, BRAF, MET (includes Ex-14 skipping), RET, ERBB2, KRAS (SNVs & small INDELs); ALK, ROS1, RET and NTRK1, NTRK2, NTRK3 (Fusions)] | Kerala   | E        | 32000      | Daily 9:00 am     | 25th Days         | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| L0135       | Lead, Hair tests by ICPMS**   | Kerala   | R        | 1855       | Daily : 11:30am   | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| L0136       | Lead, Water tests by ICPMS**  | Kerala   | R        | 1855       | Daily : 11:30am   | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| L0138       | Lithium, Spot Urine**   | Kerala   | C        | 2860       | Daily : 11:30am   | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| L0139       | Leukemia Panel-Ph like B-ALL, Bone Marrow **  | Kerala   | R        | 19570      | Daily : 11:30am   | 10th day : 6:00pm | 3 ml Bone Marrow in Na-heparin vacutainer  |
| L0139_BLOOD | Leukemia Panel-Ph like B-ALL, Blood**   | Kerala   | R        | 19570      | Daily : 9:00am    | 8th day : 6:00pm  | 3 ml BLOOD in Na-heparin vacutainer  |
| L0140       | Leukemia Panel-T-ALL, Blood**   | Kerala   | R        | 16480      | Daily : 11:30am   | 8th day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| L0140_BM    | Leukemia Panel-T-ALL, Bone marrow**   | Kerala   | R        | 16480      | Daily : 11:30am   | 10th day : 6:00pm | 3 ml Bone Marrow in Na-heparin vacutainer  |
| L0141       | Leukemia Panel-AML Mutation, Blood  | Kerala   | D        | 9180       | Mon & Wed:        | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon       | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|------------------|--|
|           |  |          |          |            | 9:00am            |                  | required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.   |
| L0141_BM  | Leukemia Panel-AML Mutation, Bone marrow                 | Kerala   | D        | 9180       | Mon & Wed: 9:00am | 7th day : 6:00pm | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.  |
| L0142     | NextGen Oncomine Myeloid 69 Gene Panel                   | Kerala   | E        | 35000      | DAILY : 9 : 00 AM | 20 Days          | 6 ml EDTA whole Blood  |
| L0143     | Leptin deficiency (LEP) -Gene Analysis                   | Kerala   | E        | 20000      | Daily: 7:30am     | 4 weeks          | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.                          |
| L0144     | Myeloma MRD Flow cytometry Bone marrow **                | Kerala   | R        | 19055      | Daily : 11:30am   | 5th day : 6:00pm | sample : 3 ml of EDTA Bone Marrow & direct smear   |
| L0145     | Flow for AML MRD**                                       | Kerala   | R        | 19055      | Daily : 11:30am   | 5th day : 6:00pm | 3 ml of EDTA Bone Marrow & General Instruction Local Samples reaching in 24 Hours can be send in Ambient condition and outstation samples to be shipped at Refrigerated condition. Do not keep EDTA or Heparin blood samples in contact with ice packs. Do not freeze. Medical history / Heamato-pathological reports with referring doctors number. |
| L0146     | Lip biopsy for Sjogrens syndrome ( Focus score) with WSI | Kerala   | C        | 2290       |                   | 4 days           | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------|---------------------|--|
|           |   |          |          |            |                   |                     | clinical & radiological details  |
| L0152     | Lung Cancer NGS panel (SNVs, InDels and Fusions)- Liquid Biopsy** | Kerala   | E        | 46200      | Daily : 11:30am   | 25th day : 6:00pm   | Peripheral Blood in Streck tube (2 tubes of 10 ml each) (Tube supplied upon request)   |
| L1008     | Levetiracetam, serum  | Kerala   | D        | 5610       | Wed : 11:30am     | Next day : 5:00pm   | 3 ml of serum(sample collect in, plain vacutainer, not in gel tube)  |
| L1015     | LISTERIA MONOCYTOGENES - SEROLOGY                                 | Kerala   | R        | 7210       | Daily: 7.30am     | 1 month             | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment. |
| L1901     | Canine - Lipase   | Kerala   | B        | 650        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.   |
| L1902     | Canine - Liver profile  | Kerala   | D        | 865        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.   |
| L8015     | LH/FSH Ratio Serum  | Kerala   | B        | 1060       | Daily: 9am to 9pm | After 6 hrs         | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule                   | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------------|-------------------|--|
| M0001     | Anti MAG (Myelin associated Glycoprotein) Ab (M0001)                         | Kerala   | D        | 4385       | Tue & Fri : 11:30am            | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| M0002     | Magnesium Serum  | Kerala   | B        | 500        | Daily: 9am to 9pm              | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| M0003     | Magnesium, Spot Urine  | Kerala   | B        | 615        | Daily: 9am to 9pm              | After 6 hrs       | 10 ml of Spot urine  |
| M0004     | Magnesium Urine 24H  | Kerala   | B        | 615        | Daily: 9am to 9pm              | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| M0006     | Malaria Parasite detection by Direct Smear examination by Microscopy - Blood | Kerala   | B        | 320        | Daily : 9:00am, 1:00pm, 5:00pm | After 6 hrs       | 3 ml of EDTA Whole Blood in EDTA Vacutainer  |
| M0007     | Malaria DNA Detection by Real Time PCR - Blood                               | Kerala   | C        | 3070       | Daily : 10:00am                | After 24hrs       | 3 ml of Whole Blood in EDTA Vacutainer   |
| M0008     | Malaria Detection by QBC - Blood   | Kerala   | B        | 380        | Daily : 9:00am, 1:00pm, 5:00pm | After 6 hrs       | 3 ml of EDTA Whole Blood in EDTA Vacutainer  |
| M0009     | Malaria Profile reflex Malaria antigen by Immunochromatography - Blood       | Kerala   | C        | 395        | Daily : 9:00am, 1:00pm, 5:00pm | After 4 hrs       | 3 ml of EDTA Whole Blood in EDTA Vacutainer  |
| M0010     | Malarial Antigen Vivax & Falciparum by Immunochromatography - Blood          | Kerala   | B        | 750        | Daily : 9:00am, 1:00pm, 5:00pm | After 6 hrs       | 3 ml of EDTA Whole Blood in EDTA Vacutainer  |
| M0011     | Manganese Blood  | Kerala   | D        | 3265       | Daily : 11:30am                | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| M0012     | Manganese Serum  | Kerala   | D        | 2805       | Daily : 11:30am                | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| M0013     | Manganese Urine  | Kerala   | D        | 2805       | Daily : 11:30am                | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| M0014     | Manganese Urine 24H**   | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| M0015     | Mantoux test Tuberculin test (10TU)                                     | Kerala   | O        | 200        | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | Mycobacteriology.pdf  |
| M0015_2TU | Mantoux test Tuberculin test (2TU)                                      | Kerala   | O        | 225        | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | Mycobacteriology.pdf  |
| M0015_5TU | Mantoux test Tuberculin test (5TU)                                      | Kerala   | O        | 285        | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | Mycobacteriology.pdf  |
| M0019     | MDMA (Qualitative) Ecstasy, XTC Urine Spot                              | Kerala   | D        | 715        | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot urine   |
| M0020     | Measles Virus IgG Antibody by CLIA - Serum                              | Kerala   | C        | 1975       | Daily : 11:30am          | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| M0021     | Measles Virus IgG Antibody by EIA - CSF                                 | Kerala   | C        | 3535       | Tue & Fri : 7:00am       | Next day : 5pm    | 2 ml of CSF in Sterile leak proof tube or container & 2 mL Serum  |
| M0022     | Measles Virus IgM Antibody by CLIA - Serum                              | Kerala   | C        | 1975       | Daily : 11:30am          | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| M0023     | Medullary Thyroid Carinoma Mutation Detection Sequencing method Blood** | Kerala   | R        | 15840      | Daily : 11:30am          | 10th day : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| M0024     | MELAS-Mutation Detection Blood**  | Kerala   | R        | 6180       | Daily : 11:30am          | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| M0026     | Meningitis (viral) Profile IgG by CLIA - Serum                          | Kerala   | D        | 4895       | Wed : 9:00am             | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| M0027     | Meningitis (viral) Profile IgG & IgM by CLIA                            | Kerala   | D        | 8060       | Wed : 9:00am             | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or   |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
|           | - Serum  |          |          |            |                     |                   | in Plain Sterile Vacutainer   |
| M0028     | Meningitis (viral) Profile IgM by CLIA - Serum | Kerala   | D        | 4945       | Wed : 9:00am        | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| M0029     | Menopause                                      | Kerala   | C        | 3330       | Daily: 9am to 9pm   | After 8 hrs       | 5 ml of serum   |
| M0030     | Menopause diagnostic profile                   | Kerala   | C        | 1870       | Daily: 9am to 9pm   | After 6 hrs       | 5 ml of serum   |
| M0031     | Menopause monitoring profile                   | Kerala   | C        | 2185       | Daily: 9am to 9pm   | After 6 hrs       | 5 ml of serum   |
| M0032     | Mercury Blood                                  | Kerala   | D        | 2805       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| M0033     | Mercury Serum                                  | Kerala   | D        | 3060       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| M0034     | Mercury Urine                                  | Kerala   | D        | 2805       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| M0035     | Mercury Urine 24H**                            | Kerala   | D        | 3060       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| M0036     | MERRF Mutation Detection Blood**               | Kerala   | R        | 10300      | Daily : 11:30am     | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| M0037     | Neoxpert by GCMS**                             | Kerala   | R        | 7105       | Daily : 11:30am     | 4th day : 6:00pm  | Spot Urine:10 ml of Spot urine required with clinical history and clinician number.   |
| M0038     | Metabolic Screen                               | Kerala   | R        | 7210       | Thu : 11:30am       | Tue : 5:00pm      | 10 ml of Spot urine   |
| M0039     | Metanephrine- Free Plasma                      | Kerala   | D        | 5000       | Tue & Fri : 11:30am | Next day : 5:00pm | Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.   |
| M0040     | Metanephrine level, HPLC, 24 hrs urine         | Kerala   | D        | 3700       | Mon & Thu : 11:30am | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliqout to be send to lab in refrigerated condition along with  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
|           |   |          |          |            |                          |                   | clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| M0041     | Methadone Dolophine Urine Spot                          | Kerala   | B        | 735        | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot urine   |
| M0042     | Methamphetamine Qualitative Urine Spot                  | Kerala   | B        | 700        | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot urine   |
| M0042     | Methamphetamine Qualitative Urine Spot                  | Kerala   | B        | 680        | Daily : 9:00am to 9:00pm | After 10 mins     | Urine   |
| M0043     | Methaqualone Qualitative Urine Spot                     | Kerala   | B        | 700        | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot urine   |
| M0044     | Meth-Haemoglobin Blood                                  | Kerala   | C        | 1040       | Daily : 11:30am          | Next day : 5:00pm | 3 ml of Heparin Blood. Sample required within 12 to 24 hrs after collection & avoid holiday & weekends.   |
| M0045     | Methionine Quantitative Plasma*                         | Kerala   | D        | 6325       | Thu : 11:30am            | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |
| M0046     | Methionine Quantitative Urine SPOT**                    | Kerala   | R        | 6385       | Thu : 11:30am            | Tue : 5:00pm      | 10 ml of Spot urine   |
| M0047     | Methotrexate Serum                                      | Kerala   | C        | 3330       | W, S: 7.30am             | Same day at 6pm   | 3 ml of serum(sample collect in, plain vacutainer, not in gel tube)   |
| M0048     | Methyl Malonic Acid Qualitative Urine Spot              | Kerala   | R        | 720        | Daily : 11:30am          | 5th day : 6:00pm  | 15 ml of Spot Urine   |
| M0049     | Methyl Malonic Acid Quantitative Urine SPOT**           | Kerala   | R        | 13390      | Daily : 11:30am          | 5th day : 6:00pm  | 15 ml of Spot Urine   |
| M0050     | MGMT PCR Temozolomide Resistance Tissue**               | Kerala   | R        | 16790      | Daily : 11:30am          | 25th day : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.   |
| M0051     | MICM By PCR Maternally Inherited Cardiomyopathy Blood** | Kerala   | R        | 7210       | Daily : 11:30am          | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|-------------------|--|
|           |  |          |          |            |                          |                   | for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.  |
| M0052     | Microalbumin Urine 24H   | Kerala   | B        | 380        | Daily: 9am to 9pm        | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| M0053     | Microalbumin / Creatinine Ratio Urine Spot                           | Kerala   | B        | 520        | Daily: 9am to 9pm        | After 6 hrs       | 10 ml of Spot urine  |
| M0054     | Microsporidium Detection by modified ZN Stain - Stool                | Kerala   | B        | 595        | Daily : 9:00am to 3:00pm | After 6 hrs       | 5gm of Stool specimen in Sterile leak proof container  |
| M0055     | Mitochondrial (M2) Antibody by IFA Reflex to end point titre Serum   | Kerala   | C        | 2080       | Daily : 11:30am          | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| M0059     | Mixing Studies (APTT)  | Kerala   | B        | 2700       | Daily: 9am and 4pm       | After 6 hrs       | 1 ml of citrated platelet poor plasma in frozen condition.   |
| M0060     | MMC-Mutation Detection Maternal Myopathy With Cardiomyopathy Blood** | Kerala   | R        | 7210       | Daily : 11:30am          | 8th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
| M0061     | MM-Mutation Detection Mitochondrial Myopathy          | Kerala   | R        | 8755       | Daily : 11:30am          | 8th day : 6:00pm  | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| M0063     | MPO by EIA, p-ANCASerum                               | Kerala   | C        | 2290       | Daily : 11:30am          | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| M0064     | (cMPO )Myeloid cell marker                            | Kerala   | D        | 2345       | Daily : 11:30am          | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition (preferably). Clinical history and clinician details required.  |
| M0065     | MPO (Myeloperoxidase )Stain, Blood                    | Kerala   | C        | 830        | Daily : 11:30am          | 3rd day : 6:00pm  | 3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory   |
| M0066     | MPO (Myeloperoxidase ) Stain, Bone Marrow             | Kerala   | C        | 885        | Daily : 11:30am          | 3rd day : 6:00pm  | 3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory   |
| M0068     | MRSA Screen - Nasal swab                              | Kerala   | C        | 935        | Daily : 9:00am to 9:00pm | 2nd day : 5pm     | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube  |
| M0069     | MSUD-Maple Syrup Urine Disorder Neonatal Screen Blood | Kerala   | D        | 510        | Daily : 11:30am          | Next day : 5:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby   |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
|           |   |          |          |            |                          |                   | DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| M0070     | MTHFR C677T/A1298C Mutations              | Kerala   | D        | 6935       | Wed & Fri: 9:00am        | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .   |
| M0071     | Mucopolysaccharides (MPS) Type-I Blood**  | Kerala   | R        | 5665       | Daily : 11:30am          | 7th day : 6:00pm  | 10 ml sodium Heparin OR EDTA Blood   |
| M0072     | Mucopolysaccharides (MPS) Type-VI Blood** | Kerala   | R        | 2265       | Daily : 11:30am          | 7th day : 6:00pm  | 10 ml sodium Heparin OR EDTA Blood   |
| M0074     | Mucopolysaccharides, urine                | Kerala   | D        | 560        | Daily : 11:30am          | Next day : 5:00pm | 10 ml of Spot urine  |
| M0075     | Multiple Sclerosis Profile, Maxi          | Kerala   | D        | 9690       | Tue and Fri: 9am         | Next day 7pm      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.   |
| M0076     | Multiple Sclerosis Profile, Mini          | Kerala   | D        | 6110       | Tue and Fri: 9am         | Next day 7pm      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage). 3 ml of Serum.   |
| M0078     | Mumps virus IgG Antibody by CLIA - Serum  | Kerala   | C        | 2030       | Daily : 9:00am to 9:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| M0079     | Mumps virus IgM Antibody by CLIA -        | Kerala   | C        | 1770       | Daily : 11:30am          | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
|           | Serum   |          |          |            |                     |                   | in Plain Sterile Vacutainer   |
| M0080     | MUSK Antibody Myasthenia gravis Serum                         | Kerala   | C        | 7280       | Mon & Thu : 11:30am | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| M0081     | Myasthenia Gravis Profile                                     | Kerala   | D        | 10915      | Mon: 9am            | 5th day           | 5 ml of serum   |
| M0086     | Mycoplasma Pneumoniae IgG Antibody by EIA - Serum             | Kerala   | C        | 2235       | Thurs : 9:00am      | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| M0087     | Mycoplasma Pneumoniae IgM Antibody by EIA - Serum             | Kerala   | C        | 2445       | Mon & Thu : 11:30am | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| M0091     | Myoglobin Serum   | Kerala   | C        | 2290       | Daily: 9am to 9pm   | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| M0092     | Myoglobin Urine Spot  | Kerala   | C        | 1250       | Daily: 9am to 9pm   | After 8 hrs       | 10 ml of Spot urine   |
| M0095     | Myotonic Dystrophy Type 1 (DM1) Mutation Analysis             | Kerala   | E        | 7000       | Mon & Wed: 9:00am   | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.               |
| M0099     | MRSA screen Methicillin Resistant Staphylococcus aureus - PCR | Kerala   | C        | 2080       | Daily : 9:00am      | Same day : 5:00pm | One swab from Nasal, Groin and Axilla.  |
| M0100     | Multiple myeloma workup panel                                 | Kerala   | D        | 20350      | Daily : 9:00am      | 7th day : 6:00pm  | 3 ml of EDTA Bone Marrow, 4ml of heparin Bone marrow, Serum, Direct smears  |
| M0101     | MPL W515/S505 Mutation Analysis, Blood                        | Kerala   | E        | 6000       | Wed & Sat : 9:00am  | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| M0102     | MPL W515/S505 Mutation Analysis, Bone marrow                  | Kerala   | E        | 6000       | Wed & Sat : 9:00am  | 7th day : 6:00pm  | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number                    |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule              | Reportedon                | Sample Guideline   |
|-----------|--|----------|----------|------------|---------------------------|---------------------------|--|
| M0103     | Microsatellite Instability (MSI), HNPCC/<br>Lynch Synd     | Kerala   | D        | 14280      | Mon, Wed & Fri:<br>9:00am | 10th day : 6:00pm         | and TRF mandatory.<br>â€¢ Clinical history with<br>Histopathology report. FFPE Block<br>- Ambient & EDTA Blood   |
| M0104     | MYCN Neuroblastoma (n MYC gene<br>amplification)**         | Kerala   | R        | 13390      | Daily : 11:30am           | 12th Day : 6:00pm         | (FFPE block) Tumor containing<br>tissue fixed in 10% neutral buffered<br>formalin with duration of 6 to 72<br>hours and paraffin embedded.<br>Clinical history with Histopath/IHC<br>report along with doctors number.<br>FFPE block to be shipped at<br>Ambient temperature.  |
| M0108     | Metachromatic Leukodystrophy gene**                        | Kerala   | R        | 20600      | Daily : 11:30am           | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required<br>to be send at Ambient temperature<br>for local samples and refrigerated<br>condition for outstation samples.<br>Samples stable for 2 days at<br>Ambeint and 2 to 3 days for<br>refrigerated condition. Do not keep<br>EDTA whole blood in contact with<br>ice packs. Do not freeze. TRF,<br>Genetci history is mandatory. |
| M0132     | MISMATCH REPAIR (MMR) PROTEIN<br>IMMUNOHISTOCHEMISTRY ONLY | Kerala   | D        | 8670       |                           | 5th Day                   | Paraffin blocks ( Formalin fixed<br>paraffin embedded) Please attach<br>original Histopathology report and<br>all relevant clinical and radiological<br>detail   |
| M0136     | Marfan s syndrome By NGS**                                 | Kerala   | R        | 21630      | Daily : 11:30am           | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required<br>to be send at Ambient temperature<br>for local samples and refrigerated<br>condition for outstation samples.<br>Samples stable for 2 days at<br>Ambeint and 2 to 3 days for<br>refrigerated condition. Do not keep<br>EDTA whole blood in contact with<br>ice packs. Do not freeze. TRF,<br>Genetci history is mandatory. |
| M0140     | Muscular Dystrophy & Congenital<br>Myopathy gene panel**   | Kerala   | R        | 17000      | Daily : 11:30am           | After 4 weeks :<br>6:00pm | 3 ml of EDTA whole blood required<br>to be send at Ambient temperature<br>for local samples and refrigerated   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------------|------------------------|---|
|           |  |          |          |            |                        |                        | condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.  |
| M0141     | Methylmalonic acids Quantitative Serum**                                     | Kerala   | R        | 3295       | Thu : 11:30am          | 4th day : 6:00pm       | 3ml of serum  |
| M0142     | MET Amplification FISH   | Kerala   | E        | 10000      | Daily : 9:00am         | 7th day : 6:00pm       | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.  |
| M0145     | Maturity-Onset Diabetes of the Young (MODY) & neonatal diabetes gene panel** | Kerala   | R        | 17000      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| M0147     | MLH1 Promoter Hypermethylation   | Kerala   | E        | 6500       | Mon, Wed & Fri: 9:00am | 5th day : 6:00pm       | â€¢ Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable.   |
| M0149     | MSH2 Sequencing and deletion duplication analysis                            | Kerala   | E        | 18000      | Daily: 7:30am          | 4 weeks                | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|------------------------|--|
| M0150     | MMR IHC Reflex to BRAF CD600 and MHL1 promoter Hypermethylation | Kerala   | D        | 11220      | Daily : 9:00am           | After 2 weeks : 6:00pm | EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.<br><br>(FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with Histopathology report, HistologyandIHC.pdf   |
| M0151     | Metanephrine- Fractionated Plasma                               | Kerala   | D        | 7345       | Tue & Fri : 11:30am      | Next day : 5:00pm      | Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.  |
| M0153     | Combine screening of Pre-eclampsia & Trisomies                  | Kerala   | D        | 3570       | Daily cut off 7:30 AM    | same day 9:00 PM       | 3 ml of serum is required. Mandatory Requirements: Latest Ultrasound (USG) report with a completely filled Maternal screening TRF form including CRL/BPD, nasal bone status, ductus venosus status, and NT value in millimeters. Please note that this test is not valid for triplets and above Preeclampsia: USG findings of mean arterial pressure (MAP) and uterine artery pulsatility index (UAPI), the patients blood pressure (BP), and height should be included as per maternal TRF requirements |
| M0154     | Meningitis/Encephalitis panel by FilmArray (Biofire) - CSF      | Kerala   | E        | 18500      | Daily : 9:00am to 9:00pm | After 10 hrs           | 2ml of CSF in Sterile leak proof tube or container   |
| M0160     | MMR IHC Reflex to MSI PCR                                       | Kerala   | D        | 8060       | Daily : 9:00am           | After 2 weeks : 6:00pm | (FFPE block) Tumour containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical Diagnosis with   |

| Test Code | Test Name                                    | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|-------------------|--|
|           |  |          |          |            |                 |                   | Histopathology report, HistologyandIHC.pdf   |
| M0161     | Myositis Profile-IgG(16 Antigen)             | Kerala   | D        | 9900       | Daily: 11:30am  | Next day 8pm      | 4 ml of serum  |
| M0163     | Magnesium, Hair tests by ICPMS**             | Kerala   | R        | 5665       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| M0164     | Manganese, Hair tests by ICPMS**             | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| M0165     | Manganese, Water tests by ICPMS**            | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| M0166     | Marijuana confirmation by LCMS, Spot Urine** | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| M0167     | Mercury, Water tests by ICPMS**              | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| M0169     | Metals profile-1, EDTA whole blood **        | Kerala   | D        | 6120       | Daily : 11:30am | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| M0170     | Metals profile-1, Spot urine                 | Kerala   | D        | 6120       | Daily : 11:30am | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| M0172     | Metals profile-2, Spot urine**               | Kerala   | R        | 11845      | Daily : 11:30am | 10th day : 6:00pm | HeavyMetalSamplingguidelines.pdf   |
| M0174     | Metals profile-3, Spot urine**               | Kerala   | R        | 15965      | Daily : 11:30am | 10th day : 6:00pm | HeavyMetalSamplingguidelines.pdf   |
| M0175     | Methadone confirmation by LCMS, Spot Urine** | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
|           |   |          |          |            |                          |                   | collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.  |
| M0176     | Methaqualone confirmation by LCMS, Spot Urine**   | Kerala   | R        | 9270       | Daily : 11:30am          | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| M0178     | Minerals profile, Hair**  | Kerala   | R        | 11845      | Daily : 11:30am          | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| M0179     | Minerals profile, Spot Urine**  | Kerala   | R        | 11845      | Daily : 11:30am          | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| M0181     | Molybdenum, Hair tests by ICPMS**   | Kerala   | R        | 5665       | Daily : 11:30am          | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| M0182     | Molybdenum, Spot Urine**  | Kerala   | R        | 3500       | Daily : 11:30am          | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| M0183     | Mucorales (Mucormycosis) DNA Detection by Real Time PCR - Body fluids/CSF/EDTA Blood/Pure culture/Sputum/Tissue | Kerala   | C        | 6240       | Daily : 7:30am           | 3rd Day : 6:00pm  | 3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container  |
| M0193     | MetroHealth Instant Glucose Fasting   | Kerala   | L0       | 100        | Daily : 9:00am to 9:00pm | After 5 mins      | Whole Blood  |
| M0194     | MetroHealth Instant Glucose Post Prandial   | Kerala   | L0       | 100        | Daily : 9:00am to 9:00pm | After 5 mins      | Whole Blood  |
| M0195     | MetroHealth Instant Glucose Random  | Kerala   | L0       | 100        | Daily : 9:00am to 9:00pm | After 5 mins      | Whole Blood  |
| M0196     | MetroHealth Instant Haemoglobin   | Kerala   | L0       | 100        | Daily : 9:00am to 9:00pm | After 5 mins      | Whole Blood  |
| M0197     | MetroHealth Instant Urine   | Kerala   | L0       | 150        | Daily : 9:00am to 9:00pm | After 5 mins      | Urine  |
| M0823     | Macro TSH (TSH, Free TSH,% Recovery)  | Kerala   | C        | 520        | Daily: 9am to 9pm        | Next day 5pm      | 3 ml of serum for single test and 5  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------|------------------------|---|
|           | Serum   |          |          |            |                    |                        | ml serum for profiles and reflex tests.   |
| M0824     | Anti diabetic drug contents   | Kerala   | R        | 5665       | Daily : 11:30am    | 10th day : 6:00pm      | Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days  |
| M0825     | Medicine test profile (steroids, heavy metals, anti diabetic, NSAIDS) | Kerala   | R        | 20600      | Daily : 11:30am    | 10th day : 6:00pm      | Medicine sample (10 grm ), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days   |
| M0826     | NSAID contents  | Kerala   | R        | 3090       | Daily : 11:30am    | 10th day : 6:00pm      | Medicine sample (10 grm ), Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clinical symptoms if any. Reported in 7 days   |
| M0829     | Monogenic and syndromic obesity-Gene Panel                            | Kerala   | E        | 20000      | Daily : 11:30am    | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| M0830     | MTB Antibiogram (TB NGS) by Next Generation Sequencing - Pure Culture | Kerala   | R        | 8755       | Daily : 11:30am    | 15th day : 6:00pm      | Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| M0831     | MPA ( Mycophenolic Acid )   | Kerala   | C        | 2340       | Daily: 9am to 9pm  | After 6 hrs            | require serum (3ml) sample collected in fasting status preferably but not mandatory.  |
| M5085     | MPN Comprehensive Panel (Blood)                                       | Kerala   | D        | 15500      | Tue & Fri : 9:00am | 7th day : 6:00pm       | 3ml whole blood in EDTA Vacutainer & 3ml Heparin blood  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|------------------------|---|
| M5086     | MPN Comprehensive Panel (Bone Marrow)               | Kerala   | D        | 13770      | Tue & Fri : 9:00am       | 7th day : 6:00pm       | 3ml Bone Marrow in EDTA Vacutainer & 3ml Bone Marrow  |
| M5097     | MTB triple combo (For pulmonary samples)            | Kerala   | D        | 6835       | Daily : 7:30am           | After 6 weeks : 6:00pm | 2ml of Pulmonary specimen in Sterile leak proof container   |
| M5098     | MTB triple combo (For extra pulmonary samples)      | Kerala   | D        | 6835       | Daily : 7:30am           | After 6 weeks : 6:00pm | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)   |
| M5768     | MetroHealth Instant 5 min Screen Pkg                | Kerala   | L0       | 350        | Daily : 9:00am to 9:00pm | After 5 mins           | Whole Blood-Finger Prick , 30 to 60 ml of Urine in a leak proof container.  |
| M8027     | Myotonic Dystrophy Type 2 (3q 21)                   | Kerala   | R        | 9270       | Daily : 11:30am          | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| M8228     | MIC OF COLISTIN BY MICRO BROTH DILUTION             | Kerala   | C        | 520        | Daily : 9:00am to 9:00pm | 3rd day : 6:00pm       | Pure culture isolate is required with identification upto species level.  |
| M8268     | MTB Xpert XDR Rapid (For Pulmonary Samples)         | Kerala   | D        | 3755       | Daily : 7:30am           | Same day : 6:00pm      | 2ml of Pulmonary specimen in Sterile leak proof container   |
| M8269     | MTB Xpert XDR Rapid (For Extra pulmonary Samples)   | Kerala   | D        | 3755       | Daily : 7:30am           | Same day : 6:00pm      | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)   |
| M8346     | MELD package  | Kerala   | R        | 1235       | Daily 9.00am to 9.00pm   | Same day at 5.00pm     |   |
| N0001     | N- Acetyl Glucosamine 6 Sulphate Sulphatase Blood** | Kerala   | R        | 8755       | Daily : 11:30am          | After 4 weeks : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs   |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
| N0002     | NARP Neurogenic Ataxia Retinitis Pigmentosa Blood**                                    | Kerala   | R        | 6695       | Daily : 11:30am          | 8th day : 6:00pm  | of collection, Avoid collection on weekend & Holidays)<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| N0003     | Natural Killer cells   | Kerala   | D        | 4540       | Daily : 11:30am          | Next day : 5:00pm | 6 ml EDTA whole Blood   |
| N0006     | Neisseria Gonorrhoeae Culture & Identification by Vitek/ MALDITOF - Urethral discharge | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | 2 ml of Urethral Discharge in Sterile leak proof container  |
| N0007     | Neisseria Gonorrhoeae Culture & Identification Vitek/ MALDITOF - Vaginal discharge     | Kerala   | C        | 1145       | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | 2 ml of Vaginal Discharge in Sterile leak proof container   |
| N0008     | Neisseria Gonorrhoea DNA Detection by Real Time PCR - Genital swab                     | Kerala   | C        | 3535       | Wed & Sat : 9:00am       | Next day : 5:00pm | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| N0009     | Neisseria Gonorrhoea DNA Detection by Real Time PCR - Urethral discharge               | Kerala   | C        | 3535       | Wed & Sat : 9:00am       | Next day : 5:00pm | 2ml of Urethral Discharge in Sterile leak proof container   |
| N0010     | Neisseria Gonorrhoea DNA Detection by Real Time PCR - Urine                            | Kerala   | C        | 3535       | Wed & Sat : 9:00am       | Next day : 5:00pm | 15ml of Spot Urine in Sterile leak proof container  |
| N0011     | Neisseria Meningitidis A,C,Y W135 Antigen detection by Agglutination - CSF             | Kerala   | C        | 2650       | Daily : 9:00am to 3:00pm | After 6 hrs       | 2ml of CSF in Sterile leak proof tube or container  |
| N0012     | Neoxpert IAP (Newborn Screening 3 Analytes)  | Kerala   | C        | 885        | Daily 11:30am            | Next Day : 5:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in            |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------|-------------------|--|
| N0013     | Neoxpert 5 (Newborn Screening 5 Analytes) | Kerala   | C        | 1610       | Daily 9:00am | Next day : 5:00pm | <p>terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.</p> <p>Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.</p> |
| N0014     | Neoxpert 8 (Newborn Screening 8 Analytes) | Kerala   | C        | 2600       | Daily 9:00am | Next day : 5:00pm | <p>Dried blood spot: 1 drop of heel prick or finger prick blood on</p>   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon       | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------|------------------|---|
|           |  |          |          |            |                 |                  | special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| N0015     | Neoxpert by TMS (Newborn Screening 40+ Analytes) | Kerala   | C        | 5095       | Daily : 11:30am | 5th day : 6:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and  |

| Test Code  | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|------------|--|----------|----------|------------|--------------------------|-------------------|--|
|            |  |          |          |            |                          |                   | clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| N0017      | Neuronal Antibody Profile                                  | Kerala   | E        | 9000       | Daily: 11:30am           | Next day 8pm      | 3 ml of serum  |
| N0018      | Nickel EDTA Whole Blood                                    | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| N0019      | Nickel Serum   | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| N0020      | Nickel, Urine Spot   | Kerala   | D        | 2805       | Daily : 11:30am          | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| N0021      | Nicotine Metabolite Quantitative Serum                     | Kerala   | C        | 1455       | Daily: 7.30am            | Same Day 7.30pm   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| N0022      | Nicotine Metabolite Quantitative Urine Spot                | Kerala   | C        | 1675       | Daily: 7.30am            | Same Day 7.30pm   | 2 ml of Spot Urine   |
| N0023_NIPS | NEXTGEN NON-INVASIVE PRENATAL SCREENING TEST               | Kerala   | E        | 16000      | Daily : 9:00am           | 8th day : 6:00pm  | Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo Identification Proof.                                 |
| N0027      | NMDA Receptor Antibody (NR1), CSF                          | Kerala   | D        | 6520       | Mon & Thu : 11:30am      | Same day : 9:00pm | 2 ml of CSF in sterile screw capped container.   |
| N0028      | NMDA Receptor Antibody (NR1) Autoimmune encephalitis Serum | Kerala   | D        | 7825       | Mon & Thu : 11:30am      | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| N0029      | NMO (Aquaporin 4)Neuromyelitis Optica Antibodies Serum     | Kerala   | C        | 4890       | Tue & Fri : 11:30am      | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| N0030      | NMO (Aquaporin 4)Neuromyelitis Optica Antibodies CSF       | Kerala   | C        | 4680       | Tue & Fri : 11:30am      | Same day : 9:00pm | 2 ml of CSF in sterile screw capped container.   |
| N0032      | Nocardia Detection by smear examination - Sputum           | Kerala   | B        | 595        | Daily : 9:00am to 3:00pm | After 6 hrs       | 2ml of Sputum in Sterile leak proof container  |
| N0033      | Nocardia Detection by smear examination - Tissue           | Kerala   | B        | 595        | Daily : 9:00am to 3:00pm | After 6 hrs       | Tissue with Normal Saline in Sterile leak proof container  |
| N0034      | Nor-Adrenaline (Nor-Epinephrine) Plasma                    | Kerala   | D        | 3670       | Wed : 11:30am            | Next day : 7:00pm | Plasma : 3 ml of EDTA plasma , Do  |

| Test Code | Test Name                                   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| N0035     | Nor-Adrenaline (Nor-Epinephrine) Urine-HPLC | Kerala   | D        | 3160       | Wed : 11:30am       | Next day : 7:00pm | not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.<br>24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| N0036     | Nor-Metanephrine-Free Plasma                | Kerala   | D        | 4640       | Tue & Fri : 11:30am | Next day : 7:00pm | Plasma : 3 ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.   |
| N0037     | Nor-Metanephrine, HPLC, urine 24 hrs        | Kerala   | D        | 2450       | Mon & Thu : 11:30am | Next day : 7:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time  |

| Test Code | Test Name                             | location | Category | Price(Rs.) | Testschedule              | Reportedon       | Sample Guideline   |
|-----------|---------------------------------------|----------|----------|------------|---------------------------|------------------|--|
| N0039     | NPM1 mutations AML - Blood            | Kerala   | D        | 4080       | Mon & Wed:<br>9:00am      | 7th day : 6:00pm | and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.<br>3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. |
| N0040     | NPM1 mutations AML - Bone Marrow      | Kerala   | D        | 4080       | Mon & Wed:<br>9:00am      | 7th day : 6:00pm | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.  |
| N0041     | NRAS mutations Exon-2 & 3 FFPE Tissue | Kerala   | D        | 7140       | Mon, Wed & Fri:<br>9:00am | 5th day : 6:00pm | Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.   |
| N0042     | NSE Neuron Specific Enolase CSF       | Kerala   | D        | 3470       | Tue & Fri: 11:30am        | After 8hrs       | 2 ml of CSF in leakproof container (foolin vu conical tube is recommended to prevent leakage).   |
| N0043     | NSE Neuron Specific Enolase Serum     | Kerala   | D        | 3265       | Tue & Fri: 11:30am        | After 8hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| N0044     | NT-Pro BNP Serum                      | Kerala   | C        | 4000       | Daily: 9am to 9pm         | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|---------------------|-------------------|--|
| N0045     | NTxN-Tellopeptide (Collagen Crosslinked)Urine 24H                  | Kerala   | C        | 3330       | Wed : 11:30am       | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| N0047     | NMDA- CSF & Serum  | Kerala   | D        | 11220      | Mon & Thu : 11:30am | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. 2 ml of CSF in sterile screw capped container.   |
| N0048     | NMO- CSF & Serum   | Kerala   | D        | 7650       | Tue & Fri : 11:30am | Same day : 9:00pm | 2 ml of CSF in sterile screw capped container.   |
| N0056     | Neuronal Antibody Profile-3  | Kerala   | E        | 15400      | Daily: 11:30am      | Next day 8pm      | 3 ml of serum  |
| N0057     | Neoxpert Expanded Screening Panel (Newborn Screening 48+ Analytes) | Kerala   | D        | 6120       | Daily : 11:30am     | 5th day : 6:00pm  | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should   |

| Test Code   | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline   |
|-------------|---|----------|----------|------------|-----------------|------------------------|--|
|             |   |          |          |            |                 |                        | fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| N0058       | Comprehensive Neurology panel**                               | Kerala   | R        | 22660      | Daily : 11:30am | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.                      |
| N0059_Serum | NMO with MOG Antibody Profile                                 | Kerala   | D        | 6500       | Daily : 11:30am | Same day : 9:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| N0060_CSF   | NMO with MOG Antibody Profile                                 | Kerala   | D        | 6935       | Daily : 11:30am | Same day : 9:00pm      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).  |
| N0061       | Nocardia Susceptibility by Microbroth dilution - Pure Culture | Kerala   | C        | 3380       | Daily : 9:00am  | 15th day : 5pm         | Pure growth of Nocardia spp. on Blood/Chocolate Agar plate. Kindly provide Previous identification report of Nocardia.   |
| N0062       | Nitrosonaphthol Test Qualitative, Spot Urine                  | Kerala   | R        | 20600      | Daily : 11:30am | 5th day : 6:00pm       | 10 ml of Spot sample in Leakproof container. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab.   |
| N0064       | Nickel, Hair tests by ICPMS**                                 | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-----------------|-------------------|---|
| N0065     | Nickel, Water tests by ICPMS**  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | before sending<br>2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| N0066     | NR4A3 (TEC) 9p22.3 translocation**                                    | Kerala   | R        | 12360      | Daily : 11:30am | 12th day : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.  |
| N0067     | NTRK3 and ETV6 translocation**  | Kerala   | R        | 14420      | Daily : 11:30am | 12th day : 6:00pm | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.  |
| N0068     | Neurology comprehensive panel & whole mitochondrial genome sequencing | Kerala   | E        | 25000      | Daily: 7:30am   | 5 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| N0069     | Neurotransmitter disorders-Gene Panel                                 | Kerala   | E        | 20000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |

| Test Code | Test Name                       | location | Category | Price(Rs.) | Testschedule    | Reportedon       | Sample Guideline   |
|-----------|---------------------------------|----------|----------|------------|-----------------|------------------|--|
| N0070     | New born screening panel by NGS | Kerala   | E        | 16000      | Daily: 7:30am   | 4 weeks          | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.  |
| N0096_C   | Integrated test, standard       | Kerala   | E        | 5500       | Daily : 11:30am | 7th day : 6:00pm | 3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histroy additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days. |

| Test Code | Test Name                                      | location | Category | Price(Rs.) | Testschedule    | Reportedon       | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|------------------|--|
| N0096_S   | Integrated test, sequential                    | Kerala   | E        | 5500       | Daily : 11:30am | 7th day : 6:00pm | 3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family histroy additionally required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or pateint and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambinet condition upto 1 day or refrigerated conditio upto 3 days. |
| N5543     | NextGen NIPS Advanced                          | Kerala   | E        | 18500      | Daily : 9:00am  | 8th day : 6:00pm | Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo Identification Proof.   |
| N8209     | NextGen Precision Assay (500 genes +TMB+MSI)** | Kerala   | R        | 65000      | 11.30 am        | 20 day 6:00pm    | EDTA SAMPLE + Paraffin Block   |
| O0001     | Obesity Profile                                | Kerala   | C        | 6395       | 1st and 3rd Wed | Next day 5 pm    | 5 ml of serum, 2 ml of flouride  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
|           |  |          |          |            |                          |                   | plasma , 20 ml of spot urine  |
| 00002     | Occult blood by chemical test - Stool  | Kerala   | A        | 80         | Daily : 9:00am to 9:00pm | After 6 hrs       | 5gm of Stool specimen in Sterile leak proof container                                   |
| 00003     | Occult blood by chemical test - Urine  | Kerala   | A        | 180        | Daily : 9:00am to 9:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container                                      |
| 00004     | Oligoclonal band,CSF   | Kerala   | C        | 5720       | Tue & Fri: 11:30am       | Next day : 5:00pm | 3 ml of serum & 2 ml of CSF in sterile screw capped container.                          |
| 00005     | Opiates Morphine Urine Spot  | Kerala   | B        | 755        | Daily: 9am to 9pm        | After 6 hrs       | 5 ml of Spot Urine  |
| 00006     | Opportunistic infection panel by Modified ZN smear - Stool                             | Kerala   | C        | 1665       | Daily : 9:00am to 3:00pm | After 6 hrs       | 5gm of Stool specimen in Sterile leak proof container                                   |
| 00008     | Ornithine Quantitative Plasma*   | Kerala   | R        | 6385       | Thu : 11:30am            | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature. |
| 00009     | Ornithine Quantitative Urine 24H**   | Kerala   | R        | 6385       | Daily : 11:30am          | 7th day : 6:00pm  | 10 ml of Spot urine   |
| 00010     | Osmolality freezing point Serum  | Kerala   | C        | 1135       | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| 00011     | Osmolality freezing point Urine  | Kerala   | C        | 1135       | Daily: 9am to 9pm        | After 6 hrs       | 5 ml of Spot Urine  |
| 00012     | Osmotic Fragility Test   | Kerala   | C        | 885        | Daily: 9am               | Same day 5pm      | 3 ml Sodium heparin sample  |
| 00013     | Osteocalcin BGP-Bone Gla Protein Serum   | Kerala   | C        | 3015       | Daily: 9am to 9pm        | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| 00014     | Osteomon Profile   | Kerala   | D        | 3050       | Mon and Thu: 8am         | Same day 5pm      | 3 ml of serum and 3 ml of EDTA plasma   |
| 00015     | Osteoporosis Profile-I   | Kerala   | C        | 2030       | Daily: 9am to 9pm        | After 8 hrs       | 2 ml of EDTA Plasma   |
| 00016     | Osteoporosis Profile-II  | Kerala   | C        | 6085       | Mon and Thu: 8am         | Same day 5pm      | 3 ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine                              |
| 00017     | Osteoporosis Profile-III   | Kerala   | C        | 8215       | Mon and Thu: 8am         | Same day 5pm      | 3 ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine                              |
| 00018     | OT Microbiological Surveillance Panel Bacterial & Fungal by Vitek/ MALDITOF - Per swab | Kerala   | C        | 600        | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube                 |
| 00020     | Ovarian Antibody AOA serum   | Kerala   | C        | 3690       | Mon : 11:30am            | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.             |
| 00021     | Ovarian Marker Profile   | Kerala   | D        | 4130       | Tue,Fri: 7:30am          | After 8 hrs       | 5 ml of serum   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|-------------------|--|
| 00022     | Ovarian Reserve Profile-Maxi   | Kerala   | C        | 6395       | Mon: 9am                 | Next day 5pm      | 5 ml of serum  |
| 00023     | Ovarian Reserve Profile-Mini   | Kerala   | C        | 3430       | Mon and Thu: 9am         | Same day 7pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| 00024     | Oxalate, Urine   | Kerala   | C        | 2130       | Daily : 11:30am          | Same day : 9:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| 00025     | OT Microbiological Surveillance Panel Bacterial & Fungal - 5 swabs   | Kerala   | C        | 2340       | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube  |
| 00026     | Oxcarbazepine, Serum**   | Kerala   | D        | 4845       | Fri : 11:30am            | Next day : 5:00pm | 3 ml of serum(sample collect in, plain vacutainer, not in gel tube)  |
| 00027     | Ova and Parasite Examination,Other Samples                           | Kerala   | B        | 325        | Daily : 9:00am to 3:00pm | Next day : 5pm    | 5gm of Stool specimen in Sterile leak proof container  |
| 00039     | Open Neural tube defect screening, AFP MOM, Second trimester - Serum | Kerala   | C        | 990        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| 00040     | Opiates confirmation by LCMS, Spot Urine**                           | Kerala   | R        | 9270       | Daily : 11:30am          | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule         | Reportedon             | Sample Guideline   |
|-----------|---|----------|----------|------------|----------------------|------------------------|--|
|           |   |          |          |            |                      |                        | collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.  |
| O0041     | Oncotrack - Ultima [Liquid biopsy for 56 theranostic genes]** | Kerala   | R        | 49400      | Daily : 11:30am      | After 4 weeks : 6:00pm | Peripheral blood in 2 Streck tubes (tube supplied upon request)  |
| O0042     | NextGen Oncomine Focus Assay - 52 Gene Panel                  | Kerala   | E        | 39500      | Daily 9:00 am        | 4 Weeks                | Tumor containing FFPE block (>10% of tumor). Clinical history with Histopathology report.  |
| O1801     | Other diagnostic services- 2 D Echo                           | Kerala   | O        | 2825       |                      |                        |  |
| O1806     | Other diagnostic services- ECG                                | Kerala   | O        | 300        |                      |                        |  |
| O1810     | Other diagnostic services- TMT (Stress test)                  | Kerala   | O        | 1300       |                      |                        |  |
| O1818     | OPG - Orthopantomogram  | Kerala   | O        | 565        |                      |                        |  |
| O1901     | CANINE-Occult blood Stool                                     | Kerala   | A        | 135        | Daily: 9am, 2pm, 8pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| O1902     | Occult blood  | Kerala   | A        | 110        | Daily: 9am, 2pm, 8pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P0001     | P1NP Intact N-Terminal Propeptide of Type I Procollagen Serum | Kerala   | C        | 1770       | Mon and Thu: 7.30am  | Same day 5pm           | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0002     | Pacer-26  | Kerala   | C        | 2390       | Daily: 9am to 9pm    | After 8 hrs            | 5 ml of serum and 2 ml of F flouride plasma  |
| P0003     | Palmitoyl Protein Thioesterase1                               | Kerala   | R        | 5770       | Daily : 11:30am      | 10th day : 6:00pm      | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule          | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------------|-------------------|---|
| P0004     | Pancreatic (Acute) Profile                                       | Kerala   | D        | 1630       | Daily: 9am to 9pm     | After 8 hrs       | 3 ml of serum and 2 ml of EDTA whole blood                                  |
| P0005     | Pancreatic Marker Profile  | Kerala   | D        | 3725       | Daily: 9am to 9pm     | After 8 hrs       | 5 ml of serum   |
| P0006     | Panfungal-DNA detection by PCR & Sanger Sequencing - Blood       | Kerala   | D        | 9180       | Daily : 7:30am        | 3rd day : 6:00pm  | 3 ml of Whole Blood in EDTA Vacutainer                                      |
| P0007     | Panfungal-DNA detection by PCR & Sanger Sequencing - Body fluids | Kerala   | D        | 9180       | Daily : 7:30am        | 3rd day : 6:00pm  | 2ml of Body Fluid in Sterile leak proof container                           |
| P0008     | Panfungal-DNA detection by PCR & Sanger Sequencing - CSF         | Kerala   | D        | 9180       | Daily : 7:30am        | 3rd day : 6:00pm  | 2ml of CSF in Sterile leak proof tube or container                          |
| P0009     | Panfungal-DNA detection by PCR & Sanger Sequencing - Sputum      | Kerala   | D        | 9180       | Daily : 7:30am        | 3rd day : 6:00pm  | 2ml of Sputum in Sterile leak proof container                               |
| P0010     | Panfungal-DNA detection by PCR & Sanger Sequencing - Tissue      | Kerala   | D        | 9180       | Daily : 7:30am        | 3rd day : 6:00pm  | Tissue with Normal Saline in Sterile leak proof container                   |
| P0011     | PAP smear by Conventional method                                 | Kerala   | C        | 955        |                       | 2nd day           | Pre fixed smears along with P/S findings                                    |
| P0012     | PAP smear by Liquid based cytology (LBC)                         | Kerala   | C        | 1500       |                       | 3rd day           | Cervical scraping in a LBC vial   |
| P0013     | PAPPa-Pregnancy Associated Plasma Protein Serum                  | Kerala   | D        | 1430       | Daily: 9am to 9pm     | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| P0014     | Paracetamol Acetaminophen Serum                                  | Kerala   | D        | 1120       | W, S: 7.30am          | Same day at 6pm   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| P0015     | Parainfluenza 1,2 & 3 IgG Antibody by EIA - Serum                | Kerala   | C        | 1870       | Thurs : 9:00am        | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| P0016     | Parainfluenza 1,2 & 3 IgM Antibody by EIA - Serum                | Kerala   | C        | 1870       | Thurs : 9:00am        | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| P0017     | Parathyroid Panel  | Kerala   | C        | 2965       | Daily: 9am to 9pm     | After 8 hrs       | 2 ml of EDTA plasma, 3 ml of serum and spot sample urine                    |
| P0018     | Parietal Cell Antibody GPCA by IFA Serum                         | Kerala   | C        | 2445       | Mon & Thu : 11:30am   | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| P0019     | Parvovirus B19 DNA Detection by Real Time PCR - Amniotic fluid   | Kerala   | D        | 2905       | Mon, Thursday: 9:00am | Next day : 5:00pm | 10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container |
| P0020     | Parvovirus B19 DNA Detection by Real Time PCR - EDTA Blood       | Kerala   | D        | 3150       | Mon, Thursday: 9:00am | Next day : 5:00pm | 3 ml of Whole Blood in EDTA Vacutainer                                      |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| P0021     | Parvovirus B19 DNA Detection by Real Time PCR - CSF | Kerala   | D        | 2905       | Mon, Thursday: 9:00am    | Next day : 5:00pm | 2ml of CSF in Sterile leak proof tube or container  |
| P0022     | Parvovirus B19 IgG Antibody by EIA - Serum          | Kerala   | C        | 3110       | Wed : 9:00am             | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| P0023     | Parvovirus B19 IgM Antibody by EIA - Serum          | Kerala   | C        | 3110       | Wed : 9:00am             | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| P0024     | PAS Stain, Blood                                    | Kerala   | C        | 730        | Mon & Thu : 11:30am      | 3rd day : 6:00pm  | 3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory  |
| P0025     | PAS Stain, Bone Marrow                              | Kerala   | C        | 730        | Mon & Thu : 11:30am      | 3rd day : 6:00pm  | 3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory  |
| P0026     | Paul bunnel test by Agglutination - Serum           | Kerala   | B        | 1080       | Daily : 9:00am & 3:00pm  | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| P0028     | PCP Phencyclidine Phosphate Urine Spot              | Kerala   | B        | 700        | Daily: 9am to 9pm        | After 6 hrs       | 5 ml of Spot Urine  |
| P0032     | Peripheral smear examination (PBS)                  | Kerala   | B        | 350        | Daily: 9am and 3pm       | After 6 hrs       | 3 ml EDTA Whole Blood   |
| P0033     | pH by Indicator Strip - Stool                       | Kerala   | A        | 110        | Daily : 9:00am to 9:00pm | After 6 hrs       | 5gm of Stool specimen in Sterile leak proof container   |
| P0034     | pH by Indicator Strip - Urine                       | Kerala   | A        | 80         | Daily : 9:00am to 9:00pm | After 6 hrs       | 15ml of Spot Urine in Sterile leak proof container  |
| P0035     | Phenobarbitone Gardinal Serum**                     | Kerala   | C        | 1030       | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0036     | Phenyl Alanine Neonatal Screen Dried blood spot     | Kerala   | B        | 485        | Daily : 11:30am          | Next day : 5:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in |



| Test Code | Test Name                              | location | Category | Price(Rs.) | Testschedule      | Reportedon   | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|--------------|--|
|           |  |          |          |            |                   |              | terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Spot Urine:10 ml of Spot urine required with clinical history and clinician number.Amino acid Plasma: 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clincian required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations |
| P0037     | Phenylalanine Quantitative Plasma      | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| P0038     | Phenylalanine Quantitative Spot Urine* | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm | 10 ml of Spot urine  |
| P0039     | Phenytoin Eptoin, Dilantin Serum       | Kerala   | C        | 1135       | Daily: 9am to 9pm | After 6 hrs  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0040     | Pheochromocytoma Marker Profile-I      | Kerala   | D        | 7040       | Daily: 9am        | 7th day      | 20 ml of 24 hrs urine in HCL preservative. Quote Volume.   |

| Test Code | Test Name                            | location | Category | Price(Rs.) | Testschedule                           | Reportedon       | Sample Guideline   |
|-----------|--------------------------------------|----------|----------|------------|--|------------------|--|
| P0041     | Pheochromocytoma Marker Profile-II   | Kerala   | D        | 16830      | Daily: 9am                             | 7th day          | 4 ml of EDTA plasma and 20 ml of urine (Urine 24H)   |
| P0050     | Phospholipid profile IgG             | Kerala   | C        | 5410       | Thu: 1pm                               | Next day 5:00 pm | 5 ml of serum  |
| P0051     | Phospholipid profile IgM             | Kerala   | C        | 5410       | Thu: 1pm                               | Next day 5:00 pm | 5 ml of serum  |
| P0052     | Phospholipid Syndrome Profile        | Kerala   | D        | 4900       | Tuesday, Thursday and Saturday 7:30 am | same day 7pm     | 3 ml of Citrate plasma, 3 ml of serum  |
| P0053     | Phosphorus-Inorganic Serum           | Kerala   | A        | 270        | Daily: 9am to 9pm                      | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0054     | Phosphorus-Inorganic Urine Spot      | Kerala   | A        | 335        | Daily: 9am to 9pm                      | After 6 hrs      | 10 ml of Spot urine  |
| P0055     | Phosphorus-Inorganic Urine 24H       | Kerala   | A        | 335        | Daily: 9am to 9pm                      | After 6 hrs      | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| P0056     | Phosphotidylserine IgG antibodySerum | Kerala   | C        | 1195       | Thu: 1pm                               | Next day 5:00 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0057     | Phosphotidylserine IgM antibodySerum | Kerala   | C        | 1195       | Thu: 1pm                               | Next day 5:00 pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0058     | PIK3CA Gene Mutations - FFPE Tissue  | Kerala   | E        | 6500       | Mon, Wed & Fri: 9:00am                 | 5th day : 6:00pm | Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------------|-------------------|--|
|           |   |          |          |            |                          |                   | hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.  |
| P0059     | Pituitary Marker Profile  | Kerala   | C        | 3900       | Daily: 9am to 9pm        | After 8 hrs       | 3 ml of EDTA plasma, 3 ml of serum   |
| P0060     | PLA2 receptor antibody Primary membranous Glomerulopathy Serum          | Kerala   | D        | 4735       | Tue : 11:30am            | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0061     | Plate/Slant For Identification & Susceptibility - Automated Plate/Slant | Kerala   | C        | 1300       | Daily : 9:00am to 9:00pm | 3rd day : 5pm     | Pure culture isolate is required   |
| P0062     | Platelet Antibodies by IFA Serum  | Kerala   | D        | 9015       | Mon : 11:30am            | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0063     | Platelet Count ,EDTA Blood  | Kerala   | A        | 170        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml EDTA Whole Blood  |
| P0066     | Pneumocystis Carinii Detection by IFA - BAL / Sputum                    | Kerala   | C        | 2810       | Daily : 9:00am to 3:00pm | Next day : 5pm    | 2 ml of BAL / Sputum in Sterile leak proof container   |
| P0070     | Pneumonia Viral-III Panel by EIA - Serum                                | Kerala   | D        | 6630       | Thurs: 7:30 am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| P0071     | PNH confirmation test, Blood  | Kerala   | D        | 6785       | Daily: 9am               | Next day 5pm      | 3 ml EDTA whole Blood  |
| P0072     | PNMA2 (MA2/TA) Antibody Serum   | Kerala   | D        | 4895       | Daily: 11:30am           | Next day 8pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0073     | Synovial Fluid by Polarizing microscopy                                 | Kerala   | C        | 935        |                          | 4th day           | 0.5 ml Synovial fluid in a plain container   |
| P0074     | Pompe Disease Enzyme Assay Blood**                                      | Kerala   | R        | 7930       | Daily : 11:30am          | 10th day : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)   |
| P0075     | Porphobilinogen (Quantitative), urine 24 Hrs                            | Kerala   | C        | 3950       | Thu : 11:30am            | Next day : 5:00pm | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample |

| Test Code | Test Name                       | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---------------------------------|----------|----------|------------|--------------------|-------------------|--|
|           |                                 |          |          |            |                    |                   | for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.  |
| P0076     | Porphyria Profile, 24 hrs Urine | Kerala   | D        | 5785       | Thu : 11:30am      | Next day : 5:00pm | Add 10 ml of 6 M HCL preservative in 24 hrs urine container. Collect 24 hrs urine sample and send 10 ml of 24 Hrs Urine In Dark Container.   |
| P0077     | Porphyria Profile, Urine Spot   | Kerala   | D        | 5865       | Thu: 9am           | Next day 5pm      | 10 ml of 24 Hours Urine OR spot urine In Dark Container  |
| P0078     | Potassium ISE Serum             | Kerala   | A        | 150        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0079     | Potassium Urine 24H             | Kerala   | A        | 305        | Daily: 9am to 9pm  | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| P0080     | Potassium, urine by ISE_P0080   | Kerala   | A        | 300        | Daily: 9am to 9pm  | After 6 hrs       | 10 ml of Spot urine  |
| P0081     | PR3 - c-ANCA Serum              | Kerala   | C        | 2080       | Tue,Thu, S: 7:30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex   |

| Test Code | Test Name                                     | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|---------------------|-------------------|---|
| P0082     | PRA- Plasma Renin Activity                    | Kerala   | C        | 5510       | Tue & Fri: 11:30am  | Next day : 5:00pm | tests.<br>3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |
| P0083     | Pre Albumin Serum                             | Kerala   | D        | 3570       | Mon and Thu: 7.30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0086     | Pre-Operative Profile (Maxi)                  | Kerala   | C        | 2550       | Daily: 7pm          | After 8 hrs       | 3 ml of EDTA whole blood, 2 ml of citrate plasma, 3 ml of serum, 20 ml of spot urine  |
| P0087     | Pre-Operative Profile (Mini)                  | Kerala   | C        | 1405       | Daily: 8pm          | After 8 hrs       | 3 ml of EDTA whole blood, 3 ml of serum, 20 ml of spot urine  |
| P0088     | Procalcitonin Serum                           | Kerala   | C        | 3200       | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0089     | Progesterone (P4) Serum                       | Kerala   | B        | 800        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0090     | Prolactin Serum                               | Kerala   | B        | 600        | Daily: 9am to 9pm   | After 8 hrs       | 4 ml of Serum   |
| P0091     | Propoxyphene Qualitative Urine Spot           | Kerala   | C        | 675        | Daily: 9am to 9pm   | After 6 hrs       | 10 ml of Spot urine   |
| P0092     | Prostate Profile                              | Kerala   | D        | 2040       | Daily: 9am to 9pm   | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0094     | Protein C Activity Functional ,Citrate plasma | Kerala   | C        | 4680       | Mon and Thurs: 9am  | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.  |
| P0095     | Protein C Antigen Citrated plasma (P0095)     | Kerala   | C        | 5095       | Daily: 7:30am       | Same day : 9:00pm | 1 ml of citrated platelet poor plasma in frozen condition.  |
| P0096     | Serum, Protein Electrophoresis                | Kerala   | C        | 950        | Daily:9.00 am       | Same day 8:00 PM  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0097     | Protein Electrophoresis, Urine 24 Hrs         | Kerala   | C        | 885        | Mon, Thu: 9am       | Next day 5:00 pm  | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------|-------------------|---|
|           |   |          |          |            |                    |                   | <p>volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.</p>   |
| P0098     | Protein Electrophoresis reflex immunofixation Serum | Kerala   | C        | 2600       | Daily : 11:30am    | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0099     | Protein S activity, Plasma                          | Kerala   | C        | 4680       | Mon and Thurs: 9am | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.  |
| P0100     | Protein S Antigen (Free)Citrated plasma             | Kerala   | C        | 6135       | Mon and Thurs: 9am | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.  |
| P0101     | Proteins Serum                                      | Kerala   | B        | 300        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| P0102     | Proteins Urine 24H                                  | Kerala   | A        | 390        | Daily: 9am to 9pm  | After 6 hrs       | <p>24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab.</p> |
| P0103     | Proteins Ascitic Fluid                              | Kerala   | A        | 305        | Daily: 9am to 9pm  | After 6 hrs       | 2 ml of Ascitic Fluid   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon       | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|------------------|--|
| P0104     | Proteins CSF   | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs      | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).                              |
| P0105     | Proteins Pedicardial Fluid                           | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs      | 2 ml of Pericardial Fluid  |
| P0106     | Proteins Pleural Fluid                               | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs      | 2 ml of Pleural Fluid  |
| P0107     | Proteins Synovial Fluid                              | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs      | 2 ml of Synovial Fluid   |
| P0108     | Proteins/Creatinine Ratio                            | Kerala   | B        | 400        | Daily: 9am to 9pm | After 6 hrs      | 10 ml of Spot urine  |
| P0109     | Prothrombin G20210A (Factor II) Mutation             | Kerala   | D        | 5610       | Wed & Fri: 9:00am | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . |
| P0110     | Prothrombin Time (PT)                                | Kerala   | B        | 300        | Daily: 9am to 9pm | After 6 hrs      | Local Labs can send whole Blood within 24 hrs of collection and for Outstations Frozen Plasma required.                    |
| P0111     | PSA-Free Prostate Specific Antigen Serum             | Kerala   | C        | 1090       | Daily: 9am to 9pm | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0112     | PSA-Total Prostate Specific Antigen Serum            | Kerala   | B        | 600        | Daily: 9am to 9pm | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0113     | Pseudo Cholinesterase OPC poisoning Serum            | Kerala   | C        | 1250       | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0114     | PTH-Intact Molecule Parathyroid hormone Serum/Plasma | Kerala   | B        | 1300       | Daily: 9am to 9pm | After 6 hrs      | 2 ml of Serum / EDTA Plasma  |
| P0115     | PUO Profile  | Kerala   | C        | 5200       | Daily: 9am to 9pm | 5th day          | 2 Blood culture bottle (Aerobic and anaerobic), 3 ml of serum  |
| P0117     | Pyruvate by Biochemical Method                       | Kerala   | C        | 2800       | Daily: 7.30am     | Same day 5pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0119     | PSA with Free PSA ratio                              | Kerala   | C        | 1820       | Daily: 9am to 9pm | After 8 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0122     | Pro Gastrin Releasing Peptide                        | Kerala   | R        | 12155      | Daily: 7.30am     | 1 month          | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|---------------------|-------------------|--|
| P0123     | Prolactin, Active & macroprolactin serum                      | Kerala   | C        | 965        | Daily : 11:30am     | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0124     | PSA reflex Free PSA, Serum                                    | Kerala   | C        | 1090       | Daily: 9am to 9pm   | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0125     | Porphobilinogen (Quantitative), Urine Spot                    | Kerala   | C        | 4265       | Thu : 11:30am       | Next day : 5:00pm | 10 ml of Spot urine  |
| P0126     | Protein Body Fluid  | Kerala   | A        | 305        | Daily: 9am to 9pm   | After 6 hrs       | 2 ml body fluid  |
| P0127     | Potassium Body Fluid  | Kerala   | A        | 300        | Daily: 9am to 9pm   | After 6 hrs       | 2 ml body fluid  |
| P0128     | Proteins, Peritoneal Fluid                                    | Kerala   | A        | 305        | Daily: 9am to 9pm   | After 6 hrs       | 2 ml body fluid  |
| P0135     | Neurotropic Virus panel by real time PCR                      | Kerala   | D        | 6630       | Daily : 9:00am      | 3rd day : 6:00pm  | 2ml of CSF in Sterile leak proof tube or container   |
| P0139     | Pancreatic Elastase Test                                      | Kerala   | D        | 6630       | Wednesday-9.00AM    | same day 5.00 PM  | 100 gms of stool in leak proof container. History of medicines, morning sample preferred.  |
| P0149     | PV panel (Jak-2 V617F Reflex to Jak-2 Exon 12 Mutation)-Blood | Kerala   | D        | 8160       | Tue & Fri : 9:00am  | 8th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.  |
| P0152     | Pre-eclampsia screening Serum                                 | Kerala   | D        | 3265       | Mon & Thu : 11:30am | Next day : 6:00pm | 3 ml of Serum for all test. Serum to be shipped at 2 to 8 degree Refrigerated. Serum sample to be stored at 2 to 8 degree for 2 days and post 2 days to be send in frozen condition. Latest USG is recommended mentioning CRL or BPD, Single or twin fetus (test not valid for triplets or above), NT value in mm. Maternal screening TRF is mandatory with history of date of birth, weight, Race, Smoking, type 1 diabetes. In IVF pregnancy Egg donor DOB, egg extraction date and embryo transfer date. in Preeclampsia cases history of BP or family history additionally |



| Test Code | Test Name   | Location | Category | Price(Rs.) | Test Schedule       | Reported on       | Sample Guideline   |
|-----------|---|----------|----------|------------|---------------------|-------------------|--|
|           |   |          |          |            |                     |                   | required with USG findings of MAP, UAPI values etc as per TRF requirements. Reflex test will be done for positive screen cases and will be conveyed by lab for sample requirements further based on consent with Gynecologist or patient and TAT of report will be based on the test added and registered. For NIPS 10 ml of Whole blood in strek tube to be send in ambient condition upto 1 day or refrigerated condition upto 3 days. |
| P0154     | Posaconazole Serum  | Kerala   | R        | 6180       | Mon & Thu : 11:30am | Next day : 7:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| P0155     | Plasma Acylcarnitine profile**                                      | Kerala   | R        | 5665       | Daily : 11:30am     | 7th day : 6:00pm  | 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations                       |
| P0156     | PV panel (Jak-2 V617F Reflex to Jak-2 Exon 12 Mutation)-Bone Marrow | Kerala   | D        | 8160       | Tue & Fri : 9:00am  | 8th day : 6:00pm  | 3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.  |
| P0158     | PML/RARA - t(15;17) Qualitative by PCR*                             | Kerala   | D        | 5000       | Daily : 9:00am      | 4th day : 6:00pm  | 5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|-------------------|--|
|           |  |          |          |            |                 |                   | diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.   |
| P0159     | Phencyclidine confirmation by LCMS, Spot Urine** | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| P0160     | Platinum, EDTA Whole Blood**                     | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| P0161     | Platinum, Hair tests by ICPMS**                  | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending   |
| P0162     | Platinum, Spot Urine**                           | Kerala   | R        | 3500       | Daily : 11:30am | 10th day : 6:00pm | Individual Metals and Minerals.pdf   |
| P0163     | Propoxyphine confirmation by LCMS, Spot Urine**  | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 10ml of spot urine sample required to be shipped at 2-8C. The sample is stable for 1day, 1 day & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| P0165     | POLG-Gene Analysis                               | Kerala   | E        | 17000      | Daily: 7:30am   | 4 weeks           | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,                                  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------|-------------------|--|
| P0166     | Pulmonary surfactant metabolism dysfunction-Gene Panel                  | Kerala   | E        | 20000      | Daily: 7:30am      | 4 weeks           | history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| P0167     | PGS (Preimplantation genetic screening), Embryo                         | Kerala   | R        | 22660      | Daily : 11:30am    | 15th day : 6:00pm | CytogeneticsandFISH.pdf  |
| P0168     | Pre screening for Bleeding Disorders                                    | Kerala   | C        | 4370       | Daily : 9 am       | Next day 5pm      | 1 ml of citrated platelet poor plasma in frozen condition.   |
| P0169     | Panfungal-DNA detection by PCR & Sanger Sequencing - Pure Culture       | Kerala   | D        | 9180       | Daily : 7:30am     | 3rd Day : 6:00pm  | Pure culture on SDA plate/ slant   |
| P1002     | Plasminogen Activator Inhibitor-1 (PAI-1) / SERPINE-1, 4G/5G Genotyping | Kerala   | R        | 14730      | Wed : 11:30am      | 10th day : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.  |
| P1003     | PCOS Profile - 1  | Kerala   | D        | 3600       | Daily : 7:30am     | Same day : 5:00pm | 5 ml of serum and 2 ml of F, PP flouride plasma  |
| P1004     | PCOS Profile - 2  | Kerala   | D        | 6935       | Tue and Fri: 9am   | Same day 7pm      | 2 ml of Fluoride plasma (F, PP), 5 ml of fasting serum sample  |
| P1005     | PCOS profile - 3  | Kerala   | D        | 10100      | Tue and Fri: 9am   | Same day 7pm      | 2 ml of Fluoride plasma (F, PP), 6 ml of fasting serum sample  |
| P1008     | Prader-Willi / Angelman Syndrome by MS-PCR                              | Kerala   | D        | 7140       | Tue & Fri : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF   |

| Test Code | Test Name                           | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|-------------------------------------|----------|----------|------------|-------------------|---------------------|--|
| P1009     | Prolactin (Tripoled Sample) serum   | Kerala   | D        | 610        | Daily: 9am to 9pm | After 8 hrs         | mandatory.<br>3 ml of serum(0, 20, 40 min)   |
| P1017     | Phenol, Urine**                     | Kerala   | R        | 2955       | Daily : 11:30am   | 20th day : 6:00pm   | 31 ml Urine (collect Urine after end of work shift on last working day of shift)   |
| P1901     | CANINE-Peripheral smear examination | Kerala   | B        | 380        | Daily: 9am, 3pm   | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1902     | Canine - Phosphorous                | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1903     | Platelet Count, EDTA whole blood    | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1904     | Canine - Potassium                  | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1905     | Pre ? Operative Panel               | Kerala   | C        | 935        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name                             | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline   |
|-----------|---------------------------------------|----------|----------|------------|-------------------|---------------------|--|
|           |                                       |          |          |            |                   |                     | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| P1906     | Progesterone (P4), Serum by CMIA      | Kerala   | B        | 700        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1907     | Protein Electrophoresis, Serum        | Kerala   | C        | 800        | Daily: 7.30am     | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1908     | Canine - Proteins, Serum              | Kerala   | C        | 230        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1909     | Prothrombin Time (PT), Citrate plasma | Kerala   | B        | 410        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| P1910     | Canine-PTH                            | Kerala   | B        | 1730       | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated   |

| Test Code | Test Name                                   | location | Category | Price(Rs.) | Testschedule                              | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|---|-------------------|--|
| P5629     | Prega-Plus                                  | Kerala   | E        | 8599       | Daily 9 am                                | Upto 72 hours     | for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.<br>2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine, 10 ml of urine in Sterile Container .(Mid-stream or early morning) . Upon 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose ) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation. Tests for partner to be registered separately under P0630. ) |
| P5631     | Prega-Pro                                   | Kerala   | E        | 5599       | Daily 9 am                                | Next day 5pm      | 2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of flouride plasma , 20 ml of spot Urine 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose ) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation...  |
| P8220     | Pneumocystis jirovecii (PCP) Detection      | Kerala   | D        | 7500       | Every Tuesday, Thursday and Saturday. 9AM | Same day 11pm     | 3ml Sputum or BAL  |
| P8229     | PLA2 receptor antibody Quantitative , Serum | Kerala   | D        | 5400       | Tue : 11:30am                             | Next day : 5:00pm | 2 ml Serum   |
| P8277     | Liquid Biopsy PIC3CA NGS Mutation           | Kerala   | E        | 45000      | Daily 7.00 am                             | 25 th days        | Peripheral Blood in streck tube  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule   | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------|-------------------|---|
| P8530     | PDL-1 (22C3) Head & Neck squamous cell carcinoma              | Kerala   | D        | 15020      | Daily 9 am     | 7th day           | Paraffin Block  |
| P8531     | PDL-1 (22C3) Breast   | Kerala   | D        | 15020      | Daily 9 am     | 7th day           | Paraffin Block  |
| P8532     | PDL-1 (22C3) Cervix   | Kerala   | D        | 15020      | Daily 9 am     | 7th Day           | Paraffin Block  |
| P8533     | PDL-1 (22C3) Lung   | Kerala   | D        | 15020      | Daily 9 am     | 7th Day           | Paraffin Block  |
| P8534     | PDL-1 (22C3) Urothelial                                       | Kerala   | D        | 15020      | Daily 9 am     | 7th Day           | Paraffin Block  |
| Q8101     | Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR | Kerala   | E        | 5150       | Daily : 9:00am | Next day : 6:00pm | <p>â€¢ Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition or</p> <p>â€¢ Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition</p> <p>â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .</p> <p>â€¢ çPOC - 1)Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD &gt;20 weeks of gestation: fetal Muscle tissue</p> |

| Test Code         | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon           | Sample Guideline   |
|-------------------|---|----------|----------|------------|--------------------------|----------------------|--|
|                   |   |          |          |            |                          |                      | preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin |
| R0001             | RA test Rheumatoid Arthritis Serum  | Kerala   | B        | 500        | Daily: 9am to 9pm        | After 6 hrs          | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| R0002             | RA test Rheumatoid Arthritis Synovial Fluid   | Kerala   | B        | 755        | Daily: 9am to 9pm        | After 6 hrs          | 1ML of Synovial Fluid  |
| R0004             | Rabies virus antibodies by CLIA - Serum   | Kerala   | D        | 3960       | Mon: 7:30 am             | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| R0005             | RA-IgA Rheumatoid Arthritis Serum   | Kerala   | R        | 875        | Daily : 11:30am          | 7th day : 6:00pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| R0007             | RBC Folate EDTA Whole Blood   | Kerala   | C        | 2340       | Daily : 9:00am           | Same day after 8 hrs | EDTA Blood (2 ml) And Serum (2 ml)   |
| R0009             | Reducing Substances Paediatric - Urine  | Kerala   | A        | 165        | Daily : 9:00am to 9:00pm | After 6 hrs          | 15ml of Spot Urine in Sterile leak proof container   |
| R0010             | Reducing Substance by chemical test - Stool   | Kerala   | A        | 165        | Daily : 9:00am to 9:00pm | After 6 hrs          | 5gm of Stool specimen in Sterile leak proof container  |
| R0011             | Renal (Kidney) Function Tests-1 RFT Maxi  | Kerala   | C        | 850        | Daily: 9am to 9pm        | After 6 hrs          | 3 ml of EDTA whole blood, 2 ml of Flouride plasma, 3 ml of serum, 20 ml of spot urine  |
| R0012             | Renal (Kidney) Function Tests   | Kerala   | C        | 800        | Daily: 9am to 9pm        | After 6 hrs          | 3 ml of serum, 20 ml of spot urine   |
| R0012_WithouteGFR | Renal (Kidney) Function Tests-2 RFT Mini  | Kerala   | C        | 1090       | Daily: 9am to 9pm        | After 4 hrs          | 3 ml of serum, 20 ml of spot urine   |
| R0013             | Renin Direct Plasma   | Kerala   | C        | 3795       | Daily 9:00 am            | Same day 5:00 pm     | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| R0014             | Pneumonia (Atypical) panel-IgG Respiratory Tract Infection Profile-IgG by EIA - Serum | Kerala   | D        | 6630       | Thurs: 7:30 am           | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| R0015             | Pneumonia (Atypical) panel-IgM Respiratory Tract Infection Profile-IgM by EIA - Serum | Kerala   | D        | 6630       | Thurs: 7:30 am           | Same day : 5pm       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| R0018             | Rett Syndrome MECP2 Sequencing Blood  | Kerala   | E        | 8000       | Daily : 9:00am           | 10th day : 6:00pm    | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon      | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------------|-----------------|--|
|           |   |          |          |            |                         |                 | Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| R0020     | Rh Antibody, Serum  | Kerala   | B        | 970        | Daily: 9am and 5pm      | After 6 hrs     | 3 ml Serum sample  |
| R0021     | Rheumatic Fever Panel   | Kerala   | C        | 1715       | Daily: 9am to 9pm       | 3rd day         | 3 ml of EDTA blood and serum. And Throat swab  |
| R0022     | Rheumatoid Arthritis Panel-1  | Kerala   | C        | 3485       | Wed and Sat: 7:30am     | After 8 hrs     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| R0023     | Rheumatoid Arthritis Panel-2  | Kerala   | C        | 5305       | Wed and Sat: 7:30am     | Same day 7 pm   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| R0024     | Rheumatoid Arthritis Panel-3  | Kerala   | C        | 8060       | Wed and Sat: 7:30am     | Same day 7 pm   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| R0025     | Rheumatology Profile  | Kerala   | C        | 6135       | Wed and Sat: 7:30am     | Same day 7 pm   | 5 ml of serum  |
| R0026     | Ri Antibody, Serum  | Kerala   | D        | 4590       | Daily: 11:30am          | Next day 8pm    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| R0027     | RNP-Sm Antibody Serum   | Kerala   | C        | 1820       | W,S: 7:30am             | Same day 5pm    | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                                    |
| R0028     | Rota virus Antigen detection - Stool                                | Kerala   | C        | 1350       | Daily : 9:00am & 3:00pm | After 6 hrs     | 5gm of Stool specimen in Sterile leak proof container  |
| R0030     | Routine examination Comprehensive examination by Microscopy - Stool | Kerala   | A        | 220        | Daily : 9:00am & 3:00pm | Next day : 5pm  | 5gm of Stool specimen in Sterile leak proof container  |
| R0031     | Routine examination - Body fluid                                    | Kerala   | C        | 830        | Daily : 9:00am & 3:00pm | Next day : 10am | 2ml of Body Fluid in Sterile leak proof container  |
| R0032     | Routine examination - Ascitic fluid                                 | Kerala   | C        | 675        | Daily : 9:00am & 3:00pm | Next day : 10am | 2ml of Ascitic Fluid in Sterile leak proof container   |
| R0032_2   | Routine examination - Ascitic fluid - 2                             | Kerala   | C        | 1030       | Daily : 9:00am & 3:00pm | Next day : 10am | 2ml of Ascitic Fluid in Sterile leak proof container   |
| R0033     | Routine examination - CSF   | Kerala   | C        | 935        | Daily : 9:00am & 3:00pm | Next day : 10am | 2ml of CSF in Sterile leak proof tube or container   |
| R0033_2   | Routine examination - CSF   | Kerala   | C        | 1300       | Daily : 9:00am &        | Next day : 10am | 2ml of CSF in Sterile leak proof   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| R0034     | Routine examination (Pericardial Fluid)             | Kerala   | C        | 830        | Daily : 9:00am & 3:00pm  | Next day : 10am   | 2 ml of Pericardial Fluid in Sterile leak proof container                   |
| R0035     | Routine examination (Peritoneal Fluid)_R0035_N      | Kerala   | C        | 830        | Daily : 9:00am & 3:00pm  | Next day : 10am   | 2 ml of Peritoneal Fluid in Sterile leak proof container                    |
| R0036     | Routine examination (Pleural Fluid)_R0036_N         | Kerala   | C        | 935        | Daily : 9:00am & 3:00pm  | Next day : 10am   | 2ml of Pleural Fluid in Sterile leak proof container                        |
| R0036_2   | Routine examination (Pleural Fluid)-2               | Kerala   | C        | 1445       | Daily : 9:00am & 3:00pm  | Next day : 10am   | 2ml of Pleural Fluid in Sterile leak proof container                        |
| R0037     | Routine examination (Prostatic Fluid)               | Kerala   | C        | 830        | Daily : 9:00am & 3:00pm  | Next day : 10am   | 2ml of Prostatic Fluid in Sterile leak proof container                      |
| R0038     | Semen Analysis by Microscopy - Semen                | Kerala   | B        | 350        | Daily : 9:00am to 9:00pm | After 6 hrs       | 2ml of Semen in Sterile leak proof container                                |
| R0039     | Routine examination Sputum                          | Kerala   | B        | 950        | Daily : 9:00am & 3:00pm  | Next day : 5pm    | 2ml of Sputum in Sterile leak proof container                               |
| R0040     | Routine Examination of Synovial Fluid               | Kerala   | C        | 830        | Daily : 9:00am & 3:00pm  | Next day : 10am   | 2ml of Synovial Fluid in Sterile leak proof container                       |
| R0041     | Routine Examination of Urine                        | Kerala   | A        | 120        | Daily : 9:00am to 9:00pm | After 4hrs        | 15ml of Spot Urine in Sterile leak proof container                          |
| R0042     | RSV-IgG Antibody by EIA - Serum                     | Kerala   | C        | 2185       | Thurs : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| R0043     | RSV-IgM Antibody by EIA - Serum                     | Kerala   | C        | 2185       | Thurs : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| R0044     | Rubella Virus Avidity test by EIA - Serum           | Kerala   | C        | 1350       | Mon & Thu : 11:30am      | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| R0045     | Rubella Virus IgG and IgM Antibody by CLIA - Serum  | Kerala   | C        | 1145       | Daily : 9:00am           | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| R0047     | Rubella Virus IgG Antibody by CLIA - Serum          | Kerala   | B        | 715        | Daily : 9:00am to 9:00pm | After 8 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| R0048     | Rubella Virus IgM Antibody by CLIA - Serum          | Kerala   | B        | 715        | Daily : 9:00am to 9:00pm | After 8 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| R0049     | Rubella Virus RNA Detection by PCR - Amniotic Fluid | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container |
| R0050     | Rubella Virus RNA Detection by PCR - EDTA Blood     | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 3 ml of Whole Blood in EDTA Vacutainer                                      |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|-------------------|--|
| R0051     | Rubella Virus RNA Detection by PCR - CSF                       | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 2ml of CSF in Sterile leak proof tube or container   |
| R0052     | Rubella Virus RNA Detection by PCR - CVS                       | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 2ml of CVS in Sterile leak proof tube or container   |
| R0053     | Rubella Virus RNA Detection by PCR - Urine                     | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 15ml of Spot Urine in Sterile leak proof container   |
| R0055     | RVVT-Russell Viper Venom Time                                  | Kerala   | C        | 1040       | Daily: 9am and 3pm       | After 6 hrs       | 1 ml of citrated platelet poor plasma in frozen condition.   |
| R0056     | Retinitis Profile by Real Time PCR - Aqueous/Vitreous Fluid    | Kerala   | D        | 10200      | Mon, Wed & Fri : 9:00am  | Same day : 9:00pm | 3ml of Aqueous/ Vitreous Fluid in Sterile leak proof container   |
| R0059     | Retinol binding protein**                                      | Kerala   | R        | 2885       | Daily : 11:30am          | 15th day : 6:00pm | 3ml of serum   |
| R0060     | Rickettsia DNA Detection by Real Time PCR - Blood              | Kerala   | D        | 5405       | Daily : 10:00am          | After 24hrs       | 3 ml of Whole Blood in EDTA Vacutainer   |
| R0063     | ROS1 Gene Rearrangement by FISH                                | Kerala   | D        | 11730      | Daily : 9:00am           | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| R0066     | Respiratory panel by FilmArray (Biofire) - Nasopharyngeal swab | Kerala   | E        | 16800      | Daily : 9:00am to 9:00pm | After 10 hrs      | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)  |
| R0067     | RET Gene Rearrangement by FISH, Tissue                         | Kerala   | E        | 9000       | Daily : 9:00am           | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| R0069     | RNA Polymerase III Antibodies, IgG**                           | Kerala   | C        | 3430       | Tue : 11:30am            | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| R0077     | Allergy panel - Common Rhinitis/ Wheeze                        | Kerala   | D        | 7140       | Daily : 11:30am          | Next day : 5:00pm | All tests require serum (3ml) sample collected in fasting status preferably but not mandatory. The samples should be shipped at R  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|------------------------|--|
|           |  |          |          |            |                   |                        | (2-8C) and can be stored at 2-8C for 7 days and at Ambient temperature for a day.  |
| R0080     | Renal biopsy profile (LM, IF, EM)                | Kerala   | R        | 11845      | Daily : 9:00am    | 20 day                 | 1) Tissue in 10% NB formalin 2) Tissue in Michel Medium. Please use this code when you are sending 2 sample vials ; One in Formaldehyde & other in Michels medium. For Electron microscopy please send 3% glutaraldehyde   |
| R0086     | Rifampicin**                                     | Kerala   | D        | 6120       | Daily : 11:30am   | 10th day : 6:00pm      | 2 ml K2-EDTA plasma  |
| R1004     | Reverse T3**                                     | Kerala   | R        | 23175      | Daily: 7.30am     | 1 month                | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. International outsource : Category R for referred and I for international. Plz esquire before sending sample for arrangement of proper courier to international lab. Additional sample tubes may be needed for sample adequacy. TAT may vary based on information by concerned lab of delay. Courier charges have to be paid extra based on sample temperature condition and shipment. |
| R1008     | Ribosome antibodies, serum**                     | Kerala   | R        | 7210       | Daily : 11:30am   | After 4 weeks : 6:00pm | 5 ml Serum   |
| R1901     | Reticulocyte panel - Automated, EDTA whole blood | Kerala   | B        | 430        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.   |
| R1902     | CANINE-Routine Examination Stool                 | Kerala   | A        | 165        | Daily: 9am to 9pm | Report after 24 hrs    | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon          | Sample Guideline   |
|-----------|--|----------|----------|------------|--------------------------|---------------------|--|
|           |  |          |          |            |                          |                     | animal. Please correlate clinically and to be interpreted by the clinician.  |
| R1903     | Routine examination reflex to cytology, Body fluids        | Kerala   | C        | 830        | Daily: 9am, 3pm          | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician. |
| R1904     | Canine - Routine Examination Urine                         | Kerala   | A        | 135        | Daily : 9:00am to 9:00pm | Report after 24 hrs | 10 ml of Spot urine  |
| R5588     | Reassure BOH Mini  | Kerala   | D        | 6020       | Daily 7.00am             | Reporting 3rd day   | 5 ml serum, 3 ml citrate plasma  |
| R5589     | Reassure BOH Maxi  | Kerala   | D        | 11220      | Daily 7 pm,              | Reported 15th day   | 5 ml serum, 4 ml Heparin whole Blood (Husband and wife), 3 ml citrate plasma   |
| S0001     | Spinocerebellar Ataxia PANEL (SCA1, 2, 3, 6, 7, 12 and 17) | Kerala   | E        | 15000      | Mon & Wed: 9:00am        | 7th day : 6:00pm    | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.                                  |
| S0002     | Spinocerebellar Ataxia (SCA1) DNA TEST                     | Kerala   | D        | 2960       | Mon & Wed: 9:00am        | 7th day : 6:00pm    | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.                                  |
| S0003     | Spinocerebellar Ataxia 2 (SCA2) DNA TEST                   | Kerala   | D        | 4080       | Mon & Wed: 9:00am        | 7th day : 6:00pm    | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.                                  |
| S0004     | SCA3 (Machado-Joseph Disease) DNA                          | Kerala   | D        | 2960       | Mon & Wed:               | 7th day : 6:00pm    | 3-5 ml of EDTA whole blood   |

| Test Code | Test Name                                       | location | Category | Price(Rs.) | Testschedule         | Reportedon       | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------------|------------------|---|
|           | Test  |          |          |            | 9:00am               |                  | required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.                            |
| S0005     | Spinocerebellar Ataxia 6 (SCA6) DNA TEST        | Kerala   | D        | 2960       | Mon & Wed:<br>9:00am | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| S0006     | Spinocerebellar Ataxia TYPE 7 (SCA7) DNA TEST   | Kerala   | D        | 4080       | Mon & Wed:<br>9:00am | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| S0007     | Spinocerebellar Ataxia Type 12 (SCA12) DNA Test | Kerala   | D        | 3150       | Mon & Wed:<br>9:00am | 7th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| S0008     | Scl-70 Antibody Serum                           | Kerala   | C        | 1745       | W,S: 7:30am          | Same day 5pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0009     | Scleroderma Panel                               | Kerala   | C        | 5460       | Wed/Sat - 7:30 am    | Next day 5pm     | 5 ml of serum   |
| S0010     | Selenium, Blood                                 | Kerala   | D        | 2805       | Daily : 11:30am      | 3rd day : 6:00pm | HeavyMetalSamplingguidelines.pdf  |
| S0011     | Selenium, Serum                                 | Kerala   | D        | 3315       | Daily : 11:30am      | 3rd day : 6:00pm | HeavyMetalSamplingguidelines.pdf  |
| S0012     | Selenium, Urine                                 | Kerala   | D        | 2805       | Daily : 11:30am      | 3rd day : 6:00pm | HeavyMetalSamplingguidelines.pdf  |
| S0013     | Selenium Urine 24H**                            | Kerala   | D        | 2805       | Daily : 11:30am      | 3rd day : 6:00pm | HeavyMetalSamplingguidelines.pdf  |
| S0014     | Serine Quantitative Plasma                      | Kerala   | D        | 6325       | Thu : 11:30am        | Tue : 5:00pm     | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.   |

| Test Code | Test Name                               | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
| S0015     | Serine Quantitative Urine 24H**         | Kerala   | D        | 6325       | Daily : 11:30am          | 7th day : 6:00pm  | 10 ml of Spot urine   |
| S0016     | Serotonin5-Hydroxy Tryptamine Serum     | Kerala   | D        | 4680       | Wed : 11:30am            | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0017     | Serotonin5-Hydroxy Tryptamine,Urine     | Kerala   | D        | 5160       | Wed : 11:30am            | Next day : 5:00pm | 10 ml of 24 hrs urine (Preferred ) / Spot urine   |
| S0018     | SGOT AST Serum                          | Kerala   | A        | 150        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0019     | SGPT ALT Serum                          | Kerala   | A        | 150        | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0020     | SHBG Sex hormone binding globulin Serum | Kerala   | C        | 2705       | Daily: 9am to 9pm        | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0021     | Sickle Cell Anemia Mutation Analysis    | Kerala   | D        | 3570       | Wed & Fri: 9:00am        | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.   |
| S0022     | Sickling Test                           | Kerala   | B        | 325        | Daily : 9:00am to 9:00pm | after 6 hrs       | 3 ml EDTA whole blood   |
| S0024     | Silver ICPMS Urine                      | Kerala   | R        | 3500       | Daily : 11:30am          | 10th day : 6:00pm | Individual Metals and Minerals.pdf  |
| S0026     | SIROLIMUS, BLOOD BY LC MSMS             | Kerala   | C        | 4990       | Tue & Fri: 11:30am       | Next day : 5:00pm | Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| S0027     | Sjogrens Syndrome Profile               | Kerala   | D        | 2550       | Wed and Sat 7:30am       | Next day 5 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex  |

| Test Code | Test Name                                 | location | Category | Price(Rs.) | Testschedule      | Reportedon    | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------|---------------|--|
| S0028     | Anti-SLA/LP, IgG                          | Kerala   | C        | 3275       | Tues/fri 9am      | Same day 5pm  | tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| S0029     | SLE profile                               | Kerala   | C        | 4990       | Sat - 7:30 am     | Next day 5 pm | 3 ml of EDTA whole blood , 3 ml of serum   |
| S0030     | Sm Antibody Smith Antibody Serum          | Kerala   | C        | 1610       | W,S: 7:30am       | Same day 5pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| S0031     | SMA 12+2                                  | Kerala   | D        | 1815       | Daily: 9am to 9pm | After 8 hrs   | 2 ml of flouride plasma , 3 ml of serum  |
| S0032     | Sodium ISE Serum                          | Kerala   | A        | 150        | Daily: 9am to 9pm | After 6 hrs   | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| S0033     | Sodium Urine                              | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs   | 2 ml of Spot Urine   |
| S0034     | Sodium Urine 24H                          | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs   | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| S0035     | Sodium Body Fluid                         | Kerala   | A        | 305        | Daily: 9am to 9pm | After 6 hrs   | 2 ml of Body Fluid   |
| S0036     | Soluble Transferrin Receptor Serum        | Kerala   | C        | 1090       | Daily: 9am to 9pm | 3rd day       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| S0037     | Specific gravity by Fully Automated Urine | Kerala   | A        | 110        | Daily : 9:00am to | After 6 hrs   | 15ml of Spot Urine in Sterile leak   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|-------------------|---|
|           | chemistry & Microscopy - Urine                                      |          |          |            | 9:00pm                   |                   | proof container   |
| S0038     | Spectral Karyotyping (SKY) (m-FISH) 24 Color Painting Blood**       | Kerala   | D        | 17850      | Daily : 9:00am           | 15th Day          | 3 ml of Blood In Na-Heparin Vacutainer  |
| S0039     | Spectral Karyotyping (SKY) (m-FISH) 24 Color Painting Bone Marrow** | Kerala   | R        | 16480      | Daily : 11:30am          | 15th day : 6:00pm | 2-3ml Bone marrow/3ml Blood in Sodium Heparin Vacutainer  |
| S0040     | Sperm Antibody-Total ASAB serum                                     | Kerala   | C        | 1250       | Tue,Fri: 7:30am          | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0041     | Sphingomyelinase Niemann Pick Disease Blood**                       | Kerala   | R        | 7725       | Daily : 11:30am          | 10th day : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)  |
| S0044     | Spinal Muscular Atrophy Microdeletion By PCR SMN1 Gene Deletion     | Kerala   | D        | 3775       | Tue & Fri : 9:00am       | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| S0045     | Sry Deletion FISH   | Kerala   | D        | 5405       | Daily : 9:00am           | 12th day : 6:00pm | 3 ml of Blood In Na-Heparin Vacutainer  |
| S0046     | SSA-Antibody Ro Serum   | Kerala   | C        | 1745       | W,S: 7:30am              | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0047     | SSB-Antibody La Serum   | Kerala   | C        | 1870       | W,S: 7:30am              | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0048     | STD Profile -I  | Kerala   | D        | 3000       | Tue,Thurs & Sat : 7:30am | 5th day : 5pm     | 3 ml of serum   |
| S0049     | STD Profile -II   | Kerala   | D        | 5000       | Daily : 8:00pm           | 5th day : 5pm     | 4 ml Serum  |
| S0050     | STD Profile -III  | Kerala   | D        | 8465       | Daily : 9:00am           | 5th day : 6:00pm  | 6 ml of EDTA whole blood, 15ml Urine in sterile container. For HPV : Swab, Tissue for male and LBC, Swab, Tissue for female   |
| S0051     | Steroid analysis From medicine **                                   | Kerala   | R        | 11330      | Daily : 11:30am          | 10th day : 6:00pm | Medicine sample (10 grm )   |
| S0052     | Stomach Marker Profile  | Kerala   | D        | 3620       | Tue and Fri: 9am         | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------------|------------------------|---|
|           |   |          |          |            |                          |                        | tests.  |
| S0053     | Calculus (Stone) Analysis by automated FTIR (Gall bladder calculus)   | Kerala   | D        | 1325       | Daily : 11:30am          | Next day : 5:00pm      | Collect sample in dry plain container, mention stone type and history   |
| S0054     | Calculus (Stone) Analysis by automated FTIR (Kidney (Renal) calculus) | Kerala   | D        | 1620       | Daily : 11:30am          | Next day : 5:00pm      | Collect sample in dry plain container, mention stone type and history   |
| S0055     | Calculus (Stone) Analysis by automated FTIR (Urine calculus)          | Kerala   | D        | 1325       | Daily : 11:30am          | Next day : 5:00pm      | Collect sample in dry plain container, mention stone type and history   |
| S0056     | Stone screening profile   | Kerala   | D        | 2195       | Daily: 9:00am            | 5th day : 6:00pm       | 24 hours urine sample with appropriate preservative.  |
| S0058     | Streptococcus group B Antigen detection by Agglutination - CSF        | Kerala   | C        | 1350       | Daily : 9:00am to 3:00pm | After 6 hrs            | 2ml of CSF in Sterile leak proof tube or container  |
| S0059     | Streptococcus group B Antigen detection by Agglutination - Serum      | Kerala   | C        | 1350       | Daily : 9:00am to 3:00pm | After 6 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S0060     | Streptococcus pneumoniae Antigen detection by Agglutination - CSF     | Kerala   | C        | 1350       | Daily : 9:00am to 3:00pm | After 6 hrs            | 2ml of CSF in Sterile leak proof tube or container  |
| S0061     | Streptococcus pneumoniae Antigen detection by Agglutination - Serum   | Kerala   | C        | 1350       | Daily : 9:00am to 3:00pm | After 6 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S0062     | Streptococcus pneumoniae Antigen detection by Agglutination - Urine   | Kerala   | C        | 1350       | Daily : 9:00am to 3:00pm | After 6 hrs            | 15ml of Spot Urine in Sterile leak proof container  |
| S0063     | Sucrose Lysis Test (PNH Screening tests) (S0063)                      | Kerala   | B        | 865        | Daily: 9am               | Next day 5pm           | 3 ml of EDTA Whole Blood And 3 ml Serum   |
| S0066     | Glucose Sugar - Urine   | Kerala   | A        | 30         | Daily : 9:00am to 9:00pm | After 6 hrs            | 15ml of Spot Urine in Sterile leak proof container  |
| S0067     | Syphilis Antibodies Treponema by EIA - Serum                          | Kerala   | C        | 1250       | Tue & Fri: 11:30am       | Next day : 5:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S0070     | Scrub typhus profile Weil felix and scrub typhus-IgM by EIA - Serum   | Kerala   | C        | 1145       | Tue & Fri: 11:30am       | Next day : 6:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S0071     | Scrub typhus IgM by EIA - Serum                                       | Kerala   | C        | 1145       | Tue, Thu & Sat: 11:30am  | Next day : 5:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S0074     | SMA Carrier Detection Genetic Disorders**                             | Kerala   | R        | 9270       | Daily : 11:30am          | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at |

| Test Code       | Test Name   | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline   |
|-----------------|---|----------|----------|------------|--------------------------|-------------------|--|
| S0075           | SCA17 PCR-Fragment analysis   | Kerala   | D        | 2960       | Mon & Wed:<br>9:00am     | 7th day : 6:00pm  | Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.<br>3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory. |
| S0077_Sperm-DFI | SPERM DNA FRAGMENTATION (DFI)                                       | Kerala   | D        | 5300       | Daily : 11.30 am         | 3rd day 1 pm      | 2-3 ml of freshly collected Semen sample in a sterile leak proof container. If reaching the lab within 4hrs of collection, transported at ambient temperature.If more than 4 hrs - then transported in frozen condition.3 days abstinence is mandatory.  |
| S0078           | Calculus (Stone) Analysis by automated FTIR (other)                 | Kerala   | D        | 1325       | Daily : 11:30am          | Next day : 5:00pm | Collect sample in dry plain container, mention stone type and history  |
| S0079           | SYT gene rearrangement (Translocation: t(X;18) translocation) **    | Kerala   | R        | 5355       | Daily : 11:30am          | 7th day : 6:00pm  | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature.   |
| S0083           | Campylobacter Culture and Identification by Vitek/ MALDITOF - Stool | Kerala   | C        | 685        | Daily : 9:00am to 9:00pm | 5th day : 5pm     | 5gm of Stool specimen in Sterile leak proof container  |
| S0084           | SUCCINYLACETONE, BLOOD**  | Kerala   | R        | 4840       | Daily : 11:30am          | 8th day : 6:00pm  | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and   |

| Test Code | Test Name               | location | Category | Price(Rs.) | Testschedule    | Reportedon       | Sample Guideline  |
|-----------|-------------------------|----------|----------|------------|-----------------|------------------|---|
| S0085     | Succinylacetone Urine** | Kerala   | R        | 4840       | Daily : 11:30am | 7th day : 6:00pm | <p>5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Spot Urine: 10 ml of Spot urine required with clinical history and clinician number. Amino acid Plasma: 3 ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to be stopped based on physician recommendations</p> <p>Spot Urine: 10 ml of Spot urine required with clinical history and</p> |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule          | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|-----------------------|------------------------|---|
|           |  |          |          |            |                       |                        | clinician number. Baby DOB, sample collection date and relevant clinical history mentioned .  |
| S0096     | STRONTIUM ICPMS Blood  | Kerala   | R        | 3500       | Daily : 11:30am       | 10th day : 6:00pm      | 3 ml EDTA Blood / Metal free EDTA Blood   |
| S0097     | Sexually Tranmitted Infections (STI) Urethritis Extended Panel | Kerala   | D        | 6630       | Wed : 9:00am          | Next day : 5:00pm      | Urethral discharge, Genital discharge, Blister fluid, Ulcer, Ulcer base, High Vaginal swab, Urethral Swab, Endocervical swab  |
| S0103     | Soft Tissue Sarcoma Panel**                                    | Kerala   | R        | 41200      | Daily 7.30 am         | 10th days              | Paraffin Block  |
| S0547     | sFlt-1 (Soluble fms-like tyrosine kinase-1) Serum              | Kerala   | D        | 3875       | Mon & Thu : 11:30am   | Next day : 5:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0548     | PIGF (Placental Growth Factor) Serum                           | Kerala   | D        | 3875       | Mon & Thu : 11:30am   | Next day : 5:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0549     | sFlt-1/PIGF ratio serum  | Kerala   | D        | 5915       | Daily cut off 7:30 AM | same day 9:00 PM       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S0551     | Sanger Sequencing / Additional family member screening**       | Kerala   | R        | 9270       | Daily : 11:30am       | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| S0552     | Selenium, Hair tests by ICPMS**                                | Kerala   | R        | 1855       | Daily : 11:30am       | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| S0553     | Selenium, Water tests by ICPMS**                               | Kerala   | R        | 1855       | Daily : 11:30am       | 10th day : 6:00pm      | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| S0554     | Silver, Hair tests by ICPMS**                                  | Kerala   | R        | 1855       | Daily : 11:30am       | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------------|------------------------|---|
|           |  |          |          |            |                        |                        | storage and shipping. Plz enquire before sending  |
| S0555     | Silver, Water tests by ICPMS**   | Kerala   | R        | 1855       | Daily : 11:30am        | 10th day : 6:00pm      | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| S0556     | Steroids test by MS method   | Kerala   | R        | 11330      | Daily : 11:30am        | 10th day : 6:00pm      | Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clincial symptoms if any. Reported in 7 days            |
| S0558     | SARS- CoV-2 (COVID 19) Detection by Real Time PCR - Nasopharangeal & Oropharangeal Swab                              | Kerala   | O        | 300        | 24hr registration      | After 24hrs            | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)   |
| S0559     | SARS CoV2 Antigen Detection by Immunchromatography - Nasopharangeal Swab   | Kerala   | O        | 115        | Daily : 9:00am         | Same day : 5:00pm      | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)   |
| S0560     | SARS CoV2 Antigen Reflex to SARS CoV2 real time RT PCR (COVID 19 reflex test)* - Nasopharangeal & Oropharangeal Swab | Kerala   | O        | 4405       | Daily: 9:00 am Cut-off | 24 hrs                 | For antigen test :at ambient temperature within an hour or if transported at 2 to 8 degree Celsius for 4 to 6 hours.  |
| S0562     | SARS- CoV-2 (COVID 19) viral load by Real Time PCR*  | Kerala   | E        | 2000       | Daily : 9:00am         | Same day : 5:00pm      | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)   |
| S0565     | Soluble CD25 ( IL 2 Receptor)  | Kerala   | D        | 11905      | Daily : 11:30am        | 5th day : 6:00pm       | 3 ml Serum  |
| S1005     | SCC-TA4 ANTIGEN - SERUM **   | Kerala   | R        | 9065       | Daily : 11:30am        | After 4 weeks : 6:00pm | 5 ml Serum  |
| S1006     | Schistosomiasis - confirmation by EIA - Serum**  | Kerala   | R        | 9785       | Daily : 11:30am        | After 4 weeks : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S1007     | Schistosomiasis Ab by Hemagglutination - Serum**   | Kerala   | R        | 5925       | Daily : 9:00am         | After 30 days : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S1020     | Strongyloidiasis serology, Serum by EIA** - Serum  | Kerala   | R        | 5870       | Daily : 11:30am        | After 4 weeks : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| S1038     | Sickle Cell Anemia Mutation Prenatal Diagnosis   | Kerala   | D        | 6730       | Wed & Fri: 9:00am      | 7th day : 6:00pm       | Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule   | Reportedon       | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------|------------------|---|
|           |   |          |          |            |                |                  | condition or Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS) specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory. |
| S1039     | Spinal Muscular Atrophy (SMA ) Microdeletion      | Kerala   | D        | 6120       | Daily : 9:00am | 7th day : 6:00pm | Amniotic Fluid (15-20 ml) in a sterile screw cap tube. Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G - FORM OF CONSENT (For invasive techniques). Clinical indication and family history mandatory.  |
| S1039_c   | Spinal Muscular Atrophy (SMA )-SMN1 Gene deletion | Kerala   | D        | 6120       | Daily : 9:00am | 7th day : 6:00pm | Chorionic Villi Sampling (CVS) 20 mg of chorionic villus (CVS)  |

| Test Code | Test Name                  | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|----------------------------|----------|----------|------------|-------------------|---------------------|---|
|           |                            |          |          |            |                   |                     | specimen in a sterile, screw-top container filled with tissue culture transport medium or in sterile saline Sample stable for 1 day at Ambient temperature and 3 Days at 2 to 8 degree celsius. Sample to be preferably shipped at Referigerated condition Duly signed consent form as per PCPNDT must which include SAMPLE FORWARDING DOCTORS COVERING LETTER and FORM G -FORM OF CONSENT (For invasive techniques) Mother 3-5 ml EDTA Blood sample mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . |
| S1040     | Stone screening profile-1  | Kerala   | D        | 3775       | Daily: 9:00am     | 5th day : 6:00pm    | 5 ml of serum and 20 ml of 24 Hr Urine sample. Appropriate preservative needed.   |
| S1041     | Systemic sclerosis Profile | Kerala   | D        | 6100       | Daily: 11:30am    | Next day 8pm        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| S1901     | Canine - SGOT (AST)        | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| S1902     | Canine - SGPT (ALT)        | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| S1903     | Skin Scraping Examination  | Kerala   | C        | 1145       | Daily : 9:00am    | Report after 24 hrs | Please contact lab before sending   |



| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|---------------------|---|
| S1904     | Canine - Sodium  | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | <p>samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p> <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p> |
| S1905     | CANINE-Calculus (Stone) Analysis by automated FTIR       | Kerala   | C        | 1350       | Daily: 7am        | Report after 24 hrs | <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p>   |
| S8322     | SARS-CoV-2 (COVID 19) Detection (Qualitative) by Rapid   | Kerala   | E        | 1975       | Daily : 9:00am    | Same day : 5:00pm   | 1 Swab with Sufficient Material in Viral Transport Medium (VTM)   |
| S8399     | Streptococcus Group A Antigen Detection                  | Kerala   | L4       | 1200       | Daily: 9am to 9pm | After 6 hrs         | Throat Swab   |
| S8514     | Salivary Cortisol  | Kerala   | E        | 2800       | Tuesday 9 am      | next day 5 pm       | 4-5 ml saliva in sterile lolli sponge tube  |
| T0004     | t(1 19)by FISH E2A(ALL)                                  | Kerala   | D        | 3980       | Daily : 9:00am    | 3rd day : 6:00pm    | 3 ml Blood in Na-heparin vacutainer   |
| T0005     | t(1 19)By FISH E2A (ALL) Bone Marrow                     | Kerala   | D        | 3980       | Daily : 9:00am    | 3rd day : 6:00pm    | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| T0006     | t(11;14) by FISH IGH/CCND1 (ALL, NHL) Bone Marrow**      | Kerala   | D        | 4590       | Daily : 9:00am    | 3rd day : 6:00pm    | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| T0007     | t(11;14) by FISH IGH/CCND1 (ALL, NHL) Blood**            | Kerala   | D        | 4590       | Daily : 9:00am    | 3rd day : 6:00pm    | 3 ml Blood in Na-heparin vacutainer   |
| T0008     | t(11q23) by FISH MLL gene rearrangement (ALL, AML) Blood | Kerala   | D        | 4180       | Daily : 9:00am    | 3rd day : 6:00pm    | 3 ml Blood in Na-heparin vacutainer   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon       | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|------------------|---|
| T0009     | t(11q23) by FISH MLL gene rearrangement (ALL, AML) Bone Marrow | Kerala   | D        | 4180       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer                                 |
| T0010     | TEL/AML1(ALL) t(12 21) by FISH                                 | Kerala   | D        | 3980       | Daily : 9:00am    | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer   |
| T0011     | t(12 21) by FISH TEL/AML1 (ALL) Bone Marrow                    | Kerala   | D        | 3980       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Blood in Na-heparin vacutainer                                       |
| T0012     | PML Ra Ra t(15 17) (AML-M3) by FISH                            | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer   |
| T0013     | t(15 17) by FISH PML Ra Ra (AML-M3) Bone Marrow                | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer                                 |
| T0014     | PML Ra Ra (Quanti) by PCR BLOOD**                              | Kerala   | D        | 5000       | Daily: 7:30 am    | 7th day          | 3 ml of EDTA Whole Blood  |
| T0015     | PML Ra Ra (Quanti) by PCR BONE MARROW**                        | Kerala   | D        | 5000       | Daily: 7:30 am    | 7th day          | 2-3 ml Bone Marrow in EDTA vacutainer                                       |
| T0016     | PDGFR Alpha rearrangement t(4q12) (HES) by FISH                | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer   |
| T0017     | t(4q12) by FISH PDGFR Alpha Rearrangement (HES) Bone Marrow**  | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer                                 |
| T0018     | PDGFR Beta rearrangement t(5q33) (HES) Blood by FISH           | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer   |
| T0019     | PDGFR Beta rearrangement t(5q33) (HES) Bone marrow by FISH     | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer                                 |
| T0020     | ETO/AML1 (AML-M2) t(8;21) by FISH                              | Kerala   | D        | 4385       | Daily : 9:00am    | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer   |
| T0021     | t(8 21) by FISH ETO/AML1 (AML-M2) Bone Marrow                  | Kerala   | D        | 4385       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer                                 |
| T0024     | Bcr-Abl (PHILADELPHIA) t(9 22) by FISH, BLOOD                  | Kerala   | D        | 4590       | Daily : 9:00am    | 3rd day : 6:00pm | 3 ml Blood in Na-heparin vacutainer   |
| T0025     | Bcr-Abl (PHILADELPHIA) t(9 22) by FISH, Bone Marrow            | Kerala   | D        | 4490       | Daily : 9:00am    | 3rd day : 6:00pm | 2-3 ml Bone Marrow in Na-heparin vacutainer                                 |
| T0028     | T3-Free Free Tri-Iodothyronine Serum                           | Kerala   | B        | 365        | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| T0029     | T3-Total Tri Iodothyronine Serum                               | Kerala   | B        | 245        | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| T0030     | T4-Free Free Thyroxine Serum                                   | Kerala   | B        | 300        | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule                 | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|------------------------------|-------------------|---|
| T0031     | T4-Total Thyroxine Serum  | Kerala   | B        | 270        | Daily: 9am to 9pm            | After 6 hrs       | ml serum for profiles and reflex tests.<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0032     | Tacrolimus By ECLIA Blood   | Kerala   | C        | 4200       | Daily: 1pm                   | Same Day 7.30pm   | Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| T0033     | Tacrolimus By LCMS, Blood   | Kerala   | C        | 4370       | Tue , Thur and Sat: 9: 00 am | Same day 9:00 pm  | Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| T0035     | IGRAS Interferon gamma release assay by ELISA - Lithium Heparin Blood | Kerala   | C        | 2900       | Mon, Wed, Fri : 7:30am       | Next day : 5pm    | 5 ml of Lithium Heparin Blood   |
| T0036     | TCR-Alpha Beta  | Kerala   | D        | 2345       | Daily : 11:30am              | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.   |
| T0037     | TCR-Gamma Delta   | Kerala   | D        | 2345       | Daily : 11:30am              | Next day : 5:00pm | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------------|-------------------|--|
| T0038     | TDT (Nuclear)                                       | Kerala   | D        | 2345       | Daily : 11:30am         | Next day : 5:00pm | required.<br>3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| T0039     | Testicular Marker Profile                           | Kerala   | D        | 1325       | Daily: 9am to 9pm       | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0040     | Testosterone Bioavailable                           | Kerala   | C        | 2495       | Daily: 9am to 9pm       | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0041     | TestosteroneFreeSerum                               | Kerala   | C        | 1900       | Daily: 9am to 9pm       | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0042     | Testosterone Total Serum                            | Kerala   | B        | 750        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0043     | Testosterone Profile                                | Kerala   | C        | 3640       | Tue, Thu & Sat: 11:30am | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0044     | Tetanus Toxoid-IgG Quantitative test by EIA - Serum | Kerala   | C        | 4370       | Fri : 9:00am            | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| T0045     | Thalassemia Studies                                 | Kerala   | C        | 1870       | Daily: 7.30am           | After 9 Hrs       | 3 ml EDTA whole blood and serum sample   |
| T0046     | Thallium Blood                                      | Kerala   | D        | 2805       | Daily : 11:30am         | 5th day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| T0047     | Thallium Serum                                      | Kerala   | D        | 2805       | Daily : 11:30am         | 5th day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| T0048     | Thallium Urine Spot                                 | Kerala   | D        | 2805       | Daily : 11:30am         | 5th day : 6:00pm  | HeavyMetalSamplingguidelines.pdf   |
| T0049     | Theophylline Serum                                  | Kerala   | C        | 1070       | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0050     | Threonine Quantitative Plasma                       | Kerala   | D        | 6325       | Thu : 11:30am           | Tue : 5:00pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| T0051     | Threonine Quantitative Urine**                      | Kerala   | R        | 6385       | Thu : 11:30am           | Tue : 5:00pm      | 10 ml of Spot urine  |

| Test Code | Test Name                                  | location | Category | Price(Rs.) | Testschedule               | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|----------------------------|-------------------|--|
| T0052     | Thrombin Time (TT)                         | Kerala   | B        | 1025       | Daily: 9am and 3pm and 9pm | After 6 hrs       | 1 ml of citrated platelet poor plasma in frozen condition.   |
| T0053     | Thrombotic Risk DNA Panel (FV, FII, MTHFR) | Kerala   | D        | 12240      | Wed & Fri: 9:00am          | 10th day : 6:00pm | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . |
| T0054     | Thrombophilia Profile-Maxi                 | Kerala   | D        | 19000      | Mon and Thurs: 9am         | Next day 5pm      | Serum and 1 ml of citrated platelet poor plasma in frozen condition.   |
| T0055     | Thrombophilia Profile-Mini                 | Kerala   | D        | 9500       | Mon and Thurs: 9am         | Next day 5pm      | Serum and 1 ml of citrated platelet poor plasma in frozen condition.   |
| T0056     | Thrombotic Profile                         | Kerala   | D        | 16830      | Mon and Thurs: 9am         | Next day 5pm      | Serum and 1 ml of citrated platelet poor plasma in frozen condition.   |
| T0057     | Thyroglobulin Serum                        | Kerala   | C        | 1870       | Daily: 9am to 9pm          | After 8 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0058     | Thyroglobulin Antibody ATA CSF             | Kerala   | C        | 1405       | Daily: 9am to 9pm          | After 6 hrs       | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).                              |
| T0059     | Thyroglobulin Antibody ATA Serum           | Kerala   | B        | 1190       | Daily: 9am to 9pm          | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0060     | Thyroid Antibodies-AtAb TPO and ATA,CSF    | Kerala   | C        | 2290       | Daily: 9am to 9pm          | After 6 hrs       | 2 ml of CSF in leakproof container (folin vu conical tube is recommended to prevent leakage).                              |
| T0061     | Thyroid Antibodies-TPO and ATG,Serum       | Kerala   | C        | 1500       | Daily: 9am to 9pm          | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0062     | Thyroid Comprehensive Profile-1            | Kerala   | B        | 1620       | Daily: 9am to 9pm          | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0063     | Thyroid Comprehensive Profile-2            | Kerala   | B        | 1080       | Daily: 9am to 9pm          | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0064     | Thyroid Marker Profile                     | Kerala   | D        | 4070       | Wed and Sat: 9am           | Next day 5pm      | 5 ml of serum  |
| T0065     | Thyroid panel-1 (T3/T4/TSH)                | Kerala   | B        | 420        | Daily: 9am to 9pm          | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule            | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------------|-------------------|---|
| T0066     | Thyroid panel - 2( FT3, FT4, TSH)  | Kerala   | B        | 650        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0067     | Thyroid Panel-3 (Reflex)   | Kerala   | B        | 430        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0068     | Thyroid Panel-4  | Kerala   | B        | 345        | Daily: 9am to 9pm       | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0069     | Thyroxine Binding Globulin (TBG) Biochemical Serum                       | Kerala   | C        | 5200       | Daily : 11:30am         | 5th day : 6:00pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0071     | TNF Alpha Tumour Necrosis Factor Serum                                   | Kerala   | C        | 4680       | Wed & Sat : 11:30am     | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0072     | TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Amniotic Fluid | Kerala   | C        | 7800       | Mon, Wed & Fri : 9:00am | Same day: 9:00pm  | 10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container   |
| T0073     | TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Blood          | Kerala   | C        | 6760       | Mon, Wed & Fri : 9:00am | Same day: 9:00pm  | 3 ml of Whole Blood in EDTA Vacutainer  |
| T0074     | TORCH by PCR **  | Kerala   | C        | 7800       | Mon, Wed & Fri : 9:00am | Same day : 9:00pm | Chorionic Villus Sample In Sterile saline container   |
| T0075     | TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - CSF            | Kerala   | C        | 7800       | Mon, Wed & Fri : 9:00am | Same day: 9:00pm  | 2ml of CSF in Sterile leak proof tube or container  |
| T0076     | TORCH PCR (Toxoplasma, CMV, Rubella and HSV 1&2) by PCR - Urine          | Kerala   | C        | 7800       | Mon, Wed & Fri : 9:00am | Same day: 9:00pm  | 15ml of Spot Urine in Sterile leak proof container  |
| T0077     | TORCH-10   | Kerala   | C        | 3330       | Daily: 9am              | Same day 5pm      | 5 ml of serum   |
| T0078     | TORCH-13   | Kerala   | C        | 3755       | Mon: 9am                | Next day 5pm      | 5 ml of serum   |
| T0079     | TORCH-4 IgG  | Kerala   | C        | 1510       | Daily: 9am              | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0080     | Tacrolimus CYP3A5 genotyping**   | Kerala   | R        | 8240       | Tue & Thu: 11:30am      | 7th day : 6:00pm  | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule             | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------------|-------------------|---|
|           |  |          |          |            |                          |                   | refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| T0081     | TORCH-4 IgM  | Kerala   | C        | 1820       | Daily: 9am               | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0083     | TORCH-5 IgG  | Kerala   | C        | 1665       | Daily: 9am               | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0084     | TORCH-5 IgM  | Kerala   | C        | 1820       | Daily: 9am               | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0085     | TORCH-8  | Kerala   | C        | 3430       | Daily: 9am               | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0086     | Toxoplasma Avidity test by EIA- Serum              | Kerala   | C        | 1350       | Mon & Thu : 11:30am      | Next day : 5:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| T0087     | Toxoplasma DNA Detection by PCR - Amniotic Fluid** | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container   |
| T0088     | Toxoplasma DNA Detection by PCR - Blood            | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 3 ml of Whole Blood in EDTA Vacutainer  |
| T0089     | Toxoplasma DNA Detection by PCR - Chorionic Villus | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 2ml of CVS in Sterile leak proof tube or container  |
| T0090     | Toxoplasma DNA Detection by PCR - Cord Blood**     | Kerala   | C        | 3430       | Mon & Thu : 7:30am       | Next day : 5pm    | 3ml of Cord Blood in EDTA Vacutainer  |
| T0091     | Toxoplasma DNA Detection by PCR - CSF              | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 2ml of CSF in Sterile leak proof tube or container  |
| T0092     | Toxoplasma DNA Detection by PCR - Urine            | Kerala   | C        | 3430       | Mon, Wed & Fri : 9:00am  | Same day: 9:00pm  | 15ml of Spot Urine in Sterile leak proof container  |
| T0094     | Toxoplasma-IgG IgG Antibody by CLIA - Serum        | Kerala   | B        | 650        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| T0095     | Toxoplasma-IgG & IgM by CLIA - Serum               | Kerala   | B        | 1190       | Daily : 9:00am to 9:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| T0096     | Toxoplasma-IgM IgM Antibody by CLIA - Serum        | Kerala   | B        | 650        | Daily : 9:00am to 9:00pm | After 6 hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline   |
|-----------|---|----------|----------|------------|--------------------|-------------------|--|
| T0097     | Treponema Pallidum Haemagglutination Assay by Agglutination - Serum | Kerala   | B        | 865        | Daily : 9:00am     | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| T0098     | TPMT Enzyme ActivityThiopurine Methyl TransferasePlasma             | Kerala   | D        | 4600       | W,S: 7:30am        | Same day 5pm      | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.                                      |
| T0099     | Thiopurine S-Methyltransferase (TPMT) Genotype                      | Kerala   | D        | 5865       | Tue & Fri : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .   |
| T0100     | TPO (Thyroid Peroxidase) Antibody(AMA) Microsomal Antibody CSF      | Kerala   | C        | 1300       | Daily: 9am to 9pm  | After 6 hrs       | 2 ml of CSF in leakproof container (foilin vu conical tube is recommended to prevent leakage).                               |
| T0101     | TPO (Thyroid Peroxidase) Antibody (AMA) Microsomal Antibody Serum   | Kerala   | B        | 750        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0102     | TransferrinSerum  | Kerala   | B        | 1405       | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0103     | TRH STIMULATION TEST FOR PROLACTIN, SERUM                           | Kerala   | C        | 1405       | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum (0, 30, 60 min)  |
| T0104     | TRH stimulation test For TSH, Serum                                 | Kerala   | C        | 1145       | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum (0, 30, 60 min)  |
| T0105     | Triglycerides Urine   | Kerala   | A        | 415        | Daily: 9am to 9pm  | After 6 hrs       | 2 ml of Spot Urine   |
| T0106     | Triglycerides Serum   | Kerala   | A        | 280        | Daily: 9am to 9pm  | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0107     | Triglycerides Body Fluid  | Kerala   | A        | 415        | Daily: 9am to 9pm  | After 6 hrs       | 2 ml of Body Fluid   |
| T0108     | Tripeptidyl Peptidase 1 Blood                                       | Kerala   | R        | 5770       | Daily : 11:30am    | 10th day : 6:00pm | sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays) |
| T0109     | Trisomy 12 ( CLL ) by FISH**  | Kerala   | D        | 3980       | Daily : 9:00am     | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| T0110     | Trisomy 12 by FISH CLL Bone Marrow                                  | Kerala   | D        | 3980       | Daily : 9:00am     | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer  |
| T0111     | Trisomy 8 by FISH AML, MDS Blood                                    | Kerala   | D        | 3980       | Daily : 9:00am     | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer  |
| T0112     | Trisomy 8 by FISH AML, MDS Bone Marrow                              | Kerala   | D        | 3980       | Daily : 9:00am     | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin   |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon       | Sample Guideline   |
|-----------|---|----------|----------|------------|-------------------|------------------|--|
| T0113     | Trisomy (Aneuploidy) for Chromosome 13 & 21 By FISH Amniotic Fluid            | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | vacutainer<br>20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube  |
| T0114     | Trisomy (Aneuploidy) Chromosome 13 & 21 by FISH                               | Kerala   | D        | 5000       | Daily : 9:00am    | 5th day : 6:00pm | 3 ml of Blood In Na-Heparin Vacutainer   |
| T0115     | Trisomy (Aneuploidy) for Chromosome 13 & 21 By FISH Chorionic Villus          | Kerala   | D        | 5000       | Daily : 9:00am    | 3rd day : 6:00pm | 20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis). |
| T0116     | Trisomy for Chromosome 13 & 21 By FISH Cord blood                             | Kerala   | D        | 5000       | Daily : 9:00am    | 5th day : 6:00pm | 3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer   |
| T0118     | Trisomy(Aneuploidy)Chromosome13,18,21, X,Y by FISH                            | Kerala   | D        | 8975       | Daily : 9:00am    | 3rd day : 6:00pm | 20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube  |
| T0119     | Trisomy for Chromosome 13, 18, 21, X, Y By FISH Blood                         | Kerala   | D        | 8975       | Daily : 9:00am    | 5th day : 6:00pm | 3 ml of Blood In Na-Heparin Vacutainer   |
| T0120     | Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y By FISH Chorionic Villus | Kerala   | D        | 8160       | Daily : 9:00am    | 3rd day : 6:00pm | 20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis). |
| T0121     | Trisomy for Chromosome 13, 18, 21, X, Y By FISH Cord blood                    | Kerala   | D        | 8975       | Daily : 9:00am    | 5th day : 6:00pm | 3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer   |
| T0123     | Trisomy (Aneuploidy) Chromosome 18, X,Y by FISH                               | Kerala   | D        | 5405       | Daily : 9:00am    | 3rd day : 6:00pm | 20 ml of Amniotic Fluid In Sterile Falcon centrifuge tube  |
| T0124     | Trisomy for Chromosome 18, X & Y By FISH Blood                                | Kerala   | D        | 5405       | Daily : 9:00am    | 5th day : 6:00pm | 3 ml of Blood In Na-Heparin Vacutainer   |
| T0125     | Trisomy (Aneuploidy) for Chromosome 18, X & Y By FISH Chorionic Villus        | Kerala   | D        | 5405       | Daily : 9:00am    | 3rd day : 6:00pm | 20-30 mg Chorionic Villus in Sterile nutrient medium in 15 ml Falcon tubes(Medium will be provided by Metropolis). |
| T0126     | Trisomy for Chromosome 18, X & Y By FISH Cord blood                           | Kerala   | D        | 5405       | Daily : 9:00am    | 5th day : 6:00pm | 3 ml of Prenatal Cord Blood In Na-Heparin Vacutainer   |
| T0128     | Troponin-I, Serum   | Kerala   | C        | 1100       | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| T0129     | Troponin-T, Serum   | Kerala   | C        | 1975       | Daily: 9am to 9pm | After 6 hrs      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
| T0130     | TSH (Ultrasensitive) ECLIA Serum                                       | Kerala   | B        | 230        | Daily: 9am to 9pm   | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0131     | TSH Receptor Antibody LATS, TSI - Serum                                | Kerala   | C        | 5000       | W,S: 7:30am         | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0132     | TSH-Thyroid Stimulating Hormone Neonatal Screen Dried blood spot       | Kerala   | B        | 485        | Daily : 11:30am     | Next day : 5:00pm | Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion. |
| T0133     | tTG Antibody-IgA Tissue Transglutaminase,Celiac disease Serum          | Kerala   | C        | 1400       | Daily : 11:30am     | After 8hrs        | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0134     | tTG Antibody-IgG Tissue Transglutaminase,Celiac disease Serum          | Kerala   | C        | 1610       | Mon and Thu: 7.30am | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| T0135     | Typhi Dot IgM IgM antibody for Typhoid by Immunochromatography - Serum | Kerala   | B        | 700        | Daily : 9:00am      | Same day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| T0136     | Typhoid DNA by Real Time PCR - Blood                                   | Kerala   | C        | 5720       | Daily : 10:00am     | After 24hrs       | 3 ml of Whole Blood in EDTA   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon             | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|------------------------|--|
|           |  |          |          |            |                   |                        | Vacutainer   |
| T0137     | Typhoid DNA by Real Time PCR - CSF                   | Kerala   | C        | 5720       | Daily : 10:00am   | After 24hrs            | 2ml of CSF in Sterile leak proof tube or container   |
| T0138     | Typhoid Profile                                      | Kerala   | D        | 1960       | Daily: 9am to 9pm | 5th day                | 3 ml of EDTA whole blood, 3 ml of serum and 1 blood culture bottle   |
| T0139     | Tyrosine Quantitative Plasma                         | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm           | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.  |
| T0140     | Tyrosine Quantitative Urine**                        | Kerala   | R        | 6385       | Thu : 11:30am     | Tue : 5:00pm           | 10 ml of Spot urine  |
| T0141     | Tzanck smear (Microscopic examination)               | Kerala   | B        | 430        | Daily: 9am        | After 8 hrs            | Air Dried Smears From Vesicular fluid  |
| T0143     | TBE-TICKBORNE ENCEPHALITIS Antibodies by EIA - Serum | Kerala   | D        | 7445       | Daily : 11:30am   | After 4 weeks : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| T0145     | Trypanosoma Cruzi IgG by EIA - Serum**               | Kerala   | R        | 2320       | Daily : 11:30am   | 20th day : 6:00pm      | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer  |
| T0158     | t(12;16):FUS rearrangement **                        | Kerala   | R        | 16480      | Daily : 11:30am   | 12th day : 6:00pm      | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| T0160     | t(X;18):SSX18 translocation **                       | Kerala   | R        | 16480      | Daily : 11:30am   | 12th day : 6:00pm      | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath/IHC report along with doctors number. FFPE block to be shipped at Ambient temperature. |
| T0162     | Tumor marker panel (270 genes), comprehensive, FFPE  | Kerala   | D        | 47000      |                   | 4 weeks                | (FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report. 4 ml of EDTA whole blood or collection in special tubes as per                 |

| Test Code | Test Name                     | location | Category | Price(Rs.) | Testschedule    | Reportedon             | Sample Guideline  |
|-----------|-------------------------------|----------|----------|------------|-----------------|------------------------|---|
|           |                               |          |          |            |                 |                        | test. Sample to be shipped at Ambient temperature for local samples and refrigerated condition for outstation samples. do not freeze or keep EDTA blood samples in contact with ice packs. EDTA samples stable for 2 days at Ambient temperature and 5 days at Refrigerated condition |
| T0168     | NextGen Tumor Mutation Burden | Kerala   | E        | 43000      | Daily 9:00 am   | 25th Days              | (FFPE block) Tumor containing tissue fixed in 20% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.   |
| T0169     | Thallium, hair by ICPMS       | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| T0170     | Tin, EDTA Whole Blood**       | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm      | Individual Metals and Minerals.pdf  |
| T0171     | Tin, Hair tests by ICPMS**    | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| T0172     | Tin, Spot Urine**             | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm      | Individual Metals and Minerals.pdf  |
| T0173     | TUNGSTEN, EDTA WHOLE BLOOD    | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm      | Individual Metals and Minerals.pdf  |
| T0174     | Tungsten, Hair tests by ICPMS | Kerala   | R        | 1855       | Daily : 11:30am | 10th day : 6:00pm      | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| T0175     | TUNGSTEN, SPOT URINE          | Kerala   | R        | 2835       | Daily : 11:30am | 10th day : 6:00pm      | Individual Metals and Minerals.pdf  |
| T0182     | TB CHECK - Pulmonary          | Kerala   | D        | 10200      | Daily : 7:30am  | After 6 weeks : 6:00pm | Pulmonary Smear positive samples or Culture positive specimen   |
| T0184     | TB CHECK - Extra Pulmonary    | Kerala   | D        | 10200      | Daily : 7:30am  | After 6 weeks : 6:00pm | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule   | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|----------------|------------------------|---|
| T0192     | TB Spectrum - Pulmonary                                     | Kerala   | D        | 17850      | Daily : 7:30am | After 6 weeks : 6:00pm | fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)<br>Pulmonary Smear positive samples or Culture positive specimen   |
| T0200     | TRIO Clinical Exome sequencing - 26MB (80-100x) **          | Kerala   | E        | 56000      | Daily: 7:30am  | 4 weeks                | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| T0201     | TB Spectrum - Extra Pulmonary                               | Kerala   | D        | 17850      | Daily : 7:30am | After 6 weeks : 6:00pm | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)   |
| T0502     | TBC1D24-Gene Analysis                                       | Kerala   | E        | 20000      | Daily: 7:30am  | 4 weeks                | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory. |
| T0504     | TRIO-Whole exome sequencing Sure SelectV5-45-50MB (80-100x) | Kerala   | E        | 56000      | Daily: 7:30am  | 4 weeks                | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF,                       |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|-------------------|---|
| T0505     | TTN-Gene sequencing   | Kerala   | E        | 19000      | Daily: 7:30am     | 4 weeks           | history is mandatory.<br>3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.  |
| T0506     | Trisomy for Chromosome 18, X & Y by FISH, Ovarian follicular fluid ** | Kerala   | D        | 5405       | Daily : 11:30am   | 5th day : 6:00pm  | CytogeneticsandFISH.pdf   |
| T0507     | Thrombophilia Super Maxi  | Kerala   | D        | 22000      | Monday : 9am      | Wednesday : 7 pm  | 2 ml of citrated platelet poor plasma in frozen condition ,3 ml serum and 3 ml of EDTA whole blood is required.   |
| T0938     | TPMT and NUDT15 gene analysis**                                       | Kerala   | R        | 14700      | Daily : 11:30am   | 20th day : 6:00pm | 4 ml EDTA Whole blood   |
| T0987     | Tricyclic antidepressants Drug(TCA) (Qualitative), Urine              | Kerala   | D        | 665        | Daily: 9am to 9pm | After 6 hrs       | 10 ml of Spot urine   |
| T0988     | Taurine DBS**   | Kerala   | D        | 6325       | Thu : 11:30am     | Tue : 5:00pm      | ried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon  | Sample Guideline  |
|-----------|--|----------|----------|------------|-------------------|-------------|---|
| T0989     | 2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus(ADA) | Kerala   | E        | 300        | Daily: 9am to 9pm | After 6 hrs | <p>evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to be stopped based on physician recommendations</p> <p>Glucose Screen in pregnancy. ADA recommends 2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus (GDM). Step 1: A 50 g glucose challenge test (GCT) is used for screening without regard to the time of last meal or time of the day. Step 2: If 1 hour GCT value is more than 140 mg/dl, 100g Oral Glucose Tolerance Test (OGTT) is recommended and plasma glucose is estimated at 0, 1, 2 and 3 hours. G0027_50(post glucose 1 hr 50 gms ) and G0066 (GTT- Gestational 3 hrs 100 gms glucose). If Post Glucose 1hr 50 gms value Above 140 then reflex G0066 GTT-Gestational ,Three Hour(100 grams glucose) taken.</p> |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule       | Reportedon          | Sample Guideline  |
|-----------|--|----------|----------|------------|--------------------|---------------------|---|
| T1032     | Tobramycin**   | Kerala   | R        | 6075       | Daily : 11:30am    | 5th day : 6:00pm    | 3ml of Serum sample required to be shipped at 2-8C. Do not use gel tubes. Sample is stable for 1day, 7 days & 30days at A, R and F temperatures respectively. General Instructions: 1. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample. |
| T1170     | BCR-ABL IS (International Scale) Transcript fusion Quantification by Real Time PCR - Blood       | Kerala   | D        | 6900       | Tue & Fri : 9:00am | 3rd day : 6:00pm    | 3 ml of Whole Blood in EDTA Vacutainer  |
| T1171     | BCR-ABL IS (International Scale) Transcript fusion Quantification by Real Time PCR - Bone Marrow | Kerala   | D        | 6120       | Tue & Fri : 9:00am | 3rd day : 6:00pm    | 3 ml of Bone Marrow in EDTA Vacutainer  |
| T1901     | Canine - T3 (Total)  | Kerala   | B        | 185        | Daily: 9am to 9pm  | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| T1902     | Canine-T4-Free, Serum  | Kerala   | B        | 270        | Daily: 9am to 9pm  | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.  |
| T1903     | Canine-T4 (Total)  | Kerala   | B        | 215        | Daily: 9am to 9pm  | Report after 24 hrs | Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the   |



| Test Code | Test Name                          | location | Category | Price(Rs.) | Testschedule      | Reportedon          | Sample Guideline  |
|-----------|------------------------------------|----------|----------|------------|-------------------|---------------------|---|
| T1904     | Testosterone Total, Serum          | Kerala   | B        | 755        | Daily: 9am to 9pm | Report after 24 hrs | <p>clinician.</p> <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p> |
| T1905     | CANINE-Thyroid panel-1             | Kerala   | C        | 570        | Daily: 9am to 9pm | Report after 24 hrs | <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p>                   |
| T1906     | CANINE-Thyroid panel - 2           | Kerala   | C        | 780        | Daily: 9am to 9pm | Report after 24 hrs | <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p>                   |
| T1908     | Canine-TSH (Ultrasensitive), Serum | Kerala   | B        | 380        | Daily: 9am to 9pm | Report after 24 hrs | <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the clinician.</p>                   |
| T1910     | Canine - Triglyceride              | Kerala   | A        | 245        | Daily: 9am to 9pm | Report after 24 hrs | <p>Please contact lab before sending samples. Kits used are validated for Human samples. Reference range will be provided where available for canine or any other animal. Please correlate clinically and to be interpreted by the</p>                              |

| Test Code | Test Name                                  | location | Category | Price(Rs.) | Testschedule        | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|------------------------|---|
| T1911     | Thyroid cancer mutation panel, FFPE Tissue | Kerala   | E        | 35000      | Daily : 11:30am     | After 4 weeks : 6:00pm | clinician.<br>(FFPE block) Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours and paraffin embedded. Clinical history with Histopath report.   |
| T5041     | TruHealth Screen                           | Kerala   | W        | 499        |                     |                        | See Individual Test Details   |
| T5585     | TruHealth Youth                            | Kerala   | W        | 4000       |                     |                        | See Individual Test Details   |
| T5586     | TruHealth Master                           | Kerala   | W        | 4500       |                     |                        | See Individual Test Details   |
| T5587     | TruHealth Senior                           | Kerala   | W        | 5000       |                     |                        | See Individual Test Details   |
| T5588     | TruHealth Women                            | Kerala   | W        | 5000       |                     |                        | See Individual Test Details   |
| T5589     | TruHealth Senior Women                     | Kerala   | W        | 5000       |                     |                        | See Individual Test Details   |
| T5610     | Tru Health Heart Advance                   | Kerala   | W        | 6000       | Mon and Thu: 7.30am | Same day 5pm           | 5 ml of serum   |
| T5611     | Tru Health Heart Basic                     | Kerala   | W        | 1500       | Daily: 9am to 9pm   | After 6 hrs            | 5 ml of serum, 2 ml of fluoride plasma  |
| T5612     | TruHealth Advance                          | Kerala   | W        | 2800       |                     |                        | See Individual Test Details   |
| T5628     | Tru Health Heart Pro                       | Kerala   | W        | 3500       | Daily: 9am to 9pm   | After 6 hrs            | 5 ml of serum   |
| T5705     | T5705 : TruHeart Gold                      | Kerala   | W        | 2499       | Daily               | Next day 5.00 pm       | 4 ml Serum  |
| T5709     | TB Viram screening                         | Kerala   | D        | 6230       | Daily : 9:00am      | After 6 weeks : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer. 2ml of Fluoride Plasma. 2ml of Pulmonary or Extra Pulmonary specimen in Sterile leak proof container. Also note, kindly refer to individual test for the sample guideline. |
| T5710     | TB Viram susceptibility                    | Kerala   | D        | 19535      | Daily : 9:00am      | After 4 weeks : 6:00pm | 2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container Pure Culture (Mtb Complex) Bottle Or MGIT Tube or LJ slant  |
| T8006     | Tissue processing                          | Kerala   | C        | 520        |                     |                        | Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details   |

| Test Code | Test Name                                | location | Category | Price(Rs.) | Testschedule                                 | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|--|-------------------|--|
| T8500     | Transplant Panel for Viral Infection     | Kerala   | D        | 15000      | Every Tuesday, Thursday and Saturday 9:00 AM | Same day 11:00 PM | 2ml EDTA Plasma or Serum   |
| U0001     | U1-SnRNP (68 KDa)Serum                   | Kerala   | C        | 1715       | W,S: 7:30am                                  | Same day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| U0002     | UGT1A1 Gene Polymorphism (TA Repeat)     | Kerala   | D        | 6325       | Tue & Fri : 9:00am                           | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .   |
| U0003     | Urea, Serum                              | Kerala   | A        | 150        | Daily: 9am to 9pm                            | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| U0004     | Urea Urine 24H                           | Kerala   | A        | 305        | Daily: 9am to 9pm                            | After 6 hrs       | 24 H urine: 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea , coffee , cold drink avoidance for accurate results and such history to be conveyed to lab. |
| U0005     | Urea Breath Test For Helicobacter Pylori | Kerala   | C        | 2080       | Daily : 9:00am                               | Same day : 5pm    | NA   |
| U0006     | Urea Clearance Test Serum                | Kerala   | A        | 610        | Daily: 9am to 9pm                            | After 6 hrs       | 10 ml of 24 Hrs Urine & 2 ml of serum  |
| U0007     | Uric Acid Serum                          | Kerala   | A        | 150        | Daily: 9am to 9pm                            | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| U0008     | Uric Acid Spot urine                     | Kerala   | A        | 305        | Daily: 9am to 9pm                            | After 6 hrs       | 10 ml of Spot urine  |
| U0009     | Uric Acid Urine 24H                      | Kerala   | A        | 305        | Daily: 9am to 9pm                            | After 6 hrs       | 24 H urine: 24 hour Urine should be  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule      | Reportedon  | Sample Guideline   |
|-----------|--|----------|----------|------------|-------------------|-------------|--|
|           |  |          |          |            |                   |             | collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Many analytes like VMA, 5 HIAA, adrenaline may require drug avoidance as well as bananas, tea, coffee, cold drink avoidance for accurate results and such history to be conveyed to lab. |
| U0010     | Urobilinogen Urine   | Kerala   | A        | 110        | Daily: 9am to 9pm | After 6 hrs | 15ml of Spot Urine in Sterile leak proof container   |
| U0014     | Urea Urine Spot  | Kerala   | A        | 220        | Daily: 9am to 9pm | After 6 hrs | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.  |
| U1801     | Ultrasound (USG) by Appointment- Biophysical profile                                 | Kerala   | O        | 2825       |                   |             |  |
| U1803     | Ultrasound (USG) by Appointment- Follicular Study                                    | Kerala   | O        | 1130       |                   |             |  |
| U1804     | Ultrasound (USG) by Appointment- Full Abdomen with pelvis                            | Kerala   | O        | 1100       |                   |             |  |
| U1805     | Ultrasound (USG) by Appointment- K.U.B   | Kerala   | O        | 905        |                   |             |  |
| U1806     | Ultrasound (USG) by Appointment- Musculoskeletal (Shoulder, Elbow, Ankle, Knee, etc) | Kerala   | O        | 1130       |                   |             |  |
| U1807     | Ultrasound (USG) by Appointment- Pelvis  | Kerala   | O        | 1000       |                   |             |  |
| U1808     | Ultrasound (USG) by Appointment- Pregnancy - 2nd trimester                           | Kerala   | O        | 1695       |                   |             |  |
| U1809     | Ultrasound (USG) by Appointment- Pregnancy - 3rd trimester                           | Kerala   | O        | 905        |                   |             |  |
| U1810     | Ultrasound (USG) by Appointment-   | Kerala   | O        | 905        |                   |             |  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule                             | Reportedon             | Sample Guideline  |
|-----------|--|----------|----------|------------|--|------------------------|---|
|           | Pregnancy - early  |          |          |            |  |                        |   |
| U1811     | Ultrasound (USG) by Appointment- Pregnancy - level 3 Scan            | Kerala   | O        | 905        |  |                        |   |
| U1812     | Ultrasound (USG) by Appointment- Small parts (Thyroid, Scrotum, etc) | Kerala   | O        | 1200       |  |                        |   |
| U1813     | Ultrasound (USG) by Appointment- Trans rectal with K.U.B             | Kerala   | O        | 1355       |  |                        |   |
| U1814     | Ultrasound (USG) by Appointment- Upper abdomen                       | Kerala   | O        | 905        |  |                        |   |
| U8003     | Urine Sugar Fasting  | Kerala   | A        | 30         | Daily : 9:00am to 9:00pm                 | After 4hrs             | 15ml of Spot Urine in Sterile leak proof container                          |
| U8004     | Urine sugar, 2 hrs post prandial                                     | Kerala   | A        | 30         | Daily : 9:00am to 9:00pm                 | After 4hrs             | 15ml of Spot Urine in Sterile leak proof container                          |
| U8004_PP  | Urine sugar, post glucose  | Kerala   | A        | 30         | Daily : 9:00am to 9:00pm                 | After 4hrs             | 15ml of Spot Urine in Sterile leak proof container                          |
| U8005     | Urine sugar, random  | Kerala   | A        | 30         | Daily : 9:00am to 9:00pm                 | After 4hrs             | 15ml of Spot Urine in Sterile leak proof container                          |
| V0001     | Valproic Acid Sodium Valporate Serum                                 | Kerala   | C        | 1090       | Daily: 9am to 9pm                        | After 6 hrs            | 3 ml of Serum (Mention Time of Drug)  |
| V0002     | Vancomycin Serum   | Kerala   | R        | 6695       | Daily : 11:30am                          | 4th day : 6:00pm       | 3 ml of Serum (Mention Time of Drug)  |
| V0003     | VDRL RPR by Flocculation - Serum                                     | Kerala   | B        | 220        | Daily : 9:00am to 3:00pm                 | After 6 hrs            | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer               |
| V0004     | VDRL by Flocculation - CSF   | Kerala   | C        | 445        | Daily : 9:00am, 12:00pm, 4:00pm, 8:00 pm | After 6 hrs            | 2ml of CSF in Sterile leak proof tube or container                          |
| V0005     | Voltage Gated Calcium Channel ( VGCC) Antibody**                     | Kerala   | R        | 10300      | Daily : 11:30am                          | After 4 weeks : 6:00pm | 5 ml Serum  |
| V0006     | VGKC Antibody, CSF   | Kerala   | D        | 8160       | Mon & Thu : 11:30am                      | Same day : 9:00pm      | 2 ml of CSF in sterile screw capped container.                              |
| V0007     | VGKC Antibody, Serum   | Kerala   | D        | 9300       | Mon & Thu : 11:30am                      | Same day : 9:00pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| V0008     | Vitamin A (Retinol), Serum   | Kerala   | D        | 4490       | Mon & Thu : 11:30am                      | Next day : 5:00pm      | 2 ml Serum Or EDTA Plasma In aluminium Foil                                 |
| V0009     | Vitamin B1 (Thiamine ), EDTA Whole blood                             | Kerala   | D        | 3620       | Wed & Sat :                              | Next day : 5:00pm      | 3 ml of EDTA whole blood covered  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule                 | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|------------------------------|-------------------|--|
| V0010     | Vitamin B12 Cyanocobalamin Serum<br>by HPLC (V0009)                            | Kerala   | B        | 1100       | Daily: 9am to 9pm<br>11:30am | After 6 hrs       | In Aluminium Foil<br>3 ml of serum for single test and 5 ml serum for profiles and reflex tests. |
| V0011     | Vitamin B12 Active Holo Transcobalamin Serum                                   | Kerala   | C        | 1510       | Daily: 9am to 9pm            | After 6 hrs       | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                      |
| V0012     | Vitamin B2 Riboflavin EDTA Whole Blood   | Kerala   | D        | 3570       | Wed : 11:30am                | Next day : 5:00pm | 3 ml of EDTA whole blood covered In Aluminium Foil   |
| V0013     | Vitamin B6 Pyridoxine EDTA Whole Blood   | Kerala   | D        | 3500       | Sat : 11:30am                | Mon : 7:00pm      | 3 ml of EDTA whole blood covered In Aluminium Foil   |
| V0014     | Vitamin C, Serum/Heparin plasma by HPLC  | Kerala   | D        | 3700       | Tue & Fri: 11:30am           | Next day : 5:00pm | 2 ml Lithium heparin Plasma or serum In Fasting condition covered In Aluminium Foil              |
| V0015     | Vitamin D Total-25 Hydroxy Plasma/Serum  | Kerala   | B        | 1150       | Daily: 9am to 9pm            | After 6 hrs       | 2 ml of serum / EDTA Plasma  |
| V0016     | Vitamin D plus profile   | Kerala   | A        | 1800       | Daily: 9am to 9pm            | After 6 hrs       | 2 ml Serum / Edta Plasma   |
| V0017     | Vitamin D-1,25-Dihydroxy Serum   | Kerala   | C        | 3640       | Daily: 7.30am                | Next day 5pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.                      |
| V0018     | Vitamin E Tocopherol Serum   | Kerala   | D        | 4500       | Mon & Thu : 11:30am          | Next day : 5:00pm | 2 ml Serum Or EDTA Plasma In aluminium Foil  |
| V0019     | Vitamin profile  | Kerala   | C        | 3120       | Daily: 9am to 9pm            | After 8 hrs       | 3 ml Serum and 3 ml of EDTA plasma   |
| V0020_LC  | Vanillyl Mandelic Acid (VMA), LC MSMS, 24hrs urine                             | Kerala   | C        | 3795       | Mon and Thu: 1pm             | Next day 5:00 pm  | 10 ml 24 Hrs Urine   |
| V0021     | VRE Screen Vancomycin Resistant Enterococci by Vitek/ MALDITOF - Perianal swab | Kerala   | C        | 1040       | Daily : 9:00am to 9:00pm     | 3rd day : 5pm     | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube                          |
| V0022     | Vw-Von Willebrand Antigen, Citrated plasma                                     | Kerala   | D        | 10405      | Mon : 9:00am                 | Same day : 8pm    | 1 ml of citrated platelet poor plasma in frozen condition.                                       |
| V0023     | VZV DNA Detection by Real Time PCR - Amniotic fluid                            | Kerala   | C        | 3430       | Mon & Thurs : 9:00am         | Next day : 5:00pm | 10ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container                      |
| V0024     | VZV DNA Detection by Real Time PCR - Blood                                     | Kerala   | C        | 3430       | Mon & Thurs : 9:00am         | Next day : 5:00pm | 3 ml of Whole Blood in EDTA Vacutainer   |
| V0025     | VZV DNA Detection by Real Time PCR -   | Kerala   | C        | 3430       | Mon & Thurs :                | Next day : 5:00pm | 2ml of CSF in Sterile leak proof   |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule           | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|------------------------|-------------------|---|
|           | CSF  |          |          |            | 9:00am                 |                   | tube or container   |
| V0026     | VZV DNA Detection by Real Time PCR - CVS                 | Kerala   | C        | 3430       | Mon & Thurs : 9:00am   | Next day : 5:00pm | 2ml of CVS in Sterile leak proof tube or container  |
| V0027     | VZV DNA Detection by Real Time PCR - Swab                | Kerala   | C        | 3430       | Mon & Thurs : 9:00am   | Next day : 5:00pm | 1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube   |
| V0029     | VZV IgG Antibody by CLIA - Serum                         | Kerala   | C        | 2070       | Daily : 9:00am         | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| V0030     | VZV IgM Antibody by CLIA - Serum                         | Kerala   | C        | 2030       | Daily : 9:00am         | Next day : 5pm    | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| V0031     | VDRL reflex Syphilis Total ABS - Serum                   | Kerala   | B        | 700        | Mon & Thu : 11:30am    | Next day : 6:00pm | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| V0032     | Voriconazole EDTA Plasma                                 | Kerala   | D        | 5865       | Tue & Fri: 11:30am     | Next day : 5:00pm | 3 ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.                                   |
| V0034     | VGKC - CSF & Serum                                       | Kerala   | E        | 13500      | Mon & Thu : 11:30am    | Same day : 9:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.2 ml of CSF in sterile screw capped container. |
| V0036     | Vitamin B Complex profile                                | Kerala   | E        | 5000       | Daily: 9am             | 7th day           | 3 ml of serum and 3 ml of EDTA whole bloodIn aluminium Foil   |
| V0037     | Vitamin K1**   | Kerala   | R        | 4800       | Daily : 11:30am        | 15th day : 6:00pm | 5 ml serum without gel tube. Wrap in aluminium foil. Frozen.  |
| V0038     | VANADIUM ICPMS BLOOD                                     | Kerala   | R        | 3500       | Daily : 11:30am        | 10th day : 6:00pm | 3 ml EDTA Blood / Metal free EDTA Blood   |
| V0144     | VITAMIN D GOLD(covers Vitamin D2 , vitamin D3 & D total) | Kerala   | D        | 2550       | Daily : 11:30am        | 3rd day : 6:00pm  | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| V0148     | Vasculitis profile, Serum                                | Kerala   | D        | 4080       | Tue, Thur, Sat 7:30 am | Next day 5 pm     | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| V0149     | Vesicobullous Disorder profile                           | Kerala   | E        | 9000       | Mon : 11:30am          | Next day : 5:00pm | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| V5023     | Vascular Endothelial Growth Factor (VEGF) serum**        | Kerala   | D        | 6120       | Daily 7.30 am          | 4 Weeks           | 3 ml Serum  |
| V7005     | Vascular Endothelial Growth Factor (VEGF)                | Kerala   | R        | 6180       | Daily : 11:30am        | After 4 weeks :   | 3 ml Serum  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule      | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|-------------------|-------------------|---|
|           | serum**   |          |          |            |                   | 6:00pm            |   |
| V8123     | Vitamin B3 (Niacin)   | Kerala   | D        | 3670       | Daily 7.30 am     | 7th Days          | 4 ml Serum  |
| V8124     | Vitamin B7 (Biotin)   | Kerala   | D        | 3670       | Daily 7.30 am     | 7th Days          | 4 ml Serum  |
| V8125     | Vitamin B5  | Kerala   | D        | 3670       | Daily 7.30 am     | 7th Days          | 4 ml Serum  |
| W0001     | Warfarin Sensitivity CYP2C9*2,CYP2C9*3 &VKORC1 Mutation Blood** | Kerala   | R        | 14830      | Daily : 11:30am   | 10th day : 6:00pm | Clinical history and TRF mandatory. Blood : 3 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability. below details are mandatory along with sample for the test "Genotyping for warfarin dose determination" 1.Clinical details 2.Medication details (Dose) 3.Height and Weight |
| W0002     | Water analysis Chemical**                                       | Kerala   | R        | 1420       | Daily : 11:30am   | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| W0003     | Water Culture for coliforms Water                               | Kerala   | C        | 625        |                   |                   | 50ml of Water in Sterile leak proof container   |
| W0006     | WBC:Total & Differential Counts, EDTA blood.                    | Kerala   | A        | 170        | Daily: 9am to 9pm | After 6 hrs       | 3 ml EDTA whole Blood   |
| W0007     | WBC:Total & Differential Counts, Body Fluid                     | Kerala   | A        | 280        | Daily: 9am to 9pm | After 6 hrs       | Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required.Body fluids( CSF, Pleural, Peritoneal, Pericardial, synovial fluid)   |
| W0009     | WBC-Total Counts, Body Fluid.                                   | Kerala   | A        | 110        | Daily: 9am to 9pm | After 6 hrs       | Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fluids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid)  |



| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule           | Reportedon             | Sample Guideline  |
|-----------|---|----------|----------|------------|------------------------|------------------------|---|
| W0010     | Weil Felix Test For Rickettsia by Agglutination - Serum     | Kerala   | B        | 1100       | Daily : 7:30pm         | Next day : 5pm         | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| W0011     | Widal Test for Typhoid by Agglutination - Serum             | Kerala   | B        | 380        | Daily : 7:30pm         | Next day : 5pm         | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| W0013     | WilsonS Disease Panel                                       | Kerala   | D        | 4285       | Mon and Thu: 9am       | Same day 5pm           | 3 ml of EDTA whole blood, 2 ml of flouride plasma random, 3 ml of serum, 20 ml aliquot of 24 hrs urine (Volume reqd)  |
| W0014     | West nile virus IgG by EIA - Serum                          | Kerala   | D        | 3570       | 1st & 3rd Fri : 9:00am | 4th day : 5pm          | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| W0015     | West nile virus IgM by EIA - Serum                          | Kerala   | D        | 3570       | 1st & 3rd Fri : 9:00am | 4th day : 5pm          | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| W0017     | West nile virus DNA Detection by Real Time PCR - EDTA Blood | Kerala   | D        | 5815       | Daily : 10:00am        | After 24hrs            | 3 ml of Whole Blood in EDTA Vacutainer  |
| W0018     | Whole mitochondrial genome sequencing**                     | Kerala   | R        | 14000      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| W0019     | WT1 MUTATION DETECTION**                                    | Kerala   | R        | 7775       | Daily : 11:30am        | 12th Day : 6:00pm      | 4 ML EDTA whole blood   |
| W0020     | Whole Exome panel**   | Kerala   | R        | 25000      | Daily : 11:30am        | After 4 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| W0021     | Whole genome sequencing Mean 30x                            | Kerala   | R        | 95550      | Daily : 11:30am        | After 6 weeks : 6:00pm | 3 ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule    | Reportedon        | Sample Guideline   |
|-----------|--|----------|----------|------------|-----------------|-------------------|--|
|           |  |          |          |            |                 |                   | Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory. |
| W0022     | Whole Slide Imaging per slide  | Kerala   | C        | 520        |                 | 2nd Day           | Well mounted H &E stained Or IHC stained slide, Doctors TRF & E mail ID  |
| W0023     | Water chemistry panel - 3**  | Kerala   | R        | 4635       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| W0024     | Water test profile, Routine  | Kerala   | R        | 2575       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| W0025     | Water test profile, Comprehensive  | Kerala   | R        | 9270       | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| W0026     | Water chemistry panel - 1**  | Kerala   | R        | 620        | Daily : 11:30am | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.   |
| W1802_F   | Wellness packages (Body watch) by Appointment- Fitness check-Female Below 45 years     | Kerala   | W        | 4500       |                 |                   | See Individual Test Details  |
| W1802_M   | Wellness packages (Body watch) by Appointment- Fitness check-Male Below 45 years       | Kerala   | W        | 4500       |                 |                   | See Individual Test Details  |
| W1803_F   | Wellness packages (Body watch) by Appointment- Life style check -Female Below 45 years | Kerala   | W        | 8500       |                 |                   | See Individual Test Details  |
| W1803_M   | Wellness packages (Body watch) by Appointment- Life style check -Male Below 45 years   | Kerala   | W        | 8500       |                 |                   | See Individual Test Details  |
| W1804_F   | Wellness packages (Body watch) by Appointment- Vitality check-Female Below 45 years    | Kerala   | W        | 16500      |                 |                   | See Individual Test Details  |
| W1804_M   | Wellness packages (Body watch) by Appointment- Vitality check-Male Below 45            | Kerala   | W        | 16500      |                 |                   | See Individual Test Details  |

| Test Code | Test Name   | location | Category | Price(Rs.) | Testschedule       | Reportedon        | Sample Guideline  |
|-----------|---|----------|----------|------------|--------------------|-------------------|---|
| W1805_F   | years<br>Wellness packages (Body watch) by Appointment- Fitness check-Female Above 45 years | Kerala   | W        | 6500       |                    |                   | See Individual Test Details   |
| W1805_M   | Wellness packages (Body watch) by Appointment- Fitness check-Male Above 45 years            | Kerala   | W        | 6500       |                    |                   | See Individual Test Details   |
| W1806_F   | Wellness packages (Body watch) by Appointment- Life style check-Female Above 45 years       | Kerala   | W        | 12500      |                    |                   | See Individual Test Details   |
| W1806_M   | Wellness packages (Body watch) by Appointment- Life style check-Male Above 45 years         | Kerala   | W        | 12500      |                    |                   | See Individual Test Details   |
| W1807_F   | Wellness packages (Body watch) by Appointment- Vitality check- Female Above 45 years        | Kerala   | W        | 20500      |                    |                   | See Individual Test Details   |
| W1807_M   | Wellness packages (Body watch) by Appointment- Vitality check-Male Above 45 years           | Kerala   | W        | 20500      |                    |                   | See Individual Test Details   |
| X0001     | X And Y (Sex Mismatch) by FISH  | Kerala   | D        | 4490       | Daily : 9:00am     | 3rd day : 6:00pm  | 3 ml Blood in Na-heparin vacutainer   |
| X0002     | X And Y (Sex Mismatch) by FISH Bone Marrow Transplant Bone Marrow                           | Kerala   | D        | 4490       | Daily : 9:00am     | 3rd day : 6:00pm  | 2-3 ml Bone Marrow in Na-heparin vacutainer   |
| X8011     | XDR Rapid plus (For extra pulmonary samples)  | Kerala   | D        | 6220       | Daily : 7:30am     | Same day : 6:00pm | Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid) |
| X8012     | XDR Rapid plus (For pulmonary samples)  | Kerala   | D        | 6220       | Daily : 7:30am     | Same day : 6:00pm | 2ml of Pulmonary specimen in Sterile leak proof container   |
| Y0001     | Y-Chromosome Microdeletion Analysis   | Kerala   | D        | 8260       | Tue & Fri : 9:00am | 7th day : 6:00pm  | 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.   |
| Y0002     | Yersinia Enterocolitica Culture by Vitek/   | Kerala   | C        | 1715       | Daily : 9:00am to  | 3rd day : 5pm     | 5gm of Stool specimen in Sterile  |

| Test Code | Test Name  | location | Category | Price(Rs.) | Testschedule        | Reportedon        | Sample Guideline  |
|-----------|--|----------|----------|------------|---------------------|-------------------|---|
|           | MALDITOF - Stool   |          |          |            | 9:00pm              |                   | leak proof container  |
| Y0005     | Yo Antibody Neuronal antibody for Paraneoplastic syndromes Serum | Kerala   | D        | 4735       | Daily: 11:30am      | Next day 8pm      | 3 ml of serum for single test and 5 ml serum for profiles and reflex tests.   |
| Z0001     | ZAP-70   | Kerala   | D        | 5610       | Daily : 11:30am     | 4th day : 6:00pm  | 3 ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required. |
| Z0005     | Zinc Urine   | Kerala   | D        | 2140       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| Z0006     | Zinc, Blood  | Kerala   | D        | 2315       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| Z0007     | Zinc, Serum  | Kerala   | D        | 2400       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| Z0009     | Zinc Urine 24H**   | Kerala   | D        | 2140       | Daily : 11:30am     | 3rd day : 6:00pm  | HeavyMetalSamplingguidelines.pdf  |
| Z0011     | Zika Virus RNA Detection by Real Time PCR - Serum                | Kerala   | D        | 6630       | Daily : 10:00am     | After 24hrs       | 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer   |
| Z0012     | Zinc , Water tests by ICPMS**                                    | Kerala   | R        | 1855       | Daily : 11:30am     | 10th day : 6:00pm | 2 litter of water in leakproof sterile container. Storage and shipping at 2 to 8 degree celsius.  |
| Z0013     | Zinc, Hair tests by ICPMS**                                      | Kerala   | R        | 1855       | Daily : 11:30am     | 10th day : 6:00pm | 1 gram of hair in leak proof container. Ambient temperature storage and shipping. Plz enquire before sending  |
| Z0014     | Zika Virus RNA Detection by Real Time PCR - Urine                | Kerala   | D        | 6630       | Daily : 10:00am     | 24 Hrs            | 15ml of Spot Urine in Sterile leak proof container  |
| Z0015     | Zinc Transporter 8 (ZnT8) Antibody                               | Kerala   | D        | 3060       | Mon & Thu : 9:00 am | Next day : 5:00pm | 3 ml Serum  |
| Â I0390   | IHC stain only HHV 8   | Kerala   | D        | 3500       | Daily : 9:00am      | 3rd day           | Single Paraffin block / section on charged slide  |
| Â I0392   | IHC stain only MDM 2   | Kerala   | D        | 3500       | Daily : 9:00am      | 3rd day           | Single Paraffin block / section on charged slide  |
| Â I0393   | IHC single marker with reporting MDM2                            | Kerala   | D        | 4500       | Daily : 9:00am      | 4th day           | Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail  |